

## Index

- abaxial, 17, 19–20, 71, 98, 118, 123, 128–129, 136, 149, 165, 177, 179–180, 185, 258, 261, 300, 313, 316–319, 365, 388, 406–407, 409, 411
- ABM, 231, 246, 261, 418, 472
- abscission, 23, 183–184
- absorbance, 59, 64, 112, 144, 150, 343  
 pseudo, 112
- absorptance, xi, 8, 85, 94, 106–107, 127, 129–130, 136–137, 146, 170, 173–174, 178–181, 183, 186, 189, 197, 199–200, 202, 211–212, 231, 271, 273, 309–311, 313, 316, 318, 353, 359, 364–366
- absorption  
 band, 8, 11, 54, 58, 62, 64, 66, 68–69, 112, 180, 184, 268, 328–329, 331, 373, 395  
 band depth, 329, 331–332  
 band shape, 329  
 coefficient, 48–49, 51, 56, 58, 84, 156, 174, 232, 235–238, 240, 247, 249, 264, 266, 271, 279, 283, 308, 310, 316, 326, 405, 452–453  
 line, 62  
 peak, 54, 56–57, 60–61, 145–146, 181, 280, 310, 371, 391  
 profile, 118, 143, 165, 167, 174, 183, 238, 242, 245, 307, 311–312, 314, 316  
 spectrum, 8, 56, 60–61, 64, 67, 113, 147, 172, 332, 364
- absorptivity, 84
- achlorophyllous, 175, 406
- acid  
 10,16-dihydroxy hexadecanoic, 37  
 16-hydroxy hexadecanoic, 37, 429  
 18-hydroxy octadecanoic, 37, 429  
 6-hydroxykynurenic, 44–45  
 9,10,18-trihydroxy octadecanoic, 37  
 abscisic acid, 18, 30  
 acetic, 306  
 amino, 22, 197, 413  
 cinnamic, 58–59, 147  
 fatty, 16, 37, 409, 428–429  
 galacturonic, 26, 432–433  
 gallic, 169  
 hexadecanoic, 428–429  
 hydroxy, 37, 429  
 hydroxycinnamic, 32  
 malic, 20  
 mist, 206, 208, 212  
 Montanic, *see* octacosanoic acid  
 nucleic, 127, 183, 197  
 octacosanoic, 429  
 oleanolic, 38, 66, 70, 432  
 organic, 191, 429  
 palmitic, *see* hexadecanoic acid  
 phenolic, 32  
 rain, 212  
 salicylic, 219  
 shikimic, 410  
 sulfuric, 212, 236  
 ursolic, 38, 432
- acoustic wave, 159–160
- adaptive evolution, 189
- adaxial, 19–20, 23, 98, 118, 120, 123, 125, 128–129, 132–136, 148–149, 161, 165–167, 177, 179–180, 183, 185, 189, 258, 261, 304, 310–311, 313, 316–318, 388, 406–407, 409
- ADP, 28, 406
- aerosol, 209, 212, 214, 366
- air pollution, *see* acid mist, acid rain, aerosol, carbon dioxide, methane, ozone, sulfur dioxide
- alcohol  
 primary, 37, 66, 430  
 secondary, 37, 66, 72, 428–429
- aldehyde, 37, 70, 430–431
- algae, 12, 385–387, 408, 411, 414, 416
- alkyl ester, 37, 426–427
- allelopathic, 38, 407
- allocation rate, 269
- angiosperms, 12, 14, 16, 19–21, 125, 137, 176–177, 380, 407–409, 416–417
- angle  
 acceptance, 118–119  
 azimuth, 96, 255, 261  
 Brewster, 72, 79–80, 97, 102, 448  
 contact, 373–374  
 critical, xii, 88, 235  
 incidence, 9, 74, 79, 88, 96, 98–100, 102–103, 109, 114, 125, 132, 160, 231, 240, 243, 252–256, 260, 289, 308, 310–313, 315–316, 376, 411, 447–449, 451  
 metric hue, 92  
 of illumination, *see* incidence angle  
 of observation, *see* viewing angle

- phase, 99  
 refracted, 126, 442  
 solid, xii, 80–84, 86, 96, 99, 131, 255, 308, 373,  
 435–436, 439  
 viewing, 74, 96, 99, 102, 107, 124, 132, 252, 258, 411, 439  
 zenith, *see* incidence angle, viewing angle  
 antheraxanthin, 30, 30, 46, 150, 407, 417, 433–434  
 anthocyanin, 7, 22, 32–35, 43–45, 58–60, 117, 139, 144–145,  
 167, 179, 182–183, 187–188, 198, 226, 236, 270,  
 274–275, 320–321, 325, 346, 368, 370, 381–382, 389,  
 398, 407  
 anthocyanin reflectance index, 182, 325  
 areola, 177, 407  
 Aristotle, 1  
 arsenic, 202–203  
 artificial neural network, 284, 352–355, 418  
 artistic leaf, 401  
   Balla, Giacomo, 403  
   Escher, Maurits Cornelis, 403  
   Hockney, David, 401–402  
 astrobiology, 393–394  
 astrobotany, 394–396  
 ATP, 28, 197, 407–408, 418  
 autotrophic endosymbiosis, 385  
  
 bacteria, 15, 34, 195, 214, 216–217, 219–220, 223, 226, 228,  
 346, 393, 401  
 bacterial  
   degradation, *see* bacteria  
   infection, *see* bacteria  
 band  
   center, 330–331  
   combination, 147, 284, 321, 335  
   depth, *see* absorption band depth  
   emission, 437  
   ratio, 320, 322, 475  
   Soret, 54  
   width, 51, 66  
 bandpass filter, 120  
 barium sulfate, 95, 107, 109  
 Bayesian model averaging, 349  
 Beer's law, *see* Beer-Lambert law  
 Beer-Lambert law, 162, 171–173, 231–232, 237, 239,  
 246–247, 266, 307, 311, 452, 455  
 biconical, 86  
 bidirectional  
   reflectance, *see* bidirectional reflectance factor  
   reflectance distribution function, 74, 85–87, 94–97, 99,  
   107, 131–133, 245–246, 251–252, 254–256, 258–260,  
   265–266, 286, 289–290, 307–308, 373, 376–377, 405,  
   418, 422, 440  
   reflectance factor, 74, 87, 96–97, 253–254, 308, 418, 441  
   scattering distribution function, 86–87, 253, 418  
   transmittance, *see* bidirectional transmittance factor  
   transmittance distribution function, 74, 85–87, 94, 97, 246,  
   260, 308, 418  
   transmittance factor, 308  
 BIEN, 471  
 biodiversity, 12, 192–194, 374, 377–378  
  
 biomineral, 172  
 bionic leaf, *see* artificial leaf  
 BIOPOP, 471  
 biosignature, 396  
 blackbody  
   emission, 120, 438  
   emitter, 155  
   radiation, 74, 82  
   spectral radiance, 83, 435  
   temperature, 83  
 blue shift, 180, 201, 210, 225, 338  
 BOREAS, 469  
 boron, 195, 412  
 Bouguer, Pierre, 452  
 BRDF, *see* bidirectional reflectance distribution function  
 Brewster, Sir David, 7–8  
 brown pigment, 35, 60–61, 405  
 bryophyte, 408  
  
 cadmium, 138, 202–203, 381  
 calcium, 36, 195–196, 198–199, 342, 381, 393, 412  
 calibration panel, *see* barium sulfate, Infragold, magnesium  
   oxide, Spectralon®  
 Calvin cycle, 20, 28  
 Calvin-Benson-Bassham cycle, *see* Calvin cycle  
 camera, 89, 93, 121, 210, 251, 367, 370, 391, 393  
 camouflage, 176, 387–392  
 CANMOD, 375–376  
 carbohydrate, 19–20, 22, 26–28, 36, 44, 168–169, 325, 346,  
 396, 408, 410, 417, 431–433  
 carbon  
   budget, 364  
   cycle, 366, 380  
   dioxide, 6, 14, 16, 18, 20, 23, 27–28, 128, 130, 152, 167,  
   184, 206, 208, 211, 214, 292, 297–298, 300, 316–318,  
   325–326, 358, 360, 363–365, 396, 401, 414, 469  
   fixation, 5, 167, 318, 364–366, 415  
   organic, 28, 31  
   reduction, 325, 365, 401  
   sequestration, 111, 404  
 Carboniferous, 15  
 carotenoid, 22, 30–31, 40–47, 54, 57–58, 60, 145, 151–152,  
 179–183, 187–188, 194, 197, 203, 226, 236, 246, 270,  
 275–276, 280, 283, 285, 320–321, 324, 326, 346,  
 348–350, 369, 381–382, 398, 405, 407–408, 413,  
 417–418, 432–434  
 CCD, *see* charge coupled device  
 cell  
   bundle-sheath, 20  
   columnar, 179  
   companion, 20  
   convex, 134, 309  
   density, 305  
   differentiation, 299  
   division, 16, 198, 299–300, 413  
   epidermal, 6, 14, 16–17, 33, 60, 103, 124–125, 131,  
   133–136, 144, 146, 201, 243, 256, 260–261, 266,  
   303–305, 308, 310, 314, 404–405, 408–409, 417  
   guard, 14, 16–18, 138, 304, 416–417

- cell (cont.)  
 meristematic, 20, 228, 412  
 meristemoid, 138, 412  
 oblateness, 261, 304, 308, 310, 464–465  
 palisade, 19, 33, 71, 161, 166, 177, 186–187, 201, 297,  
 300, 304–305, 309, 312–314, 404, 409, 411, 413,  
 464–466  
 parenchyma, 5, 19, 159, 298  
 phloem, 20, 412  
 protoplasmic, 187  
 rod, 384  
 sap, 58, 60, 72, 244  
 shape, 135, 146, 161, 166, 179, 185, 192, 230, 241, 243,  
 266, 292, 297–298, 300, 302–305, 415  
 sieve, 5, 20  
 spherical, 179, 235, 240, 316  
 spongy, 33, 187, 297, 300–301, 304–305, 319, 409, 467  
 subsidiary, 14, 17, 138  
 tubular, 166  
 wall, 9, 14, 16–17, 19–20, 22, 26, 34, 36, 46–47, 49, 63–64,  
 68, 71–72, 125–126, 141, 146, 156, 166, 171–172, 184,  
 198, 211, 226, 232, 243–245, 268, 292, 297, 302–307,  
 404–405, 407–413, 415, 417–418, 464–467  
 xylem, 16, 20, 412, 417
- cellulose, 20, 22, 26–27, 34–35, 43, 49, 64–68, 71–72, 146,  
 169, 236, 238, 268–270, 276, 281, 302, 341, 349, 352,  
 367, 404, 408, 411–412, 414, 431–432, 467  
 crystalline, 26, 67, 72, 272, 431  
 microfibril, 125
- chalcones, 33, 408
- charge coupled device, 100
- chemical  
 bond, 48, 268  
 fingerprint, 348  
 potential, 24
- chlorenchyma, 19, 161, 175, 408
- chlorine, 29, 195, 412
- chlorofluorocarbon, 138
- chlorophyll, 6–7, 11, 17, 22–23, 29–30, 32, 40–47, 54, 56–57,  
 60, 70–71, 113, 116–118, 124–125, 131–132, 137–138,  
 143–146, 149–152, 161–162, 166–167, 169, 173,  
 179–182, 184–185, 187–188, 191, 194, 197–203,  
 211–212, 226, 236, 238, 247–248, 268–271, 275–279,  
 282–285, 302–303, 305–307, 310, 312, 315–318,  
 320–323, 325–326, 330, 332, 337–340, 343–345,  
 349–350, 352, 356, 366–371, 375, 381–382, 389,  
 391–392, 394–398, 401, 405–406, 408, 413–415, 466, 468  
 fluorescence, *see* fluorescence, chlorophyll  
 meter, 116–117, 198, 367, 369
- chlorophyll a, 29, 31, 41, 54–57, 148–149, 183, 224, 236,  
 246, 322, 332, 342, 346, 348, 366, 369, 408
- chlorophyll a:b ratio, 41–42, 45, 185, 339, 381
- chlorophyll b, 29, 31, 41, 45, 54–56, 183, 224, 236, 246, 322,  
 346, 348, 366, 369, 408
- chloroplast, 16, 19–20, 22, 26–27, 29–30, 35, 43–47, 49, 51,  
 54, 57, 72–73, 134, 144, 146, 161, 166, 172, 174,  
 177–179, 184, 207, 226, 241, 244–245, 250, 294, 297,  
 300, 302–304, 306, 311, 315, 318, 365, 378, 385–387,  
 392, 397, 401, 404, 408–414, 416, 466, 468
- density, 166, 173  
 distribution, 161, 177–178  
 functional, 17  
 membrane, 28, 206, 310, 465–466  
 movement, 177–179, 297  
 position, 179  
 specialized, 125–126  
 structure, 29, 139, 146, 161, 204, 416  
 suspension, 51, 172  
 volume, 177
- chlorosis, 197–201, 205, 207, 210–211, 214, 219, 223–224,  
 367, 381, 408
- chromaticity, 89–90, 370
- chromium, 138, 202–203
- CIE, 89–90, 92–94
- climate change, 189, 194, 214, 377
- cobalt, 138, 202–203
- coefficient  
 absorption, *see* absorption coefficient  
 attenuation, 159–160  
 extinction, xiii, 49, 155, 239, 452  
 of determination, 321  
 reflection, *see* reflection coefficient  
 scattering, *see* scattering coefficient  
 transmission, *see* transmission coefficient
- color  
 chart, 93, 198, 367–369  
 coordinates, 89  
 cryptic, 389–390  
 flower, 5, 7, 124, 127  
 infrared film, 224  
 matching function, 93–95  
 measurement, 93–94  
 perception, 89, 381  
 photograph, 222, 370  
 primary, 89, 92–93  
 space, 89–90, 92, 370  
 variability, 184  
 vision, 93, 383–384
- coloration, 124–125, 388–390, 398
- colorimeter, 89, 93
- colorimetry, 93
- complex dielectric permittivity, xii, 48–52, 121–123, 156,  
 158, 262  
 imaginary part, *see* loss factor  
 real part, *see* dielectric constant
- complex refractive index, xi, 48, 50–52, 63, 256, 270,  
 303, 409  
 imaginary part, *see* extinction coefficient, attenuation  
 coefficient  
 real part, *see* refractive index, index of refraction
- condensation, *see* dew
- condensed tannin, 32–33, 35
- confocal microscopy, *see* microscopy, confocal
- conifer, 14, 16, 20–21, 111, 210, 236, 373, 410, 414, 431,  
 469, 472  
 needle, 15, 110–111, 143–144, 152, 269–270, 300,  
 361, 469
- conoscope, 100

- conservation of energy, 6, 84, 357  
 constructive solid geometry, 300, 419  
 continuum removal, 197, 212, 328, 331–332, 375  
 convection, 357, 359–361  
 convective heat  
   loss, 363  
   transfer, 359  
 convexity index, 316–317  
 copper, 4–6, 8, 35, 195–196, 200–203, 270, 381, 412  
 cost function, 258, 284–286, 355  
 cuticle, 14–17, 22, 36–38, 71–72, 88, 105, 124–125, 127,  
   131–132, 137, 139–142, 144, 155, 189, 226, 238, 256,  
   259, 300, 302, 306, 408–409, 426, 430  
 cuticular membrane, 36, 141–142  
 cutin, 16, 36–37, 72, 373, 408–409  
 cytoplasm, 6, 22, 27, 33, 68, 135, 172, 243, 245,  
   302–303, 409  
 cytoplasmic pigment, *see* anthocyanin, brown pigment,  
   flavone  
 cytosol, 26, 72–73, 409
- Da Vinci, Leonardo, 2–4, 401  
 Dark Green Color Index, 370  
 dark reaction, *see* Calvin cycle  
 DART, 375–376  
 database with leaf optical properties, *see* BOREAS, EcoSIS,  
   LOPEX, OPTICLEAF, SPECCHIO, Spectranomics  
 database without leaf optical properties, *see* BIEN, BIOPOP,  
   LEDA, TRY  
 derivative  
   first, 83, 146, 168, 185, 197, 204, 211–212, 321, 323, 327,  
   332–333, 335–337, 339–340, 343, 350, 435  
   second, 168, 321, 333, 336, 339, 343  
 design of experiments for simulation, 277, 419  
 detour effect, 172, 174  
 dew, 372–373, 403  
 dicot, *see* dicotyledon  
 dicotyledon, 12, 170, 177, 234, 238, 241–243, 245–246, 260,  
   300, 303, 305, 310, 339, 369, 380, 407, 409–410,  
   414, 418  
 dielectric constant, xii, 49–51, 53, 121–123, 262  
 differential sensitivity analysis, *see* one-factor-at-a-time  
   sensitivity analysis  
 diffraction, 53, 258  
 direction  
   backward, 99, 119, 133  
   forward, 119, 133  
   illumination, 71, 84–85, 94–95, 99, 106, 131, 133, 239,  
   253, 255–258, 289, 309, 373, 375–377  
   observation, 82, 84, 94, 99, 131, 239, 253, 255, 257–258,  
   375, 377  
   viewing, *see* observation direction  
 directional-hemispherical  
   reflectance factor, 87, 95, 106–107, 112, 131–132, 246,  
   259–260, 286, 419  
   transmittance factor, 87, 106, 246, 419  
 DLM, 231, 234, 471  
 dry matter content, 39–40, 118, 147, 269, 275–276, 280–281,  
   283, 307, 326, 345–346, 363, 367, 375, 420, 471
- ecology, ix, x, 11, 15, 22, 176, 269, 366–367, 377, 397, 472  
 EcoSIS, 470  
 edaphic factor, *see* heavy metal, mineral nutrient, petroleum  
   hydrocarbon, salt  
 effective  
   boundary layer thickness, 361  
   cross-section, 28  
   dielectric constant, xii, 53–54  
   medium theory, 52–54, 263  
   permittivity, 53, 263  
   refractive index, 53, 264  
 electric field, 49, 63, 74–75, 78, 80, 88, 239, 442, 444–447  
 electromagnetic radiation, 48, 50, 63, 74–76, 78, 81–82, 156,  
   229, 246, 364, 419, 443–444  
 electromagnetic spectrum, *see* Gamma-ray, X-ray,  
   ultraviolet, visible, near-infrared, shortwave-infrared,  
   midwave-infrared, longwave-infrared, very-longwave-  
   infrared, far-wave infrared, microwave, radio wave  
 electronic  
   level, 54  
   transition, 48, 54, 302  
 ellipticity, 105  
 emissivity, 49, 120–121, 155–156, 359, 392, 405  
 endodermis, 19–20, 409  
 energy  
   absorbed, 30–31, 83, 357–358  
   balance, 16, 21, 117, 155, 357–358, 363–364, 371  
   budget, ix, 38, 128–129, 357, 363, 392, 404–405  
   capture, 28, 31  
   chemical, 6, 28, 358, 396, 401  
   conservation, *see* conservation of energy  
   conversion, 28  
   diagram, 55, 57–58  
   dissipation, 30, 49, 84  
   excess, 31, 148, 184, 326  
   exchange, 8, 357  
   excitation, 32, 47  
   flux, 357, 359, 361, 448  
   gradient, 20, 24  
   level, 48, 62, 64  
   loss, 159  
   production, 207–209  
   propagation, 74  
   radiant, *see* radiant energy  
   reradiated, 357, 359  
   solar, 8, 21, 46, 401  
   source, 82, 393, 414  
   state, 28, 31  
   storage, 8, 31  
   thermal, 31  
   transfer, 30, 197, 250  
   transition, 75  
 enzyme, 20, 26, 28, 35, 68, 197, 200, 363, 409, 412, 415  
 epicuticular wax, 16–17, 36–38, 69, 127, 141, 143, 165, 169,  
   266, 364  
 epidermis  
   abaxial, *see* epidermis, lower  
   adaxial, *see* epidermis, upper  
   lower, 19, 141, 160, 219, 234, 251, 304–306, 312, 316, 464

548

epidermis (cont.)  
 roughness, *see* surface roughness  
 thickness, 305  
 upper, 19, 134–137, 160, 166, 234, 251, 304–306,  
 311–313, 316, 464  
 epoxidation  
 reaction, 30  
 state, 31, 150  
 equivalent water thickness, 24–25, 39, 41–42, 118, 184, 242,  
 268–269, 275–276, 326, 345–346, 349, 371, 373, 419  
 erectophyll, 359  
 eudicot, *see* eudicotyledon  
 eudicotyledon, 12, 14, 19, 223, 410  
 evapotranspiration, 24, 84, 128, 192, 194, 357, 372, 378  
 exoplanet, 357, 396  
 experimental design, 277, 463  
 extended Fourier amplitude sensitivity test, 248, 281, 419  
  
 far-wave infrared, 76  
 FCR, 375–376  
 fenestration, *see* leaf, perforated  
 fern, 12, 21, 125, 207, 373, 415–416  
 first-order simulation, 271  
 flattening effect, 172  
 flavanone, 33, 410  
 flavone, 33, 408, 410  
 flavonoid, *see* anthocyanin, chalcone, flavanone, flavone,  
 flavonol, isoflavonoid  
 flavonol, 33, 45, 60, 117, 410, 423–424  
 FLEX, 248  
 FLIGHT, 375–377  
 FLIM, 375–376  
 fluence rate, 82  
 fluorescence  
 backward, 247–250  
 blue-green, 147–148  
 chlorophyll, 7, 148–150, 152, 167, 246, 248, 250, 265,  
 271, 365, 405  
 downward, *see* forward fluorescence  
 emission, 7, 56–57, 99, 147, 167, 247–249, 340  
 excitation, 249  
 flux, 248–249  
 forward, 99–100, 247–250  
 imagery, 214  
 lifetime, 248–249  
 microscopy, 294  
 model, 247–248  
 passive, 147, 210  
 quantum yield, 248, 250  
 red-far red, 147–148  
 solar-induced, *see* passive fluorescence  
 time-resolved, 150  
 upward, *see* backward fluorescence  
 FLUORMODLEAF, 247–248  
 FLUSPECT, 247, 250, 471  
 focal  
 length, 134–136, 372–373  
 plane, 135–136  
 point, 134, 373

## Index

foreground-background analysis, 352, 420  
 Fourier amplitude sensitivity test, 280  
 Fourier transform infrared spectroscopy, *see* FTIS  
 Fresnel  
 Augustin-Jean, 444  
 equations, xi, 79, 231, 254–255, 265, 307, 442, 444  
 factor, 255–256  
 reflection coefficient, *see* reflection coefficient  
 FRT, 231, 247, 250  
 fructan, 22, 26, 410  
 fructose, 26, 26, 169, 410, 432–433  
 FSM, 231, 246, 419  
 FTIS, 63–64, 69, 87, 155, 167, 169, 224–225, 419  
 fuel moisture content, 24–25, 326, 346  
 fundamental vibration mode, 69  
 fungus, 16, 36, 154, 195, 214–225, 228, 346, 407, 416  
  
 Gamma-ray, 60, 76–77  
 Gaussian  
 band shape, *see* absorption band shape  
 distribution, 41, 256  
 function, 119, 337  
 model, 337  
 genetic diversity, *see* intraspecific variability  
 geobotany, 339, 380  
 global sensitivity analysis, 271, 274, 276, 280–281, 284, 462  
 glycoprotein, 20, 410  
 Gnetophyta, 12  
 Gnetum, 12, 410  
 goniometer, 94, 97, 99–100, 102  
 granum, *see* thylakoid  
 gravimetric water content, 24  
 gymnosperm, 12, 14, 16, 19–21, 176, 380, 410, 416  
  
 heat dissipation, 46, 148, 326  
 heavy metal, 137–138, 156, 168, 195, 202–203, 381, 423  
 heavy metal, *see* arsenic, cadmium, chromium, cobalt,  
 copper, lead, mercury, nickel, selenium, silver, thallium,  
 vanadium, zinc  
 heliotropism, 133  
 hemicellulose, 20, 22, 26, 43, 64, 66–68, 302, 407, 410–412,  
 418, 431, 467  
 herbicide, 15, 183, 195, 205–206, 212  
 heterophylly, 189–190, 411  
 hierarchical foreground-background analysis, *see*  
 foreground-background analysis  
 history, ix, 1, 106, 193, 265, 293, 380  
 homochirality, 396, 411  
 hot spot, 99, 253, 372, 376  
 hue, 2, 5, 89, 92, 124, 224, 368, 381, 391, 398  
 Hyper Graeco-Latin square, 277  
 hypoxic condition, 202  
  
 index of refraction, *see* refractive index  
 Infragold, 107–108  
 infrared thermometer, 120–121  
 insect, 11, 16, 36, 94, 124–125, 127, 161, 175, 195, 214,  
 219–220, 225–228, 357, 372, 378, 381–383, 385,  
 387–389, 400, 404, 410, 430

- chewing, 225–226  
 herbivore, 381  
 herbivorous, 161, 226, 388–390  
 herbivory, 36, 389  
 phytophagous, *see* herbivorous insect  
 rasping, 226  
 sucking, 225–226, 382  
 integrating sphere, 106–107, 109–111, 113–115,  
 176–177, 286  
 intercellular air space, 40, 159, 162, 170–171, 185, 212, 236,  
 292, 300, 303–304, 464–465, 467  
 interference, 124–126, 373  
 internal structure, *see* leaf anatomy  
 inverted Gaussian fitting, 337, 339  
 iridescence, 124–127, 411  
 iron, 4–5, 7, 195–196, 200–202, 219, 342, 412  
 irradiance, xi, 40, 74, 76–77, 81–82, 86, 95–96, 120, 151,  
 318, 369, 440  
   spectral, 81  
   spherical, 120  
 isoflavone, 34, 411, 423–425  
 isoflavonoid, 33–34, 411, 415, 423  
 isoflavonoid, *see* isoflavone, pterocarpan  
 iterative method, 284–285, 287, 355  
  
 ketone, 37, 70, 410–411, 423, 426–428  
 kinetin, 18  
 Kirchhoff  
   law, 155  
   rough surface scattering theory, 240, 254  
 kleptoplasty, 385, 411  
 Kramers–Kronig relations, 50–52, 270  
 Kranz anatomy, 20  
 Kubelka–Munk theory, 112, 162, 231, 237–238, 247,  
 249–250, 420, 455, 461  
  
 Lagrangian technique, 336, 339  
 Lambert  
   absorption coefficient, *see* absorption coefficient  
   –Bouguer law, *see* Beer–Lambert law  
   coefficient, 254, 290, 344  
   cosine law, 235, 439  
   Johann Heinrich, 452  
 Lambertian  
   diffusor, 376  
   distribution, 252  
   scatterer, 254  
   source, 439  
   surface, 87, 251, 253, 439, 441  
 lamina, 20, 45, 134, 162, 171, 175, 177, 245, 407, 411  
 laminar flow, 360  
 Landau, Lifshitz, Looyenga, 263  
 latent heat flux, 357, 361–362  
 LCM2, 375–376  
 lead, 138, 202–203, 381  
 leaf  
   albino, 60, 72, 182, 244  
   anatomy, 14, 48, 119, 135, 145, 151, 166, 170–172, 178,  
   185, 195, 206, 238, 240, 245–246, 261–262, 282,  
   292–293, 298, 300, 303, 310–311, 338–339, 344, 365,  
   369, 378, 405, 467, 470  
   artificial, 292, 305, 391–393, 401  
   asymmetric, 234  
   bifacial, 3, 17, 245–246, 311, 407, 472  
   biochemical composition, *see* leaf biochemistry  
   biochemistry, x, 11–12, 21–22, 43, 48, 145, 147, 191, 195,  
   238, 246, 269, 311, 356, 375, 377–378, 380, 467,  
   470  
   biomimetic, 392  
   biophysics, 12  
   black, 183  
   blade, 12, 16, 19, 51, 105, 107, 118, 129, 135, 140, 158,  
   199, 230, 247, 266, 289, 293, 406–407, 409, 411, 413  
   boundary layer, 128–129, 298, 360–363  
   color, ix, 45, 60, 88–89, 93, 127, 161–162, 178, 184, 188,  
   190, 198–199, 218, 221, 368, 370, 381–384, 387, 389,  
   398, 400, 404  
   compact, 72, 247, 251, 271–272, 408  
   cross section, 298  
   dorsiventral, 10, 112, 144, 170, 179, 234, 245, 268, 312,  
   316, 318, 409  
   dried, 71, 112, 147, 234, 343  
   electronic, *see* artificial leaf  
   etiolated, 180–181, 414  
   glaucous, 17, 127–129, 141, 143, 410  
   hair, *see* trichome  
   heliotropic, 134, 184  
   hydrophytic, 292  
   hypostomatous, 298, 363, 411  
   isolateral, 170, 411  
   juvenile, 127, 151, 153, 187, 189, 382, 389–390, 409, 411  
   laminar, 17, 39, 294, 380  
   mass per areal, 25, 32, 38–40, 42, 118, 171, 326, 345–346,  
   349–350, 366–367, 371, 420  
   mature, 24, 43, 99, 109, 127, 139, 141, 144, 151, 153, 187,  
   189, 201, 222, 226, 369, 384, 426  
   mesophytic, 159, 412  
   optical properties model, 118, 167, 229, 231, 242, 265,  
   375, 380  
   orientation, *see* erectophyll, planophyll  
   perforated, 175–176, 410  
   physiology, 195, 293, 381, 404  
   shaded, 2, 22, 41, 46, 134, 140, 166–167, 179, 185–186,  
   189, 292, 301, 307  
   shape, 21, 162, 176, 189, 361  
   structure parameter, 234, 268–269, 271, 273, 275–278,  
   281, 283, 285, 339  
   succulent, 170, 175, 226, 416  
   sunlit, 2, 22, 41, 46, 134, 140, 166–167, 177, 179,  
   185–186, 292, 301, 307  
   temperature, 8–9, 117, 120–121, 129, 156, 205, 210,  
   212–214, 219, 222, 359–360, 362–364, 371, 392, 405  
   thickness, xi, 38–39, 43, 97, 123, 139, 143–144, 159,  
   171–172, 190, 201–202, 262, 266, 311, 321, 345,  
   360  
   trait, 40, 186, 190–191, 193, 283, 320, 346, 469–470  
   unifacial, 246  
   variegated, 59, 165, 183, 390, 398

leaf (cont.)  
 vein, 2, 20–21, 125, 133, 137, 176–177, 184, 201, 215, 219, 221, 226, 266, 302, 360, 390, 398–401, 403, 406–409, 412–413, 417, 422  
 venation, *see* leaf vein  
 virtual, 298, 468  
 water content, 23–25, 39, 54, 154–155, 158, 184–185, 326, 340, 345–346, 348, 350, 363, 371, 378, 420  
 water potential, 26  
 white, 5, 16, 128–130, 146, 161, 164, 200, 224, 364, 389  
 window, 175  
 xerophytic, 292  
 LEAFMOD, 231, 240–241, 375–376, 420  
 LEDA, 471  
 LFMOD1, 231, 241–242  
 LIBERTY, 212, 231, 234, 236–237, 356, 375–377, 420, 471–472  
 lichen, 207, 394, 416  
 light  
 attenuation, 162, 311, 313  
 collimated, 100, 118, 134, 166, 313  
 focusing, 135, 372–373  
 gradient, 72, 118, 124, 162, 166–167, 186, 312, 318, 365  
 path length, 126, 162, 173, 313, 404  
 penetration depth, xii, 88, 143  
 scattering, 38, 53, 105, 124, 161, 171–173, 179, 186, 235, 246, 248, 305  
 speed, 74–75, 81, 83, 435, 443  
 trapping, 106, 167  
 use efficiency, 150–152  
 lignin, 20, 22, 32, 34, 43, 64–68, 168–169, 236, 238, 268–270, 276, 281, 302, 349, 352, 367, 380, 404, 412, 467  
 linear extrapolation, 335  
 linear four-point interpolation, 334  
 Linnaeus, Carl, 162  
 longwave-infrared, 76  
 look up table, 284–285  
 LOPEX, 41, 43, 52, 269–270, 350, 420, 469  
 loss factor, xii, 49–51, 121  
 luminance, 96, 99  
 lutein, 29–30, 46, 57, 412, 433–434  
  
 macronutrient, 195–196, 198–199, 412  
 macronutrient, *see* calcium, magnesium, nitrogen, phosphorus, potassium, sulfur  
 magnesium, 29, 45, 54, 138, 195–196, 199, 342, 381, 408, 412, 414  
 oxide, 107  
 magnetic  
 induction, 74  
 resonance imaging, 294, 420  
 manganese, 195–196, 201, 219, 412  
 Markov chain, 241, 355  
 matrix potential, 24, 26  
 Maxwell Garnett theory, 53  
 Maxwell's equations, 241  
 MCRM, 375–376  
 mercury, 202–203

meristem, *see* cell, meristematic  
 mesophyll  
 cell, 14, 20, 27, 127, 194, 211, 298, 300  
 compact, 187  
 palisade, *see* palisade parenchyma  
 spongy, *see* spongy parenchyma  
 tissue, 19, 135, 140–141, 166, 405, 408  
 methane, 208, 211–212, 396, 405  
 method  
 destructive, 293–294  
 non-destructive, 181, 238, 293–294, 363  
 microfacet, 255–257  
 micronutrient, 195–196, 381, 412  
 micronutrient, *see* boron, chlorine, copper, iron, manganese, molybdenum, zinc  
 microscopy  
 confocal, 294  
 multiphoton laser scanning, 294  
 optical, 136, 306  
 scanning electron, 17–18  
 microwave, xii, 48–49, 63, 76–77, 84, 121–124, 156, 262  
 midwave-infrared, 76  
 mineral nutrient, 195, 197  
 mineral nutrient, *see* macronutrient, micronutrient  
 model  
 acoustic, 160  
 BRDF, 257  
 canopy reflectance, 246, 252, 320, 375–376  
 compact spherical particle, *see* model, Melamed  
 four flux, *see* Kubelka-Munk theory  
 generalized plate, 232, 237–238, 267  
 Melamed, 231, 234  
 multiple linear regression, 321, 341  
 N-flux, *see* Kubelka-Munk theory  
 photosynthesis, 167, 316  
 plate, 230–232, 247–248, 265, 289  
 ray-tracing, 242, 245–246, 251, 260, 292, 295  
 soil-vegetation-atmosphere-transfer, 378–380  
 surface response, 284, 338, 355  
 modeling  
 direct, 238, 271, 285, 307, 380  
 forward, *see* modeling, direct  
 inverse, 56, 284, 380  
 molecular vibration  
 bending, 48, 61, 64, 66  
 rotation, 48, 62  
 stretching, 48, 61, 64, 66, 69, 343  
 molybdenum, 195, 412  
 monochromator, 106  
 monocot, *see* monocotyledon  
 monocotyledon, 12, 14–16, 19, 21, 160, 170, 177, 232, 234, 238, 246, 257, 310, 339, 380, 407, 412  
 monoterpene, 38, 431  
 Montanic acid, 429  
 Monte Carlo, 238, 241, 245–247, 251, 261, 274, 307, 349, 355, 373, 463, 472  
 morphogenesis, 11, 118, 299, 414  
 moss, 12, 296, 394, 408  
 Mueller matrix, 79, 105



- NADIM, 375–377  
 NADP, 28, 412  
 NADPH, 28, 408, 412  
 n-alkane, 37, 72, 424, 426–427  
 near-infrared, 9, 11, 48, 61, 65, 67, 76, 94, 96–97, 127,  
 130–131, 145–146, 152, 171, 197–198, 200, 205, 224,  
 226, 228, 244–245, 251, 265, 271, 273, 279, 281, 283,  
 307–308, 311, 321, 323, 326, 332, 334–335, 337–338,  
 369, 375, 389, 391, 397, 471  
   reflectance spectroscopy, *see* NIRS  
 nematode, 228  
 neoxanthin, 30, 46, 57, 413, 433–434  
 Newton, Isaac, 3–4, 372  
 nickel, 138, 202–203, 381, 412  
 NIRS, 63, 112, 167–169, 191, 198–199, 220, 341, 347, 421  
 nitrogen, 11, 20, 22, 28, 35, 39–40, 45, 64–65, 68, 117, 169,  
 190, 193, 195–198, 200, 212, 236, 268, 270–271, 283,  
 330, 332, 340, 342, 345–349, 352, 354, 357, 366–370,  
 375, 379–380, 386, 409, 412–413, 470  
 non-photochemical quenching, 31, 150, 226, 404, 412–413  
 normalized difference vegetation index, 117, 150, 321, 323,  
 328, 420  
 normalized difference water index, 154, 328–329  
  
 oil, 36, 169, 205, 212, 381  
 one-factor-at-a-time sensitivity analysis, 274  
 oomycete, 214–217, 220, 222  
 optical  
   depth, *see* absorbance  
   path length, *see* light path length  
 optical properties  
   apparent, 84–85  
   extrinsic, 8, 48  
   inherent, 84  
   intrinsic, 7, 48, 54  
 OPTICLEAF, 471  
 optimization, 258, 284–285, 287, 355  
 organelle, 12, 27, 44, 144, 238, 241, 292, 294, 302–303,  
 408–409, 413  
 organic compound, 37, 64, 68, 396, 411, 413–415, 426  
 osmotic  
   gradient, 17  
   potential, 24, 26, 70, 138, 198  
   pressure, 416  
 overtone, 61–62, 64–67, 343  
 ozone, 38, 138–139, 206–207, 210–212, 372, 396, 405  
  
 palisade, *see* palisade parenchyma  
 palisade mesophyll, *see* palisade parenchyma  
 palisade parenchyma, 19, 23, 45, 134–135, 146, 160,  
 166–167, 171, 179, 183–185, 206, 234, 238, 241,  
 250–251, 297–298, 302–304, 306–307, 311–319, 365,  
 405, 413, 464–467  
 palmitic acid, 429  
 partial least squares regression, 168, 222, 283  
 pectin, 22, 26–27, 66, 413, 432  
 perfect reflector, *see* Lambertian surface  
 petiole, 24–25, 134, 184, 200, 326, 389, 398, 407, 413  
 petroleum hydrocarbon, 204  
  
 phenolic compound, *see* brown pigment, condensed tannin,  
   flavonoid, lignin  
 phloem, 19–20, 199, 226, 228, 413, 417, 468  
 phosphorus, 22, 195–196, 198, 342, 345–348, 386, 412  
 photochemical  
   complex, 149  
   efficiency, 128  
   quenching, 150  
   reaction, 84  
   reflectance index, 117, 150, 210, 212, 326, 365  
 photo-goniometer, *see* goniometer  
 photoinhibition, 46–47, 404  
 photometer, 9, 11, 64, 93, 97, 106, 109–110, 115–117, 177,  
 320, 370  
   handheld, *see* photometer, portable  
   portable, 102–103, 113, 116, 368  
 photon  
   absorption, 28–29, 48, 57, 75, 247–250  
   emission, 56, 147, 149, 248, 250  
   energy, 48, 75  
   excitation, 57  
   scattering, 235, 374–375  
   state, 241–243  
   transport, ix, 243, 251, 292, 305  
 photonic structure, 130  
 photoprotection, 33, 127  
 photoreception, 127  
 photosynthate, 20, 414  
 photosynthesis, 6–7, 9, 11–12, 14, 17, 19–20, 23, 26–30, 33,  
 43–44, 46, 57–58, 61, 81, 118, 127, 130, 134, 146, 148,  
 166–167, 175, 177, 184, 187, 194, 198–200, 202,  
 205–206, 211, 213, 226, 236, 238, 245–246, 269, 292,  
 298, 313, 316, 318, 325–326, 340, 357–358, 363–367,  
 369, 378–379, 385–386, 396, 401, 406, 408, 410, 414  
   crassulacean acid metabolism, 14  
   model, *see* model, photosynthesis  
 photosynthetic  
   activity, 45–46, 60, 149, 151, 159, 193, 297, 325–326, 364  
   antenna, 29  
   pigment, 9, 22, 27, 29, 31–32, 47–49, 54–55, 58, 145, 148,  
   167, 173, 190, 238, 246, 303, 307, 321, 367, 396–397,  
   408, 467  
   rate, 39, 129, 152, 175, 187, 214, 246, 295, 297, 316–319,  
   357, 364, 389, 470  
 photosynthetically active radiation, 104, 145, 152, 184,  
 313, 364  
 photosystem  
   antenna, 28, 31  
   I, 28, 45, 47, 49, 149, 248–250, 421  
   II, 28, 45, 47, 49, 149–151, 248–250, 421  
 phototropin, 177  
 phytotoxicity, 205  
 pigment-protein complex, 28, 44  
 Planck  
   constant, xi, 75, 81, 83, 435  
   function, 239  
   law, 83, 358, 435–436  
   radiator, 82  
 planophyll, 359



552

plant  
 perennial, 189  
 plant  
 defense, 128, 139–140, 184, 224, 382, 390, 407  
 disease, *see* bacteria, fungus, insect, nematode, oomycete, virus  
 hormone, 18, 22, 30  
 mortality, 23, 193, 207, 381  
 name, 162–163  
 physiology, ix, x, 7, 11, 22, 139, 160, 167, 246–247, 472  
 sclerophyllous, 186  
 species identification, 154, 193  
 succulent, 156, 175, 403  
 plasmodesmata, 17, 303, 414  
 Pliny the Elder, 2, 128  
 polarimetric signature, 105  
 polarity index, *see* solvent polarity  
 polarization  
 azimuth, xii, 78–79, 105  
 circular, 78, 396  
 elliptical, 78  
 linear, 78  
 parallel, 443, 446, 448–450  
 perpendicular, 443–444, 448  
 polymorphism, 190, 390, 414  
 polynomial fitting, 336  
 polysaccharide, 22, 26, 407–408, 410–411, 413–414, 431  
 polytetrafluoroethylene, 107  
 porosity, 296, 305  
 porphyrin, 29, 54, 302, 408, 414  
 potassium, 195–196, 198–199, 342, 345, 347, 412, 470  
 precision farming, 11, 366  
 pressure chamber, 24  
 Priestley, Joseph, 6  
 primitive solid object, 300  
 principal component analysis, 228, 344, 352, 421  
 proanthocyanidins, 33  
 probability density function, 87, 156, 257, 261, 266, 280, 325  
 PROCOSINE, 290–291  
 PROSAIL, 277, 283, 375–377, 380, 472  
 PROSPECT, x, 52, 72, 115, 118, 205, 231, 234, 237, 240, 248, 250, 265–271, 273–277, 279–291, 303, 322, 325, 330, 338–339, 350, 354, 356, 375–377, 380, 391, 421, 460, 463, 471–472  
 protein, 22, 28, 30, 33, 43–45, 48, 56, 64–66, 68, 127, 139, 168–169, 177, 183–184, 187, 197, 202, 238, 268–270, 276, 281, 302, 332, 341, 343, 345, 352, 384, 396, 409–410, 412, 414, 416  
 protochlorophyll, 180–181, 187, 414  
 proximal sensing, i, 366  
 pseudo-absorbance, 112  
 pteridophyte, 176, 415  
 pterocarpan, 34, 415, 423, 426  
 pubescence, 128–130, 141, 164, 214, 358, 361, 364, 404  
 QSPECT, 231, 234  
 quantum flux, 81, 130  
 quasi-Newton algorithm, 355  
 quercetin, 33, 60, 423–424

*Index*

radar, 82, 121, 262  
 radiance, 74, 84, 86–87, 106–107, 251, 367, 435–436, 438–440  
 radiant  
 emittance, *see* radiant exitance  
 energy, xi, 80–81, 84, 175, 360  
 exitance, xi, 82  
 flux, xi, xii, 81–82, 86, 120, 149, 238, 249, 439  
 intensity, xi, 81, 439  
 power, *see* radiant flux  
 radiative transfer equation, 239–240, 251  
 radio wave, 60, 76, 156, 262  
 radiometer, 110–111, 113–114, 119, 203, 335  
 portable, 109, 113, 118, 371  
 radiometric unit, 74, 80  
 radiosity, 292  
 radius of curvature, 135–136  
 raffinose, 22, 26, 432–433  
 RAMIS, 118, 284, 356, 371, 421  
 rational function fitting, 336  
 RAYTRAN, x, 231, 245–246, 260, 292, 307–308, 310–311, 316, 421  
 reaction center, 28, 31, 150, 184, 326, 404  
 red shift, 180, 202, 338  
 red-edge, 58, 146, 149, 153, 171, 198, 210, 212, 224, 321, 332–334, 336–340, 391, 396  
 inflexion point, 199, 203, 323, 332, 334, 337  
 position, 146, 332–340, 421  
 position, *see* inverted Gaussian fitting, Lagrangian technique, linear extrapolation, linear four-point interpolation, polynomial fitting, rational function fitting, spectrum derivative, surface response model  
 reflectance  
 attenuated total, 69, 74, 87, 155, 169, 220, 418  
 bi-hemispherical, 310  
 diffuse, 104, 107, 113–114, 131–132, 146, 170, 191, 222, 237, 240–241, 289, 397  
 infinite, 110, 112, 152  
 specular, 87, 98, 102, 124, 131–132, 193, 251, 253–255, 308–309, 313  
 reflection  
 attenuated total, *see* attenuated total reflectance  
 coefficient, 121–122, 235–236, 246, 444  
 diffuse, *see* diffuse reflectance  
 specular, *see* specular reflectance  
 reflectivity, xii, 49, 84, 157, 223, 230, 235, 262, 265, 415, 448–450  
 refractive index, xi, 48–51, 53–55, 70–73, 84, 87–88, 105, 118, 126, 135, 146, 167, 170, 231–232, 235–236, 241, 245, 254, 256, 259, 268, 270–273, 283, 286, 302–303, 308, 354, 377, 415, 424, 426–433, 442–443, 448–451  
 relative dielectric permittivity, *see* complex dielectric permittivity  
 relative permittivity, *see* complex dielectric permittivity  
 relative water content, 23, 25, 157, 160, 184–185, 326, 340, 421  
 root mean square error, 321, 421  
 roughness parameter, 257, 259, 266, 286, 309

- RPV, 253  
 RuBisCO, 28–29, 197, 318, 365–366, 415
- SAIL, 375–376, 380, 421, 472  
 salt, 5, 23, 201–202, 205, 380, 393  
 salt, *see* calcium, chlorine, magnesium, potassium, sodium chloride  
 scattering, 1, 79, 97, 111, 132–133, 141, 145, 153, 156, 161–162, 230, 234, 239–241, 245–246, 248–252, 254, 262, 265, 292, 314, 320, 405, 460  
   angle, 307  
   anisotropic, 238, 251  
   coefficient, xii, xiii, 79, 103, 105, 113, 156, 237–238, 240, 249, 452, 455  
   coherent, 127, 239  
   cross section, 146, 263  
   diffuse, *see* isotropic scattering  
   incoherent, 127  
   indicatrix, 241, 252  
   internal, *see* volume scattering  
   isotropic, 87, 133, 236, 240, 253  
   Mie, 146, 245, 302  
   multiple, 64, 111, 145–146, 162, 229, 234, 236, 238–239, 241, 266  
   phase function, 251  
   surface, 16, 124, 240, 252  
 Rayleigh, 396  
 volume, 48, 124, 136, 156, 283, 405  
 scattering cross section, 241  
 sclerids, 20, 468  
 selenium, 202–203  
 senescence, 7, 20, 35, 43–45, 47, 60, 102, 153, 181, 187–188, 194, 206, 234, 358, 382, 391, 397–398, 408  
 sensible heat, 359, 469  
 sensitivity analysis, *see* first-order simulation, one-factor-at-a-time sensitivity analysis, global sensitivity analysis  
 sesquiterpene, 38  
 shadow, 3–4, 372, 411  
 shortwave-infrared, 48, 61, 63, 76, 145–147, 191, 197, 268, 281, 321, 326  
 sieve effect, 172–175, 177–178, 246  
 silver, 202  
 simplex, 285, 287, 355  
 single scattering albedo, 283, 376  
 SLOPE, 250–251  
 Snell's law, 126, 254, 307, 442, 446  
 Snell-Descartes law of refraction, *see* Snell's law  
 Sobol sensitivity index, 274, 281, 462  
 sodium chloride, 170  
 solvent polarity, 54–55  
 SPAD, 116–117, 198, 283, 368–371, 422  
 SPECCHIO, 470  
 species  
   deciduous, 12, 33, 39, 41, 43–44, 129, 141, 161, 181, 194, 306, 366, 382, 388, 397, 409  
   desert, 129, 141  
   evergreen, 7, 12, 39, 171, 186, 190, 326, 345, 410, 414–415  
   semiarid, 270  
   specific absorption coefficient, 54–55, 58, 60, 63, 68, 173–174, 236, 266, 268, 270–271, 283, 303, 316, 340, 352, 354  
   specific leaf area, 21, 39–40, 185, 190, 269, 348, 367, 422, 471  
   specificity  
   inter-class, 191  
   inter-family, 191  
   inter-genus, 191  
 spectral  
   fluorescence yield, 247  
   index, 41, 113, 115–117, 190, 205, 210, 219, 223–224, 236, 282–284, 320–327, 329, 332, 350, 354–356, 375  
   invariant approach, 283  
   mixture analysis, 351, 354, 422  
   power distribution, 93  
   shift, 203, 332  
 Spectralon®, 95, 107–108, 114  
 Spectralon®, *see* polytetrafluoroethylene  
 Spectranomics, 193, 348, 377, 470  
 spectro-gonio-photometer, *see* goniometer  
 spectrophotometer, *see* photometer  
 spectroradiometer, *see* radiometer  
 spectroscopy  
   absorption, 8  
   photoacoustic, 63–64  
   Raman, 63  
   thermal infrared, 377  
 spectrum derivative, *see* first derivative, second derivative  
 spermatophyte, 12–13, 416  
 spine, 38, 417  
 spongy mesophyll, *see* spongy parenchyma  
 spongy parenchyma, 19, 135–136, 144, 146, 160, 166–167, 172, 179, 185–186, 234, 238, 241, 250–251, 296–298, 301–307, 311–318, 365, 392, 405, 416, 466–467  
 SPRINT, 375–376  
 starch, 20, 22, 26–27, 43, 64–66, 68, 169, 187, 238, 302, 414, 432  
 statistical approach, *see* Bayesian model averaging, multiple linear regression model, partial least squares regression, principal component analysis, stepwise linear regression analysis  
 Stefan-Boltzmann  
   constant, 84, 120, 359, 437  
   law, 84, 120, 436–437  
 stepwise linear regression analysis, 168, 342, 349  
 stereological method, 295  
 stoichiometry, 22, 41, 416  
 Stokes  
   parameter, 78, 460  
   shift, 56  
   system, 233, 267  
   vector, xii, 78–79, 396  
 Stokes, George Gabriel, 232  
 stoma, 14, 16–19, 24, 71, 206, 210, 213, 363–364, 404, 411, 416  
 stomatal  
   aperture, 17–18, 300, 417  
   closure, 23, 184, 219, 325

554

stomatal (cont.)  
 complex, 14, 138  
 conductance, 23, 121, 129, 184, 207  
 density, 298  
 opening, *see* stomatal aperture  
 pore, 300, 304  
 resistance, 363  
 density, 298

stress  
 abiotic, 35, 195, 214, 351, 354, 409, 423  
 biotic, 35, 128, 195, 214, 351, 354, 423

stroma, *see* chloroplast structure

suberin, 16, 416

substomatal cavity, 17, 361

sucrose, 22, 26, 432–433

sugar, 14, 22, 26, 28, 64–66, 68, 169, 198, 398, 401, 407, 410, 413–414, 431

sulfur, 5, 138, 195–196, 199–200, 210, 405, 412  
 dioxide, 206–207, 210–212

surface roughness, 17, 105, 124, 132, 164, 177, 254–257, 259, 266, 304, 308–309, 373, 392, 464

sylvanshine, 372–373

synchrotron, 137, 158, 204, 294–295, 301

synthetic dataset, 283, 322, 325

tannin, 32, 60, 191, 194, 416

terahertz, 49, 54, 76, 117, 156, 158–159, 262–263, 371, 405

terpenoid, *see* monoterpene, triterpene

tetrapyrrolic ring, 54

thallium, 202

thallophyte, 416

Theophrastus, 1

thermal  
 conductivity, 361  
 emission, 76, 84, 239–240  
 energy, *see* energy, thermal  
 infrared, 18, 48, 63, 65, 69, 76, 103, 107, 110, 153–155, 169, 191, 197, 205, 220, 222, 224, 256, 271, 350, 357, 359, 392, 472  
 infrared, *see* midwave-infrared, longwave-infrared, very-longwave-infrared

thermodynamics  
 first law, 357

thylakoid, 27–28, 30, 45, 51, 53, 57, 125, 207, 303, 410, 414, 416–417

Tikhov, Gavrii Adrianovich, 394–396

trace element, *see* arsenic, cadmium, copper, iron, lead, mercury, nickel, zinc

tracheid, 20, 417

transmission  
 coefficient, 122, 160, 444, 448  
 specular, *see* specular transmittance

transmissivity, xii, 49, 84, 230, 262, 265, 417, 448–451

transmittance  
 bi-hemispherical, 310  
 diffuse, 113–114, 237, 240  
 specular, 87

trichome, 14, 16, 18, 38, 72, 105, 124, 128–131, 135, 140, 151–152, 162, 164–165, 255, 258, 261–262, 266, 308,

Index

363–364, 372–373, 381, 389, 404, 409–411, 414–417, 468

triterpene, 38, 431–432

TRY, 471

turbulent flow, 360

turgor pressure, 23, 184, 404

Ulbricht sphere, *see* integrating sphere

ultrasound, *see* acoustic wave

ultraviolet, 32–33, 48, 54, 60, 63–64, 76–77, 117, 127, 130, 136, 138–144, 147, 165–166, 186, 206, 211, 225, 365, 405, 422–423

vacuole, 22, 33, 45, 58–59, 72, 141, 144, 166, 172, 181, 187, 198, 294, 302, 392, 409, 411, 464

vanadium, 203, 381

variability  
 interspecific, 168–169, 190–192  
 intraspecific, 168, 189–190

vascular  
 bundle, 19–20, 144, 417  
 cambium, 20  
 cell, 19  
 plant, 12, 36, 192, 377, 415, 417  
 system, 19–20, 176  
 tissue, 20, 136, 226, 408, 413, 417

very-longwave-infrared, 76

violaxanthin, 30, 46, 57, 150, 326, 407, 413, 417, 433–434

virus, 15, 121, 153, 195, 214–220, 226, 228

visible, 11, 94, 130, 141–142, 145–146, 155, 161, 169–170, 172–173, 177, 179–180, 183–188, 191, 194, 197–200, 202–203, 205, 210–211, 213, 219–220, 223–226, 238, 259, 265, 269, 271, 279, 281, 307, 332, 343, 345, 353, 357, 364, 373, 384, 389, 391, 393, 397, 422, 469, 471

volume integral physical optics, 263

water  
 content, 21–26, 54, 57, 113, 117–118, 154–156, 159–160, 184–185, 187–188, 191, 203, 206, 236, 240, 262, 264, 269, 277–278, 285, 307, 326, 341, 348, 350–352, 366–367, 371, 378, 381, 391–392, 405, 467, 470  
 density, 22–23

wavelet  
 scalogram, 350–351  
 transform, 349–351, 419

wax, 14, 16–17, 36–37, 69, 71–72, 124, 127, 141, 144, 155, 211, 214, 226, 251, 255, 290, 306, 310, 377, 407, 410, 424, 427, 430

wax, *see* aldehyde, alkyl ester,  $\beta$ -diketone, fatty acid, hydroxy acid, ketone, n-alkane, primary alcohol, secondary alcohol

Wien's displacement law, 84, 435

wind, 3, 19, 175, 205, 219, 360–362, 387, 403

xanthophyll, 7, 30, 41–42, 54, 57, 144–145, 246, 404, 412–413, 417  
 cycle, 29–31, 40, 46–47, 57, 150–152, 184, 326, 332, 365, 405, 407, 417–418

X-ray, 51, 76–77, 124, 136–138, 204, 294, 301

*Index*

555

xylem, 19–20, 200, 223, 226, 417, 468  
xylose, 26, 407, 418, 431–433

zeaxanthin, 30, 46, 150, 326, 407, 417–418, 433–434  
zinc, 87, 195–196, 201–203, 219, 221, 381, 412

Z-Scheme, 28  
 $\alpha$ -carotene, 30, 46, 433–434  
 $\beta$ -carotene, 29–30, 46, 57, 181,  
433–434  
 $\beta$ -diketone, 17, 37, 427–428