

# Index

Bold = key term; italics = figure or map; \* = mineral described in the appendix

- aa, **10**, *12*  
 Abitibi belt, Canada, 289  
 Ab–Or phase diagram, *31*  
 accessory mineral, 74, 119, 208, 311–12  
 accretionary prism, **112**, 125, 282, 288–9  
 ACF diagram. *See* chemographic projection  
 acmite\*, 302  
 actinolite\*, 303–4  
 activity, **266**  
 activity coefficient, **267**  
 adiabat, 85  
 aegirine\*, 302  
 aeromagnetic survey, *16*, 169  
 AFC (assimilation with fractional crystallization), 46  
 AFM diagram  
   igneous, *121*  
   metamorphic, 237, 238, 240–1, *240*, *242*, 244–5  
 albite thermal barrier, 141  
 albite\*, 295–6  
 albite–epidote hornfels facies, 211  
 Aleutian island arc, Alaska, USA, *112–13*, *122*, 124, *141*, 142  
 alkali–lime index, **56**, 57  
 alkaline  
   gneiss, 187  
   intrusion, 147, 162–3, 298  
   volcanism, *139–40*, 139–44  
 alkaline rocks, **59**  
 alkalinity index (AI), 54, 59, **59**, 141, 170  
   peralkaline, 58–9, 139–41, 164, 165, 170  
 allanite, 119  
 almandine\*, 308–9  
 Alpe Arami, Switzerland, 225  
 alphabet classification, 169  
 Alpine orogeny, *74*, 229, 281, 282  
 Alps Mountains, Europe, 74, 184, 211, *212*, *220*, 225, 229, *244*, 276, 280–1, 285  
 Alta Stock, Utah, USA, 256–7, 257  
 aluminosilicate (Al<sub>2</sub>SiO<sub>5</sub>), 307–8  
   phase diagram, 22, 280, 307  
 aluminum-saturation index (ASI), 54, 58, 58–9, 160, 170  
   metaluminous, 58–9, 139, 170  
   peraluminous, 58, 160–1, 169–70  
 amphibole\*, 302–5  
   hornblende\*, 304–5, 305  
   quadrilateral, 303, 303–4  
   sodic\*, 304  
 amphibolite, 189, 209, *210*, *212*, 214  
 amphibolite facies, *74*, 207, 208–9, 211, 214, 225, 228, 238–40, *244*, *254*, *274–5*, 284, 286  
 amygdale, *190*, **190**, 310  
 An–Ab phase diagram, *30*  
 anatexis, **45**, 184. *See* partial melting  
 andalusite\*, 308  
 Andes Mountains, South America, *110*, 111  
 andesite, 6, 9, 54, 109, 111, 114, 116–17, *121*, 124  
 An–Di phase diagram, *24–5*, 25  
 An–Di–Fo phase diagram, *31*, 33  
 andradite\*, 308  
 anhedral grain, **10**, *11*, 26, 46, 293, 299, 309  
 ankerite\*, 298  
 annite\*, 306  
 a-normal method, 295–6  
 anorogenic granite. *See* granite  
 anorthite\*, 294–6  
 anorthoclase\*, 297  
 anorthosite, 3, 33, 147, 154, *158*, *160*, *165*  
   Archean, 147, 287–9  
   lunar, 62, 63, 159  
   massif, 147, 156–7  
 anorthosite complex, 46, 62, 159  
 anthophyllite\*, 303  
 anticline, 229  
 antigorite\*, 305  
 apatite\*, 312  
 aphanitic, **8**  
 Appalachian Mountains, USA, *247*  
 Apulian plate, 280  
 aragonite\*, 299  
 arc. *See* continental arc, island arc  
   petrography, 116–20  
   plutonic complex, 113–16, 123–4, 172  
   relation to large mafic intrusions, 153  
   structure, 112, 113  
 arfvedsonite\*, 304  
 argillic alteration, 259, 261  
 ash, volcanic, 12–13, **12**, 105, 111  
 assemblage, 196  
 assemblage, mineral, 21, 27, 27, 97, **183**, 188, 199–200  
   Barrovian metamorphic, 239–43  
   calcareous, 254–6, 254–6, 255  
   granulite facies, 210–11, *211*, 225, *244*, 270  
   mafic, 207–11, 214–15  
   pelitic, 240–3  
   ultramafic, 218–22, *221*  
 assimilation, **46**  
 astobleme, 153–4  
 A-type granite. *See* granite, alphabetic classification  
 augite\*, 300–1, 300–1  
   sub-calcic, 300  
 aureole, 229, *230–1*, *244*, 246, 257, 258  
 autolith, *11*, *17*, **17**  
 Azores, 104  
 back-arc, 87, 93, 112, 133  
 Baikal rift, Siberia, Russia, 130–1  
 Baltica, 173  
 Bandolier, New Mexico, USA, 14  
 Barrovian metamorphism, 239–43, 272, 279  
 basalt, 6, 9, 9, 10, *12*, 39, 42, 44, 52, 57, 82–3, 86, *121*, 124–5, 135  
   alkali, 83–4, **83**, 86–7, 97, *104*, 139–40  
   chemistry and petrography, 83–4  
   classification, 83  
   differentiation, 52, 134, *134*  
   ferro-, 101, *121*, 140  
   lunar, 61–3  
   nepheline, 9, 139  
   ocean islands and plateau, 103  
   pressure effect on melting, 87  
   tetrahedron, 83  
 tholeiitic, 9, 83, 86–7, *104*, 104, 120, 136, 139, 165  
 tholeiitic versus alkali, 83, 86–7  
 basanite, **84**, 139–40  
 base-metal deposit, 156  
 Basin and Range province, USA, 130  
 bathograd, *245*, *246–7*, **246–7**  
 batholith, **10**, 16–17, 110–12, 115–16, 126, 159–60  
 bathozone, **245**, 246–7  
 Bay of Islands, Canada, 92, 93  
 Bear Lodge alkaline complex, Wyoming, USA, 163  
 bedding, sedimentary, 188, *189*  
 Benioff zone, **109**, *120*, 122  
 Bergell tonalite, European Alps, 229  
 beryllium, 180  
 bimodal volcanism, **135–6**  
 Bingham mine, Utah, USA, 112, 261  
 biotite\*, 306  
 biotite zone, *240*, 240  
 Black Hills, South Dakota, USA, 58, 172, *179*  
 black smoker, 99, 260, 285  
 blackwall zone, 228, 229  
 block, volcanic, **11**, 118  
 Blue Mountains, Oregon, USA, *11*  
 blueschist belt, 283  
 blueschist facies, 208, 211, 215, 225, *244–5*, 282, 283  
 Boina volcano, Afar region, Africa, *140*, 140, 142  
 bomb, volcanic, **11**  
 Bonanza-type gold deposit. *See* gold deposits  
 Bouvet Island, South Atlantic, 132  
 Bowen's reaction series, 312  
 brecciation, breccia, 114, 143, 153  
 brine, 61, 226  
 Brittany leucogranites, France, 172  
 bulk assimilation, 46  
 bulk distribution coefficient, **60**  
 Bushveld intrusion, South Africa, 148, *150*, 151, 153, *153*, 160  
 bytownite\*, 294  
 calcite\*, 298–9  
 calcite–dolomite thermometer, 268  
 calcium–aluminum silicate, 309–10  
 calc-silicate rocks, 207, 253, 257  
 caldera, *15*, *113*, *115*, 127, 135–6, 142  
 Caledonian granite. *See* granite  
 Caledonian orogeny, 173, 175–6, 239, 276, 285  
 Caledonide belt, 280  
 Cameroon volcanic line, Africa, 130, *131*  
 cancrinite\*, 298  
 carbonate, 125, 143, 172, 184, 186, 197, 226, 227, 228, 254, 261, 298–9  
 carbonatite, 5, 140, 298  
 Caribbean plateau, 102  
 Casa Parigia, Italy, *244*  
 Cascade Range, North America, 71, *114*, *121*, 122, 220, 229, 230, 282  
 Cascade trend. *See* iron-enrichment index (Fe-index)  
 cesium, 180  
 charnockite, 2, 4, *274*, 284–5, 284

- chemical gradient, 228  
chemographic projection, **196**, 199–200, 221, 235–7, 235–6  
ACF diagram, 201–2, 207–11, 207  
continuous reaction, 34, 235, 235–7, **235**, 238  
discontinuous reaction, **236**, 237, 238  
four-component and greater, 201–2  
pseudobinary, 201  
pseudoternary, **32**, 87  
chert, 92, 125, 187, 189, 282  
Cheyenne belt, Wyoming, USA, 157  
chiastolite\*, 308  
chilled margin, 15, 17, 93  
chlorite zone, 240, 240  
chlorite\*, 306  
chloritic alteration, 261  
chloritoid\*, 309  
chondritic meteorite, 62, 77, 84  
chromite, 99, 106, 148, 150, 151  
podiform chromite deposits, 99, 148  
stratiform chromite deposits, 99, 148  
chromite\*, 311  
chrysotile\*, 305  
CIPW norm, 51  
Clausius–Clapeyron equation, 265  
clinozoisite\*, 309–10  
clockwise  $P$ – $T$ – $t$  (pressure–temperature–time) path, 279–80, 279, 281  
CO<sub>2</sub>  
and hydrothermal alteration, 261  
and liquid immiscibility, 46  
and melt evolution, 143  
effect on melting temperature, 85–6  
effect on viscosity, 43  
in metamorphism, 184, 197, 226–8, 255–6, 258, 273–4, 284  
in metasomatism, 228–9  
in silicate melts, 283  
CO<sub>2</sub> in silicate melts, 41–2  
Coast Range batholith, Canada, 111  
coesite, 185, 245, 276  
Columbia River basalts, USA, 131–2, 132–5, 134  
chemistry, 134  
relation to Snake River Plain–Yellowstone, 132  
units, 133  
columnar jointing, **10**, 12  
comendite, 59  
compatible element, **51**, 60, 62  
component, thermodynamic, **21**  
composite volcano, 113  
Comstock Lode, Nevada, USA, 171, 171  
conchoidal fracture, 191, 293, 309  
concordia, 74  
conglomerate, 189  
congruent melting, **26**  
constructive plate margin, 87  
contact aureole. *See* aureole  
continental arc, 110–12, 115–20  
continental collision, 131, 170, 175–6, 175, 211, 266, 276, 278, 279–80  
continental overthrusting, 279  
continental rift, 176, 284–5  
continental rifting, 131, 170–1  
convergent margin, 95, 109  
magmatism, 118–19, 125–7, 126  
metamorphism, 284  
copper deposits. *See* porphyry copper deposit, volcanogenic massive sulfide (VMS)  
cordierite\*, 309  
Cordilleran batholith, 111, 115–16, 178  
cotectic. *See* phase diagram  
Craters of the Moon. *See* Snake River Plain, Idaho, USA  
critical point, **226**  
cross-bedding, 189  
crossite\*, 304  
crustal cross-section, 94, 113, 211, 288  
crustal delamination, **175–6**, 284  
crystal mush, **94**, 126–7, **126**  
crystallite, 7  
cummingtonite\*, 303–4  
cumulate, **10**, 11, 93, 113, 117, 123, 126, 148, 154, 159, 164–5, 284, 284  
Curaçao, Netherlands Antilles, 12  
dacite, 6, 9, 53, 57, 112, 114, 116–17, 116, 121, 124  
Dalradian Supergroup, Scotland, UK, 239  
daughter isotope, 67, 71–2, 74–5  
Deccan Traps, India, 131–2  
decompression melting, 85–7, 85, **86**, 94, 101, 103, 106, 125, **170**, 170, 175, 176, 243, 275  
decompression reaction, 209, 210, 225  
Deep Sea Drilling Project (DSDP). *See* ocean drilling  
degrees of freedom. *See* variance  
dehydration melting, **170**, 173, 243, 275  
dehydration reaction, 125, 219, 265, 268, 273  
delamination. *See* crustal delamination  
Denver International Airport, Colorado, USA, 17  
destructive plate margins, 87  
diabase, 190  
diagenesis, **184**, 185, 239, 273, 287, 310  
diamond, 142–3, 143, 144, 185  
diatreme, 44, 143  
differentiation, 5, 45–7  
diffusion, 7–9, 7, 13, 30, 68, 312  
dihedral angle, **190**  
dike, **10**, 11, 14–17, 44–6, 96, 114, 135, 274  
sheeted, **93**, 286  
swarm, **16**  
diopside\*, 300  
diorite, 3, 4, 47, 57, 71, 112–13, 117, 120, 123  
ferro-, 157, 159  
monzo-, 180  
discontinuous reaction. *See* chemographic projection  
discrimination diagram, 63, 142  
divariant, 196–8, *See* phase diagram  
dolomite\*, 298–9  
dolomitic limestone, 254–5  
drusy quartz, 293  
Ducktown, Tennessee, USA, 258–9  
Dufek intrusion, Antarctica, 150, 151  
Duke Island, Alaska, USA, 152–3  
Duluth intrusion, Minnesota, USA, 148, 153  
dunite, 27, 33, 86, 113, 166, 190, 299  
Earth structure, 84–5, 85  
asthenosphere, 85, 104, 138, 275, 284  
core–mantle boundary, 103  
crust, thickness of oceanic and continental, 84  
geophysical evidence, 84  
lithosphere, 85, 103–4, 109, 112, 125, 130, 135, 138, 143, 145, 170, 176  
lithospheric mantle, 84, 135  
lower mantle, 85, 104  
upper mantle, 84–5, 101, 103–4, 217, 224, 287  
earthquake, 103, 109, 111–12, 113, 114, 119, 218  
East African rift, 86, 130–1, 140, 140, 142, 145  
East Pacific Rise. *See* mid-ocean ridge  
Eastern Goldfields, Australia, 290  
eclogite, 143, 211–12, 276, 282, 284, 311  
eclogite facies, 208, 211, 215, 225–6, 244, 245, 274–5, 279, 280, 282, 284, 291  
edenite\*, 304  
El Teniente mine, Chile, 112  
electron microprobe, 197  
enclave, **17**, 54, 159  
enthalpy, **6**, 42  
entropy, **6**  
epidote\*, 309–10  
equilibrium, 7  
equilibrium constant, 265–6, 268  
equilibrium crystallization, **23**, 25, 27, 45  
system An–Di, 25, 25  
system An–Di–Fo, 32–3  
system Fo–Fa, 26–9  
system Fo–silica, 27  
system Ne–silica, 28  
equilibrium melting, **23**  
system An–Di, 25  
system Fo–Fa, 29  
system Fo–silica, 27  
escape tectonics, 130  
Eskola classification. *See* metamorphic facies  
Etendeka flood basalt, Namibia and Angola, 132  
Etive granite, Scotland, UK, 174–5, 178  
Etta mine, South Dakota, USA, 179  
euhedral grain, **9**, **10**, 11, 26, 34, 34, 120, 163, 179, 190, 293, 299  
eutectic. *See* phase diagram  
evaporite, 61, 186–7  
exhumation, 279, 287  
experimental petrology, 161, 264, 273  
exsolution texture, 120, 301, 301  
antiperthite, 294  
perthite, **31**, 294  
pyroxene, 301  
extensional faulting, 95  
extinction angle, 295–6, 296, 303, 308  
Eyjafjallajökull volcano, Iceland, 105  
facies. *See* metamorphic facies  
FAMOUS valley. *See* mid-ocean ridge  
fayalite\*, 299  
feldspar\*, 294–7  
alkali\*, 296–7  
plagioclase\*, 295–6  
feldspathoid\*, **59**, 138, 138, 297–8  
feldspathoid silica-saturation index (FSSI), 141  
felsic rock, 3  
Fennoscandia, 157  
ferroaugite\*, 300  
ferromagnesian minerals\*, 299–307  
fiamme, **13**  
fibrolite, 308  
Fiji, 117  
filter pressing, **23**, 45  
Fiskenæsset anorthosite complex, Greenland, 154–6  
flood basalt, 43, 131–4, 131–4, 165, *See* also large igneous provinces (LIPS)  
petrography and chemistry, 134–5  
flow segregation, **45**  
fluid, 226  
externally controlled (infiltrated), 256  
hydrothermal, 70–1, 99, 119, 171, 183, 185, 259–60  
igneous, 21, 40–2  
internally controlled (buffered), 256, **256**  
internally controlled (infiltrated), **256**  
metamorphic, 197, 226, 253  
supercritical, 125, **226**  
fluid inclusion, 41, 163, 293  
fluorine poisoning, 105  
Fo–Fa phase diagram, 30  
foliation, 191–3, **192–3**, 192–3, 231, 289  
fore-arc, 112  
forsterite\*, 299  
Fo–silica phase diagram, 26–7

- fractional crystallization, 23, 25, 27–8, 30, 30, 34, 45, 47, 52, 53, 57, 60, 68  
system An–D–Fo, 33, 33  
system Fo–Fa, 29  
system Fo–silica, 27, 27
- fractional melting, 23, 45  
system An–Di, 25  
system Fo–Fa, 29  
system Fo–SiO<sub>2</sub>, 28
- fractionation, 46, 51, 60, 101, 106, 107, 124, 134, 136, 139–40, 159, 162–3, 178  
factor, 68, 68, 70  
isotope, 68, 68, 69
- Franciscan complex, California, USA, 282
- free energy (Gibbs), 6, 7, 21, 265–6
- freezing point depression, 24, 31
- Frost pyroxenite, 151
- fugacity, 311
- gabbro**, 3, 4, 10, 11, 33–4, 34, 42, 44, 57, 82, 92, 96, 96, 99, 113, 117, 123, 125, 149, 150, 151, 154, 159, 189, 284, 285–6  
classification, 5  
in ophiolites, 93  
leuco-, 4, 154, 156–7, 158  
mela-, 4, 113  
monzo-, 180  
oxide, 96, 121
- Galapagos Islands, 101–2, 102, 120–1, 132
- Gardar province, Greenland, 161
- Garhwal Himalaya, India, 173
- garnet\***, 308–9  
garnet zone, 241, 241, 280  
garnet–biotite thermometer, 267
- GASP barometer, 268
- gedrite\***, 303
- geobarometry, 197, 268–9
- geochemistry  
isotope, 50, 67–9, 71–2  
major element, 50–1, 53–4, 83, 100, 104, 106, 120, 135, 143, 146  
trace element, 50, 59–63, 82, 97, 106, 135, 142
- geochronology, 71, 72–5, 77, 115, 197, 312
- geothermal gradient, 85, 273, 279, 281  
fossil, 280
- geothermal heat, 279
- geothermometry, 68, 197, 267–8  
ion exchange, 267  
isotope, 69  
solvus, 267–8
- Gibbs free energy. *See* free energy (Gibbs)
- glass, 11  
manufacturing, 179  
volcanic, 3, 5, 8–9, 9, 13, 14, 83–4, 97–8, 100, 100, 106, 106, 139
- glassy, 8
- glaucophane\*, 304
- Glomar Challenger*, 91
- gneiss, 137, 173, 275  
ortho-, 189  
para-, 189, 275  
quartzo-feldspathic, 189, 288  
terrain, 288–9, 289–90
- gneissosity, 192
- gold deposits, 171–2, 261
- Gondwana, 131, 153
- graded bedding, 189  
reverse, 189
- grandite garnet\*, 308
- granite, 4, 11, 17, 34, 39, 42, 51, 57–8, 62, 76, 115, 117, 123, 152, 309  
alphabet classification, 168–9  
Caledonian-type, 170, 174, 175, 176, 177, 180  
Cordilleran-type, 115–16, 159, 170, 174, 176, 176, 178, 180  
ferroan, 147, 157, 159–61, 160, 169–70, 176, 177, 180  
geochemical classification, 169–70  
hypersolvus, 297, 297  
magnetite and ilmenite, 169  
metaluminous, 58  
mineralogical classification, 168–9  
minimum melt, 274  
peralkaline, 59  
peraluminous, 58  
peraluminous leucogranite, 169–70, 172–3, 176, 178, 180  
subsolvus, 297, 297  
tin, 172  
volcanic-arc (VAG), 63  
within-plate (WPG), 63, 63
- granoblastic**, 191
- granodiorite, 4, 10, 11, 17, 57, 112, 115, 116, 117, 123, 180
- granulite, 191, 214, 274, 283, 285, 287–8
- granulite facies, 210–11, 214, 226, 244, 254, 274, 274, 282–4, 283, 287
- granulite terrain, 274, 288, 288
- graphite\*, 311
- Great Dyke, Zimbabwe, 148, 153
- green spinel\*, 311
- greenalite\*, 306
- greenschist, 212, 214
- greenschist facies, 189–90, 207–8, 210–11, 214, 225, 228, 229, 238–41, 244, 261, 273, 274, 286–8
- greenstone belt, 289, 289
- Grenada, Lesser Antilles, 117, 122
- Grenville anorthosite complexes, North America, 154, 157
- Grenville province, Canada, 246, 280
- greywacke, 169, 188, 289
- grossular\*, 308–9
- groundwater, 260
- grunerite\*, 303
- H<sub>2</sub>O, 7, 9, 23, 41, 309, 312  
and melt evolution, 40–1, 173  
effect on melting temperature, 40, 41, 85, 151  
effect on polymerization and viscosity, 40  
in metamorphism, 253, 265, 283, 284, 285  
in serpentinization, 218  
phase diagram, 226, 226  
solubility in silicate melts, 40–1  
solubility of CO<sub>2</sub> in, 226–7, 227
- Harker diagram, 51–4, 52–4
- Harney Peak granite, South Dakota, USA, 58
- harzburgite, 5, 86
- Hawaii–Emperor chain, 102–3, 104, 130  
Kilauea, 12, 103–5  
Loihi, 103–4, 104  
Mauna Kea and Mauna Loa, 104, 104  
relation to hot spot, 102, 130
- heat capacity, 42
- heat of fusion, 42–3, 46
- hedenbergite\*, 300
- Helena dolomite, Montana, USA, 257
- Highland Boundary fault, Scotland, UK, 239
- Himalaya Mountains, 184, 276
- Himalayan leucogranite, 172
- Honshu, Japan, 283
- hornblende hornfels facies, 211
- hornblende\*, 304–5
- hornfels, 191, 191, 309
- Hortavær complex, 47
- hot spot, plume, 85, 87, 101, 103–4, 132, 135
- Hudson Bay lowland, 16
- hyaloclastite, 13
- hydration reaction, 285
- hydrofracturing, 112
- hydrothermal alteration, 259, 307
- hypabyssal, 3, 5, 10, 14–16
- Iceland, 101–2, 102, 105, 120, 132
- icelandite, 121
- iddingsite\*, 299
- ideal solution, 266
- idioblastic texture, 190, 298
- igneous  
classification, preliminary, 3  
IUGS classification, igneous, 4  
IUGS classification, plutonic, 3–5, 5  
IUGS classification, volcanic and hyperbyssal, 5  
petrogenesis, 2, 75  
petrography, 2  
petrology, 2  
structures, 10–17, 12, 14–17, 149–51  
textures, 7–10, 8–9, 11, 157, 189
- Ilmaussaq intrusion, Greenland, 150, 151, 161–3, 163–4, 163–4
- ilmenite\*, 310–11
- ilmenite granite, 169
- immiscible liquids, 46
- incompatible element, 51, 60, 77, 83, 87, 101, 148, 171
- incongruent melting, 26
- industrial minerals, 178–9
- Ingalls peridotite, Washington, USA, 230–1
- Integrated Ocean Drilling Program (IODP). *See* ocean drilling
- International Ocean Discovery Program (IODP). *See* ocean drilling
- International Union of Geological Sciences (IUGS), 1–5, 51
- intrusion, 17, 71, 99, 110, 112, 116–17, 120, 143, 147–8
- ion-exchange reaction, 267, 269
- ion-exchange thermometry, 267–8
- iron-enrichment index (Fe-index), 51, 57–8, 57–8, 57–8, 120, 123, 134, 136, 138, 140, 141, 160, 170, 176, 177, 178  
ferroan, 57  
magnesian, 57
- iron formation, 187, 289–90, 298–9, 303–4, 306
- iron–titanium oxides (magnetite and ilmenite)\*, 310–11
- island arc, 91, 110, 113  
magmatism, 56, 110, 112–14  
volcano, 112–13
- isochron, 72, 73, 74
- isograd, 188, 197, 229, 231, 241, 246, 256–7  
second sillimanite, 243
- isostasy, 279
- isotope, 67  
K–Ar system, 72–3  
Lu–Hf system, 77  
oxygen, 67–70, 76  
radiogenic, 71–7  
Rb–Sr system, 72, 75–6, 124  
Sm–Nd system, 73, 76  
stable, 68–71, 76  
U–Pb system, 72, 74–5
- isotope geochemistry, 82, 135
- isotopic fractionation. *See* fractionation, isotope
- isotopic petrogenesis, 75–7
- Izu–Bonin subduction zone, western Pacific, 231
- jack-straw texture, 220
- jadeite\*, 302
- Joides Resolution*, 91, 91
- Juan de Fuca plate, 132

- $K_2O$  variability, 121  
 Kaiserstuhl, Germany, 9  
 kakortokite, 161, 163, 164  
 Kalapana Gardens subdivision, Hawaii, USA, 105  
 Kangerdluarssuk fjord, Greenland, 164  
 Kapuskasing block, Canada, 288–9, 288  
 Karmutsen basalts, Vancouver Island, Canada, 212  
 Karoo basalts, South Africa, 131  
 Katmai, Alaska, USA, 119  
 Kerguelen plateau, 102, 103  
 Keweenaw basalts, North America, 131, 153  
 Kiglapait intrusion, Canada, 152  
 kimberlite, 44, 84, 142–4, 144  
 Kola peninsula, Russia, 161  
 komatiite, 5  
 Krakatoa, Indonesia, 119  
 KREEP basalt (lunar), 61–2, 63  
 Kurile island arc, 110  
 kyanite\*, 308  
 kyanite zone, 238, 242, 242
- labradorite\*, 294, 295  
 Lake Owen complex, Wyoming, USA, 117  
 lamproite, 142–4, 144  
 lamprophyre, 4  
 lapilli, 11  
 Laramie anorthosite complex, Wyoming, USA,  
 17, 33, 34, 44, 46, 156–9, 158, 191, 244,  
 246  
     Red Mountain pluton, 52–3, 53, 56–7, 56–7, 62,  
 62, 160  
 Laramie Mountains, Wyoming, USA, 53, 63, 190,  
 212, 246  
 large igneous provinces (LIPs), 103, 131  
 laser ablation ICP-MS, 74, 197  
 laumontite\*, 310  
 Laurentia, 173  
 lava dome, 10, 13, 14, 118  
 lava flow, 10, 10, 105, 114, 136, 161  
 lava tube, 114  
 law of mass action, 265  
 lawsonite\*, 310  
 lawsonite–albite–chlorite facies, 210  
 layered mafic intrusion (LMI), 33, 99, 147–8,  
 149–51, 154, 156, 159, 162, 165, 187, 217  
     mineralogical variation, 151–2  
     stratigraphy, 153  
     tectonic environment, 153–4  
 Le Chatelier's Principle, 222  
 Lesser Antilles, Caribbean, 110, 116–17  
 Leucite Hills, Wyoming, USA, 139, 144  
 leucite\*, 298  
 leucocratic minerals\*, 293–9  
 leucosome, 275  
 lever rule, 22–3  
 lherzolite, 4, 84–6, 86, 87, 97  
     depleted, 86  
     fertile, 86  
 Ligurian Alps, Italy, 212  
 lineation, 189, 192, 192  
 liquidus, 24, 25–6, 29, 32, 39, 42, 184, 297  
 lithium, 60–1, 179  
 lizardite\*, 305  
 lujavrite, 161, 162–3, 164
- Macquarie Island, South Pacific, 92, 94  
 mafic rock, 3  
 mafic selvage, 275, 275  
 magma, 1–2, 39  
     ascent, 40, 42, 44–5, 72, 86, 98, 110, 125–7, 135,  
 138  
     assimilation and contamination, 42, 45, 46, 46,  
 55, 63, 68–70, 126, 138, 147–8, 156, 164, 165,  
 172, 180  
     chamber, 23, 27, 27, 33, 44, 47, 94, 98, 103, 117,  
 120, 127, 136, 148, 150, 159, 164  
     density, 43–4, 126  
     environments of magmagenesis, 87–8, 125–7,  
 135, 170  
     exsolution of aqueous fluid, 40–1, 112, 118–19,  
 171–2  
     mixing, 45, 47, 52–4, 63, 124, 143, 147, 177  
     temperature, 42  
     viscosity, 43  
 magmatic differentiation, 45–7, 51, 96, 124, 130,  
 135  
     continental arc, 120–5, 124  
     oceanic tholeiites, 97–107, 121  
 magnesite\*, 298  
 magnetic anomaly, 287  
 magnetite granite, 169  
 magnetite\*, 310–11  
 major element, 50, 134  
 Malenco serpentinite, Italy and Switzerland,  
 229–30  
 manganese formation, 187  
 mantle, 45  
     composition, 84–5, 144–5  
     convection, 86  
     isotopic composition, 70, 75–7  
     melting, 86, 106, 122, 125, 143–4  
     olivine fabric, 231  
     peridotite, 86, 91, 125, 218, 231  
     xenocryst, 116  
     xenolith, 145  
 Marianas island arc, 110  
 Marysville stock, Montana, USA, 257–8, 258  
 MASH zone, 125–6, 125–6  
 mass extinction, 132  
 massive sulfide deposit. *See* volcanogenic massive  
 sulfide (VMS)  
 mass-transfer reaction, 269  
 Matterhorn, Switzerland, 280  
 McKenzie Mountains, Yukon-Northwest  
     Territories, Canada, 172  
 megacryst, 154  
 mélange, 282  
 melanosome, 275  
 metabasalt, 190, 212, 212, 288  
 metabasite, 187, 207, 207–15, 302  
 metaconglomerate, 189  
 metadiabase, 189, 212  
 metagabbro, 189, 212, 229, 280  
 metaluminous, 58  
 metamorphic  
     conditions, 188, 206, 264–5  
     facies, 74, 188, 197, 206–11, 212, 213–15,  
 225–6, 238, 238, 242–5, 244, 254, 254, 264,  
 273–5, 279, 281–2, 284, 286, 286, 289  
     field gradient, 280  
     fluid, 197, 226–8, 254–9  
     nomenclature, 193  
     textures, 190–2  
 metamorphic assemblage diagram, 264, 270–3, 271  
 metamorphism, 184  
     burial, 185  
     contact, 184–5, 211, 229–30, 254–6  
     dynamic, 185  
     hydrothermal, 185  
     impact, 185  
     in Archean terrains, 287–9  
     in continental collision, 279–80  
     in rifting terrains, 284–5  
     isochemical, 186, 273  
     prograde, 217–22, 234, 239, 243, 246, 255, 279  
     regional, 184, 207, 229, 278–9  
     retrograde, 185  
     sea-floor, 285–7  
     metaperidotite, 217–31  
         role of aluminum, 224–5  
         role of iron, 222–4  
     metasedimentary belt, 288–9  
     metasedimentary rock, 172, 239, 273, 275, 279,  
 287–9  
     metasomatism, 144, 145, 228–9, 285  
     metastable, 7  
     Mica Dam, British Columbia, Canada, 210  
     mica\*, 306–7  
     microcline\*, 297  
     mid-ocean ridge, 94–6, 95  
         East Pacific Rise, 94, 95, 97, 97  
         FAMOUS valley, 100, 100, 106, 106  
         Gakkel Ridge, 95, 95, 97  
         Mid-Atlantic Ridge, 95, 95–6, 97, 100, 106  
         Southwest Indian Ridge, 96  
     mid-ocean ridge basalt (MORB), 97–8, 98,  
 98–101, 100, 106, 134, 224  
         E-MORB, 101, 135  
         interaction with mantle, 96  
         N-MORB, 101, 135  
     migmatite, 247, 275  
     minnesotaite\*, 306  
     minor element, 50  
     modal mineralogy, 3, 4, 5, 51, 218  
     mode, 3  
     modified alkali–lime index (MALI), 54–7, 56, 57,  
 122, 138, 141, 160, 170, 178  
         alkalic, 56, 57, 83, 102, 117, 122–3, 160, 172,  
 176  
         alkali–calcic, 56, 57, 83, 102, 116, 121–3, 137,  
 160, 175–6  
         calc–alkalic, 56, 57, 83, 102, 112, 116, 121–3,  
 121, 123, 137–8, 145, 153, 175–7  
         calcic, 56, 56, 83, 116, 121–3, 123, 172,  
 175–6  
     Moho, 84, 93  
     mole fraction, 22  
     monazite\*, 312  
     Mont Pelée, Martinique, 13  
     monzonite, 53, 57, 159, 180  
     MORB. *See* mid-ocean ridge basalt (MORB)  
     Mount Pinatubo, Philippines, 119  
     Mount Saint Helens, Washington, USA, 14, 15,  
 114–15, 115, 118–19, 118, 121, 124, 124–5  
     Mount Somma caldera, Italy, 142  
     Mount Stuart batholith, Washington, USA,  
 230–1  
     Mount Vesuvius, Italy, 142–3, 143  
     Mullen Creek complex, Italy, 117  
     muscovite\*, 307  
     myrmekite, 120
- Nain anorthosite complex, Canada, 156  
 naujaite, 163, 164  
 Nebo granite, South Africa, 160  
 nepheline\*, 298  
 Ne–silica phase diagram, 28–9  
 network-forming ions, 39, 40  
 network-modifying ions, 39, 41, 43  
 Neuberger Peak, Antarctica, 151  
 neutralization reactions, 259  
 New Caledonia, 92  
 New Hebrides island arc, 110  
 norite, 4, 5  
 norm (CIPW norm), 51  
 normal zoning, 295  
 normative mineralogy, 50, 51, 83  
 nucleation, 7, 7, 8, 8  
 nucleus, 7  
 nutrients, 8  
 Nyambeni, Kenya, 140, 140  
 Nyiragongo, Congo, 140, 140

- ocean drilling  
  Deep Sea Drilling Project (DSDP), 91  
  Integrated Ocean Drilling Program (IODP), 91, 95–6, 98, 285–6  
  International Ocean Discovery Program (IODP), 91  
  Ocean Drilling Program (ODP), 91, 95–6, 106, 285  
Ocean Drilling Program (ODP). *See* ocean drilling
- ocean island basalt (OIB), 97
- oceanic island, 102
- oceanic plateau, 87, 91, 97, 102–3, 103, 106–7, 290
- oceanic spreading center, 93  
  fast, 94, 95, 96–7  
  slow, 95–6, 95  
  ultra-slow, 95–6, 95
- off-ridge magmatism, 97, 102–3
- Ok Tedi Mine, Papua New Guinea, 112
- Ol Doinyo Lengai, Tanzania, 140
- Old Faithful Geyser, Wyoming, USA, 171
- olivine\*, 299
- Oman ophiolite, 94, 94
- omphacite\*, 302
- Ontong Java plateau, 102, 103, 106–7, 106
- opaque mineral\*, 310–11
- ophiolite, 84, 90, 92–4, 92–4, 96, 96, 99, 190, 230–1, 285, 287
- ore deposits  
  associated with hydrothermal alteration, 260–1  
  in alkaline rocks, 162–3  
  in anorthosite, 156  
  in granitic rocks, 171–2  
  in layered mafic intrusions, 148  
  in ocean crust and ophiolites, 99  
  in pegmatites, 179–80  
  porphyry deposits, 112
- orthoclase\*, 297
- orthogneiss, 189
- orthopyroxene\*, 300–1
- Otago belt, New Zealand, 282
- oxide mineral\*, 310–11
- Paddy-Go-Easy pass, Washington, USA, 220, 229, 230
- pahoehoe, 10, 12
- paired metamorphic belts, 282, 290
- pantellerite, 59
- paragneiss, 189
- paragonite\*, 307
- Paraná plateau, Brazil, 131
- parent isotope, 67
- pargasite\*, 305
- partial melting, 34, 45, 48, 53, 60, 63, 85–7, 93, 97–8, 98, 101, 107, 116, 125–6, 137–9, 144, 161, 169–70, 184, 247, 284  
  assimilation of partial melts, 42, 46
- partition coefficient, 60, 148, 162
- Peacock classification. *See* alkali-lime index
- pegmatite, 9, 31, 60, 164, 172, 178–80
- Pele, 11, 105
- pelite, 186
- pelitic rocks, 186, 197  
  chemographic projections for, 235–8  
  metamorphism of, 234–47
- pendant, 174, 283
- penetrative deformation, 186
- Peninsular Ranges batholith, North America, 111
- Penrose Conference, 92
- peralkaline, 59. *See* alkalinity index (AI)
- peraluminous, 58
- periclase zone, 256
- peridotite, 4–5, 42, 84–6, 96, 99  
  garnet, 143, 225, 225, 276
- in ophiolite, 93
- metamorphic protolith, 217
- plagioclase, 224, 225
- refertilized, 224
- spinel, 225, 225
- peritectic. *See* phase diagram
- petrochronology, 77, 279
- petrogenetic grid, 197
- petrographic microscope, 51
- pH  
  acidic fluids, 259, 261
- alkaline (basic) fluids, 218
- buffering, 259
- phaneritic, 8
- phase diagram, 20–34, 196–202  
  binary, 23–31
- cotectic, 32, 33, 98
- divariant, 22, 24, 198, 199, 200, 219, 222–3
- eutectic, 23–9, 24, 31–2, 33, 34, 84, 86–7, 98, 100
- invariant, 21, 24, 26, 196, 198, 256
- liquidus, 27, 31
- peritectic, 26–8, 28, 32, 33, 34
- pseudoternary, 32, 87, 98, 100, 201
- P-T* diagram, 21, 41–2, 173, 208–9, 219, 221, 223–4, 226, 243, 245, 265, 270, 273–4, 279–80, 307
- solidus, 29, 31, 46
- solidus, dry, 40
- solvus, 31, 31, 226, 267
- ternary, 22, 31–4, 31–4, 86, 201, 254
- thermal barrier, 28–9, 84
- T-X* diagram, 22, 25–6, 28, 30–1, 223, 223, 227, 235, 255–6, 255–8, 300
- univariant, 22, 24, 32, 196–9, 222
- phase rule, 21, 21–3, 222
- phase, thermodynamic, 21
- phenigite\*, 307
- phenocryst, 9, 10, 10, 11, 60, 97, 100, 116, 139, 189
- Philippine Institute of Volcanology and Seismology, 119
- phlogopite\*, 306
- phonolite, 84, 139–40, 142
- phreatomagmatic eruption, 13
- phyllite, 193, 239
- phyllosilicate\*, 305–7
- pigeonite\*, 300–1
- Pikes Peak batholith, Colorado, USA, 159–60
- Pikwitonei block, Canada, 288, 288
- Pilbara craton, Australia, 289
- pillow basalt, 10, 12, 93–4, 99, 189, 190, 286
- plagioclase effect, 141–2
- plane of critical silica undersaturation, 83
- plane of silica saturation, 83
- plate tectonic revolution, 265
- platinum group elements (PGEs), 147–9, 148, 156, 162
- pleochroism, 209, 215, 224, 302, 304
- plinian eruption, 13
- Pliny the Younger, 13, 142
- pluton, plutonic, 3, 3–5, 10, 11, 16–17, 45, 52–3, 53, 56, 75, 84, 110–11, 113–15, 117, 120, 123–4, 147, 152–3, 156–7, 159, 161, 164, 165, 170–1, 173–4, 180, 283, 284, 290
- charnockitic, 288
- epizonal, 171, 197
- point-counting, 51
- polymerization, polymers, 39–40, 41, 43, 43
- polythermal projection, 31, 33
- Pompeii, Italy, 13, 142
- porphyroblast, porphyroblastic, 191, 191, 272
- porphyry, 10, 11  
  copper deposits, 112, 171, 259–60
- postcumulate grain, 10
- potassic alteration, 261
- Precambrian shield, 278, 287–90
- precious metal, 289
- preferred orientation, 191, 191–2, 192, 231
- prehnite\*, 310
- prehnite–pumpellyite facies, 209, 210, 214, 225, 243, 274, 282, 283, 286
- primary texture, 188–90
- propylitic alteration, 261
- protolith, 183, 185–8, 197  
  calcareous, 187, 254–6
- igneous, 187
- mafic, 187, 193, 206–11
- marl, 187
- pelitic, 183, 234–47
- quartzo-feldspathic, 188
- quartzose, 186
- sedimentary, 186–8
- semi-pelitic (psammite), 186
- ultramafic, 183, 187, 217–31
- pseudomorph, 144, 220
- pseudosection, 270
- pumice, 12, 13, 118
- pumpellyite\*, 310
- pumpellyite–actinolite facies, 208
- pyalspite garnets\*, 308
- pyrite\*, 311
- pyroclastic deposits, 5, 10, 11–13, 13, 111, 114, 117–19  
  air fall, 12, 15
- pyroclastic flow, 13
- pyrometer, 42
- pyrope\*, 308–9
- pyroxene\*, 299–302  
  clino-, 300
- ortho-, 300
- quadrilateral, 300–1
- sodic, 302
- pyroxene–hornfels facies, 211, 244, 285
- pyroxenite, 4, 10, 11, 151, 154, 218, 284
- pyrrhotite\*, 311
- QAPF diagram, classification, 3, 4, 5, 123, 180
- quartz\*, 293–4
- quartzite, 186, 190, 290
- Quetico belt, Canada, 288
- Raft River Mountains, Utah, USA, 189
- rapakivi texture, 46, 55
- rare-earth element (REE), 59, 60, 61, 63, 84, 169  
  diagram, 63
- in alkaline intrusions, 161–3
- in garnet, 225
- in lunar samples, 61
- Rayleigh fractionation, 60, 69
- reaction rim, 46, 120, 210, 225, 243
- Red Sea, 130, 140
- refertilization, 224
- residual melt, 28–9, 29, 33–4, 51, 56, 70, 71, 98, 151, 159–60, 162, 164, 179
- resorbed crystal, 46
- restitute, 184, 275, 283
- retrogressive reactions, 279
- reverse zoning, 47, 295
- rheology, 218
- Rhine graben, Europe, 130, 131
- rhyolite, 6, 42, 53, 57–8, 70, 73, 101, 117, 121, 135, 135, 136, 138–9, 160, 259, 299, 309  
  melt viscosity, 43
- peralkaline, 140
- riebeckite\*, 304
- Rio Grande rift, USA, 130, 131
- Rocas Verdes, Chile, 92, 93

- Rocky Mountains, North America, 184  
 rodingite, **218**, 229  
 Rogaland anorthosite complex, Norway, 156, 285  
 Roman province, Italy, 86, 142, 144–5  
 Rum intrusion, Scotland, UK, 34, 34, 150, 153  
 rutile\*, 311  
 Ryoke belt, Japan, 282  
 Ryuku island arc, 110
- San Miguel Regla, Hidalgo, Mexico, 12  
 sanidine\*, 297  
 Scandinavian shield, 285  
 scanning electron microscope, 238  
 schist, 191, 239–43, 259  
 schistosity, **192**, 192  
 scoria, **12**, 104  
 Scotia island arc, South Atlantic, 110  
 seamount, 102, 104  
 seawater, 70, 101, 125, 285  
 sedimentary texture, 188–9, 189  
 Seguam, Alaska, USA, 112–13, 116, 121, 122, 124, 124, 141, 141, *See also* Aleutian Island arc, Alaska, USA  
 seismic anisotropy, 231, **231**  
 seismograph, 119  
 sericite, sericitization, 238, 259  
 serpentine polymorphs, 218–19  
 serpentine\*, 305  
 serpentinite, serpentinitization, 92, 201, 217–22, 220, 225–6, 229  
 Sesia zone, Italy, 212  
 shale, 76, 173, 186, 234, 238  
 shatter cone, 153, 185  
 shear zone, 96, 173, 185, 287  
 Sherman batholith, Wyoming, USA, 46, 52, 53, 56–7, 63, 63  
   Lincoln granite, 54, 63, 63  
   Sherman granite, 54, 63  
 Shiprock, New Mexico, USA, 16  
 Shuksan belt, Washington, USA, 282  
 Siberian Traps, Russia, 132  
 siderite\*, 298  
 Sierra Nevada batholith, California, USA, 17, 76, 111, 123, 174, 176, 284  
   Tuolumne pluton, 56, 56–7, 57, 58, 115–16, 116, 123  
 Sierra Nevada, California, USA, 190  
 silicate structure  
   octahedral site, 39, 40, 266  
   tetrahedral site, 30, 39, 40, 208  
 silicic alteration, 261  
 sill, **10**, 16, 173  
 sillimanite\*, 297–308  
 sillimanite zone, 242  
 Skaergaard intrusion, Greenland, 11, 152–3  
 Skaergaard trend, 57 *See* iron-enrichment index (Fe-index),  
 skarn, **172**, 257  
 slab fluids and melts, 125, 126  
 slate, 193  
 Smartville ophiolite, California, USA, 117, 190  
 Smoky Buttes, Montana, USA, 144  
 Snake River Plain, Idaho, USA, 9, 12, 130, 132, 135–8, 138, 140–1  
 sodalite\*, 298  
 solid solution, 29–30, 211, 236–7, 266, 268, 294–6, 300, 302–4, 308, 310–11  
   partial, 30–1  
 solidus, **29**, 31, 40, 46, 173, 297  
 Solomon Islands, 110  
 solvus, **31**, 31, 226, 267–8  
 solvus thermometry, 267–8  
 Soufriere volcano, St. Vincent, 9  
 spessartine\*, 308  
 sphene\*, 312  
 St. Helena, 104  
 St. Kitts and Nevis, 121  
 static texture, 190–1  
 staurolite\*, 309  
 staurolite zone, 241, 241–2  
 steatite, 228  
 Stillwater intrusion, Montana, USA, 11, 148, 153  
 Stoke's law, 44  
 stoping, **44**  
 strombolian eruption, **13**  
 structural geology, 183, 192, 284  
 sub-arc intrusion, 117  
 subduction zone, 109, 113, 211, 217–18, 265, 281–2, 290  
   cold, 210, 273  
   serpentinites in, 218  
 Sudbury intrusion, Canada, 148, 152–4  
 sulfide melt, 148  
 sulfide minerals\*, 311  
 sulfide ore deposit, 148, 185, 258  
 Sunda–Banda island arc, 110, 117  
 Super High Resolution Ion Microprobe (SHRIMP), 197  
 supercritical fluid, 125, **226**  
 Superior province, Canada, 288–9, 288  
 supracrustal rocks, 288–9  
 suprasubduction-zone ophiolite, **93**  
 surface energy, 7  
 Suswa volcano, Kenya, 140, 140, 142  
 syenite, 4, 57, 59, 112, 150, 162  
   monzosyenite, 46, 157  
   nepheline syenite, 163–4, 165  
 syncline, 229  
 system, thermodynamic, **21**
- tabular feldspar, 189, 212  
 Taconic orogeny, 247  
 talc\*, 306  
 Tambora, Indonesia, 111  
 tantalum, 60, 180  
 Taos, New Mexico, USA, 191  
 TAS (total alkali and silica) diagram, 5  
 tectonic texture, 191–2  
 tectonic thickening, 172  
 Tellnes deposit, Norway, 156  
 tephrite, 6, 140  
 terminal reaction, **200**, 236, 236  
 Tethys sea, 229, 280  
 Teton Range, Wyoming, 275  
 thermal anomaly, 285  
 thermobarometry, **184**, 188, 197, 264–73, 269–71, 274  
 thermochronometer, 75  
 thermocouple, 42  
 thermodynamic database, 188, 219, 264, 270  
 thermodynamics, 5, 21, 265–7  
 thermometry. *See* geothermometry  
 tholeiite, 9, **83**, 87, 97, 104, 104, 136, 139, *See also*  
   basalt  
   melt viscosity, 43  
   olivine, 83  
   quartz, 83  
 thrust fault, 211  
 Tibetan plateau, 175  
 tie-line flip reaction, **200**, 236, 237, 242  
 tiltmeter, 119  
 tin ore, 172  
 titanite\*, 312  
 Tobago, West Indies, 110, 113–14, 117, 121, 122–3, 282  
 tonalite, 4, 113, 117, 123, 169, 180, 229, 289  
 Tonga–Kermadec island arc, 110  
 topology, 198–200, **198**  
 Toutle River, Washington, USA, 114  
 trachyte, 6, 57, 121, 139–40  
 transition metal, 59, 112, 285  
 tremolite\*, 303  
 trench, 109, 112, 222, 282  
 Tristan da Cunha, 104, 132  
 troctolite, 4, 5, 33, 96, 156  
 Troodos, Cyprus, 92, 93, 99  
 tschermakite\*, 305  
 tuff, **12**, 136  
 tungsten ore, 171–2  
 Tuolumne pluton, California, USA. *See* Sierra Nevada batholith, California, USA  
 turbidite, 189  
 twinning, 294–5, 296, 297, 309–10  
   albite, 295, 296  
   Carlsbad, 297  
   pericline, 295, 297  
   polysynthetic, 295, 304  
   tartan, 297
- ultra-high-pressure (UHP) metamorphism, 185, 273, **276**  
 ultra-high-temperature (UHT) metamorphism, 273, **275**  
 ultramafic rock, 3, 5, 104, 113, 149, 228  
 ulvöspinel\*, 310  
 undulatory extinction, 293
- variance, **21**  
 variation diagram, 51–4, 62, 124, 134, *See also*  
   Harker diagram  
 vein, 41, 145, 164, 171–2, 260, 286  
 vesicle, **10**, 12, 84, 190  
 viscosity, 7, 9, 43, 44, 85, 118  
 Voisey's Bay deposit, Canada, 156  
 volatile, 9, 13, 20, 40–2, 127, 179, 184  
 volcanic, 3  
 volcanic eruption type  
   fissure, 105, 133  
   phreatomagmatic, **13**  
   plinian, **13**, 15, 142  
   strombolian, **13**, 15  
 volcanic explosivity index (VEI), 111, **111**, 119  
 volcanic gas, 105, 111, 118, 119  
 volcanic hazard prediction, 119, 136–7  
 volcanic hazards, occurrence  
   convergent margin, 110, 118–19  
   intracontinental, 136–7  
   oceanic, 105  
 volcanic neck, **14**, 14  
 volcanic winter, 111  
 volcanogenic massive sulfide (VMS), **99**
- Wasatch Mountains, Utah, USA, 256  
 wehrlite, 5, 113  
 welding, **13**  
 Wenatchee Mountains, Washington, USA, 230  
 whiteschist, 244, 245, 266, 306  
 Willow Creek pass, Colorado, USA, 11  
 Wind River Range, Wyoming, USA, 137, 274  
 Wyoming province, 157
- xenocryst, **39**, 46, 116, 143, 159  
 xenolith, 17, 17, 84, 145  
 X-ray diffraction, 219, 238  
 Yellowknife, Northwest Territories, Canada, 189

- Yellowstone, USA, *14, 132, 132, 135, 135–7, 137, 171, 185*
- Yerington district, Nevada, USA, *259*
- Yilgarn province, Australia, *289, 290*
- Yosemite National Park, California, USA, *116*
- Zarza, Baja, Mexico, *56–7*
- zeolite, *310*
- zeolite facies, *210, 210, 214, 239, 273*
- Zermatt–Saas ophiolite, Switzerland, *220, 276, 280*
- zircon\*, *312*
- zircon, *62, 74, 77, 115, 163, 312*
- zoisite\*, *309*
- zonation, zoning, *229*
- in intrusions, *54*
- in plagioclase, *10, 11*
- in ultramafic rocks, *228*
- normal, *295*
- oscillatory, *295*
- reverse, *47, 295*