

Index

- e*-closure, 38
- e*-free monoidal finite-state automaton, 37
- k*-ary function, 7
- n*-ary string relation, 14
- n*-tape letter automaton, 77
- n*-tuple, 3
- n*-way concatenation of words, 13
- n*-way reversal, 13
- n*-way reverse relation, 15
- w*-successor of state, 29

- active states, 29
- admissible advance, 88
- advance function, 85
- alphabet, 10
- antisymmetric relation, 5

- backward *e*-closure, 38
- backwards f-automaton, 248
- backwards failure deterministic finite-state automaton, 248
- bijective function, 8
- bimachine, 138
- binary regular string relation, 83
- bounded variation property, 99

- canonical form of transducer, 124
- cardinality, 3
- Cartesian product, 4
- Cartesian product of automata, 50
- Cartesian product of monoids, 20
- classical *n*-tape automaton, 77
- classical automaton language, 27
- classical bimachine, 138
- classical finite-state transducer, 83
- classical finite-state automaton, 24
- classical letter transducer, 83
- classical regular expression, 35
- classical regular language, 34
- classical subsequential transducer, 96
- cloning a state, 265
- codomain, 6
- coloured automaton, 62
- colouring of words, 62
- completed transition function of f-automaton, 248
- composition of relations, 4
- concatenation Kleene start for string relation, 15
- concatenation of *n*-tuples of words, 13
- concatenation of classical languages, 12
- concatenation of string relations, 14
- concatenation of words, 10
- convergent state, 254

- depth of a trie state, 45
- deterministic finite-state automaton, 43
- deterministic finite-state transducer, 94
- difference of finite-state automata, 49
- domain, 6

- edge of bimachine, 142
- empty word, 10
- equivalence class, 6
- equivalence relation, 6
- equivalent coloured automata, 63
- equivalent monoidal finite-state automata, 27
- equivalent states, 29
- equivalent states of coloured automaton, 64
- equivalent states of subsequential transducer, 97
- expanded output automaton of transducer, 130

- f-automaton, 247
- failure deterministic finite-state automaton, 247
- forward ϵ -closure, 38
- free companion of monoidal automaton, 30
- free monoid, 11
- function represented by a bimachine, 139
- function represented by a subsequential transducer, 97
- function represented by functional transducer, 82
- functional composition, 7
- functional transducer, 82
- functionalizing a relation, 7
- generalized completed transition function of f-automaton, 248
- generalized output function of a bimachine, 140
- generalized projection of a relation, 5
- generalized transition, 28
- generalized transition function, 45
- generalized transition relation, 27
- homomorphic image, 19
- homomorphic image of automaton, 30
- image under a function, 6, 7
- image under a relation, 4
- index of equivalence relation, 6
- infinitely ambiguous relation, 4
- infinitely ambiguous transducer, 82
- infix, 11
- infix occurrence, 11
- injective function, 8
- input language of transducer, 95
- intersection of finite-state automata, 49
- inverse relation, 4
- isomorphic automata, 29
- isomorphic coloured automata, 63
- iterated advance function, 85
- kernel, 59
- Kleene star, 13
- Kleene star (relational), 5
- language, 12
- language of a state, 28
- language of coloured automaton, 62
- language of f-automaton, 248
- language recognized/accepted by an automaton, 27
- left profile function of bimachine, 150
- letter transducer, 81
- linear order, 6
- longest common output, 117
- longest common prefix, 11
- loop path, 26
- maximal state output, 124
- minimal except for a word, 254, 271
- monoid, 16
- monoid homomorphism, 18
- monoid isomorphism, 19
- monoid unit element, 17
- monoidal n -tape automaton, 73
- monoidal n -tape automaton relation, 75
- monoidal automaton language, 27
- monoidal bimachine, 138
- monoidal finite-state automaton, 23
- monoidal finite-state transducer, 81
- monoidal Kleene star, 18
- monoidal language, 17
- monoidal letter transducer, 81
- monoidal product, 18
- monoidal regular n -relation, 34
- monoidal regular expression, 34
- monoidal regular language, 33
- monoidal subsequential transducer, 96
- MSA, 23
- multi-tape automaton, 73
- Myhill–Nerode, 54
- Myhill–Nerode automaton, 64
- Myhill–Nerode relation, 54, 64, 116
- Myhill–Nerode transducer, 121
- null path, 26
- obligatory rewrite relation, 281
- occurrence of an infix, 11
- optional rewrite relation, 280
- output automaton of transducer, 130
- output function for transducer state, 97
- output function of bimachine, 139
- output function of subsequential transducer, 97
- output function of transducer, 95
- overlap of words, 283
- pair of successful paths, 139
- partial function, 6
- partial order, 6

- path label for a trie state, 45
- permutation, 8
- position in a string, 11
- prefix, 11
- product of monoidal languages, 18
- projection, 6
- projection of a relation, 5
- proper path, 26
- proper prefix/suffix, 11
- pseudo-deterministic transducer, 67, 68
- pseudo-minimal bimachine equivalent bimachine, 151
- rational string function, 84
- reachable state, 26
- real-time transducer, 82
- refinement of equivalence relation, 6
- reflexive and transitive closure, 5
- reflexive relation, 4
- regular expression, 35
- regular language, 34
- regular string function, 84
- relation, 4
- relational composition, 4
- reverse automaton, 50
- reverse function for words, 10
- reverse language, 12
- right invariant equivalence relation, 51
- sequential distance of words, 99
- set-lifted n -way concatenation, 15
- set-lifted version of a function, 8
- set-lifted version of monoid, 17
- squared output transducer, 87
- state output function, 96
- string, 10
- string function, 16
- submonoid, 18
- subsequential finite-state transducer with initial output, 117
- subsequential function, 99
- subsequential transducer, 96
- successful path, 26
- suffix, 11
- surjective function, 8
- symmetric relation, 5
- total bimachine, 143
- total function, 7
- total monoidal subsequential transducer, 97
- transducer, 81
- transition, 24
- transition function, 95
- transition relation, 95
- transitive closure, 5
- transitive relation, 5
- trie, 45
- trimmed monoidal finite-state automaton, 37
- tuple-lifted version of a function, 9
- two-sided dictionary, 270
- unambiguous transducer, 146
- underlying automaton of monoidal subsequential transducer, 96
- underlying finite-state automaton, 81
- word, 10