

Index

- AD-OO framework, 342, 415, 599
- Add-on modules, 598
- Additive property, 561
- Adjacency matrix, 521, 538
- Adjoint equations, 425
- Agglomeration, 541
 - a priori flow indicator, 551
 - feasible directions, 541
 - flow indicator, 547
 - global flow indicator, 551
 - greedy algorithms, 548
 - local flow indicator, 551
 - merging blocks, 546
 - permissible directions, 541
 - refining blocks, 547
 - volume indicator, 546
- Annular space, 395
- Annulus, 396
- Anonymous function, 205
- Anticline, 25, 27
- API gravity, 372
- Aqueous phase, 233
- Aquifer, 256
- Areal sweep, 308
- Assembly, 435
- Automatic differentiation, 204, 623–629

- Basis functions, 178, 180
- Bi-stream function, 130
- Biconnected components, 543
- Black-oil equations
 - gas component, 392
- Black-oil models, 246
 - equation of state, 372
 - formation-volume factor, 371
 - oil component, 390
 - primary unknowns, 389
 - primary variables, 392
 - shrinkage factor, 371
 - solution gas–oil ratio, 371
 - vaporized oil–gas ratio, 371
 - water component, 389
- Bottom-hole pressure, 122
- Boundary conditions
 - data structure, 146
 - Dirichlet, 120, 147
 - hydrostatic, 161
 - linear pressure, 161
 - Neumann, 120, 147
 - no flow, 120, 146
- Bubble point, 362
- Bubble-point curve, 362
- Bubble-point pressure, 375
- Buckley–Leverett, 259, 281, 284, 298, 417
- Bundle of tubes, 236

- Capillary fringe, 320, 330
- Capillary pressure, 235
 - Brooks–Corey, 239
 - hysteresis, 237
 - Leverett J, 238
 - van Genuchten, 239
- Carbonate rock, 24
- Carman–Kozeny, **37**
- Cartesian grid, 57
- Cell-mode script, 603
- CFL condition, 275, 278
- Christmas tree, 365
- Circumcenter, 63
- Circumcircle, 63
- Class object, 401
- Clastic rock, 23
- CO₂ storage, 301, 311
- Coarse grid, 519
- Cocurrent flow, 251
- Compatible discretization, 188
- Component conservation, 245
- Components, 233

- Compositional flow, 245
- Compositional simulation, 338
- Compressibility
 - constant, 117
 - fluid, **117**
 - gas (isothermal), 373
 - oil, 376
 - oil (isothermal), 378
 - rock, **36**
 - slightly, 118
 - total, 117, 252
 - water, 379
- Compressible flow, 117
- Computational overhead, 418
- Computational steering, 419
- Condensate, 360
- Connate water saturation, 233
- Connected components, 521
- Conservative method, 275
- Consistent, 174
- Constitutive equations, 116
- Constrained pressure residual (CPR), 444
- Contacted volumes, 482
- Control step, 403, 416, 438, 471
- Convergence
 - nonlinear, 403, 438
 - rate, 326
- Convergent, 174
- Coordinate system, 91
- Corner-point grid, 45, 48, 73
- Countercurrent flow, 251
- Critical point, 361
- Critical temperature, 361
- Crossflow, 395
- Curvilinear grid, 58
- Cylinder coordinates, 122, 124

- Darcy
 - flow experiment, 113
 - Henry, 36, 113
 - unit, 36, 40
 - velocity, 115
- Darcy's law, 14, 36, **115**
- Darcy–Buckingham equation, 257
- Data set
 - CaseB4, 79, 536, 550
 - Johansen, 44, 529
 - Norne, 79, 323
 - SAIGUP, 46, 97, 171, 514, 532
 - SPE 1, 455
 - SPE 10, 41, 307, 501, 551, 585
 - SPE 10, Tarbert, 495
 - SPE 3, 355, 409
 - SPE 9, 355, 383, 460
 - SPE 1, 350, 355, 383, 399, 409
- Data structure
 - boundary conditions, 146
 - coarse grid, 519, 525
 - fluid properties, 144
 - grid, 88
 - reservoir states, 145
 - source terms, 145
 - wells, 147
- Dead oil, 247, 342, 380
- Delaunay, 63
- Dew point, 362
- Dew-point curve, 362
- Disconnected blocks, 521
- Discrete operators, 135, 203
 - average faces to cells, 218
 - averaging, 207
 - divergence, 136, 206
 - divergence (wells), 397
 - gradient, 136, 206
 - gradient (wells), 397
 - harmonic average, 215
 - upwind, 141, 222
- Displacement
 - favorable, 262, 308
 - unfavorable, 262, 308
- Dissolution matrix, 452
- DistMesh, 69
- Downscaling, 560
- Drainage, 237
- Drainage region, 480
- Dry gas, 382, 383
- Dulmage–Mendelsohn, 169, 309, 522

- ECLIPSE input, 46, 97, 339
 - ACTNUM, 48, 80
 - COMPDAT, 402
 - COORD, 48, 75
 - DENSITY, 383
 - EDIT, 340
 - GRAVITY, 383
 - GRID, 340
 - INCLUDE, 341
 - METRIC, 49
 - MULTX, 48
 - MULTZ, 50
 - NTG, 48
 - PERMX, 48
 - PORO, 48
 - PROPS, 340, 350, 379
 - PVCD0, 380
 - PVCO, 381
 - PVDG, 382, 383
 - PVDO, 380
 - PVTG, 382
 - PVTO, 381, 383
 - PVTW, 382
 - PVZG, 382
 - REGIONS, 340
 - ROCK, 383

- ECLIPSE input (cont.)
 - ROCKTAB, 383
 - RUNSPEC, 340, 380
 - SATNUM, 48, 52
 - SCHEDULE, 340, 402
 - SGOF, 351
 - SOLUTION, 340, 400
 - SUMMARY, 340
 - SWOF, 351
 - TABDIMS, 380
 - TSTEP, 403
 - TUNING, 403
 - WCONINJE, 402
 - WCONPROD, 402
 - WELSPECS, 402
 - ZCORN, 48, 75
- ECLIPSE output, 350
- Energy equation, 220
- Energy minimization, 179
- Enhanced oil recovery, 5
- Enthalpy, 221
- Entropy condition, 261
 - Lax, 261
 - Oleinik, 261
- Entry pressure, 236, 320
- Equation of state
 - compressibility, 373
 - cubic, 119
 - gas deviation factor, 373
 - Peng–Robinson, 119
 - Redlich–Kwong, 119
 - Redlich–Kwong–Soave, 119
- Error
 - capillary dominated flow, 330
 - grid-orientation, 176, 187, 330
 - mass balance, 439, 464
 - normalized residual, 439, 464
 - splitting, 293, 326
 - temporal, 326
 - truncation, 174, 276, 285
- Exercises
 - advanced grids, 108
 - agglomeration, 553
 - arithmetic vs. harmonic, 215
 - automatic differentiation, 629
 - averaging, 569
 - boundary conditions, 164
 - buoyant migration, 312
 - consistent schemes, 187
 - discretization operators, 142
 - efficiency of prototype code, 228
 - flow diagnostics optimization, 504
 - flow diagnostics, SAIGUP, 516
 - flow-based upscaling, 574
 - fluid object, 292
 - global upscaling, 580
 - grid coarsening, 539
 - grid structure, 96
 - heterogeneity measures, 489
 - heterogeneous q5-spot, 310
 - homogeneous q5-spot, 306
 - hyperbolic schemes, 282
 - incompressible solvers, 325
 - intro to MRST, 608
 - modules in MRST, 619
 - multisegment wells, 459
 - non-Newtonian fluids, 220
 - numerical errors, 334
 - quarter five-spot, 159
 - rock properties, 52
 - sector model, 453
 - single-phase with wells, 173
 - single-phase, compressible, 212
 - single-phase, incompressible, 169
 - SPE 9 benchmark, 469
 - structured grids, 61
 - three-phase intro, 359
 - unstructured grids, 71
 - unstructured stencils, 169
 - upscaling sector model, 594
 - upstream methods, 286
 - volume averaging, 563
 - wells, incompressible, 173
- Expansion factor, 371
- Explicit flux representation, 184
- Face mobility, 215
- Facies, 238
- Facility model, 433
- Fanning friction factor, 399
- Fault trap, 27
- Faults, **26**, 39, 49
- Fickian diffusion, 245
- Fictitious domain, 60
- Finite-volume method, 132
- Five-spot, 126
- Flow capacity, 483
- Flow diagnostics, 477
- Flow equation, 250
- Flow resistance, 458
- Fluid object, 16, 290
 - black-oil, 355
 - ECLIPSE input, 350
 - relative permeability, 144
 - saturation, 144
 - single phase, 144
- Fluvial, 28, 42
- Formation-volume factor, 123, 124, 247
 - gas, 371, 373
 - oil, 371, 375
 - total, 376
 - water, 379
- Fractional-flow formulation
 - global pressure, 254
 - phase potential, 255
 - phase pressure, 250–254

- Fractional-flow function, 250
- Fracture, 25
- Fully implicit, 244
- Function spaces
 - H_0^{div} , 178
 - H^1 , 183
 - L^2 , 178
- Gas compressibility factor, 373
- Gas liberation
 - differential, 365
 - flash, 365
- Gas lift, 396
- Gas reservoir, 365
 - condensate, 366
 - dew-point, 366
 - dry, 366
 - retrograde condensate, 366
 - rich, 366
 - wet, 366
- Gaseous phase, 233
- Generating points, 63
- Geochemistry, 338
- Geological model, 10, **30**
- Geostatistics, 40
- Gibbs' phase rule, 360
- Global numbering, 447
- Global pressure, 254
- Global-pressure formulation, 254
- Godunov scheme, 278
- Gravel pack, 396
- Gravity
 - API, 372
 - specific, 372
- Gravity column, 14, 267, 301
- Gravity override, 315
- Grid
 - Cartesian, 57
 - coarse, 519
 - composite, 101
 - conformal, 103
 - corner-point, 73, 97
 - curvilinear, 58
 - data structure, 88
 - Delaunay, 63
 - disconnected blocks, 521
 - DistMesh, 69
 - fictitious domain, 60, 523
 - geometry, 93
 - multiblock, 104
 - partition, 519
 - PEBI (2.5D), 85
 - PEBI (2D), 67
 - PEBI (3D), 104
 - rectilinear, 57
 - stair stepped, 79
 - stratigraphic, 72
 - tessellation, 63, 68
 - Triangle, 69
 - Voronoi, 66, 104
- Grid-orientation errors, 176, 330
- Heat conduction, 221
- Hele–Shaw cell, 307
- Heterogeneity, 483
- Heterogeneity measure
 - dynamic, 483
 - F- Φ diagram, 484
 - Lorenz coefficient, 486
 - static, 483
 - sweep efficiency, 487
- High-pressure cell, 362
- Homogenization, 560
- Hybrid, mixed, 182
- Hydraulic conductivity, 2, 114, 257
- Hydraulic head, 113
- Hydrocarbon recovery
 - primary production, 3
 - secondary production, 4
 - tertiary production, 5
- Hysteresis, 237
- Ideal gas, 118
- Imbibition, 237
- Immiscible, 232
- Immobile oil, 237
- Implicit discretization, 203
- Incompressible flow, 117
- Indefinite system, 184
- Indirection map, 89
- Inflow control device, 396
- Inflow-performance relation, 122, 394
- Influence region, 479, 497
- Injectivity, 310
 - index, 122
- Inner product
 - continuous, 178
 - discrete, 180
 - local, 185
 - mixed hybrid, 183
- Input deck, 48
- Irreducible saturation, 233
- Jacobian matrix, 204, 295, 296, 309
- Johansen data set, **44**
- JOLTS, 598, 602, 603
- K-orthogonal, 176, 333
- Klinkenberg effect, 239
- Laplace operator, 117
- Lax–Friedrichs, 275
- Lax–Wendroff, 276
- Leverett J-function, 238
- Limestone, 22

Line-search method, 296
 Linear solver
 AGMG, 153, 445, 463
 algebraic multigrid, 445
 condition number, 347
 CPR, 444, 463
 direct, MATLAB default, 152
 GMRES, 442
 ILU preconditioner, 443
 iterative methods, 341
 Krylov subspace method, 442
 mldivide, 152, 303, 309
 multigrid, 153
 nested factorization, 447
 orthomin, 447
 preconditioner, 341
 Thomas algorithm, 303
 triangular system, 156
 tridiagonal system, 303
 Linearization, 203
 Linearized problem, 434
 Linearly degenerate wave, 261
 Lithography, 72
 Live oil, 247, 367, 381, 383
 Local numbering, 447
 Local-flux mimetic, 196
 Logical indexing, 99
 Lorenz coefficient, 486, 501

 M-matrix, 197
 Marine rock, 23
 Mass conservation, 116
 Mass fraction, 233
 Mass-balance error, 439
 MATLAB
 accumarray, 621
 arrayfun, 346
 bsxfun, 621
 cellfun, 305, 353
 classdef, 401, 423
 handle classes, 437
 indirection maps, 89
 logical indexing, 99
 run-length encoding, 89
 Mesh generator, 69
 Method of characteristics, 259
 Metis, 538
 Mimetic finite differences, 188
 consistency, 189
 Mimetic inner product, 189–196
 general family, 190
 parametric family, 191
 quasi RT0, 195
 quasi two-point, 193
 simple (default), 195
 two-point, 193
 Min-max angle criterion, 63

Ministep, 438
 Miscible displacement, 246
 Mixed finite elements, 177
 Mixed formulation, 178
 Mixed hybrid, 182
 Mixture velocity, 397
 Model
 black-oil, 430
 facility, 433
 physical, 422
 reservoir, 426
 wells (multisegment), 433
 wells (Peaceman), 433
 Model object, 414
 Modules, 598, 610
 ad-blackoil, 430, 615
 ad-core, 416, 600
 ad-eor, 616
 ad-fi, 616
 ad-mechanics, 616
 ad-props, 351, 615
 adjoint, 615
 agglom, 541, 613
 blackoil-sequential, 420, 615
 book, 10, 157, 619
 co2lab, 617
 coarsegrid, 614
 compositional, 616
 deckformat, 48, 350, 405, 615
 design rules, 612
 dfm, 618
 diagnostics, 153, 480, 616
 dual-porosity, 618
 enkf, 619
 fvbiot, 618
 geochemistry, 618
 hfm, 618
 incomp, 16, 149, 614
 libgeometry, 614
 linearsolver, 446
 linearsolvers, 619
 matlab_bgl, 619
 mimetic, 186, 599, 614
 mpfa, 196, 599, 615
 mrst-cap, 619
 mrst-gui, 53, 619
 msmfe, 617
 msrsb, 617
 octave, 607, 619
 opm_processing, 614
 optimization, 616
 remso, 619
 solvent, 616
 spe10, 42, 619
 steady-state, 616
 streamlines, 159, 619
 triangle, 69, 614

- upr, 104, 614
- upscaling, 572, 616
- vem, 615
- venmech, 618
- wellpaths, 619
- Monotone, 197
- Mudrock, 22
- Multicomponent flow, 245
- Multilateral well, 396
- Multiplier, 39, 50, 323
- Multipoint flux approximation, 196
- Multisegment well, 339, 395, 455

- Nested factorization, 447
- Net-to-gross, **38**, 50
- Newton update, 204, 296
- Newton–Raphson, 203, 295
- Non-neighboring connection, 74
- Non-Newton fluid, 215
- Norne data set, 79
- Numerical context, 415

- Octave, 607
- Oil reservoir, 365
 - black-oil, 367
 - bubble-point, 367
 - solution gas, 367
 - volatile, 367
- Oil-water contact, 237
- Oleic phase, 233
- Operator splitting, 292

- Partition
 - agglomeration, 541
 - confined blocks, 543
 - disconnected, 521, 542
 - flow indicator, 544
 - graph algorithms, 538
 - grid faces, 527
 - hierarchical, 554
 - load balanced, 519
 - METIS, 538
 - near well refinement, 536
 - segmentation, 542
 - volume indicator, 544
- Partition of unity, 479
- Partition vector, 519
- Pathline, 129
- Peaceman, **126**, 169
- PEBI grid, 67, 85
- Periodic medium, 560
- Permeability, 2, **36**
 - absolute, 239
 - anisotropic, 37
 - Carman–Kozeny relation, 38
 - effective, 239
 - isotropic, 37
- Johansen, 45
 - modeling in MRST, 39
 - relative, 240
 - SAIGUP, 51
 - SPE 10, 44
- Perpendicular bisector, 66
- Phase (dis)appearance, 393
- Phase diagram, 360
 - binary substances, 362
 - bubble-point reservoir, 368
 - cricondenbar, 364
 - cricondentherm, 364
 - critical point, 363
 - gas reservoirs, 366
 - single-component system, 360
- Phase mobility, 244
- Physical model, 416
- Pillar grid, 73
- Poisson’s equation, 117
- Polymer flooding, 216
- Pore volumes injected (PVI), 326
- Porosity, **35**
 - Carman–Kozeny relation, 38
 - Johanesen, 45
 - SAIGUP, 51
 - SPE 10, 43
- Potential ordering, 309
- Preconditioner, 442
- Pressure decline, 4
- Pressure equation
 - global pressure, 254
 - phase-potential formulation, 256
 - two-phase compressible, 253
 - two-phase incompressible, 250
- Primary production, 3
 - combination drive, 4
 - gas cap drive, 4
 - gravity drive, 4
 - solution gas drive, 4
 - water drive, 4
- Production-logging tool, 482
- Productivity index, 122, 394
- Properties
 - extrapolation, 408
 - interpolation, 408
- Pseudo components, 233
 - gas, 246
 - oil, 246

- Quarter five-spot, 126, 157
 - heterogeneous, 307, 327
 - homogeneous, 303, 326
 - rotated, 330

- Radial flow, 122, 167
- Rankine–Hugoniot, 260
- Rarefaction wave, 261

- Raviart–Thomas, 180
- Rectilinear grid, 57
- Relative permeability, 240
 - Brooks–Corey, 241
 - Corey, 241
 - default in ECLIPSE 100, 349
 - in ad-props, 353
 - SPE 1,3,9, 356
 - Stone I, 242
 - three-phase, 348
 - two-phase, 241, 242
 - van Genuchten, 242
- Repeated five-spot, 126
- Representative elementary volume, **31**, 232, 560
- Reservoir simulation, 6
- Residence time, 478
- Residence-time distribution, 479, 490
- Residual equations, 294
- Residual saturation, 233
- Result handler, 419
- Retrograde condensate gas, 387
- Retrograde gas condensate, 366, 377
- Reynolds number, 399
- Rheology
 - Newtonian fluid, 215
 - non-Newtonian fluid, 215
 - shear thickening, 216
 - shear thinning, 216
- Rich gas, 382, 387
- Richards' equation, 256
- Riemann fan, 262
- Riemann problem, 262
- Rock types, 51
- Root folder, 601
- Rosebrock, 629
- Rotated gravity, 311
- R_S -factor, 371, 372, 375, 381, 383, 385
- Run-length encoding, 89
- R_V -factor, 371, 372, 375

- S-shape, 251
- SAIGUP data set, **46**, 97
- Sand screen, 396
- Sandstone, 22
- Saturated, 368, 375
- Saturation, 232
 - connate water, 233
 - effective, 238, 241
 - irreducible, 233
 - residual, 233
- Saturation equation
 - phase-potential formulation, 256
 - two-phase compressible, 254
 - two-phase incompressible, 250
- Schedule, 340, 402, 418, 457, 462
- Schur-complement, 184
- Secondary production, 4
 - waterflooding, 4

- Sedimentary environment, 23
- Sedimentary rocks, 21
- Self-sharpening wave, 261
- Sequential fully implicit, 420
- Sequential solution, 292
- Shale, 22, 239
- Shallow marine, **24**, 28, 42
- Shear factor, 217
- Shock wave, 261
- Shrinkage factor, 247, 371
- Simulation model, 7, 401
- Skin factor, 125, 394
- Solution gas-oil ratio, 247, 371, 375, 381
- Source terms, 145
- Sparsity pattern, 167
- SPE 10 data set, 41
- Specific gas, 373
- Specific gravity
 - gas, 373
 - liquid, 372
- Stability analysis, 284
- Stable, 174
- State object, 145
 - flux, 145
 - pressure, 145
 - saturation, 145
 - well solution, 145
- Stock-tank, 364
- Storage capacity, 483
- Storage coefficient, 257
- Stratigraphic grid, 72
- Stratigraphic trap, 27
- Streakline, 129
- Streamline coordinates, 304
- Streamlines, **128**, 158
- Structural model, 31, 47, 49
- Subset extraction, 99
- Summary file, 405
- Supercritical state, 361
- Surface area, specific, 38
- Surface tension, 234
- Sweep efficiency, 487
- Sweep region, 480, 496
- Syncline, 25

- Tarbert, 42
- Tessellation, 63
- Test function, 178
- Thermal expansion
 - adiabatic, 224
 - free, 223
 - Joule–Thomson, 224
 - reversible, 224
- Thermal: single-phase, 220
- Thin-tube experiment, 235
- Time loop, 210
- Time-of-flight, 129, 153
 - backward, 478

- forward, 478
- per influence region, 482
- Time-step
 - chopping, 297, 393
 - control, 297, 415, 463
 - selection, 416, 439
- Topological sort, 309
- Tortuosity, 38
- Tracer, 129, 156
- Tracer distribution, 130
- Transmissibility, 16, 133
- Transport equation, 250
- Trial function, 180
- Triple point, 360
- Truncation error, 174, 285
- Two-point scheme, 16
 - conditionally consistent, 175
 - derivation, 132–133
 - half-transmissibility, 133
 - implementation, 150
 - linear system, 133
 - nonlinear TPFA, 200
 - transmissibility, 133
- Unconditionally stable, 283
- Unconventional reservoirs, 239
- Undersaturated, 368, 375
- Unsaturated flow, 256
- Upper Ness, 42
- Upscaling, 559
 - arithmetic average, 564
 - fallback strategy, 585
 - flow diagnostics, 581
 - flow-based, 570
 - generic conditions, 579
 - geometric average, 564
 - global, 579
 - harmonic average, 564
 - harmonic-arithmetic, 567
 - ill-posed problem, 564
 - laboratory boundary conditions, 570
 - local-global, 579
 - oversampling, 578
 - parallel layers, 566
 - periodic, 571
 - permeability definition, 564
 - perpendicular layers, 565
 - positive transmissibilities, 577
 - power average, 564
 - specific conditions, 579
 - transmissibility, 575
 - volume average, 561
 - well indices, 584
 - Wiener bound, 564
- Upstream mobility weighting, 279
- Upwind scheme, 278
- Vadose zone, 256
- Vanishing viscosity, 273
- Vaporization curve, 362
- Vaporized oil–gas ratio, 247, 371, 375
- Variable elimination, 436
- Variable switching, 393
- Velocity reconstruction, 218
- Vertical equilibrium, 450
- Viscosity, 380
 - gas, 374
 - oil, 378
 - water, 379
- Viscous fingering, 307
- Volatile oil, 360, 367, 377
- Volumetric partition, 479
- Voronoi, 66, 104
- Water coning, 313
- Water content, 257
- Waterflooding, 4
- Well allocation factor, 482, 581
- Well head, 365
- Well model
 - crossflow, 395
 - flow rate, 208
 - frictional pressure drop, 398, 457
 - hydrostatic pressure, 208
 - inflow-performance relation, 122
 - injectivity index, 122
 - mobility calculation, 395
 - multisegment, 397
 - Peaceman, 126–128, 169
 - productivity index, 122
 - scaling, 443
 - simple valve, 398, 457
 - skin, 125
 - surface rate, 209
 - well control, 209, 428, 451
- Well pair, 480
- Well placement, 502
- Well-pair region, 480
- Wells, 121, 338
 - control, 338, 402, 423, 462
 - control switching, 453, 464
 - data structure, 147
 - flow rate, 147
 - horizontal, 455
 - multisegment, 339, 455
 - simple, 457
- Wet gas, 382
- Wettability, 234
 - contact angle, 234
 - non-wetting, 234
 - oil wet, 235
 - water wet, 235
 - wetting, 234
- Workbook, 603

Usage of MRST Functions

- addBC, **146**
- addSource, **145**
- addWell, **148**, 170
- AGMGSolverAD, 445
- applySuccessivePart, 555
- assembleSystem, 435
- assignPVT0, 384
- assignRelPerm, 353
- assignROCK, 352
- assignSWOF, 352

- BackslashSolverAD, 403, 442, 463
- blackoilSectorModelExample, 451
- blackoilTutorialOnePhase, 449
- blackoilTutorialSPE1, 399
- blackoilTutorialSPE9, 460

- cartGrid, 15, **57**
- checkProperty, 425
- coarsenGeometry, 525
- combineEquations, 436
- combineMSwithRegularWells, 457
- compressPartition, 498, 523
- computeFandPhi, 485
- computeGeometry, 15, **93**
- computeLorenz, 487
- computeMimeticIP, 187, 192
- computeMultiPointTrans, 196
- computeSweep, 487
- computeTimeOfFlight, 153, 159
- computeTimestep, 440
- computeTOFandTracer, 480
- computeTranMult, 324
- computeTrans, **150**
- computeWellPairs, 481, 498
- convertDeckSchedule, 456
- convertDeckScheduleToMRST, 402
- convertHorizonsToGrid, 77
- convertInputUnits, 49
- convertTo, 17
- convert2MSWell, 457
- CPRSolverAD, 444, 463
- cutGrdecl, 81

- Driving forces, 428

- eliminateVariable, 436
- equationsBlackOil, 390, 431
- evaluateRelPerm, 428
- explicitTransport, 294
- explosionView, 524
- extrudedTriangleGrid, 96

- faceAvg, 389
- faceFlux2cellFlux, 171
- faceUpstr, 390
- FacilityModel, 433, 457
- findConfinedBlocks, 543
- fluxside, **147**, 161

- gaussianField, 40
- generateCoarseGrid, 527
- getAdjointEquations, 425
- getDrivingForces, 423
- getEquations, 414, 423, 431
- getLinearSystem, 435
- getPlotAfterStep, 418
- getProp, 424
- getProps, 414
- getUnitSystem, 49
- getVariableField, 424, 427
- getWellOutput, 468
- glue2DGrid, 105
- GMRES_ILUSolverAD, 443
- gravity, 311, 450

- grdecl2Rock, 49
- griddedInterpolant, 353
- implicitTransport, 295
- incompMimetic, 187
- incompMPFA, 196
- incompTPFA, 16, **150**, 151
- initCoreyFluid, 291
- initDeckADIFluid, 351
- initResSol, **145**
- initSimpleADIFluid, 417, 449
- initSimpleFluid, 290
- initSimpleFluidPc, 291
- initSingleFluid, 16, **144**, 144
- initState, **145**
- initVariablesADI, 209, **624**
- initWellSolAD, 417, 429
- insertWellEquations, 432
- interactiveDiagnostics, 505
- interpReg, 353, 386
- isPointInsideGrid, 166
- LinearizedProblem, 434
- LinearSolverAD, 441
- logNormLayers, 41
- makeLayeredGrid, 86
- makeModel3, 96
- makeRock, 15, **40**
- moduleGUI, 611
- mrstDataDirectory, 609
- mrstDatasetGUI, 355, 605, **609**
- mrstExamples, 603, 604
- mrstExploreModules, 605
- mrstModule, **611**
- mrstPath, 69, 607, **611**
- MultisegmentWell, 433, 458
- multisegmentWellExample, 455
- NonLinearSolver, 403, 417, 436
- nozzleValve, 457
- outlineCoarseGrid, 520
- partitionCartGrid, 522
- partitionMETIS, 539
- partitionUI, 520
- pebi, 68, 102
- PhysicalModel, 422
- pickTimestep, 440
- plotCellData, 15, 46, 53, 99
- plotFaces, 17
- plotGrid, 15, 46
- plotToolbar, 53, 404, 419
- plotTracerBlend, 497
- plotWellAllocationPanel, 499
- plotWellSols, 306, 404
- pollock, 159
- processFacePartition, 528
- processGRDECL, 41, 45, 49, 81, 98
- pside, 16, **147**, 161
- psideh, 162
- rampupTimesteps, 452
- readEclipseDeck, 350
- readEclipseSummaryFmt, 406
- readEclipseSummaryUnFmt, 406, 467
- readGRDECL, 48, 80
- reduceToSingleVariableType, 436
- refineBlocks, 548
- refineGreedy, 548
- refineGreedy2, 548
- refineGreedy3, 548
- refineGreedy4, 548
- refineNearWell, 536
- refineRecursiveCart, 549
- refineUniform, 548
- relPermW0, 354
- relPermW0G, 354
- removeCells, 60
- removeConfinedBlocks, 544
- ReservoirModel, 426
- ResultHandler, 419
- sampleFromBox, 549
- segmentIndicator, 542
- selectModelFromDeck, 401, 456
- setProp, 424
- setupOperatorsTPFA, 422
- simpleGrdecl, 74
- simpleSchedule, 418
- SimpleTimeStepSelector, 403, 440
- SimpleWell, 433, 458
- simulateScheduleAD, 404, 418
- solveAdjoint, 425
- solveLinearProblem, 441
- solveTimeStep, 418
- solveTimestep, 438
- startup, 601, 611
- startup_user, 69, 607, 612
- stepFunction, 424, 438
- tensorGrid, **58**
- tessellationGrid, 69
- tetrahedralGrid, 66
- ThreePhaseBlackOilModel, 401, 430, 451
- toleranceCNV, 439
- toleranceMB, 439

660

Usage of MRST Functions

<code>triangleGrid</code> , 64	<code>upscalePerm</code> , 573
<code>twister</code> , 59	<code>upscaleTrans</code> , 578, 580
<code>twophaseJacobian</code> , 295	
<code>TwoPhaseOilWaterModel</code> , 417, 431	<code>validateModel</code> , 425, 430
	<code>validateState</code> , 425, 430
<code>updateForChangedControls</code> , 429	<code>verticalWell</code> , 149 , 170, 172
<code>updateState</code> , 429, 431	<code>WaterModel</code> , 449
<code>updateStateFromIncrement</code> , 429	<code>wellBoreFriction</code> , 457