

## Index

---

- A. Marechal, 100  
 abbe number, 221  
 aberration, 221  
 aberration coefficients, 16  
 aberration function, 12, 221  
 achromatic, 221  
 afocal, 8, 221  
 afocal relay, 161  
 air space, 221  
 Airy pattern, 99  
 aligned, 221  
 anamorphic, 221  
 anastigmatic, 92, 221  
 aperture stop, 7–8, 221  
 aperture vector, 10, 221  
 aplanatic, 18, 221  
 aplanatic-concentric principle, 86  
 apochromatic, 221  
 apochromatic lens, 69  
 as-built lens, 110  
 aspect ratio, 194  
 aspheric, 221  
 aspheric plate, 38, 221  
 aspheric surfaces, 21  
 athermal, 73  
 auto-focus, 194  
 axial symmetry, 5, 222  
  
 back focal length, 96, 222  
 Baker-Paul, 183  
 Barry Johnson, 1  
 bending, 222  
 Bessel function, 99  
 birefringence, 194, 222  
 blaze, 77  
 bore-sight error, 120, 222  
  
 breathing, 203  
 buried surface, 75  
  
 calcium fluoride, 173  
 cam curve, 203, 222  
 cardinal points, 7, 222  
 Cartesian ovals, 23  
 Cassegrain, 179  
 catadioptric, 176, 222  
 catoptric, 222  
 central limit theorem, 115  
 central obscuration, 176  
 central projection, 5  
 charge coupled device, 187  
 Chevalier, 87  
 chief ray, 7, 222  
 chief ray angle, 190  
 chromatic aberration, 64  
 chromatic change of focus, 64  
 chromatic change of magnification, 64  
 chromatic focal shift, 68  
 chromatic vignetting, 160  
 classical imaging, 5  
 classical lens, 137  
 clear aperture, 111  
 clear aperture diameter, 222  
 Coddington equations, 222  
 CODE V, 126  
 coefficient of thermal expansion, 72  
 collimated, 222  
 comachromatism, 156, 222  
 compensator, 114, 196, 222  
 complementary metal oxide semiconductor,  
 188  
 computer programs, 126  
 concave surface, 222

concentric, 178  
 conic constant, 22  
 conicoid, 22, 222  
 conjugate factor, 31  
 conoid, 22  
 contrast, 105  
 contrast reversal, 105  
 convex surface, 222  
 Cooke triplet, 137  
 cosine<sup>3</sup> law, 59  
 cosine<sup>4</sup> law, 56  
 crown glasses, 67  
 curvature, 223  
 cut-off frequency, 106  
  
 Daguerrotype, 87  
 Dall-Kirkham, 180  
 damped least squares, 131  
 defocus, 223  
 degrees of freedom, 155  
 depth of field, 223  
 depth of focus, 101, 223  
 desensitize, 122  
 diffraction limited, 101, 223  
 diffractive optical elements, 76  
 diffractive order, 76  
 diopter, 223  
 dioptric, 223  
 direction cosines, 45  
 dispersive interface, 74  
 Donders, 202  
 double Gauss lens, 137  
 double pass, 27  
 double telecentric, 162  
 doublet lens, 68, 223  
 dummy surface, 51, 223  
  
 eccentricity, 22  
 Edmund Optics, 175  
 effective focal length, 8, 223  
 ellipsoid, 22  
 encircled energy, 103  
 entrance pupil, 7, 223  
 error distribution, 113  
 error function, 129, 223  
 étendue or throughput, 223  
 even aberrations, 20  
 exit pupil, 7, 223  
 external stop, 161  
 extrinsic, 153  
 eyepiece, 223

*F*-number, 8  
 field flattener, 38, 223  
 field lens, 38, 223  
 field of view, 17, 223  
 field stop, 7, 223  
 field vector, 9, 223  
 figure, 223  
 filter, 189  
 first-order imaging, 6  
 first-order ray, 44, 223  
 fisheye lens, 62, 224  
 flare, 164, 224  
 flint glasses, 67  
 focal length, 224  
 focal point, 7, 224  
 focal ratio, 224  
 Fraunhofer *d*-line, 65  
 freeform surface, 28, 224  
 Fresnel reflections, 164  
 fused silica, 173  
  
 Gaussian equations, 6  
 Gaussian surface, 37  
 genetic algorithms, 131  
 geometrical wavefront, 11  
 ghost image, 48, 164, 224  
 glare, 164  
 glass code, 224  
 glass molding, 187  
 global search, 131  
 gradient index, 224  
 grating equation, 76  
 Gregorian, 179  
  
 H. A. Steinheil, 89  
 H. D. Taylor, 144  
 H. H. Hopkins, 108  
 H. L. Schroder, 90  
 highly aspheric, 187  
 hyperboloid, 22  
  
 ideal image, 224  
 image aberrations, 10  
 image brightness, 55  
 image circle, 188  
 image evaluation, 98  
 image matching, 153  
 image space, 8  
 imaging equations, 5  
 impulse function, 104  
 index of refraction, 7, 52

- induced, 153
- injection molding, 111
- internal reflection, 47
- International Organization for Standardization, 124
- interpolation formula, 52
- intersection points, 47
- inverse sensitivity analysis, 114
- IR, 224
- iris diaphragm, 224
  
- J. H. Dallmeyer, 89
- Joseph Lister, 84
- Joseph Petzval, 87
  
- Keiko Mizuguchi, 203
- kernel, 196
- kidney bean effect, 157
  
- Lagrange invariant, 8, 224
- Lambertian source, 54
- landscape lens, 30
- lens, 224
  - lens bending, 31
  - lens decenter, 224
  - lens diameter, 111, 224
  - lens drawings, 124
  - lens element, 224
  - lens flange, 194
  - lens forms, 137
  - lens group, 196, 224
  - lens hood, 224
  - lens kernel, 224
  - lens layout, 10
  - lens maker's formula, 224
  - lens modularity, 161
  - lens relays, 161
  - lens specifications, 98
  - lens splitting, 224
  - lens system, 153, 224
  - lens tilt, 224
  - lens unit, 196, 225
  - lens wedge, 112
  - lenslet, 189
  - light hood, 88
  - light propagation, 225
  - light vignetting, 60
  - line of sight error, 120
  - linear shift invariant system, 104
  - line-pairs, 106
  - Lord Rayleigh, 100
  - macros, 127
  - magnifying power, 225
  - Mangin mirror or lens, 225
  - mapping, 5
  - marginal ray, 7, 225
  - mean square spot size, 32
  - mechanically compensated, 196
  - medial field curve, 37
  - Meinel, 184
  - meniscus lens, 225
  - meridional plane, 44, 225
  - meridional rays, 7
  - merit function, 129
  - Mersenne, 182
  - micro-lenses, 189
  - microscope objective, 85
  - miniature lenses, 187
  - mirror systems, 176
  - mobile phones, 187
  - modulation transfer function, 105
  - monochromatic quartet, 75
  - Monte Carlo simulation, 117
  
  - narcissus, 169
  - negative lens, 225
  - new achromat, 83
  - Newton rings, 112
  - Newtonian, 177
  - Newtonian equations, 6
  - nodal points, 7, 225
  - non-sequential, 45
  - normal glasses, 69
  - normal line, 45
  - normal probability distribution, 115
  - null corrector, 26, 225
  - numerical aperture, 17, 55, 225
  - Nyquist frequency, 189
  
  - object space, 8
  - objective lens, 225
  - odd aberrations, 20
  - Offner relay, 184
  - off-the-shelf, 171
  - old achromat, 83
  - OpTaliX, 126
  - optical aberrations, 10
  - optical axis, 8, 225
  - optical compensation, 196
  - optical étendue, 62
  - optical flux, 9, 62
  - optical glass, 66

optical image, 225  
 Optical Path Difference, 13, 225  
 Optical Path Length, 10  
 optical power, 8, 225  
 optical relays, 37, 174  
 optical speed, 226  
 optical throughput, 9  
 optical transfer function, 105  
 optically conjugated, 7, 226  
 OpticStudio, 126  
 optimization algorithms, 131  
 opto-thermal coefficient, 72  
 orthogonal descent, 131  
 Oslo, 126

parabolic mirror, 178  
 paraboloid, 22  
 partial dispersion, 68  
 Paul Rudolph, 91, 149  
 periscopic lenses, 39  
 periskop lens, 41  
 Petzval objective, 137  
 Petzval sum, 22, 36, 137  
 Petzval surface, 37, 226  
 phase function, 78  
 photopic, 128  
 pinhole camera, 54  
 pixel, 189  
 planar lens, 149  
 plane symmetric system, 215  
 plane symmetry, 226  
 plastic flow, 194  
 plastic injection molding, 187  
 point spread function, 104  
 polynomial surfaces, 24  
 positive lens, 226  
 prescription table, 226  
 Pressman-Carmichel, 180  
 primary aberrations, 13  
 prime lens, 197  
 principal plane, 226  
 principal points, 7, 226  
 principal ray, 226  
 principle of symmetry, 20, 226  
 probability density function, 118  
 protective chamfer, 112  
 pupil aberration, 10, 154  
 pupil coma, 158  
 pupil distortion, 159  
 pupil spherical aberration, 156  
 pupil walking, 157

R. Shack, 100  
 radiance theorem, 55  
 radiant energy, 54  
 rapid rectilinear, 89  
 ray aiming, 47  
 ray tracing, 44  
 ray tracing equations, 44  
 ray tracing pitfalls, 47  
 real image, 226  
 real ray, 44, 226  
 reference sphere, 12, 226  
 reflectance, 165  
 refraction invariant, 9  
 refractive power, 8, 226  
 relative aperture, 17, 226  
 relative illumination, 56, 226  
 relaxed, 139  
 resolving power, 101  
 retro-reflection, 169  
 reverse ray tracing, 48  
 reverse telephoto lens, 96  
 Ritchey-Chretien, 180  
 Roossinov lens, 59  
 root sum square, 116  
 Ross Optical, 175  
 rotational invariants, 13, 226  
 Rudolf Kingslake, 1

S. Sato, 201  
 sag, 226  
 sagittal, 226  
 sagittal field curve, 37  
 sagittal plane, 226  
 sampling, 128  
 scaling a lens, 133  
 Schmidt camera, 178  
 Schott formula, 52  
 Schwarzschild, 181  
 scotopic, 128  
 secondary spectrum, 75  
 Seidel sums, 16, 226  
 Sellmeier formula, 52  
 sensitivity analysis, 113  
 sequential, 46  
 shape factor, 31  
 short flint, 162  
 shrinkage, 194  
 simplex method, 131  
 simulating annealing, 131  
 sine condition, 58, 218  
 single lens reflex, 201

- single pass, 27
- skew ray, 7, 227
- skill of lens design, 1
- Snell's law, 7, 227
- solves, 127
- spatial frequency, 105
- spatial frequency spectrum, 105
- spectral bandwidth, 189
- spectral sensitivity, 128
- Spherical surfaces, 21
- spherochromatism, 71, 227
- splitting a lens, 133
- spot diagram, 102
- standard deviation, 116
- stigmatic, 227
- stop aperture, 227
- stop shifting, 19, 227
- stop shifting parameter, 35
- stray light, 48, 164, 227
- Strehl ratio, 100
- stressed, 139
- structural aberration coefficient, 31, 227
- surface figure, 112
- surface pickups, 127
- Sweatt model, 79
- Synopsys, 126
  
- T. Cooke & Sons, 144
- tangential field curve, 37
- tangential plane, 227
- telecentric, 227
- telecentricity, 8
- telephoto lens, 93, 227
- test plates, 112
- thermal aberrations, 64
- thin film, 165
- thin lens, 30, 227
- ThorLabs, 175
- tolerances, 110
- tolerancing process, 110
- total indicator runoff, 112
  
- total internal reflection, 164
- total track length, 93, 187, 227
- translational symmetry, 28
- transverse magnification, 8, 227
- transverse ray aberration, 227
- triplet lens, 227
- turned down edge, 112
  
- uniform illumination, 61
- user defined surface, 29
- UV, 227
  
- variables, 127
- variator, 196, 227
- varifocal, 196, 227
- veiling glare, 227
- vertex, 227
- vidicon tube, 188
- vignetting, 227
- vignetting factors, 48
- virtual image, 227
- v-number, 65, 227
  
- Warren Smith, 1
- water absorption, 194
- wavefront, 227
- wavefront deformation, 12
- wavefront variance, 41
- weighted power, 139
- weights, 127
- Wollaston periscopic lens, 30
- working distance, 228
- working  $F/\#$ , 228
- worst case, 113
- worst offender, 114
  
- zero dispersion, 50
- zonal aberration, 228
- zoom lens, 196, 228
- zoom ratio, 196, 228