

# Index

- Amortized
  - path compression, 73
  - potential, 46, 165
  - union find, 68
- Approximation
  - 3 coloring, 253
  - Greedy, 76
  - knapsack, 251
  - max-cut, 254
  - PTAS, 250
  - set cover, 252
  - TSP, 253
  - vertex cover, 250
- Closest Pair
  - backward analysis, 115
  - expected runtime, 145
  - ric, 150
- Computational models
  - external memory, 10
  - parallel, 11–12
- PRAM, 11
- RAM, 10
- Convex hull
  - definition, 137
  - Graham scan, 140
  - Jarvis march, 139
  - Merging, 141
  - parallel, 299
  - quickhull, 142
  - relation to sorting, 141
  - union and intersection, 141
- Cooley–Tukey
  - butterfly graph, 176
  - FFT, 175
  - roots of unity, 174–175
- DFA
  - prefix computation, 291
  - string matching, 179
- Dynamic programming
  - context free parsing, 95

- Fibonacci series, 92
- function approximation, 99
- independent set in trees, 102
- Knapsack, 94–95
- longest monotonic subsequence, 97
- Viterbi maximum likelihood, 100
  
- Fibonacci
  - matrix recurrence, 2
  - number, 1
  - recursive definition, 1
- Flow
  - augmenting path, 212
  - circulation, 222–223
  - disjoint path, 216–217
  - Edmond-Karp, 214
  - Ford Fulkerson, 213–214, 219
  - Halls theorem, 220
  - Max-flow, 212
  - Max-flow-min-cut theorem, 212
  - project planning, 224,
  - residual graph, 210, 212–213
  - Whitneys theorem, 191
  
- Gradient descent
  - algorithm, 79, 84–85
  - convergence, 81
  - convex function, 78
  - perceptron, 84
  - point location, 146
- Graph
  - All pairs shortest path, 193
  - augmenting path, 212
  - Bellman Ford, 194–195, 198
  - bi connectivity, 191
  - bipartite matching, 217
  - DFS, 184, 188
  - Dijkstras algorithm, 195
  - global mincut, 201
  - Max-flow, 212
  - parallel connectivity, 304
  - path decomposition, 209
  - spanners, 184, 198
  - s-t* cut, 201
  - strong components, 188
  - topological sort, 187
  - Turan’s theorem, 281
- Greatest Common Divisor (gcd)
  - Euclid’s algorithm, 34–35
  - Extended Euclid, 35–36
- Greedy
  - Boruvka’s algorithm, 295
  - generic greedy, 61
  - gradient descent, 77
  - half-matching, 63
  - Kruskal’s algorithm, 64, 66, 69, 74
  - Matroid, 61, 74
  - maximum spanning tree, 64
  - minimum set cover, 252
  - Prim’s algorithm, 74
  - Routing, 301
  - Scheduling, 65
  
- Heaps
  - binary, 43
  - Binomial, 44–45
  
- Johnson Lindenstrauss
  - dimension reduction, 258
  - lemma, 259
  - random projection, 259–262
  - using normal distribution, 260–261
  
- Knapsack
  - approximation, 251
  - dynamic programming, 244

- formulation, 251
- tree search and pruning strategy, 55
- Linear algebra
  - Clustering, 271
  - document classification, 157
  - Frobenius norm, 268
  - Gaussian elimination, 262
  - low rank approximation, 267
  - spectral norm, 267
  - SVD theorem, 265–267
  - unitary matrix, 266, 274
- Lower bound
  - communication complexity, 337
  - convex hull, 141
  - element distinctness, 49
  - external memory permutation, 314
  - external sorting, 314
  - parallel comparison tree, 281
  - randomized, 48
  - sorting: average, 48
  - sorting: worst case, 48
- Matroid
  - exchange property, 61
  - greedy, 74
  - rank property, 61
- Memory hierarchy
  - Cache model, 316
  - lower bound, 337
  - matrix multiplication, 311–312
  - merge sort, 313
  - models, 308
  - oblivious, 309, 317
  - transpose, 310–311
- MST
  - Boruvka, 76
  - Kruskal, 74
- Matroid, 64
- Prim, 74
- red-blue rule, 75
- Multidimensional Search
  - Interval trees, 129
  - k-d* trees, 132–135
  - persistent data structure, 146
  - priority search, 135
  - Range trees, 129
- Multiplication
  - cache efficient, 311
  - integers, 176
  - matrix, 311–312
  - recursive, 3
  - Schonage-Strassen, 176
- NP completeness
  - 3-SAT, 240–241, 247
  - co-NP, 247
  - Cook-Levin theorem, 235
  - Definition, 230, 236
  - hardness, 249
  - independent set, 240
  - knapsack, 244
  - polynomial reducibility
  - PSPACE, 247
  - RP, PP, BPP, 247
  - Satisfiability, 235
  - set cover, 252
  - three coloring, 242, 253
  - vertex cover, 241
- Parallel
  - Connectivity, 298
  - DFA simulation, 290
  - extremal selection, 304
  - interconnection networks, 278, 300
  - List ranking, 292

- load balancing, 279–280, 294
- lower bound: PCT
- models, 300
- partition sort, 285
- PRAM, 300
- prefix computation, 299
- quickhull, 299
- routing on mesh, 301
- shear sort, 284–285
- sorting, 282
- Point location
  - binary search, 148
  - persistent data structure, 146
  - planar subdivision, 148
- Polynomial
  - Convolution, 172
  - evaluation, 171
  - FFT, 171
  - Interpolation, 171–172
  - Lagrange’s formula, 172
- Probability
  - Conditional, 30
  - density function, 19
  - independent, 18–19
  - inequality:Chebychev, 23
  - inequality:Chernoff
  - inequality:Markov, 21–24
  - measure, 17
  - random number generation, 26
  - random permutation, 29
  - random variable, 27
  - space, 17
- Quicksort
  - expected runtime, 145
  - lower bound, 47–49
  - parallel, 285
  - partition, 8
- partition sort, 285
- quickhull, 142
- recurrence, 53
- running time, 125
- Randomized Algorithms
  - backward analysis, 115
  - closest pair, 149
  - expectation, 9
  - game tree evaluation, 57–58
  - high probability, 30, 202
  - incremental construction, 29, 149, 151
  - Las Vegas, 10, 122, 248
  - Monte Carlo, 10, 122, 203, 248
  - Permutations, 29
  - random mate, 294
  - tail estimates, 113
- RSA
  - complexity, 36
  - encryption and decryption, 36
- Scheduling
  - Greedy, 65–66
  - using topological sort, 187
- Searching
  - AVL, 109
  - Loglogn, 122
  - perfect hashing, 121
  - Priority search, 135
  - Semi-dynamic, 45
  - Skip Lists, 116
  - Treaps, 114, 135
  - universal hashing, 117, 121
- Selection
  - expected runtime, 39
  - $k$ -th smallest, 37, 39
  - median of medians, 39
  - random splitter, 38

## Sorting

- external memory, 313
- integer, 313
- lexicographic, 41
- merge sort, 313–314
- parallel, 282
- quicksort, 8
- radix, 41–43
- stable, 41, 43
- 0-1 principle, 283, 303

## Streaming

- Boyer-Moore majority, 325
- distinct elements, 327
- frequency moment, 331
- frequency threshold, 325
- lower bound, 337
- median-of-median, 39
- Mishra-Gries, 327

## Model, 337

- reservoir sampling, 332
- second frequency, 335

## String matching

- hashing, 159
- KMP, 161, 165
- Rabin Karp, 157
- Tries and suffix trees, 167–168
- using convolution, 181
- wildcard in pattern, 180
- wildcard in pattern and string, 179

## Union Find

- Array, 68
- MST, 64
- path compression, 70, 73
- tree based, 46
- union by rank, 68, 70