

Index

- Adaptive Control Map, 319, 354
 algebraic bifurcation equation, 257
 amplitude map, 111
 approximating ODE, xiii, 10, 38, 40–42, 58,
 62, 68, 71, 75–77, 80, 85, 90, 92, 100,
 102, 114, 115, 133, 138, 150, 154, 156,
 166, 175
 Arnold tongue, 42
 asset prices, 313
 attractor, 66, 73, 106, 122, 125, 129, 309, 313,
 316, 357, 375, 383
 chaotic, 308, 310, 378
 periodic, 388
 strange, 321
 AUTO, 243
 automatic differentiation, xiv, 254, 388
 bi-alternate product, 220
 bifurcation, xi, xii, 5, 11, 12, 46, 47, 243, 250,
 256, 257, 373
 Bautin, 18, 60, 141
 Bogdanov–Takens, 18, 20, 23, 24, 59, 60,
 63, 84, 140
 boundary, 96, 120, 122
 BP, 219
 BPPD, 368, 371
 BT, 20
 CH, 51, 223, 244, 256
 Chenciner, 54, 55, 73, 126, 128, 131, 133,
 223, 280, 336, 355–357, 369
 codim 1, xiii, 13, 31, 132, 219, 293, 330
 detection, 220
 codim 2, xiii, 50, 132, 223, 279, 332, 367
 planar ODE, 18
 codimension, 5, 12
 CP, 51, 223, 244, 256
 curve, 220, 244
 cusp, 18, 20, 23, 51, 132, 134, 135, 223,
 243, 336, 374, 386, 387
 cyclic fold, 23, 60, 70, 72, 82, 153, 154
 detection and processing, 256
 double covering, 48
 double Hopf, 107, 134
 double Neimark–Sacker, 107, 112,
 131–133, 176, 180, 223
 nonsymmetric, 129
 flip, 33, 34, 54, 88, 89, 96, 117, 132, 163,
 226, 266, 322, 335, 347, 349, 387
 subcritical, 34
 supercritical, 34
 flip–Neimark–Sacker, 106, 111, 116, 120,
 131, 133, 176, 223
 nonsymmetric, 123
 fold, 13, 16, 31, 32, 38, 42, 43, 52, 54, 56,
 58, 62, 65, 78, 86, 88, 89, 96, 100, 101,
 103, 104, 130–132, 140, 141, 156, 163,
 172, 265, 269, 322, 330, 334, 339, 342,
 349, 352, 387, 388
 planar ODE, 13
 fold–Chenciner, 128
 fold–Neimark–Sacker, 98, 126, 128, 133,
 169, 223
 fold–flip, 87, 115, 125, 133, 223, 281, 283,
 331, 337, 338, 340, 341, 367
 generalized Hopf, 18, 22–24, 59, 141
 generalized period-doubling, 53, 126, 132,
 135, 136, 223, 336, 369, 386, 387
 global, xiii, 10, 12, 21, 43, 59, 62, 65, 68,
 69, 72, 82, 89, 100, 133, 244, 323, 347,
 357
 GPD, 51, 53, 223, 244, 256, 388
 heteroclinic, 69, 76, 91, 95, 103, 104, 106,
 120, 121, 124, 126, 129, 155, 176

- HO_Bx, 245
- HO_Bx, 239
- HO_NS, 245
- HO_NS, 239
- homoclinic, xiv, 21, 63, 64, 144, 238, 245, 324
 - figure-of-eight, 69
- homoclinic swallowtail, 359
- Hopf, 13, 15–17, 21, 23, 37, 38, 40, 42, 58, 60, 63, 65, 69, 71, 76, 77, 81, 82, 85, 90, 91, 101, 103, 104, 140, 144, 151, 155–157
 - subcritical, 16
 - supercritical, 15
- “Hopf for maps”, 38
- HT_Bx, 241, 245
- HT_ES, 239
- HT_Ex, 241, 245
- HT_NS, 241, 245, 359
- HT_SF, 239
- HT_xF, 241, 245
- limit point, 220
- local, 5, 12, 72, 97, 244
- LP, 31, 219, 244, 256
- LP, 269
- LP_HO, 245, 358
- LP_HO, 239
- LPNS, 51, 223, 244, 256
- LPPD, 51, 223, 244, 256
- LPPD, 87, 281, 282, 367, 368, 372, 377
- Neimark–Sacker, 31, 35–37, 39, 42, 56, 57, 62, 65, 68, 71, 73, 75, 78, 85, 86, 89, 95, 96, 100, 101, 104, 105, 107, 114, 118, 120, 125, 128, 130–132, 142, 146, 147, 154, 163, 164, 172, 182, 220, 226, 278, 279, 281, 284, 292, 294, 314, 317, 330, 335, 340, 342, 347, 349, 355–357, 363, 366
 - supercritical, 105
 - supercritical, 37, 257, 263, 264, 367, 375
- neutral heteroclinic contour, 84
- non-central saddle node, 84
- NS, 31, 219, 244, 256, 372
- NSNS, 51, 131, 223, 244, 256
- PD, 31, 219, 244, 256, 269, 372
- PDNS, 51, 223, 244, 256
- period-doubling, 31, 33, 34, 43, 65, 68, 71, 78, 125, 132, 145, 220, 265, 269, 274, 281, 294, 312, 317, 339, 355, 363, 366, 375, 388
 - cascade, 270, 271, 372
 - supercritical, 266
- pitchfork, 69, 71, 90, 100, 104, 113, 150, 172
- quasi-periodic, xiii, 44, 46, 104, 105, 120, 133, 134, 313
 - Hopf, 118, 128
 - Neimark–Sacker, 47, 48
 - period-doubling, 47, 117
 - saddle-node, 47, 56, 57, 60, 72–74, 314, 316, 357
- R1, 51, 223, 244, 256
- R2, 51, 223, 244, 256
- R3, 51, 223, 244, 256
- R4, 51, 223, 244, 256
- resonance 1:1, 223
- resonance 1:2, 223
- resonance 1:3, 223
- resonance 1:4, 223
- saddle–node, 13, 32, 41, 42, 58, 63, 65, 82, 85, 90, 220
 - saddle-node heteroclinic, 84
 - of tori, 44
 - triple-one, 130
 - zero-Hopf, 90–92
- bifurcation analysis
 - two-parameter, 274
- bifurcation curve, 223, 278
 - limit point, 220
 - Neimark–Sacker, 221, 222
 - neutral saddle, 222
 - period-doubling, 220
- bifurcation diagram, xiii, 12, 33–35, 52, 54–56, 58, 60, 61, 63–65, 69, 70, 73, 76, 77, 80, 83, 91, 101, 105, 115, 124, 125, 244, 284, 349, 357, 375
 - Generalized Hénon Map, 329, 341
 - Hénon Map, 322, 323
 - local, 40, 41
 - SEIR model, 386, 387
- bifurcation point, 5
- bifurcation set, 71, 133
 - fractal, 125, 348
- bordering, 222, 243
- boundary condition
 - projection, 233
- branch, 224, 250, 278, 283
- branch point, 220, 256, 274, 276, 277, 363
- branch switching, 86, 226, 243, 245
 - in GHM, 337
- bubble, 60, 73, 74, 105, 121, 122, 125, 127, 131, 357

- chaos, xii, xiii, 60, 67, 73, 242, 363, 374, 375, 379
- closed invariant curve, 38, 39, 42, 44, 46, 56, 60, 65, 67, 68, 73, 78, 85, 89, 91, 95, 100, 104, 114, 117, 120, 122, 125, 127, 132, 182, 243, 262, 314, 333, 340–343, 349, 379
- destruction, 342
- stable, 37, 263
- unstable, 37
- command line, 246
- conjugacy, 135
- CONTENT, 204, 243
- continuation, xiv, 221, 226, 238, 243, 244, 248, 258, 278, 285
- algebraic problem for, 250
- of bifurcation, 220
- of connecting orbit, 300
- of connecting orbits, 232
- of cycle, 219
- environment, 243
- of fixed point, 257
- of fixed points, 262, 276
- Gauss–Newton, 219
- of heteroclinic orbit, 305
- of heteroclinic tangency, 306
- of homoclinic orbit, 300
- of homoclinic tangency, 302
- of invariant subspaces, 233
- Moore–Penrose, 254
- numerical, 247, 250
- passing fold, 252
- pseudo-arclength, 252, 254
- space, 250
- step size, 251
- variables, 250
- Continuer, 244
- correction
- Moore–Penrose, 251
- approximate, 251, 252
- convergence, 252
- exact, 251
- Newton, 232, 238
- cycle, xi, 3, 32, 34, 38, 42, 46, 67, 71, 73, 78, 85, 95, 219, 226, 232, 250, 255, 258, 315, 325, 363, 372, 374, 388
- heteroclinic, 59, 82, 323
- long-periodic, 43
- period, 3
- period-2, 332, 337, 340, 366, 388
- period-3, 77, 284, 347, 378, 388
- period-4, 85, 294, 339, 372
- period-5, 343
- period-7, 264, 267, 268, 273, 293
- period-8, 339
- period-12, 342
- period-14, 125, 267
- period-19, 380
- period-28, 270
- period-56, 132
- period- q , 42, 60
- saddle, 43
- shrimps, 312
- stable, 313
- defining system, 220, 226, 250
- adaptation, 223
- for BP, 256
- for heteroclinic orbit, 236
- maximally extended
- LP and PD, 220
- NS, 221
- maximally extended, 243
- minimally extended, 221
- bordering, 222
- for LP and PD, 221
- standard, 221
- minimally extended, 243
- degree of seasonality, 386
- Delayed Logistic Map, 249, 257–259, 292
- derivative, xiv, 227, 248
- of defining system, 226
- directional, 227, 229
- with AD, 228
- mixed, 229
- numerical, 228
- higher order, 227
- in mapfile, 249
- mixed, 226
- symbolic, 226, 228
- derivatives
- symbolic, 224
- Devil’s staircase, 45
- diffeomorphism, 3, 4, 43, 325, 328, 348
- differentiation
- algorithmic, 227
- forward mode, 227
- automatic, 227
- Diophantine condition, 45, 121
- DsTool, 243
- duopoly market, 362
- Duopoly Model of Kopel, 362
- dynamical system, xi, 132

- dynamics, 243
 - chaotic, xiii, 308
 - complex, 317
- economic model, 308, 313, 319
- ecosystem, 274
- epidemic model, 319
- equilibrium, 42, 59, 77, 82
 - hyperbolic, 12
 - non-hyperbolic, 12
 - saddle–saddle, 324
- equivalence, 4
 - smooth, 4, 33
 - smooth local, 5, 32, 34–36, 39, 51, 53–55, 61, 66, 74, 79, 87, 88, 98, 106, 109, 135–137
 - topological, 4–6, 13, 15, 17, 19, 20, 22, 32, 35, 39, 44, 52, 53, 132
 - ODE, 12
- Euler scheme, 308
- exposed, 385
- factorization
 - QR, 241
 - Schur, 234
- feedback, 354
- Feigenbaum cascade, 274
- finite differences, 224, 226, 228, 388
- fixed point, xi, 3, 30, 32, 34–37, 46, 53, 67, 71, 73, 85, 95, 108, 219, 226, 243, 250, 255, 258, 261, 263, 265, 267, 274, 293, 317, 355
 - eigenvalues, 4
 - hyperbolic, 4, 43, 233
 - non hyperbolic, 109
 - saddle, 229, 294, 321
 - saddle-focus, 324
- form
 - bilinear, 330
 - multi linear, 228
- Fourier expansion, 58
- free parameters, 250
- function
 - elementary, 227
 - Hamiltonian, 25
 - multi linear, 224
- Generalized Hénon Map, 295, 319, 321, 323, 325, 329, 334, 336, 341
- GUI (graphical user interface), 246–249, 292
 - advantages, 246
- Hamiltonian function, 144, 152, 175
- Hamiltonian system, 25, 27, 144, 152, 155, 167, 183
 - perturbed, 26, 27
- Hénon Map, 309, 321
- heteroclinic contour, 76, 82
- heteroclinic structure, 90, 95, 97, 98, 120
- heteroclinic tangency, 95, 104, 184, 306, 347, 349
- HOMMAP, 244
- homoclinic structure, xii, 65, 72, 78, 86, 308
 - transversal, 344
- homoclinic tangency, xiii, 43, 60, 65–67, 72, 78, 233, 239, 241, 302–304, 307, 321, 323, 324, 344, 347, 349
 - codim 2, 351
 - double, 347, 352
 - extended stable, 239
 - generalized, 240, 241, 319, 324, 325, 328, 339, 351
 - with a neutral saddle, 325, 348
 - strong stable foliation, 239
 - cascade, 352
- hypernormal form, 104, 112
- increment, 229
- infective, 385
- initial amplitude, 224
- initial data, 237, 238
- inner product, 31
- invariant manifold, 85
- iterate, 4, 30, 50, 227, 243, 267, 281, 342, 363, 372, 384
- iteration, 219, 228, 239, 254, 258, 261
 - backward, 261
 - Newton, 252
 - Newton-chord, 252
- iteration number, 247
- KAM-theory, 44
- limit cycle, 16, 26, 38, 41, 59, 82, 85, 133, 153
 - hyperbolic, 27
 - non-hyperbolic, 23, 29
- limit point, 239, 302, 306, 308, 364
- limiting parameter, 274
- line sweep algorithm, 237
- LocBIF, 243
- Logistic Map, 311
- Lorenz system, 308, 321
- Lotka–Volterra Map, 317
- LP-HE, 245
- Lyapunov chart, xiv, 383

- Lyapunov coefficient, 340
 - first, 15, 17, 22, 37, 38, 54, 59, 91, 101, 141, 151, 152, 155, 164, 182, 340, 356, 367
 - second, 22, 24, 55, 59, 357
- Lyapunov exponents, xii, 46, 67, 72, 73, 104, 122, 124, 125, 127, 308, 309, 313, 314, 317, 363, 375, 382
 - computation, 241, 247
- machine precision, 228, 229
- manifold
 - center, xiii, 6, 20, 31–36, 39, 51, 53, 54, 61, 66, 74, 79, 98, 106, 134–136, 138, 169, 172, 337, 338, 351
 - invariant, xii, 4, 30, 43, 65, 78, 104, 114, 134, 239, 294, 307, 308, 321, 326, 328, 341, 347, 357
 - 1D, 229, 238, 243, 307, 308, 323
 - 1D stable and unstable, 44, 237, 294
 - computation, 247, 295
 - figure-of-eight, 308
 - finding intersection, 300
 - growing, 230, 231
 - stable, 231, 326
 - stable and unstable, 4, 65, 72, 85, 229, 240
 - strong stable, 240
 - unstable, 230, 326
 - unstable-extended, 240
- map, 3, 50, 258
 - area-preserving, 273, 322, 324
 - delayed logistic, 45
 - global, 325
 - local, 325
 - non invertible, xiii, 323, 348
 - orientation-preserving, 229, 294, 349, 350
 - orientation-reversing, 349
 - planar, 43, 238
 - Poincaré, 29
 - reducible, 46
 - skew product, 46
 - smooth, 30, 34, 36, 39
- mapfile, 248
 - example, 249
- MAPLE, 319
- MATCONT, xiv, 204
- MATCONTM, xi–xiv, 219, 221–223, 226, 227, 229, 237, 243, 244, 258, 322, 337, 363, 368, 372, 382, 385
 - Branchmanager, 247
 - Continuer, 248
 - Curvmanager, 247
 - Curves, 247
 - Initializer routines, 255
 - installation, 258
 - normal form output, 256
 - Plotmanager, 248
 - Points, 247
 - Starter, 247
 - System, 247
 - system specification, 258
 - tutorial, 258
 - user function, 285
 - window
 - Data Browser, 246, 275
 - Layout, 266, 288
 - Numeric, 264
 - Output, 264
 - Starter, 290, 301, 304
 - System, 276, 315
 - User functions, 290
- automatic naming scheme, 247
- cds structure, 253
- computational core, 246
- Continuer, 253
 - Adapt**, 254
 - arguments, 254
 - AutDerivatives**, 254
 - AutDerivativeIte**, 254
 - Backward**, 254
 - curve definition file, 254
 - FunTolerance**, 253
 - IgnoreSingularity**, 253
 - Increment**, 253
 - initial point, 254
 - initial tangent vector, 254
 - InitStepsize**, 253
 - MaxCorrIters**, 253
 - MaxNewtonIters**, 253
 - MaxNumPoints**, 253
 - MaxStepsize**, 253
 - MaxTestIters**, 253
 - MinStepsize**, 253
 - MoorePenrose**, 254
 - Multipliers**, 253
 - output, 254
 - parameters, 254
 - Singularities**, 253
 - TestTolerance**, 253
 - TSearchOrder**, 254
 - VarTolerance**, 253
- derivatives, 259

- diagram, 247, 266, 272, 278
- flowchart, 247
- Layout window
 - 2D, 279
 - system coordinates and parameters, 259
 - tutorial, xii
 - user function, 288
 - window
 - Compute Manifolds, 297, 298
 - Continuer, 265, 272
 - Data Browser, 259, 264, 272, 288, 299
 - Diagram Browser, 266
 - Layout, 288
 - Numeric, 263, 277, 288
 - Output, 261, 309
 - Starter, 259, 264, 266, 272, 288, 289, 296, 300, 302, 306, 309, 314
 - System, 259
 - Windowmanager, 248
- MatcontM
 - symbolic derivatives, 275
- MATHEMATICA, 319
- MATLAB, xi, xiv, 243, 244, 247, 258, 286
 - anonymous functions, 289
 - built-in function, 287
 - Command window, 257, 273, 289, 305
 - pan tool, 282
 - plot tools, 269
 - symbolic toolbox, 259
 - working directory, 258
 - workspace, 299, 306, 309, 311
- matrix
 - symmetric, 235
- McMillan Map, 307
- motion
 - periodic, 264
 - quasi-periodic, 264
- multi linear form, 24, 31, 50, 365
- multiplier
 - calculate, 263
 - leading, 238, 240
 - double, 239
- Nash equilibrium, 363, 383
- neutral saddle, 60, 73, 78, 86, 157, 220, 222, 241, 281, 284, 323, 325, 330, 339, 352
- Newton's method, 256
- normal form, xiii, 12, 31, 38, 51, 87
 - on center manifold, 9
 - coefficient, xiii, 51, 223, 228, 243, 244, 257, 281, 294, 330, 331, 335, 340, 354, 355, 357, 370, 382, 388
 - BT, 20, 24, 59
 - cusplike, 18, 23
 - for NS bifurcation, 263
 - generalized Hopf, 24
 - PD, 266, 274, 365
- Poincaré, 9, 15, 33, 36, 108, 138, 169, 177
- smooth, 42, 65, 77
- topological, 13, 16, 19–23, 33, 35, 36, 52, 54, 132
- truncated, xiii, 65, 71, 111, 113, 141, 332
 - 1:1, 62
 - 1:2, 67
 - 1:3, 75
 - 1:4, 79
 - fold–flip, 89
 - fold–NS, 99
- normalization, 8
- numerical integration, 386
- ODE, xii
 - conservative, 59
 - divergence-free, 324
 - optimization problem, 250
- orbit, 3, 243, 262, 294
 - backward, 3
 - computation, 258
 - connecting, 232, 237, 238, 240, 243, 255, 294, 300, 306
 - forward, 3
 - heteroclinic, 59, 89, 91, 101, 153, 155, 167, 169, 175, 183, 236, 238, 296, 305, 306, 324, 347
 - homoclinic, 26, 27, 43, 59, 60, 82, 144, 153, 233, 238–241, 295, 296, 308, 321, 323–325, 327, 328
 - Belaykov, 239
 - to neutral saddle, 239
 - non-transversal, 323
 - ODE, 21
 - transversal, 233
- ODE, 12
 - periodic, 26, 58, 85, 139, 319, 325, 352
 - quasi-periodic, 38
 - starting point, 3
- organizing center, 280
- orthogonal complement, 223, 235, 236
- parameter
 - splitting, 325
- Pecora Economic Model, 316
- phase locking, 127, 264, 265
- phase portrait, 12

- Picard iterations, 10, 114, 138, 148, 150, 154, 156, 165, 174
- Poincaré map, xii, 321, 323, 324, 339, 385
- polarization identity, 228, 229
- Pontryagin–Melnikov theory, 25
- population, 385
- population density, 258, 274, 293
- population dynamics, xi, 258
- predictor, 224, 226
- prey–predator model, 274, 289, 293
- range, 8
- rank, 220
- rate
- consumption, 274
 - contact, 385
 - growth, 258, 274, 385
 - migration, 258
 - recover, 385
- recovered, 385
- recurrent relation, xi, 258, 362
- reflection, 67, 89, 95, 97, 111
- regular point, 250
- resonance, 56, 138, 170, 176, 177, 179, 313–315
- bubble, 58
 - strong, 35, 36, 61, 77, 78, 109, 133, 154, 294, 330, 340, 346, 352, 354, 355, 368
 - 1:1, 61, 71, 126, 130, 223, 243, 283, 331, 337, 340, 347
 - 1:2, 66, 73, 74, 153, 223, 279, 281, 332, 337, 340, 347, 356, 368, 370
 - 1:3, 74, 223, 279, 284, 332, 337, 340, 347, 356, 368, 370
 - 1:4, 79, 223, 279, 332, 337, 340, 346, 356, 369, 371, 372
 - weak, 39, 42, 57, 352
 - 1:5, 105, 342
 - 1:7, 293
- resonance gap, 45
- resonance horn, 358
- resonance tongue, 42, 57, 58, 61, 72, 125, 341, 357
- Riccati equation, 236
- Ricker Map, 274
- rigid rotation, 44, 99
- rotation, 75, 77, 79, 85, 111, 138
- rotation number, 42, 44, 45, 47, 56, 57, 97, 122
- Routh–Hurwitz criterion, 181
- Rule
- Chain, 224, 227
 - Cramer’s, 222
- saddle quantity, 84, 321, 325
- Schur decomposition, 233
- Schur factorization, 232
- secant method, 256
- SEIR Epidemic Model, 385
- set
- bifurcation, 56, 322
 - hyperbolic nontrivial, 347
 - invariant, 4
 - stable, 4
 - unstable, 4
- Shear Map, 307
- simulation, 247, 264, 307
- singular rescaling, 166, 175, 182
- singularity, 256
- matrix, 257
 - processing, 257
- Smale’s horseshoe, 308, 322
- software package, 243
- strong stable foliation, 239, 324
- subspace, 234
- invariant, 233
 - stable, 236
 - unstable, 234, 236
- susceptible, 385
- swallow tail, 131
- symmetry, 40, 67, 75, 79, 89, 105, 113, 120, 123, 133
- tangency
- quadratic, 325
- Taylor expansion, 10, 31, 38, 50, 134, 161, 173, 227
- term
- cubic, 36
 - non-resonant, 177
 - quadratic, 36
 - resonant, 8, 9, 34, 36, 55, 109, 158, 159, 180
- test function, 220, 223, 239, 241, 256
- Theorem
- Center Manifold, 6, 30
 - Green’s, 27, 152, 167, 176, 183
 - Grobman–Hartman, 5, 12, 30
 - Implicit Function, 97, 135, 161, 163, 171, 220
 - KAM, 45
 - Local Invariant Manifolds, 4
 - Melnikov, 27, 28
 - Poincaré Normal Form, 9
 - Pontryagin, 26
 - Pontryagin–Melnikov, 183
 - Reduction Principle, 6

- Unstable Manifold, 230
- torification, 120
- torus, 44, 46, 104, 107, 120, 122, 126, 130, 242
- unfolding, 12, 18, 36, 132
 - canonical, 13
- unit-time flow, 38
- vector
 - bordering, 222, 223
 - direction, 228
 - Lyapunov, 310
 - reference, 220, 221
 - tangent, 251
 - initial, 253