

INDEX

- 2,3-bisphosphoglycerate
 (2,3-BPG), 6
- abdominal pain, 121, 170, 210
- abdominal trauma, 150, 188
- acetaminophen (paracetamol),
 171
- acid-base balance, 195–199, 216
- acidosis, 39, 74, 143, 148, 199, 200,
 201, 203, 216, 218, 219, 310
- activated partial thromboplastin
 time (APTT), 60, 61, 135, 138,
 142
- acute kidney injury (AKI), 172,
 214, 224, 226, 227, 228–234,
 243, 258, 278
- burns, 243
- renal replacement therapy, 234
- rhabdomyolysis, 258
- acute lung injury (ALI), 45, 93,
 140, 274, 316
- acute respiratory distress
 syndrome (ARDS), 44–50
- acute tubular necrosis, 172, 224,
 226, 227, 229, 231, 243, 316
- adenosine, 103
- adrenaline (epinephrine), 101,
 104, 135, 205, 251, 288, 292
- agitation, intensive care patients,
 277–281
- air ambulance, 319
- air embolism, 162, 312
- airway, 3–21, 22, 24, 28, 30, 32, 33,
 34, 36, 50, 244, 245, 294, 296,
 297, 303, 320, 321
- adjuncts, 4, 18–21, 320
- assessment, 3–5
- management techniques, 4
- manoeuvres, basic, 4
- surgical, 4, 20
- aldosterone, 216, 273
- alkalosis, 199, 202, 203, 204, 218
- Allen's test, 77, 152
- allergic transfusion reactions, 80,
 82, 84
- alveolar gas equation, 13
- ambulance, ground, 319
- amino acids, essential, 250
- aminoglycosides, 226, 229, 231
- amiodarone, 101, 103, 156
- anaemia, 80, 100, 138, 205, 233,
 237, 240, 244, 278
- anaesthetic agents, for sedation,
 281
- analgesia, 30, 53, 168–174, 245,
 278, 279, 321

- flail chest, 52
- routes of administration, 168
- analgesic agents, 169
- analgesic ladder, 168
- anaphylactic shock, 145
- anaphylactic transfusion
 - reactions, 91
- anion gap, 200, 205, 259
- anterior spinal cord syndrome, 186
- anti-globulin test, direct, 93, 94
- aortic dissection, 118–124, 127, 130
- aortic root, arterial pressure, 77
- aortic valve disease, arterial
 - pressure waveform, 78
- apheresis, platelet, 82
- arachnoid villi, 175
- arrhythmias, cardiac, 201, 308
- arterial blood gases (ABGs), 17, 23, 39, 43, 58, 62, 65, 69, 74, 77, 142, 148, 152, 198, 205, 278
- arterial lines, 130, 151–156
- arterial pressure waveform, 78
- aspirin, 83, 134, 172
- atelectasis, 24, 26–31, 32, 38, 45, 48, 49, 51, 52, 143, 170, 277, 285
 - absorption, 15
 - post-operative, 29
- atrial fibrillation (AF), 40, 42, 101, 116
- atrial flutter, 102
- atrioventricular (AV) block, 105
- atrioventricular (AV) node, 95
- atropine, 101, 104, 188
- autonomic dysfunction, spinal
 - injury, 188
- autonomic response, blood loss, 149
- auto-regulation, cerebral, 177
- awake intubation, 295, 296
- bacteraemia, 263
- bacterial contamination, unit of
 - blood, 90
- baroreceptor reflexes, 149
- base deficit (base excess), 198
- Battle's sign, 184
- benzodiazepines, 280, 281
- bicarbonate (HCO_3^-), 10, 196
 - mechanisms of loss, 199
 - renal absorption, 200
 - therapy, 206
- biliary pain, 170
- biotin, 251
- 2, 3-bisphosphoglycerate (2,3-BPG), 6
- Bjork flap, 322
- bleeding, unexpected, 134
- blood
 - bacterial contamination, 90
 - donated, screening for
 - infection, 87
 - pH, 195
- blood loss, 80, 86, 87, 111, 146, 147, 148, 149, 150, 188
- blood pressure (BP), 74, 76, 123, 130, 149, 151, 177, 226, 288, 292, 293, 320
 - arterial waveform, 78
 - cerebral blood flow and, 177

328 Index

- blood pressure (cont.)
 - intra-arterial (IABP), 73, 151, 152
 - monitoring, 74, 75
 - non-invasive (NIBP), 72, 75
- blood products, 79–88, 89, 113, 138
- blood transfusion, 79, 84, 87, 88–96, 114, 133, 216, 245
 - complications, 89
 - massive, 84, 133, 216
- blood-brain barrier (BBB), 176, 197
- Boehringer Mannheim*, 278
- Bohr effect, 8, 13
- bradyarrhythmias, 104
- bradycardia
 - severe blood loss, 148
 - sinus, 101
 - spinal injury, 187
- brain herniation, 183
- brain space occupying lesions, 181
- brainstem death, 281–287
- breathing, 22–70, 77, 242, 244, 321
- broad complex tachycardias, 101, 103
- bronchiectasis, 31–34, 64
- bronchopneumonia, 35
- bronchoscopy, 23, 24, 30, 322
- Brown–Sequard syndrome, 186
- buffer systems, 11, 196
- burns, 37, 86, 144, 200, 216, 240–247
- burns shock, 243
- butyrophenones, 280, 281
- calcitonin, 208, 209
- calcium, 111, 114, 131, 132, 133, 142, 207–212, 213, 250, 256, 278, 290
- calcium channel agonists, 288
- calcium gluconate, 212, 213, 217
- calcium resonium, 218
- capnography, 17, 18, 22
- carbamino compounds, 6, 10, 11
- carbon dioxide (CO₂)
 - basic physiology, 10–15
 - cascade, 10
 - cerebral blood flow and, 178
 - dissociation curve, 12
 - end-tidal, measurement, 17, 22
 - haemoglobin binding, 11
 - partial pressure in arterial blood. *See* PaCO₂
 - retention, chronic, 63
 - transport, 10, 11, 12
- carbon monoxide (CO)
 - poisoning, 17, 205
- carbonic anhydrase, 11
- cardiac assessment, 79
- cardiac catheterisation, 73, 103, 120
- cardiac index (CI), 57, 73, 74, 123, 136, 246, 269, 287, 293, 306
- cardiac output (CO), 40, 73, 74, 126, 145, 149, 151, 174, 188, 206, 223, 224, 225, 228, 244, 269, 274, 277, 288, 290, 292, 305, 307
- low, 225, 277
- measurement, 73

- cardiac tamponade, 78, 116, 121, 125, 126, 127, 128, 129, 145, 163
- cardiogenic shock, 124, 125–130
- carotid pulse, 115
- catecholamines, 101, 139, 149, 201, 288
- central cord syndrome, 186
- central venous access, 157
- central venous catheters (CVCs; central lines)
 - complications, 162
 - insertion, 158
- central venous pressure (CVP), 73, 109, 156, 158, 211
- cerebral blood flow (CBF), 177–178
- cerebral herniation, 181, 182, 183, 191
- cerebral pathophysiology, 179–186
- cerebral perfusion pressure (CPP), 178, 181
- cerebral physiology, 174–179
- cerebrospinal fluid (CSF), 167, 174, 197
- Chagas disease, 90
- chest drains, surgical, 65–70
- Cheyne–Stokes, 183
- children. *See* paediatric patients
- chin lift, 4, 5
- chloride shift, 12, 112, 146
- chronic kidney disease (CKD), 172, 233, 235–240, 310, renal replacement therapy, 309–313
- Chvostek’s sign, 212
- circulation, 72–164
- circulatory support, 287–294, 317
- coagulation factors, 90, 131, concentrates, 79, 86 effects of storage, 90
- coagulation system, 131–135
- coagulopathies, 113, 133–135, brainstem death, 284 epidural analgesia, 173, 174 NSAID-induced, 172 transfusion/fluid therapies, 89, 113
- cobalamin, 251
- colloids, for fluid therapy, 110, 151, 317
- compartment syndrome, 259, 261
- compliance, lung, 28, 44, 45, 48
- compression ultrasonography (CUS), 58
- computed tomography (CT), 58
- computed tomography
 - pulmonary angiography (CTPA), 58
- confusion, acute post-operative, 277–278
- continuous arteriovenous haemofiltration (CAVH), 312
- continuous arteriovenous or venovenous haemodiafiltration (CAVHDF/CVVHDF), 312
- continuous arteriovenous or venovenous haemodialysis (CAVHD/CVVHD), 312

330 Index

- continuous positive airways pressure (CPAP), 25, 30, 31, 65, 300, 303
- continuous positive pressure ventilation, 14
- continuous venovenous haemofiltration (CVVH), 312
- Coombs' test, direct, 94
- coronary angiography, 73
- creatinine kinase (CK), plasma, 259
- creatinine, serum, 227, 228, 235
- cricothyroidotomy, 20
- cryoprecipitate, 79, 83, 84, 85
- crystalloid solutions, 111–112
- Curreri formula, 247
- Cushing's reflex, 101
- dalteparin, 59, 61
- D-dimers, 58, 59, 135, 138, 142
- DeBakey classification, aortic dissection, 118
- deep venous thrombosis (DVT), 174
- dextran, 113
- dextrose (5%) solution, 88, 111, 112
- diabetes insipidus, 223, 283
- diabetes mellitus, 37, 126, 139, 214, 236, 239, 282
- dicrotic notch, 76
- digoxin, 101, 103
- disability, 166–193
- disseminated intravascular coagulation (DIC), 82, 135, 244, 258, 284, 316
- dobutamine, 288, 292
- dopamine, 101, 228, 291, 318
- dopexamine, 288
- Dressler's syndrome, 125
- dysequilibrium syndrome, 311
- echocardiography, 23
 - trans-oesophageal (TOE or TEE), 73, 123
 - transthoracic (TTE), 72, 129
- Ehlers Danlos syndrome, 119
- Eisenmenger's syndrome, 64
- electrocardiogram (ECG), 58, 59, 72, 95–107,
 - complex concepts, 100
 - hyper- and hypokalaemia, 217
 - hypercalcaemia, 209, 210, 214
 - lead placement, 95
 - normal waveform, 97
 - pulmonary embolism, 58
- electroencephalography (EEG), 167
- electrolyte balance, 186, 207–228
- elemental diet, 253
- elements, essential, 250
- embolectomy, 60
- empyema, 33, 39, 66, 137
- endobronchial intubation, 28, 295
- endotoxin, 145, 269, 314
- endotracheal extubation, 298–300
- endotracheal intubation, 4, 36, 294–298
- endotracheal tubes, 24, 37, 279, 320
- energy, sources of, 248–249

- enoximone, 288
- enteral nutrition, 252, 318
- epidural analgesia, 173
- epinephrine (adrenaline), 101, 104, 135, 205, 251, 288, 292
- epoprostenol, inhaled, 50
- expiratory reserve volume (ERV), 25
- exposure, 195–274
- extubation, 298–300
- face masks, oxygen delivery, 14
- false localising sign, 184
- fat embolism syndrome, 138–144
- fatty liver, 249, 256
- febrile non-haemolytic transfusion reaction (FNHTR), 92
- FEV₁/FVC ratio, 22, 26
- FiCO₂, 10
- FiO₂, 5, 14, 29, 198, 303, atmospheric air, 5 high, 28, 29, 198
- flail chest, 51–53
- fluid compartments, 109, 112
- fluid status, assessment, 107–109
- fluid therapy, 107–114, acute renal failure, 228 blood loss, 150–151 burns, 246 central lines for, 164 rhabdomyolysis, 260
- focused assessment for sonography in trauma, 150
- foetus, oxygen dissociation curve, 8
- folate, 251
- forced expiratory volume in 1 second (FEV₁), 22
- forced vital capacity (FVC), 22, 26
- fraction of inspired oxygen. *See* FiO₂
- Frank-Starling, 128
- fresh frozen plasma (FFP), 79
- functional residual capacity (FRC), 25, 31, 174, 305
- gas transfer, pulmonary, 23
- gastric tonometry, 74
- gastrostomy, 252, 254
- gelatins, for fluid therapy, 113
- general anaesthesia
 - endotracheal intubation, 295
 - rapid sequence induction, 297
- Glasgow Coma Scale (GCS), 166
- glucocorticoids, 225, 271
- glucose, as main energy source, 248
- gram-negative, 136
- gram-positive, 313
- Guillan-Barré syndrome, 64
- haematocrit (Hct), 12, 80, 146, 246
- haemodialysis, 156, 218, 234, 240, 309, 310, 311, 313
 - complications, 311
 - continuous (CAVHD/CVVHD), 312
 - intermittent, 309, 311

332 Index

- haemofiltration, 228, 234, 261, 309, 310
- haemoglobin, 6
 - CO₂ binding, 6, 11
 - oxygen saturation, 9
 - transfusion-induced increase, 89
- haemolytic transfusion reactions
 - acute, 91
 - delayed (DHTR), 92
- haemopoiesis, 7
- haemorrhagic shock, 144–151
- haemostasis, 132, 146, 172
- Hagen–Poiseuille formula, 150, 164
- Haldane effect, 13
- Hartmann’s solution, 112
- head tilt, 4
- heart block, 104, 298–300,
 - 1st degree, 105
 - 2nd degree, 105
 - 3rd degree (complete), 104, 107
- heart failure, 102, 104, 124, 126
- heart sounds, 57, 97, 115, 121, 128
- Henderson–Hasselbalch equation, 196
- Henry’s law, 6
- heparin, 60, 61, 84, 134, 135, 143, 157, 311
- hetastarch, 113
- high altitude transfer, critically ill patient, 319
- high dependency unit (HDU), 301
- hospital care, levels of intensity, 300
- Hudson mask, 14
- human albumin solution (HAS), 79, 86, 113
- hydration status, assessment, 107–109
- hydrocephalus, 180, 185, 190
- hypercalcaemia, 209
- hyperkalaemia, 90, 112, 201, 216–217
 - excess fluid administration, 112
 - massive transfusion, 89
 - renal failure, 112
 - rhabdomyolysis, 260
- hypermagnesaemia, 213
- hypernatraemia, 112, 222, 223, 277, 283
- hypertension
 - brainstem death, 284
 - chronic renal failure, 283
- hypocalcaemia, 90, 208, 209
- hypokalaemia, 100, 203, 216, 217, 219
- hypomagnesaemia, 212, 214
- hyponatraemia, 185, 220, 221, 222, 233, 238, 278
- hypotension
 - brainstem death, 284
 - epidural analgesia, 174
 - spinal cord lesions, 188
- hypothermia
 - brainstem death, 284
 - burns, 244
 - coagulopathy, 133

- massive transfusion, 89
- spinal injury, 188
- hypovolaemic shock, 46, 80, 145, 243, 269
- hypoxic pulmonary drive, 15
- IgA deficiency, transfusion reactions, 91
- immune transfusion reactions, 91–92
- infections
 - complicating peritoneal dialysis, 313
 - screening of donated blood for, 87
 - transfusion-transmitted, 90
- inotropic agents, 287–294
- inspiratory capacity (IC), 25
- inspiratory reserve volume (IRV), 25
- inspiratory: expiratory (I:E) ratio, 50, 303
- insulin, 201, 216, 218, 256, 271
- intensive care, 277–325
- intensive care unit (ICU), 277–325,
 - admission criteria, 300–302
 - pneumonia, 36, 38
- intermittent mandatory ventilation (IMV), 300
- intermittent positive pressure ventilation (IPPV), 29, 50, 294, *See also* ventilatory support
- interstitial pneumonia, 35
- intestinal mucosal atrophy, 254
- intra-abdominal haemorrhage, 150
- intra-aortic balloon pump, 293
- intra-arterial blood pressure (IABP) monitoring, 75, 151–156
- intracranial haemorrhage, 180, 185
- intracranial pressure (ICP)
 - intracranial volume relationship, 179
 - monitoring, 167
 - raised, 180–181, 182, 302
- ischaemic heart disease (IHD), 126
- isoprenaline, 104, 288
- jaw thrust, 4, 5
- jejunostomy, 252, 254
- jet insufflation of oxygen, 21
- jugular venous pulse (JVP), 114–117
- J-wave, 99
- Kartagener's syndrome, 32
- kidney, 228–240
- Kussmaul's respiration, 200
- Kussmaul's sign, 117
- lactic acidosis, 204–207
- laryngoscopes, 296
- left ventricular aneurysm, 125
- levosimendon, 288
- local anaesthetic techniques, 173
- Loeys-Dietz syndrome, 119

334 Index

- low cardiac output state, post-operative, 224, 225
- low molecular weight heparin (LMWH), 59, 61
- lumbar puncture (LP), 167, 190–193
- lung abscess, 33, 40
- lung biopsy, 23, 38
- lung compliance, 28, 31, 44, 45, 48
- lung volumes and capacities, 25
- Macintosh laryngoscope, 296
- Magill laryngoscope, 296
- magnesium, 212–215
- mannitol, 80, 182
- Marfan's syndrome, 119
- massive blood transfusion, 84, 133, 216
- mean arterial pressure (MAP), 76, 177, 178, 284, 307
- mechanical ventilation. *See* ventilatory support
- mediastinoscopy, 23
- metabolic acidosis, 112, 199–202
- metabolic alkalosis, 202–204
- metabolic rate, response to trauma, 272
- metastatic abscesses, 40
- methaemoglobin, 17
- methylene blue, 17, 84
- methylprednisolone, 143, 189, 285
- metoprolol, 103
- milrinone, 288
- minerals, essential, 250
- minitracheostomy, 53, 189, 322
- Mobitz, 105, 106
- Monro–Kellie doctrine, 179
- morphine, 168, 169, 170, 280
- Muir-Barclay formula, 246
- multi-organ dysfunction syndrome (MODS), 314–318
- myocardial infarction (MI)
 - anterior, 126
 - ST-segment elevation (STEMI), 125
- myocardial stunning, 127
- myocarditis, 126
- myoglobin, 229, 243, 257, 259, 260
- myoglobinuria, 260
- naloxone, 171
- narrow complex tachycardias, 102, 103
- nasopharyngeal airway, 18, 19
- nasotracheal intubation, 297
- needle cricothyroidotomy, 20
- neurogenic shock, 145
- neurological assessment, 166–167
- neurological compromise, management, 184–186
- neurological evaluation, 166–193
- niacin, 251
- nitric oxide (NO), inhaled, 50
- nitrogen, 249, 253
- non-steroidal anti-inflammatory drugs (NSAIDs), 53, 168, 171, 226

- noradrenaline (norepinephrine),
 101, 149, 288, 291, 292
- nutrition, 247–257,
 burns patients, 246
 enteral, 252–254
 prior to extubation, 299
 status assessment, 256
 total parenteral (TPN), 157,
 255–257
- obstructive lung diseases, 23, 26
- oedema, 20, 28, 45, 48, 50, 64, 89,
 91, 108, 112, 113, 114, 125,
 128, 129, 140, 142, 143, 179,
 182, 186, 237, 239, 240, 242,
 277, 284, 307, 311, 316, 321
- oliguria, 46, 141, 223–228
- opiate analgesics, 169, 280
- organ donation, 281–287
- oropharyngeal airway, 4, 18, 19
- oxygen (O_2)
 arteriovenous difference
 (a-v O_2), 74
 basic physiology, 5–9
 cascade, 5
 cerebral blood flow and, 178
 content of blood, total, 9
 dissociation curve, 7, 8, 12,
 63, 201, 204, 206, 242, 257,
 274
 fraction of inspired. *See* Fi O_2
 jet insufflation, 20, 21
 monitoring, 16
 partial pressure in arterial
 blood. *See* Pa O_2
 saturation of haemoglobin, 9
 therapy, 14–15
 transport, 6, 12
- packed red cells, 79–80, 89, 94,
 133, 138,
 bacterial contamination, 90
 dose calculation, 89
 Pa CO_2 , 13, 18, 39, 61, 62, 63, 69,
 170, 182, 185, 196, 198, 199,
 204, 286, 287
- paediatric patients
 endotracheal intubation, 296
 tracheostomy, 323
- pain relief. *See* analgesia
- pantothenic acid, 251
- Pa O_2 , 9, 13, 23, 39, 61, 62, 63, 69,
 198
- papilloedema, 181
- paracetamol (acetaminophen),
 171, 231
- parathyroid hormone (PTH), 207,
 208
- parenteral nutrition, total (TPN),
 157, 255–257
- Parkland formula, 246
- peak expiratory flow rate (PEFR),
 22
- pentastarch, 113
- pericarditis, 116, 117, 125, 237,
 239, 310
- peritoneal dialysis, 234, 309, 312
- peritonitis, spontaneous, 313
- pH, 195
- phenothiazines, 281
- phenylephrine,
 phlegmasia alba dolens, 56

336 Index

- phlegmasia cerulea dolens, 56
- phosphate, 196, 207–212
- phosphodiesterase III (PDE III)
 - inhibitors, 288, 290
- plasma, for transfusion, 84, 85
- platelet count, 67, 94, 142, 153, 159, 191
- platelet transfusions, 94
- platelets, 56, 79, 81–83
- pleural effusion, 26, 28, 39, 57, 66
- pleuritis, 39
- pneumonia, 34–40
 - hospital acquired (nosocomial), 36, 37
 - interstitial, 35
 - lobar, 34, 35
- pneumothorax, 40–44
 - open (sucking chest wound), 40, 43, 53
 - simple, 40, 41, 42, 43, 319
 - spontaneous, 43
 - tension, 40, 42, 43, 53, 66, 127, 145
- polymeric diet, 253
- positive end expiratory pressure (PEEP), 25, 49, 143, 300, 303, 304
- positron emission tomography (PET), 24
- post-transfusion purpuric reaction (PTP), 92
- potassium, 202, 213, 215–219
- PR interval, 98, 105, 210, 214
- pre-oxygenation, prior to intubation, 296
- pressure support ventilation, 300, 304
- propofol, 280, 281
- protein, dietary, 240
- prothrombin complex
 - concentrate (PCC), 86
- prothrombin time (PT), 66, 153, 159, 191
- protons (H^+), 6, 176, 202, 203, 207
- pseudohyponatraemia, 221
- pseudoxanthoma elasticum, 119
- pulmonary angiography, CT (CTPA), 58
- pulmonary artery capillary
 - wedge pressure (PACWP), 45, 73, 124, 306, 307
- pulmonary artery catheters, 131, 305–309
 - cardiogenic shock, 131
 - complications, 308
 - pulmonary embolism, 56
- pulmonary embolism (PE), 56, 64, 128
- pulmonary function tests (PFTs), 22, 248
- pulmonary thromboembolism, 54–61
- pulmonary vascular resistance, 49, 56, 73, 290, 307
- pulse, 72
- pulse oximetry, 16–18, 22, 290
- pulsus alternans, 78
- pulsus bisferiens, 78
- pulsus paradoxus, 42, 78, 121
- P-wave, 59, 97, 98, 102, 105, 107, 217

- pyloric stenosis, 203
- pyridoxine, 251
- QRS interval, 98
- QT interval, 98, 210
- QTc interval, 98
- radial artery
 - arterial pressure, 77
 - cannulation, 152
- Ramsay scoring system, sedation, 279
- rapid sequence induction, 297
- red blood cells
 - life span, 7
 - osmotic effects of CO₂ transport, 12
 - packed. *See* packed red cells
- renal, 228–240
- renal failure, 228–240
- renal osteodystrophy, 237, 238
- renal replacement therapy, 156, 163, 309–313,
 - continuous modalities, 312
 - indications, 310
- residual volume (RV), 22, 25
- respiratory acidosis, 206
- respiratory alkalosis, 274
- respiratory assessment, 22–26
- respiratory defence mechanisms, 36
- respiratory exchange ratio, 13
- respiratory failure, 62–65, 249
 - bacterial pneumonia, 39
 - classification, 62–63
- respiratory problems, burns
 - patients, 243
- respiratory quotient, 248
- restrictive lung diseases, 26
- rhabdomyolysis, 257–262
- rib fractures, 51
- riboflavin, 251
- Robert's forceps, 67, 69
- salbutamol, 101
- saline, normal (0.9%), 111, 317
- Scottish Early Warning Score (SEWS), 108
- sedation, 277–281
- Seldinger technique, 154, 161, 162, 294
- sepsis, 262–269
- septic shock, 91, 128, 224, 262, 263–264, 266–267, 269, 287, 291, 314–318
- septicaemia, 40, 51
- severe sepsis, 46, 49, 54, 136, 137, 262, 263
- shock, 144–145
- sinoatrial (SA) node, 95, 97, 98
- sinus bradycardia, 101
- sinus tachycardia, 59, 100–101, 102
- sodium, 219–223
- solvent detergent fresh frozen plasma (SD-FFP), 83
- spinal injury, 186–190
- spinal shock, 189
- spirometry, 22, 26, 32
- Stanford classification, aortic dissection, 118

338 Index

- starches, high molecular weight, 113
- steroid therapy
 - fat embolism syndrome, 139
 - hypercalcaemia, 211
 - spinal injury, 189
- stomach, bacterial colonisation, 37
- stress response to trauma, systemic, 269–274
- ST-segment elevation
 - myocardial infarction (STEMI), 125, 262
- Stuart–Prower, 132, 133
- sucking chest wound (open pneumothorax), 40, 53
- supraventricular tachycardia (SVT), 101
- surfactant, 15, 44
- surgical airway, 4, 20
- Swan–Ganz catheter, 130
- syndrome of inappropriate antidiuretic hormone (SIADH), 185, 220, 221, 222
- systemic inflammatory response syndrome (SIRS), 45, 243, 264
- systemic vascular resistance, 74, 145, 170, 188, 244, 269, 281, 307
- tachyarrhythmias, 101–103
- tachycardia, sinus, 59
- thiamine, 251
- thrombin time (TT), 135
- thrombocytopenia, 82, 254
- thrombolysis, 60, 61, 130
- tidal volume (TV), 25, 29, 30, 31, 49, 52, 299, 300, 302, 304
- total lung capacity (TLC), 22
- total lung volume (TLV), 25
- T-cell, 87
- T-piece ventilation, 299
- tracheostomy, 20, 36, 162, 245, 298, 321–325
- tracheostomy tubes, 323, 324
- trans-cranial Doppler (TCD), 167
- transfer, critically ill patient, 318–321
- transfusion associated
 - circulatory overload (TACO), 92
- transfusion-associated graft versus host disease (TA-GvHD), 80, 82, 92
- transfusion-related acute lung injury (TRALI), 81, 91
- trans-oesophageal
 - echocardiography (TOE or TEE), 73, 123, 129
- trans-thoracic echocardiography (TTE), 72, 73
- trauma
 - rhabdomyolysis, 260–261
 - systemic response, 269–274
- tricuspid incompetence, 117
- tricuspid stenosis, 116
- Trousseau’s sign, 212
- TURP syndrome, 221
- T-wave, 59, 97, 98, 99, 100, 210

- uraemia, 37, 200, 237, 239, 278
- urea, serum, 235
- urine output, low, 223–228
- U-wave, 100, 217
- V/Q scanning, 23
- vasopressin, 176, 225, 283, 285, 288
- ventilation
 - alveolar, 62
 - assessment, 17
- ventilator associated pneumonia (VAP), 36
- ventilatory support (mechanical ventilation), 299–300
 - extubation and weaning, 299–300
 - modes, 304
 - pneumonia risk factors, 64
 - pneumothorax recognition, 42
- ventricular septal defect (VSD), post-infarction, 125
- ventricular tachycardia (VT), 101, 308
- Venturi mask, 14, 15
- Virchow's triad, 132
- vital capacity (VC), 25, 248
- vitamin C, 251
- vitamin D, 250
- vitamin K, 88, 131, 132, 133, 250
- vitamin K antagonists, 60
- vitamins
 - B group, 250
 - fat-soluble, 250
- volume overload, 89, 114, 127, 180, 188
- von Willebrand's factor, 83, 84, 114, 132
- Wallace rule of 9s, 241
- warfarin, 60, 66, 83, 86, 87, 135, 153, 159, 191
- weaning, mechanical ventilation, 299–300
- Wenckebach phenomena, 105
- Wolff-Parkinson-White, 101
- Yankauer sucker, 4
- Young's syndrome, 32