

Index

- abdominal pain, 66, 162, 168, 181, 194
 abdominal pregnancy, 214, 222
 abortion. *See* termination of pregnancy
 Abortion Act 1967, 18
 ACE inhibitors, 79
 aciclovir, 110, 207
 acid–base balance, 34, 210
 augmentation cystoplasty, 246
 acute kidney injury, 96
 acute renal failure, 144
 adenomyosis, 155, 184
 adnexal cyst, 61
 adnexal mass, 215
 air travel, and
 thromboprophylaxis, 107, 120
 alanine transaminase (ALT), 113
 alcohol
 cirrhosis and, 119
 in pregnancy, 57
 α -fetoprotein (AFP), 104, 119
 amenorrhoea, 156, 162
 aminosalicylates, 109
 amniocentesis, gestational age and, 56
 amnioreduction, 74
 amniotic fluid embolism, 99
 amniotomy, 128, 131
 amylase, 113
 anabolic steroid abuse, 197
 anaemia, 71, 89
 anal incontinence, 245
 anal sphincter complex, 264
 anal sphincter injury, obstetric, 142
 analgesia
 and OHSS, 185
 in labour, 126–27
 regional, 111, 129
 androgens, 177
 aneuploidy screening, 60, 80
 angiotensin-receptor blockers (ARBs), 79
 anorectal mucosa repair, 23
 antenatal care, 52–72. *See also* early pregnancy care
 FGM and, 55, 66
 frequency of monitoring, 64
 haematological problems, 71
 infections and, 69
 multiple pregnancy and, 65
 scan investigations/actions, 62
 severe hypertension, 67
 thrombosis and embolism monitoring, 63
 antepartum haemorrhage, 55, 71
 anterior vaginal wall, 258
 antibiotics
 intrapartum prophylaxis, 59, 77, 82
 MRSA, 2, 5
 perineal tear, 44
 postpartum problems, 148
 prophylactic, 2, 4, 6
 anticoagulants, 83, 84
 anti-D immunoglobulin, 58
 anti-D prophylaxis, 212
 anti-epileptics, 93, 100
 antihypertensives, 58, 98, 114
 anti-K antibody, 58
 anti-Müllerian hormone (AMH) level, 187, 197
 antimuscarinics, 245, 261
 antiretrovirals, 102
 antithrombin deficiency, 107, 121
 anti-Xa activity, peak, 95
 anxiety, 126
 postpartum, 149
 anxiety disorder, 54
 appendicitis, laparoscopy, 43
 appraisal, 12
 artesunate, 110
 aspiration pneumonia, 146
 aspirin, 111
 low dose, 115
 asthma, 67, 144
 atosiban, 124
 atrophic vaginitis, 159, 160
 audit cycle, 15, 20
 augmentation cystoplasty, 246, 258, 262
 auscultation of the fetal heart, 53
 autosomal dominant, 89
 autosomal recessive, 89
 azithromycin, 207
 azoospermia, 187, 191, 198
 bacterial vaginosis, 180, 207
 bacteriuria, 245
 balanced chromosomal translocation, 212
 bariatric surgery, 22
 obstetric complications and, 56
 basal FSH test, 193
 benign tumours, most common, 158
 benzodiazepines, 100
 Berger's disease, 261
 β -HCG test, 209, 215
 β -lactamase, extended spectrum, 148
 β -thalassaemia, 71, 94
 bilateral oophorectomy, 166, 182, 230
 bilateral salpingo-oophorectomy, 31, 229, 243
 bilirubin, 113
 biological syndrome, 154
 bipolar disorder, 95, 146, 149, 163
 bladder injuries, 21
 caesarean section, 39, 43
 laparoscopy, 42
 repairs, 31
 bladder management, postpartum, 30
 bladder pain syndrome, 247, 263
 bladder scan, 263
 bladder training, 250, 256
 blood loss, caesarean section, 140
 blood transfusion
 intraoperative, 44
 posthaemorrhage, 39

- body mass index (BMI) >30
 anal incontinence and, 245
 antenatal care and, 52
 cirrhosis and, 119
 endometrial biopsy, 155
 endometrial polyps, 157
 glucose tolerance test, 101
 heavy menstrual bleeding, 164, 165
 hormone replacement therapy, 208
 postpartum headache, 147
 proportion of women, 22
 subfertility problems, 188, 196
 thromboprophylaxis and, 95, 107
- body weight, LMWH and, 95
- borderline personality disorder, 154
- botulinum toxin A, 258
- bowel obstruction, 229
- brachial plexus injury, 140
- brachytherapy, 229
- BRCA* gene mutation, 229
- breast cancer, 52, 91, 227
- breastfeeding, type 2 diabetics, 101, 117
- breech birth
 emergency caesarean section, 134
 perinatal mortality, 134
- buzz groups, 13
- CA125. *See* serum CA125
- caesarean scar pregnancy, 214
- caesarean section
 bladder injuries, 21, 39, 43
 breech birth and, 134
 category 2, 133
 emergency hysterectomy and, 48
 lactate levels and, 129
 postoperative infections, 32
 stage three of labour, 134
 stage two of labour, 134
 vaginal birth after, 135
- Caldicott guardian, 20
- candidiasis, vulvovaginal, 207
- carbamazepine, 94, 110
- carboplatin, 236
- cardiac arrest, 99
- cardiac disease, 19, 91
 atosiban and, 124
- cardiotocography (CTG)
 antenatal care, 73
 categorisation of traces, 127
 computerised, 75
 difficulty in interpreting, 136
 failure to recognise abnormal, 128
 in labour, 123
 suspicious trace, 133
- catheter size, 22
- catheterisation, 246, 263
- ceftriaxone, 207
- cell-free fetal DNA, 60
- cervical bleeding, 25
- cervical cancer, 230
 age ranges, 233
 squamous cell, 229
 stage 2, 234
- cervical dilation, 131
- cervical polyps, 175
- cervical pregnancy, 217, 222, 224
- cervical screening, 232
- Charrière (Ch) gauge, 22
- chemotherapy, 108, 225
- Chlamydia*, 181, 214
- Chlamydia trachomatis*, 201
- chloroquine, 110
- chlorothiazide, 79
- choriocarcinoma, 223
- chorionicity, 65
- chromosomal abnormality, screening, 58
- chronic hypertension, 53, 98
- chronic pelvic pain, 158, 168, 172
 surgical management, 44, 45
- cleft lip, 100
- clindamycin, 110, 153, 207
- clinical governance, 14–20
- clinical skills, 1–6
- clinical trial, phases of, 15
- clomifene, 189
- clomifene citrate, 189, 196
- Clostridium difficile*, 44
- cobalt isotopes, 240
- cognitive behavioural therapy (CBT), 73
- coincidental death, 115, 116
- colpocleisis, 51, 247, 262
- colposcopy, 232
- colposuspension, 51, 262
- combined hormonal contraception, 206
- combined oral contraceptive pill (COCP), 145, 174, 181
 ovarian cancer and, 227
- combined screening test, 80
- complete molar pregnancy, 212, 216
- complete septation, 237
- complex ovarian cyst, 237
- compression duplex ultrasound, 84
- computerised CTG (cCTG), 75
- congenital malformations
 anti-epileptics and, 93, 100
 antihypertensives and, 58
 fusion in the female genital tract, 160
- consent. *See* informed consent
- conservative management
 gestational hypertension, 84
 intramural fibroids, 193
 twin pregnancy, 74
- contraception. *See also* contraceptive pill (COCP); family planning
 emergency, 199
 perimenopausal woman, 200
- copper intrauterine contraceptive devices (IUCDs), 111, 144, 205
- coroners, 20
- corticosteroids, 110
- crown–rump length, 72
 ultrasound and, 85
- cryoprecipitate, 151
- CT, 237
- CT pulmonary angiogram (CTPA), 83
- CTG. *See* cardiotocography (CTG)
- cyclical pelvic pain, 175
- cyst drainage, ultrasound-guided, 243
- cystic fibrosis, 261
- cystometry, filling and voiding, 260
- cystoscopy
 contraindications, 248
 risks of, 247
- cytomegalovirus, 88

- danazol, 181
 darifenacin, 246
 death
 classification of, 99, 146
 maternal. *See* maternal death
 perinatal, 134
 death rates, extreme preterm births, 59
 decelerations, CTG trace, 127, 132
 deep dyspareunia, 172
 deep vein thrombosis (DVT), 63, 84
 in pregnancy, 95
 deinfibulation, 66, 75, 86
 delayed cord clamping, 133
 delivery, management of, 133–39
 depression
 postnatal, 145, 149, 154
 postpartum, 146
 dermoid cyst, 82, 169
 desmopressin, 261
 desquamation of palms and soles, 77
 diabetes
 gestational, 101, 117, 138
 type 1, 96, 97
 type 2, 93, 101
 diabetic ketoacidosis (DKA), 96, 97
 diamorphine, 111, 132
 dichorionic diamniotic (DCDA) twin pregnancy, 65
 direct death, 115, 152
 DNA pox virus, 204
 domestic violence, 61, 99
 donor insemination with ovulation induction, 195
 Down's syndrome, 57
 genetics and, 88
 drospirenone, 180
 Duchenne muscular dystrophy, 89
 duloxetine, 245, 261
 dura mater puncture, 124, 152
 dural puncture headache, 152
 dyschezia, 190
 dysgerminomas, 231, 239
 dyskaryosis, 232
 dysmenorrhoea, 164, 172, 179, 190
 dyspareunia, 163, 172, 253
 dysuria, 202, 253
 early-onset group B streptococcus (GBS) disease, 77
 early pregnancy care, 209–17,
 See also antenatal care
 eclampsia
 antenatal care, 67, 86
 postpartum problems, 146
 seizures and, 118
 ectopic pregnancy
 abdominal, 214, 222
 cervical, 217, 222, 224
 following IVF treatment, 214
 interstitial, 209
 management of, 215
 salpingotomy after, 42
 tubal, 209, 222
 Eisenmenger's syndrome, 91
 electrolyte replacement therapy, 1, 5
 emergency contraception, 199
 emergency hysterectomy, 42
 enalapril, 98, 114
 endometrial ablation, 159
 second generation, 179
 endometrial biopsy, 160, 161, 171
 endometrial cancer. *See* uterine (endometrial) cancer
 endometrial hyperplasia without atypia, 155, 160, 161
 endometrial polyps, 157, 175
 endometrial scratch, 186
 endometriosis, 158, 181
 peritoneal, 156
 rectal, 190, 197
 subfertility and, 196, 190–91
 endometritis, 37
 atrophic, 160
 enhanced recovery planning, 30
Enterobacteriaceae, 27
 enterocele, 51
 Entonox, 111
 epidurals, dura mater puncture, 124, 152
 epigastric pain, 104
 epilepsy
 anti-epileptics, 93, 100
 maternal death, 99
 opiates and, 94
 pain relief in labour, 126
 postnatal contraception, 94
 episiotomy repair, 144
 epithelial ovarian cancer, 240
 exercise in pregnancy, 52
 exogenous oestrogens, 176
 expertise, determinants of, 7
 extended-spectrum β -lactamase (ESBL), 148
 facial hair, excessive, 170
 faecal urgency, 44
 fallopian tube function, 184
 family history, ovarian cancer, 239
 Family Origin Questionnaire, 80
 family planning
 postnatal, and epilepsy, 94
 postpartum, 144, 145, 200
 female genital mutilation (FGM), 2, 5
 antenatal care and, 55, 66
 femoral neuropathy, 26, 38
 fenoprofen, 150
 ferritin levels, 71, 89
 fetal abnormality, termination of pregnancy and, 61
 fetal blood sampling (FBS), 123, 124
 fetal heart rate variation, 75
 fetal heartbeat, absence of, 210, 215, 218
 fetal movements, reduced, 55, 60
 fibrinogen concentrate, 151
 fibrinogen levels, 145
 fibroid uterus, 41
 fibronectin test, 142
 Filshie clip, 3, 6
 fishbowls, 13
 fluconazole, 207
 folic acid, 92
 forceps delivery, 135
 bladder management, 30
 Kielland, 142
 fosphenytoin, 116
 French gauge (Fg), 22
 frequently occurring risk, 34
 full blood count (FBC), 179
 fusion in the female genital tract, 160
 genital herpes, 93, 207
 gentamicin, 148

- germ cells, in testes, 191, 198
 gestational age, 72
 amniocentesis and, 56
 cell-free fetal DNA, 60
 magnesium sulfate and, 122
 multiple pregnancy and, 65
 small for, 69, 76
 gestational diabetes, 101, 117, 138
 gestational trophoblastic disease, 212
 glibenclamide, 117
 glucose
 monitoring, 93
 plasma glucose levels, 93, 101, 117
 glucose tolerance test, 101
 glycine overload, 37
 GnRH analogues, 158, 174, 180, 181
 gonadotropins, 196
 gonococcal infection, 207
 gonorrhoea, 181
 Graves' disease, 113
 ground E abortions, 82
 group A *Streptococcus*, 148
 group B *Streptococcus* (GBS), 57, 59, 82
 early-onset disease, 77
 growth scan, 62
 gynaecological oncology, 225–43
 5-year survival rates, 234
 age ranges, 233
 cervical screening, 232
 stage of disease, 230
 tumour markers, 231
 gynaecological problems, 155–70
 gynaecomastia, 191, 198
 haematuria, 254, 261
 haemoglobinopathy
 screening, 59
 haemophilia, 88
 haemorrhage
 ante partum, 55, 71
 cystic mass, 216
 postpartum, 145
 requiring blood transfusion, 39
 Hartmann's solution, 1, 5
 Hasson (open) technique, 24
 headaches
 postdural puncture, 124
 postpartum, 147
 heavy menstrual bleeding, 155, 156, 160
 management of, 31, 160, 164
 tests taken, 165–66
 HELLP syndrome
 acute kidney injury and, 96
 thrombotic
 thrombocytopenic
 purpura (TTP) and, 118
 hepatic haemangioma, 118
 hepatitis B, 104, 119
 screening for, 59
 hepatitis C, 119
 hepatocellular carcinoma, 119
 hepatosplenomegaly, 69
 HIV infection, in pregnancy, 102
 hormone replacement therapy (HRT), 200, 203
 hot flushes, 156
 human epidermal growth factor receptor 2 (HER2), 91
 Human Fertilisation and Embryology Authority (HFEA), 194
 human papillomavirus (HPV), 229, 232, 237
 Huntington's disease, 89
 hydatidiform mole, 223
 hydralazine, 87
 hydronephrosis, unilateral, 230
 hydrosalpinges, 185
 hyperandrogenism, 170, 187
 hyperemesis, 216
 hyperemesis gravidarum, 96, 211, 219
 thyroid function tests, 211
 hypertension
 antihypertensives, 58, 98, 114
 chronic, 53, 98
 gestational, 115
 postpartum treatment, 144
 severe gestational, 64, 67, 84
 treatment of, 151
 hyperthyroidism, 96, 183
 hypoactive sexual desire disorder (HSDD), 199
 hysterectomy, 14, 155
 arterial blood gas levels, 35
 emergency, 42
 endometrial hyperplasia, 176
 enhanced recovery
 planning, 30
 laparoscopic assisted
 vaginal, 47
 most common serious risk, 39
 perioperative
 complications, 41
 postoperative
 complications, 31
 serious complications from, 22
 vaginal, 246, 248
 vaginal vault prolapse post, 46
 hysterosalpingogram (HSG), 187
 hysteroscopy, 238
 arterial blood gas levels, 35
 heavy menstrual bleeding, 180
 pain relief after, 23
 uterus perforation, 41
 ibuprofen, 194
 ICSI with donated eggs, 195
 idiopathic detrusor overactivity, 252, 262
 IgA nephropathy, 261
 immature teratomas, 239
 indirect death, 115, 116
 indomethacin, 150
 induction of labour
 and antibiotic prophylaxis, 81
 and maternal age, 123
 management of, 53
 vaginal examination, 77
 vaginal PGE2, 128
 infections. *See also* urinary tract infections (UTIs)
 antenatal care and, 69
 pelvic, 202
 postoperative, 32
 surgical site, 22
 wound, 37
 inflammatory bowel disease, 92
 information technology (IT), 14–20
 informed consent
 obtaining, 18
 presence of students, 14
 process of, 3
 inguinal lymphadenitis, 202
 inhibit, 241

	Index	269
insulin, 117		
insulin-like growth factor-binding protein-1, 141		
intermenstrual bleeding, 165		
intermittent auscultation, 141		
interstitial ectopic pregnancy, 209		
intra-abdominal pressure, laparoscopy, 43		
intrahepatic cholestasis of pregnancy, 96		
intramural fibroids, 184		
intravenous fluid therapy, 23		
maintenance volume, 24		
intravenous rehydration, 211		
in vitro fertilisation (IVF) ectopic pregnancy following, 214		
hydrosalpinges prior to, 185		
maternal age and, 187		
OHSS and, 185		
recurrent implantation failure, 186		
vasa praevia and, 56		
iridium isotopes, 240		
iron supplements, 71, 89		
irritable bowel syndrome, 181		
jaundice, 69		
K antigen, 79		
karyotype 23,X, 223		
karyotype 46,XX, 162, 223		
karyotype 46,XY, 178		
karyotype 69,XXY, 223		
karyotypes, 216		
karyotyping of products of conception, 221		
ketoacidosis, 96, 97		
kidney injury, acute, 96		
Kielland forceps (KF), 142		
Klinefelter's syndrome, 198		
knowledge		
importance of, 11		
retention of, 8		
Krukenberg tumours, 236		
labetalol, 64, 67, 98, 115, 136, 150		
labour, management of, 122–27. <i>See also</i> antenatal care, <i>See also</i> caesarean section, <i>See also</i> preterm labour, <i>See also</i> induction of labour		
pain relief, 126–27		
lactate, 123, 124		
lactate dehydrogenase (LDH), 228, 241		
lactational amenorrhoea method (LAM), 200		
lamotrigine, 110		
laparoscopic-assisted vaginal hysterectomy (LAVH), 47		
laparoscopic ovarian cystectomy, 42		
laparoscopy		
actions/manoeuvres at incision, 45		
appendicitis, 43		
bladder injuries, 31, 42		
chronic pelvic pain, 44, 45		
conversion to mini-laparotomy, 41		
depth below indented umbilicus, 24		
entry-related injuries, 29		
Hasson technique, 24		
incision location, 45		
oophorectomy. <i>See</i> oophorectomy		
ovarian drilling, 196		
risks of, 3, 6		
salpingectomy, 195		
salpingotomy, 222		
laparotomy, 181		
full-staging, 242		
mini, 41		
ovarian tumours, 238		
laser ablation, 74		
late death, 116		
learning methods, 8		
leg, pain and swelling, 63		
levonorgestrel, 199		
levonorgestrel-releasing intrauterine system (LNG-IUS), 111, 155, 156, 160, 164, 171, 174, 177		
lichen planus, 156, 178, 237		
lichen sclerosis, 178, 237		
lichen simplex, 178		
lichenification, 163, 178		
liquor volume, 62		
assessment, 73		
lithium treatment, 95		
litigation		
obstetric claims, 122		
shoulder dystocia, 134		
liver cirrhosis, 119		
liver function tests (LFTs), 96, 104		
liver, lesions of the, 104		
losartan, 98		
low-molecular-weight heparin (LMWH), 63, 95, 111, 120		
lower urinary tract infection, 245		
lymph nodes, 225, 230		
M3 receptor antagonist, 258		
magnesium sulfate, 67, 86, 122, 142		
malaria, 92		
malaria prophylaxis, 54		
malignancy index (RMI) score, 157, 226, 242		
malignant ovarian germ cell tumours (MOGCTs), 227, 228		
malposition, reversion to, 137		
malpresentation at term		
spinal cord injuries and, 73		
manual rotation of fetal head, 143		
maternal age		
induction of labour and, 123		
IVF treatment, 187		
miscarriage and, 217		
reproductive outcome and, 192		
maternal death		
causes of, 16, 99		
classification, 146		
congenital heart disease, 108		
definitions of, 115		
reporting, 20		
types of, 99		
maternal medicine, 91–108		
maturation arrest, 187, 195, 198		
Mayer–Rokitansky–Kuster–Hauser syndrome (MRKH), 177		
MBRRACE report 2016, 16		
McCall culdoplasty, 51		
mebeverine, 181		
medroxyprogesterone acetate (MPA), 111, 177		
mefenamic acid, 164, 179		
meiosis, in the testes, 184		
membrane sweeps, 56, 122		
menstruation. <i>See</i> heavy menstrual bleeding		
mental health services, perinatal, 152		
meropenem, 153		

- mesalazine, 109
 metabolic acidosis, 257
 metabolic alkalosis, 219
 metformin, 35, 40, 101, 117, 196
 methicillin-resistant
Staphylococcus aureus (MRSA), 2, 5, 148
 methotrexate, 222
 methyl dopa, 53, 98, 114, 145
 microcephaly, 69
 micronised progesterone, 180
 midurethral tape procedure, 30
 migraine, 153
 Miller's pyramid, 7
 mini-laparotomy, 41
 mirabegron, 261
 miscarriage
 diagnosis of, 218
 fetal heart activity, 210
 gestational trophoblastic disease, 212
 maternal age and, 217
 missed, 218
 recurrent, 137, 211, 212, 213
 molar pregnancy, 212, 216
 molluscum contagiosum, 208
 mono chorionic diamniotic (MCDA) twin pregnancy, 54, 55, 65
 antenatal care, 58
 morphine, 2, 5
 mortality. *See* death
 moxifloxacin, 207
 MRI, 74, 87
 myasthenia gravis, 250, 261
 myomectomy, 41, 193
 naproxen, 150
 National Health Service
 Litigation Authority (NHSLA), 122
 nausea, 194
 nausea and vomiting, 1
 acid–base balance, 210
 hyperemesis gravidarum, 211
 intravenous rehydration, 211
 peak of, 210
 severity of, 210
 NCEPOD categories, 14
 nephrotoxicity, 109
 nerve damage, postoperative, 33
 neurodevelopmental
 disability, 81
 neuroprotection, 142
 magnesium sulfate for, 128
 nifedipine, 142, 150
 nitrous oxide, 123
 nocturia, 250, 261
 non-epileptic seizure disorder, 118
 non-steroidal anti-inflammatory drugs (NSAIDs), 28, 144, 179, 194
 normal saline, 219
 norpethidine, 111, 132
 nuchal fold measurement, 53
 nuchal translucency
 measurements, 80
 nucleic acid amplification test (NAAT), 206
 obesity. *See* body mass index (BMI) >30
 Objective Structured Assessment of Technical Skills (OSAT), 8
 obstetric anal sphincter injury (OASIS), 142
 oestrogen, transdermal, 166, 208
 oestriol, 159, 241
 oestrogen receptor, 91
 oestrogens, exogenous, 176
 oestrone, 173
 ofloxacin, 207
 oligohydramnios, 75
 omental biopsy, 238
 oncology, gynaecological. *See* gynaecological oncology
 oophorectomy
 bilateral, 166, 182, 230
 bilateral salpingo-, 31, 229, 243
 unilateral, 182, 238
 open abdominal
 sacrocolpopexy, 48
 opiates, 194. *See also* morphine
 epilepsy and, 94
 orchidopexy, 188, 196
 ovarian cancer, 225, 226, 230
 age ranges, 233
 bowel obstruction and, 229
 combined oral
 contraceptive pill and, 227
 germ cell tumours, 227, 228
 risk factors, 228
 screening, 228
 stage 3, 234
 ovarian cystectomy, 42, 181
 ovarian cysts, 155, 169, 182
 complex, 237
 malignancy, 226
 management options, 234–43
 persistent, 230
 surgery, 41
 ultrasound parameters, 157
 ovarian drilling, 196
 ovarian dysgerminoma, 231
 ovarian hyperstimulation syndrome (OHSS), 185
 analgesia and, 185
 IVF and, 185
 ovarian hyperthecosis, 182
 ovarian reserve, 192
 overactive bladder, 245
 treatment of, 246
 oxybutynin, 250, 257
 oxygen saturation, 126, 132
 oxytocin, 128, 129, 131, 139, 140, 143
 oxytocin/ergometrine, 143
 paclitaxel, 236
 Palmer's point, 50
 paracetamol, 194
 paranoia, 149
 paraplegia, and pregnancy, 54
 partial molar pregnancy, 216
 partial moles, triploid, 217, 223
 partner abuse, 99
 during pregnancy, 61
 pelvic abscess, 248
 pelvic floor muscle training, 249, 250, 256
 pelvic infection, 202
 pelvic organ prolapse
 aetiological risk factors, 245
 vaginal pessaries, 244
 pelvic pain
 chronic. *See* chronic pelvic pain
 cyclical, 175
 subfertility and, 189, 190
 urinary urgency and, 253
 pelvic ultrasound, 179
 pemphigoid gestationis, 109
 Pendleton's rules, 9, 12
 percutaneous sacral nerve stimulation, 258

- perinatal mental health services, 152
 perinatal mortality, 134
 perineal tear, repair of, 44
 peritoneal cancer, 229
 peritoneal endometriosis, 156
 peritoneal washing, 230, 238
 permethrin, 204
 peroneal neuropathy, 39
 petechial rash, 69
 pethidine, 111, 132
 pH, fetal scalp blood, 124
 phenytoin, 116
 placenta
 delivery of, 150
 manual removal of, 139
 retained, 133
 placenta praevia, 87
 emergency hysterectomy and, 48
 plasma glucose levels, 93, 101, 117
Plasmodium vivax, 92
 pneumococcal vaccine, 92
 pneumonia, aspiration, 146
 polycystic kidney disease, 262
 polycystic ovarian syndrome (PCOS), 35, 182, 195
 polycystic ovaries, 188
 polydioxanone (PDS), 21, 28
 polyglactin (Vicryl), 28
 polymorphic eruption of pregnancy, 109
 postablation tubal sterilisation syndrome (PATSS), 175
 postdural puncture headache, 152
 postmenopausal women
 bleeding, 160, 161
 cervical and endometrial polyps, 159
 ovarian cysts, 155, 226
 postnatal depression, 145, 149, 154
 postoperative care, 30–40
 postpartum depression, 146
 postpartum haemorrhage, 145
 postpartum problems, 144–49
 postpartum psychosis, 144
 post-thrombotic syndrome (PTS), 95
 post-traumatic stress disorder (PTSD), and pregnancy, 54
 postvoid residual volume, 263
 potassium chloride, 1, 5, 219
 preconception counselling, 52
 pre-eclampsia
 acute kidney injury and, 113
 antenatal care, 67, 87
 management of delivery, 136
 postpartum problems, 144
 tests at diagnosis, 84
 TTP and, 118
 women at high risk, 115
 pregnancy. *See also* antenatal care; early pregnancy care; labour, management of; twin pregnancy
 alcohol during, 57
 bacteriuria in, 245
 caesarean scar, 214
 dating scan, 52
 DVT in, 95
 ectopic. *See* ectopic pregnancy
 exercise during, 52
 glucose monitoring in, 93
 HIV infection management, 102
 intrahepatic cholestasis of, 96
 molar, 212, 216
 partner abuse during, 61
 spinal cord injuries and, 54
 spontaneous intrauterine, 193
 termination of. *See* termination of pregnancy
 pregnancy-unique quantification of emesis (PUQE), 219
 premature ovarian insufficiency, 156
 premenstrual syndrome, 158, 166
 preterm labour
 delayed cord clamping, 133
 disabilities and, 59
 magnesium sulfate and, 122
 management of, 129
 multiple pregnancies, 60
 poor prognosis following, 137
 survival rates, 59
 thyroid disease and, 93
 preterm prelabour rupture of membranes (PPROM), 57, 93
 preterm rupture of membranes
 management of delivery, 136, 141
 primaquine, 110
 primary metabolic acidosis with respiratory compensation, 40
 primary metabolic alkalosis with respiratory compensation, 40
 primary respiratory acidosis, 39
 primary respiratory alkalosis, 39
 primiparity, and postpartum psychosis, 150
 procidentia, 46
 progesterone
 micronised, 180
 serum, 196
 progesterone-receptor modulator-associated endometrial changes (PAEC), 157
 progestogen-only implant, 206
 progestogens, 159, 174, 177
 proteinuria screening, 60, 84
 prothrombin gene mutation, 95
 pruritus, 202
 psychosexual disorders, 205
 psychosis
 postpartum, 144
 puerperal, 154
 pubococcygeus spasm, 205
 puborectalis, 264
 pudendal neuropathy, 38
 puerperal psychosis, 154
 pulmonary atelectasis, 38
 pulmonary embolism (PE), 83, 84
 pyelonephritis, 148, 153
 pyrexia, 32
 quadruple test, 80
 quality assessment criteria, 9, 12
 quality of life, 165, 176
 quinine, 110
 quinolones, 207
 radioactive iodine, 183
 radiotherapy, 108, 229
 rectal endometriosis, 190, 197
 rectal examination, 197

- regional analgesia, 111, 129
 rehydration, intravenous, 211
 remifentanyl, 132
 renal failure, acute, 144
 rescue cervical cerclage, 142
 research, 14–20
 respiratory depression, 132
 reversible cerebral
 vasoconstriction
 syndrome (RCVS), 153
 Rhodes index, 219
 rifampicin, 113
 right ventricular dysfunction,
 108
 risk of malignancy index
 (RMI), 157, 226, 242
 risks of an operation, 34
 rubella, 88
- sacrocolpopexy, 48, 51
 sacrospinous fixation, 51, 258
 saline, 114, 219
 salpingectomy, 48, 195
 salpingo-oophorectomy,
 bilateral, 31, 229, 243
 salpingotomy, 42, 215, 222
Sarcoptes scabiei, 208
 SBAR format, 7
 schizophrenia, 95, 146, 149, 163
 seizures. *See also* epilepsy
 causes of, 103
 self-harm, 149, 154
 sensitivity of an assay, 78
 serious risk, 34
 serotonin–noradrenaline
 uptake inhibitor, 257
 serum AMH, 197
 serum CA125, 158, 171, 174,
 230, 235
 tumour marker, 226, 236
 serum FSH, 156, 162, 178, 187
 serum ketones, 97
 serum LH levels, 197
 serum progesterone, 196
 sexual and reproductive
 health, 199–204
 shoulder dystocia, 134
 sickle cell disease, 80, 92
 sitagliptin, 101
 small for gestational age
 (SGA), 76
 infections and, 69
 small group teaching, 10
 smoking, 107, 126, 202
 snowball groups, 13
 sodium chloride, 28
- sodium valproate, 116
 Solomon technique, 74
 somatic subtype, 154
 speculum examination,
 PPROM, 77
 spermatids, 194
 spermatogonia, 194
 spina bifida, 100
 spinal anaesthesia, 2
 spinal cord injuries, and
 pregnancy, 54
 splenectomy, 94
 spontaneous intrauterine
 pregnancy, 193
 spontaneous rupture of
 membranes, 59, 102, 125
 squamous cell carcinoma
 cervical, 229
 vulval, 225, 227
 staphylococcal toxic shock, 56
 sterilisation, postablation
 tubal, 159
 steroids, 110, 231
 abuse of, 197
 prophylactic, 137
 stockings, anti-embolic, 120
Streptococcus. *See* group A
 Streptococcus; group B
 Streptococcus (GBS)
 stress urinary incontinence,
 30, 244, 246, 249, 250, 252
 postoperative symptomatic,
 46, 51
 stress, and bladder pain
 syndrome, 259
 subfertility, 183–91
 endometriosis and, 196,
 190–91
 investigation options, 189
 male factors causing, 185
 treatment options, 188
 unexplained, 183, 193, 196
 subgaleal haematoma, 137
 suicide, 19, 154
 sulfasalazine, 92
 surgery
 breast cancer, 108
 core skills, 21–29
 ovarian cancer, 236
 ovarian tumours, 228
 procedures, 41–47
 surgical evacuation, 216
 surgical evacuation of the
 uterus, 35, 44, 212
 suture materials, 23
 absorbable, 21
- Swyer syndrome, 178
 Syntocinon, 133, 143
 Syntometrine, 143
- tachycardia, 63
 tremor, 130
 tamoxifen, 52, 108, 227
 targeted biopsy, 238
 teaching and assessment, 7–10
 teicoplanin, 153
 TENS, 111
 termination of pregnancy
 congenital heart disease,
 108
 fetal abnormality and, 61
 ground E abortions, 82
 testes, end product of meiosis,
 184
 testicular failure, 183
 testosterone, 161, 208
 tetralogy of Fallot, 91
 thalassaemia, 71, 89, 94
 thrombophilia, test for, 121, 221
 thromboprophylaxis, 94, 95,
 107–8
 thrombotic thrombocytopenic
 purpura (TTP), 118
 thyroid disease, 93, 96, 183
 thyroid function tests, 211
 thyrotoxicosis, 220
 tocolytics, 137, 142
 toxic shock syndrome, 56, 148
 tranexamic acid, 164, 179
 transcervical resection of the
 endometrium (TCRE), 31
 transdermal continuous
 combined HRT, 208
 transdermal oestrogen, 166,
 208
 transforming growth factor- β
 (TGF- β), 231
 transobturator tape, 246
 transvaginal ultrasound, 87, 129
 early pregnancy, 209
 ectopic pregnancy, 222
 endometriosis, 197
 miscarriage, 210, 218
 tubal ectopic pregnancy, 218
 transverse vaginal septum,
 157, 177
 trastuzumab, 108
 tremor tachycardia, 130
 Trendelenburg position, 50
Trichomonas vaginalis, 200,
 208
 trichomoniasis, 181

- triple pregnancy, 65
 trisomy 21, 88
 trophoblastic disease, 212
 tubal ectopic pregnancy, 209, 222
 tumour markers, 226, 228, 231
 twin pregnancy
 DCDA, 65
 delivery, 138
 MCDA, 54, 55, 58, 65
 preterm delivery, 60
 thromboprophylaxis, 107
 ultrasound scanning and, 65
 twin-to-twin transfusion syndrome (TTTS), 54
 type 1 diabetes, 96, 97
 type 2 diabetes, 93, 101
- UK Medical Eligibility Criteria for Contraceptive Use (UKMEC)*, 199
- ulipristal acetate, 157
- ultrasound
 adenomyosis, 184
 compression duplex, 84
 crown-rump length and, 85
 cyst drainage, 243
 intramural fibroids, 184
 multiple pregnancy and, 65
 OHSS, 185
 ovarian cysts, 157, 171
 pelvic, 179
 transvaginal. *See* transvaginal ultrasound
 umbilical adhesions, 50
 umbilical artery absent or reversed end-diastolic velocity (AREDV), 75
 umbilical artery Doppler, 62
 umbilical hernias, 44
 umbilical port, 47
 unilateral oophorectomy, 182, 238
 ureteric injuries, 21
 urethral diverticulum, 263
 urgency urinary incontinence, 244, 249, 250, 252, 253
- urinary catheter size, 22
 urinary incontinence
 obesity and, 257
 stress. *See* stress urinary incontinence
 with urgency, 244, 249, 250, 252, 253
 urinary tract infections (UTIs), 251, 254
 lower, 245
 untreated, 260
 urine dipstick test, 260
 urogynaecology, 244–55
 ursodeoxycholic acid (UDCA), 96
 urticaria, 92
 uterine (endometrial) cancer, 236
 age ranges, 233
 radiotherapy, 229
 stage 1, 234
 uterine fibroids, 23, 157
 uterine hyperstimulation, 128
 uterine leiomyoma, 174
 uterine perforation, 41
 uterine septum, 175
 uterotonic agents, 134, 138–39
 uterovaginal prolapse, 248, 252
- vagina, short, blind ending, 162
 vaginal birth after a caesarean (VBAC), 135
 vaginal bleeding, 23, 209, 215, 221, 227
 vaginal breech birth, 134
 vaginal discharge, 167, 202
 vaginal hysterectomy, 246
 laparoscopic assisted, 47
 pelvic abscess after, 248
 vaginal pessaries, 244, 252
 vaginal prostaglandin (PGE₂), 128
 vaginal spotting, 175
 vaginal tape, 249
 vaginal vault bleeding, 25
- vaginal vault level, 246
 vaginal vault prolapse, 42, 46
 posthysterectomy, 46
 vaginismus, 199
 vaginitis, atrophic, 159, 160
 valaciclovir, 207
 vancomycin, 153
 vasa praevia, IVF treatment and, 56
 vasectomy, 164
 failures from, 3, 6
 venous thromboembolism (VTE), 95, 107, 121
 postdelivery, 145
 postpartum family planning, 151
 ventilation/perfusion (V/Q) scan, 83
 ventouse, 142
 Veress needle, 45, 50
 vesicovaginal fistula, 37
 viral load, 117
 vitamin A, 59
 vitamin D, 53
 voiding, and bladder pain syndrome, 259
 vulval biopsy, 178
 vulval cancer, 230
 vulval intraepithelial neoplasia (VIN), 227
 vulval lichen planus, 156
 vulval squamous cell carcinoma, 225, 227
- weight loss, subfertility problems, 196
 workplace-based assessment, 7, 8
 World Health Organization (WHO), classification of death, 99
 wound infections, 37
- X-linked recessive, 88, 89
- zidovudine, 102
 Zika virus, 88