

Index

- absolute risk reduction (ARR), 16
 absolute zero, 29–30, 38
 acceleration, 32
 adiabatic lapse rate, 81
 adiabatic temperature rise, 80
 air
 pipeline supplies, 84
 air compressors, 84
 airway pressure release ventilation (APRV), 143
 ALARP principle, 231
 Allen's Test, 165
 alpha radiation, 229
 alveolar gas equation, 62–63
 amplifiers
 bandwidth, 253–254
 common mode rejection, 254
 differential amplifiers, 254
 gain, 254
 noise reduction, 254
 signal-to-noise ratio, 253–254
 use on biological potentials, 253–254
 amplitude of a wave, 209
 anaemia with co-existing hypoxia
 effect on measured SpO₂, 103–104
 anaesthesia
 delivering safe mixtures of gases, 113
 delivery at altitude, 126–127
 second gas effect, 67
 anaesthetic vapours
 biotransformation, 117
 blood:gas (B/G) partition coefficient, 117–119
 flammable gas mixtures, 148
 global warming potential (GWP), 117
 ideal properties, 119
 key properties of various anaesthetic agents, 117–119
 minimum alveolar concentration (MAC), 117
 oil:gas (O/G) partition coefficient, 117–119
 permitted limits in the theatre environment, 146–147
 analysis of variance (ANOVA), 20
 anatomical dead-space measurement, 94
 anti-neutrinos, 229
 Apollo 1 capsule fire and explosion, 149
 apparent diffusion coefficients (ADCs), 238
 apparent temperature, 46–48
 Aristotle, 31
 arterial oxygen saturation (SaO₂), 98
 arterial waveform analysis, 182
 assessment bias, 4
 atomic number, 227
 atomic structure, 226–228
 nature of matter, 226
 Avogadro's constant, 61, 227
 Avogadro's law, 61–63
 bag squeezer ventilators, 141
 bar charts, 5
 Barnard, Christiaan, 188
 barometers, 72
 barotrauma, 124
 Bayesian statistics (Bayes' theorem), 14
 Beer–Lambert law, 90, 94, 104
 Beer's law, 98
 bell curve (normal distribution), 6–7
 Benedict Roth spirometer, 74
 Bernoulli, Joseph, 8
 Bernoulli principle, 59–60, 130–131
 beta radiation, 229–230
 bias, 3–4
 assessment bias, 4
 information bias, 3–4
 observer bias, 4
 publication bias, 4, 21–22
 selection bias, 3
 bi-level positive airway pressure (BiPAP) devices, 132
 bimetallic strip thermometers, 43
 bio-impedance
 cardiac output monitoring, 184
 biological potentials, 246–247
 biotransformation of anaesthetic vapours, 117
 BIS™ (Bispectral Index), 3
 blackbody radiation, 43
 Bland–Altman plot, 11–12
 blinding component of study design, 3
 blood
 as a non-Newtonian fluid, 56–57
 blood gas analysis
 blood gas machine, 107–108
 Clark (polarographic) electrode, 104
 comparing arterial, venous and capillary samples, 109–110
 derived variables, 107–108
 development of devices, 97
 fuel cell (Hersch or Galvanic cell), 104–105
 oxygen tension (PO₂) electrodes, 104–105
 PCO₂ electrode, 107
 pH electrode, 105–106
 pulse oximetry, 98–104
 Severinghaus electrode, 107
 sources of error, 108–109
 air bubbles, 108
 excess heparin, 108
 hypothermia, 108–109
 patients with haematological malignancy, 108
 protein deposits, 108
 reverse pseudo-hyperkalaemia, 108
 transcutaneous methods, 110
 blood:gas (B/G) partition coefficient of anaesthetic vapours, 117–119
 blood pressure
 central venous pressure, 160
 components, 160
 definition, 159–160
 diastolic pressure, 160
 isovolumetric contraction, 160
 mean arterial pressure (MAP), 160
 phlebostatic axis, 160
 pulmonary artery pressure, 160
 pulmonary capillary wedge pressure, 160
 systolic pressure SBP, 159–160
 unit of measurement, 159
 blood pressure measurement
 DINAMAP (device for indirect non-invasive automatic mean arterial pressure), 160
 Finapres system, 164
 importance in anaesthesia and critical care, 159

Index

- blood pressure measurement (cont.)
 invasive arterial blood pressure measurement (IABP)
 additional information from the waveform, 171–172
 Allen's test, 165
 applications, 165
 brachial artery, 165
 components and set-up, 166–167
 contraindications, 165
 damping, 169–170
 femoral artery, 165
 Fourier analysis of arterial pressure waveform, 168–169
 indications, 165
 levelling the transducer, 171
 potential complications, 165
 radial artery, 165
 resonance, 168–169
 sources of error, 167–171
 waveform morphology, 167–168
 zeroing (calibrating the system), 171
 non-invasive, continuous, 164
 non-invasive, intermittent, 160–164
 phlebostatic axis, 163
 radial artery compression, 164
 range of methods, 160–161
 selection of a monitoring technique, 172
 sphygmomanometers, 160–164
 Bodok seal, 79
 Bohr, Niels, 227
 bonding
 covalent bonds, 228
 ionic bonds, 228
 metallic bonding, 228
 Bosun's whistle (oxygen failure whistle), 73
 Bourdon gauge, 71, 80
 Bourdon gauge thermometer, 42–43
 box-and-whisker plots, 9–10
 Boyle's law, 63–64, 80–82, 124
 breathing systems. *See* ventilators and breathing systems
bremsstrahlung (braking radiation), 229
 Brownian motion, 57, 238
 Bureau International des Poids et Mesures (BIPM), 26
 capacitive hygrometers, 46
 capacitors, 30
 carboxyhaemoglobin
 effect on measured SpO_2 , 104
 cardiac assist devices, 204–205
 cardiac output monitoring
 arterial waveform analysis, 182
 bio-impedance, 184
 cardiac output monitors, 182
 comparison of different monitors, 174–175
 dilutional methods, 177–178
 Doppler ultrasound devices, 180–182
 Fick principle, 177–178
 lithium dilution methods, 180
 magnetic resonance techniques, 185
 non-invasive finger-cuff technology, 182–183
 pulmonary artery catheter (PAC), 178–180
 selection of an appropriate method, 185
 Stewart–Hamilton equation, 176–177
 transthoracic echocardiography, 183–184
 ultrasound techniques, 184–185
 visual echocardiography, 183–184
 washout curve, 175–176
 cardiac pacing
 implantable cardioverter defibrillators (ICDs), 192–193
 implications for anaesthesia, 193
 leadless pacemakers, 192
 pacemaker codes, 192
 permanent cardiac pacing, 190–192
 temporary cardiac pacing, 189–190
 types of cardiac pacemakers, 189
 cardiac potentials, 247–249
 cardiac support, 187–188
 cardiac assist devices, 204–205
 cardiac pacing, 189–193
 cardiopulmonary bypass (CPB), 198–201
 cell salvage, 188–189
 defibrillators, 194–198
 implantable cardioverter defibrillators (ICDs), 192–193
 intra-aortic balloon pump (IABP), 201–203
 ventricular assist devices (VADs), 204–205
 cardiopulmonary bypass (CPB), 198–201
 CAT scan, 235
 cell membranes
 phospholipid bilayer construction, 246–247
 role in generation of biological potentials, 247
 cell salvage, 188–189
 advantages, 189
 disadvantages, 189
 disadvantages of allogenic red-cell transfusion, 188
 indications for, 188–189
 centipoise, 54
 central venous pressure (CVP), 165
 Charles's law, 64
 chelation, 239
 chi-squared test, 5, 14, 20
 chilled mirror hygrometers, 46
 chloroform, 117–119
 chromatography
 gas concentration measurement, 93–94
 circle breathing system, 137
 Clark (polarographic) electrode, 104
 clinical heat loss, 40
 CMAP (compound muscle action potential), 253
 Coanda effect, 60–61
 Cochran Q test, 21
 coefficient of determination (R^2), 14
 Cohen's kappa statistic, 11
 colour-change crystal hygrometers, 46
 combined gas law, 65
 Compton scattering, 235–236
 computed tomography (CT), 232–236
 conduction, 39–40
 confounding, 4
 CONSORT (Consolidated Standards of Reporting Trials) statement, 2
 contingency tables, 5
 continuous positive airway pressure (CPAP) devices, 132
 Control of Substances Hazardous to Health (COSHH) regulations (UK), 87
 permitted limits for anaesthetic agents in the theatre environment, 146–147
 convection, 39
 correlation coefficients, 11
 covalent bonds, 228
 critical illness myopathy (CIM), 246, 253
 critical illness neuromyopathy (CINM), 253–254
 critical illness polyneuropathy (CIP), 253–254
 critical point, 115
 critical temperature, 115
 crocodile icefish, 101
 crossover study design, 4
 Curie, Jacques, 208
 Curie, Pierre, 208
 Curie temperature, 217
 cycles per second (frequency), 18
 cyclopropane, 45
 flammability, 148
 Dalton, James, 226
 law of partial pressures, 62–63
 Darwin, Charles, 207

- data representation, 5–8
 bar charts, 5
 contingency tables, 5
 exponential distribution, 7–8
 graphical representations, 5
 histograms, 5
 normal distribution, 6–7
 skewed distributions, 6–7
- dead-space measurement, 94
- decibel (dB), 209
- Declaration of Helsinki, 4
- decompression chambers, 125
- decompression sickness, 66, 125
 risk at high altitude, 125–126
- defibrillators, 30, 194–198
 cardioversion, 194
 components, 194–198
 defibrillation procedure, 194
 electrodes, 198
 functions of a defibrillator, 194
 implantable cardioverter
 defibrillators (ICDs), 192–193
 types of, 194
 waveforms, 198
- desflurane, 117–119
- dew point, 45
- diastolic blood pressure (DBP), 160
- diffusion, 58
- DINAMAP (device for indirect non-invasive automatic mean arterial pressure), 163
- direct injection vaporizers, 122
- divers
 decompression sickness, 66
 See also hyperbaric systems; scuba diving.
- dog whistle, 207
- Doppler, Christian, 180, 219
- Doppler effect, 219–220
- Doppler shift, 221
- Doppler ultrasound, 219–222
 cardiac output monitoring, 180–182
 colour Doppler, 222
 continuous-wave Doppler (CWD), 221–224
 development of, 208
 oesophageal Doppler monitor (ODM), 221–222
 pulse-wave Doppler (PWD), 221
- double-blinded studies, 3
- draw-over vaporizers, 122
- DWI (diffusion-weighted imaging), 238
- dynamos, 36
- E-Entropy™, 253
- Earth
 magnetic field, 34–35
- echocardiography, 247
- echolocation, 207
- Edison, Thomas, 29
- Einthoven's triangle, 248–249
- electric motors, 35–36
- electric shock
 risk in the operating theatre, 48
- electrical equipment
 ignition sources, 148–149
- electrical safety, 150–155
 effects of different currents on the human body, 150–151
 IEC standards for medical electrical equipment, 152–154
- macroshock, 150–152
 capacitive coupling, 152
 determinants of clinical effect, 150–151
 equipotential bonding, 154–155
 leakage currents, 151–152, 154–155
 resistive coupling, 151–152
- microshock, 152
- physics of, 150
- protection against shock, 152–154
- electrical volume meter, 75–76
- electricity
 alternating current (AC), 29–30
 ampere (SI unit), 28
 capacitance, 30
 definition of electric current, 28
 direct current (DC), 29–30
 electromotive force (EMF), 30–31
 galvanometers, 28
 historical observations, 28
 impedance, 30
 inductance, 30–31
 parallel circuits, 29
 potential difference (voltage), 28
 reactance, 30
 resistance, 28
 series circuits, 29
 simple circuits, 28–29
 symbols of common electrical components, 29
 transformers, 31
- electro-biophysiology, 246
 amplifiers, 253–254
 biological potentials, 246–247
 cardiac potentials, 247–249
 electrocardiogram (ECG), 247–249
 electroencephalogram (EEG), 252–253
 electromyogram (EMG), 253–254
 filters, 254–255
 myocardial ischaemia and infarction, 249–252
 uses and limitations of measuring systems, 255
- electrocardiogram (ECG), 247–249
 display, 248–249
 Einthoven's triangle, 248–249
 myocardial ischaemia and infarction, 249–252
- electroencephalogram (EEG), 252–253
 BIS™ (Bispectral Index), 253
 E-Entropy™, 253
 effects of anaesthetic drugs, 252
 Narcotrend™, 253
 somatosensory evoked potential (SSEP), 253
 wave frequencies and clinical correlates, 252
- electroluminescence, 240
- electromagnetic energy, 32
- electromagnetic waves
 properties of, 208–209
- electromagnetism, 35–36
 construction of electromagnets, 35
 dynamos, 36
 electric motors, 35–36
 transducers, 36
- electromagnets, 34
- electromyogram (EMG), 253
- electrons
 energy levels, 227–228
 valence shells, 227–228
- electrostatic discharge risk
 humidity and, 155
- energy, 31–32
 definition, 31–32
 electromagnetic energy, 32
 forms of, 32
 kinetic energy, 32
 laws of thermodynamics, 38–39
 phase change and, 115–117
 potential energy, 32
 power and, 32
 sound energy, 32
 thermal energy, 32, 39
 work and, 31–32
- enflurane, 117–119
- enthalpy
 phase change and, 117
- Entonox
 latent heat of evaporation, 116
 pseudo-critical temperature, 116–117
 storage and use, 82
 two-stage Entonox valve, 72–73
- entropy, 38
 phase change and, 117
 equipotential bonding, 154–155
- Erb's point, 253
- ether (diethyl ether), 117–119
- ether inhaler, 122

Index

- ethics committee
 consideration of clinical study design, 4
 Euler, Leonhard, 8
 Euler's constant, 8
 Euler's number, 8–14
 evidence-based medicine
 appraisal process, 22
 explosions. *See* fires and explosions
 exponential distribution, 7–8
 extra-corporeal CO₂ removal (ECCO₂R), 143–144
 extra-corporeal life support (ECLS), 199
 extra-corporeal membrane oxygenation (ECMO), 143–144, 199
- Faraday, Michael, 35
 law of electromagnetic induction, 34
 FDG (¹⁸F-fluorodeoxyglucose), 236
 fibre-optic thermometers, 44–45
 fibre optics, 242–244
 Fick principle, 177–178
 Fick's law, 66–67
 filters (for signals), 254–255
 Finapres system, 164
 finger-cuff technology, 182–183
 fires and explosions, 148–150
 attempts to extinguish fire, 150
 components required for fire, 148
 evacuation of fire-affected areas, 150
 explosion risk in the operating theatre, 48
 explosions of flammable gas mixtures, 148
 factors implicated in higher risks, 149
 flammable gas mixtures, 148
 flammable substances in the theatre environment, 149
 fuel sources, 149
 hazards in the operating theatre, 148
 ignition sources, 148–149
 laser safety issues, 148–149
 management of fires, 149–150
 minimizing the risk of fire, 149
 oxidizers, 149
 recognizing fire, 149–150
 safety of electrical equipment, 148–149
 Fisher's exact test, 20
 FLAIR (fluid attenuation inversion recovery) imaging, 238
 Fleiss's kappa statistic, 11
 flowmeters. *See* gas flow measurement
 FlowTrac/Vigileo™, 182
 fluid mechanics, 53, 58
 Bernoulli principle, 59–60
 Coanda effect, 60–61
 Pascal's principle, 58–59
 Venturi effect, 60
 fluids
 blood as a non-Newtonian fluid, 56–57
 Brownian motion, 57
 definition of a fluid, 53–54, 114
 diffusion, 58
 dynamic viscosity, 56
 Hagen–Poiseuille equation, 54–55
 kinematic velocity, 56
 laminar flow, 54–56
 movement and mixing, 57–58
 Newtonian fluids, 54–56
 non-Newtonian fluids, 56–57
 osmosis, 58–59
 Poiseuille's law, 54–55
 properties of fluids, 53–54
 Reynolds number, 56
 turbulent flow, 55–56
 viscosity, 54
 fluorescence, 239–240
 force, 32
 Forest plot, 21
 Fourier analysis of arterial pressure waveform, 168–169
 fragility index, 18
 frequency
 definition, 209
 Fresnel equations, 211
 fuel cell (Hersch or Galvanic cell), 104–105
 funnel plot, 21–22
- gadolinium contrast agents, 238–239
 Galilean thermometer, 45
 galvanometers, 28
 gamma radiation, 229–230
 nuclear medicine, 236
 gamma scintigraphy, 236
 gas concentration measurement
 chromatography, 93–94
 infrared gas analyzer, 88–89
 mass spectrometry, 90–91
 nitrogen meter, 94
 paramagnetic oxygen analyzer, 87–89
 piezoelectric absorption, 92–93
 Raman gas analyzers, 90–91
 refractometry, 92
 role in anaesthesia, 87
 summary of methods and uses, 94–95
 ultraviolet absorption, 93–94
 gas flow measurement
 flowmeters, 76–77
 hot-wire anemometer, 79
 mechanical strain gauge flowmeter, 78–79
 peak-flowmeters, 77
 pitot-tube pneumotachograph, 77–78
 pneumotachograph, 77–78
 variable-orifice flowmeters, 76–77
 gas laws
 Avogadro's law, 61–63
 Boyle's law, 63–64
 Charles's law, 64
 combined gas law, 65
 Dalton's law of partial pressures, 62–63
 Fick's law, 66–67
 Gay-Lussac's law, 64
 Graham's law, 66
 Henry's law of solubility, 66
 ideal gas concept, 61
 ideal gas laws, 61
 universal gas law, 61, 65–66
 gas pressure
 definition of pressure, 70
 manipulation of high-pressure gases, 72–73
 oxygen failure whistle, 72–73
 pressure-reducing valves, 72
 units of measure, 70
 gas pressure measurement, 71–72
 absolute or total pressure, 71
 barometers, 72
 Bourdon gauge, 71
 gauge pressure, 71
 manometers, 71–72
 gas supply, 79
 cylinders, 79–82
 avoiding adiabatic temperature rise, 79–80
 identifying the gas within the cylinder, 79
 safety features, 79–82
 volume of gas within a cylinder, 80–82
 pipeline gas supplies, 82–84
 air, 84
 nitrous oxide, 82–83
 oxygen (vacuum-insulated evaporator, VIE), 82–84
 oxygen concentrator, 84
 gas volume measurement, 74
 Benedict Roth spirometer, 74
 electrical volume meter, 75–76
 Vitalograph®, 74
 Wright respirometer, 74–75
 gases
 saturated vapour pressure (SVP), 66
 Gauss, Carl Friedrich, 26
 Gay-Lussac's law, 64, 80, 83
 global warming potential (GWP) of anaesthetic vapours, 117
 good clinical practice (GCP) standards, 4
 Graham's law, 66
 graphical representations of data, 5
 gravimetric hygrometers, 46
 gray (Gy), 231

- haemoglobinopathies
 - effect on measured SpO₂, 103
- Hagen–Poiseuille equation, 54–55, 210
- hair hygrometers, 46–47
- Hales, Stephen, 165
- halothane, 93, 117–119
- hazard, 17
- hazard ratio (HR), 17
- heat
 - definition, 39
 - relationship to temperature and humidity, 46–48
 - thermal energy, 39
- heat and moisture exchangers (HMEs), 48–49
- heat capacity, 41
- heat transfer
 - clinical heat loss, 40
 - conduction, 39–40
 - conduction coefficients, 40
 - convection, 39
 - insulators, 40
 - latent heat of fusion, 41
 - latent heat of vaporization, 40–41
 - mechanisms, 39
 - radiation, 39–40
- Heliox, 125
- Henry's law, 66, 93, 104–105, 125, 201
- Hertz (Hz), 209
- high altitude
 - delivering anaesthesia at altitude, 126–127
 - drop in atmospheric pressure with increasing altitude, 125
 - risk of decompression sickness, 125–126
 - risk of flying after diving, 126
- high-flow nasal oxygen (HFNO)
 - devices, 132
- high-frequency oscillating ventilator (HFOV), 142–143
- high-intensity focused ultrasound (HIFU), 223
- histograms, 5
- hot-wire anemometer, 79
- Hounsfield scale, 235
- humidification in clinical practice
 - avoiding static electricity build-up, 48
 - benefits for theatre patients and staff, 48
 - reducing explosion risk, 48
 - reducing the risk of electric shock, 48
- humidification methods, 48–50
 - active and passive methods, 48
- heat and moisture exchangers (HMEs), 48–49
- nebulizers, 49–50
- water-bath humidifiers, 49
- humidity
 - absolute humidity, 45
 - apparent temperature and, 46–48
 - definition, 45
 - dew point, 45
 - electrostatic discharge risk and, 155
 - relationship to temperature and heat, 46–48
 - relative humidity, 45
 - safety issues in clinical practice, 45
 - specific humidity, 45
 - ways to express, 45
- humidity measurement, 45–46
 - capacitive hygrometers, 46
 - chilled mirror hygrometers, 46
 - colour-change crystal hygrometers, 46
 - gravimetric hygrometers, 46
 - hair hygrometers, 46–47
 - psychrometers, 46
 - Regnault's hygrometer, 46–47
 - resistive hygrometers, 46
 - wet and dry bulb hygrometers, 46
- Humphrey ADE system, 136
- hydrostatic pressure equation, 72
- hygrometers, 45–46
- hyperbaric oxygen therapy, 125
- hyperbaric systems
 - barotrauma, 124
 - dangers of, 124–125
 - decompression chambers, 125
 - decompression sickness, 66, 125
 - hyperbaric oxygen therapy, 125
 - narcosis, 124
 - oxygen toxicity, 124–125
 - uses for, 124
- hypergolic substances, 148
- hypothesis testing, 18–19
- hypothesis tests, 19–20
- I² statistic, 21
- implantable cardioverter defibrillators (ICDs), 192–193
 - implications for anaesthesia, 193
- indocyanine green
 - effect on measured SpO₂, 103
- inductors, 30–31
- inertia, 33
- information bias, 3–4
- infrared gas analyzer, 88–89
- infrared radiation, 39–40
- infrared thermometers, 43
- insulators, 40
- intention-to-treat analysis, 4
- intermittent positive pressure ventilation (IPPV), 138–139
- International System (SI) of units, 25–28
- interquartile range (IQR), 9–11
- intra-aortic balloon pump (IABP), 201–203
- inverse piezo effect, 92
- ionic bonds, 228
- ionizing radiation, 40
 - See also radiation
- Ionizing Radiation (Medical Exposure) Regulations (IRMER) UK, 231
- ions, 227
- isoflurane, 117–119
- isotopes, 227
- jet entrainment, 60
- Kaplan–Meier chart, 17
- kinetic energy, 32
- Kolmogorov–Smirnov test, 7
- Kouwenhoven, William Bennett, 194
- kurtosis, 7
- Lambert's law, 98, 104
- Laplace's law, 160
- lasers, 239–244
 - common laser systems and their applications, 240
 - lasing process, 240–241
 - lasing threshold, 241–242
 - optical discs, 242
 - optical fibres, 242–244
 - population inversion, 241–242
 - properties of laser light, 240
 - safety issues, 148–149
 - stimulated emission, 240–241
- latent heat, 41
- latent heat of evaporation, 116
- latent heat of fusion, 41, 115–116
- latent heat of vaporization, 40–41
- Le Chatelier's principle, 115
- LEDs (light-emitting diodes), 240
- LiDCOTM, 182
- light
 - properties of, 208–209
 - spontaneous emission, 239
- Likert scale, 3
- linear regression, 13
- liquid crystal thermometers, 43
- lithium dilution
 - monitoring cardiac output, 180
- lithotripsy, 223
- logistic regression, 14
- log-linear regression, 14
- magnetic-resonance-guided focused ultrasound (MRgFUS), 223
- magnetic resonance imaging (MRI), 236–239
 - components of the MRI scanner, 236–238
 - contrast agents, 238–239
 - principles, 236–238
 - types of imaging sequences, 238
- magnetism, 33–34
 - definition, 34
 - definition of a magnet, 34
 - diamagnetism, 34

Index

- magnetism (cont.)
 Earth's magnetic field, 34–35
 electromagnetism, 35–36
 electromagnets, 34
 inventions using, 34
 magnetic fields, 34–35
 magnetic flux density, 34
 paramagnetism, 34
 strength of a magnetic field, 34
 Manley MP3 ventilator, 140–141
 Mann–Whitney U test, 20
 Mann–Whitney–Wilcoxon (MWW) test, 20
 manometers, 71–72
 Mantel–Haenszel procedure, 21
 Mapleson classification of breathing systems, 133–136
 mass, 33
 mass number, 227
 mass spectrometry
 gas concentration measurement, 90–91
 mean (measure of central tendency), 8–9
 mean arterial pressure (MAP), 160
 measurement
 SI (Système Internationale) units, 25–28
 mechanical strain gauge flowmeter, 78–79
 mechanical ventilation, 137–141
 ‘bag squeezer’ ventilators, 141
 classification by cycling, 138–140
 classification by mode of operation, 140–141
 intermittent blower ventilators, 141
 intermittent positive pressure ventilation (IPPV), 138–139
 ‘mechanical thumb’ ventilators, 140
 minute-volume dividers, 140–141
 negative versus positive pressure ventilation, 138
 positive end-expiratory pressure (PEEP), 138–139
 positive pressure ventilators, 138–141
 pressure-control ventilation (PCV), 140
 volume-control ventilation (VCV), 139–140
 mechanics
 acceleration, 32
 force, 32
 inertia, 33
 mass, 33
 momentum, 33
 Newton's laws of motion, 32–33
 pressure, 32–33
 velocity, 33
 weight, 33
 median (measure of central tendency), 8–9
 meta-analysis, 21
 metallic bonding, 228
 methaemoglobinaemia
 effect on measured SpO₂, 102–103
 methylene blue
 effect on measured SpO₂, 103
 MIBI scanning, 236
 minimum alveolar concentration (MAC) of anaesthetic vapours, 117
 mode (measure of central tendency), 8–9
 molar heat capacity, 41
 mole, 227
 Avogadro's constant, 61
 momentum, 33
 motor unit potential (MUP), 253
 multivariate regression, 13–14
 myocardial ischaemia and infarction
 ECG findings, 249–252
 Napier's number, 8
 narcosis related to hyperbaric systems, 124
 Narcotrend™, 253
 nebulizers, 49–50
 ultrasonic nebulizers, 223
 negative predictive value (NPV), 12–13
 neutrinos, 229
 neutrons, 226–227
 Newton, Isaac, 31
 laws of motion, 32–33, 200
 Newtonian fluids, 54–56
 nitrogen meter, 94
 nitrous oxide
 as a fuel and an oxygen source, 149
 key properties, 117–119
 latent heat of evaporation, 116
 pipeline supply, 82–83
 volume of gas in a cylinder, 80–81
 non-invasive finger-cuff technology, 182–183
 non-Newtonian fluids, 56–57
 normal distribution, 6–7
 nuclear medicine, 236
 nucleons, 226–227
 nuclides, 227
 null hypothesis, 18
 number needed to harm (NNH), 16
 number needed to treat (NNT), 16
 Nyquist limit, 222
 observer bias, 4
 Occupational Health and Safety Act (OHSA) (USA)
 permitted limits for anaesthetic agents in the theatre environment, 146–147
 odds, 16–17
 odds ratio (OR), 16–17
 oesophageal Doppler monitor (ODM), 221–222
 Ohm's law, 30, 150
 oil:gas (O/G) partition coefficient of anaesthetic vapours, 117–119
 open or open-label studies, 3
 optical discs, 242
 optical fibres, 242–244
 osmosis, 58–59
 oxidizers
 fire and explosion risk, 149
 oxygen
 oxygen concentrator, 84
 paramagnetic oxygen analyzer, 87–89
 vacuum-insulated evaporator (VIE), 82–84
 volume of gas in a cylinder, 80
 oxygen failure whistle, 72–73
 oxygen toxicity
 related to hyperbaric systems, 124–125
p-value, 11, 19
 pacemakers. *See* cardiac pacing
 paramagnetic oxygen analyzer, 87–89
 parameters of populations, 10
 Pascal's principle, 58–59
 PCO₂ electrode, 107
 peak-flowmeters, 77
 Pearson's correlation coefficient, 11
 Penaz principle, 164
 Pendelluft ventilation, 143
 periodic table of elements, 227
 PET (positron emission tomography), 236
 pH electrode, 105–106
 phase of a cycle, 209
 phases of matter
 condensation, 115
 critical point, 115
 critical temperature, 115
 definition of vapour, 115
 deposition, 115
 energy and phase change, 115–117
 enthalpy, 117
 entropy and phase change, 117
 evaporation, 115
 fluids, 114
 gas phase, 113
 latent heat of evaporation, 116
 latent heat of fusion, 116
 liquid phase, 113
 melting, 115
 phase changes, 114–115
 phase diagram, 114–115
 plasma, 113
 principal phases, 113–114

- pseudo-critical temperature of gas mixtures, 116–117
- saturated vapour pressure, 115
- solid phase, 113
- temperature and phase change, 115–117
- triple point, 115
- vapour pressure, 115
- phlebostatic axis, 160, 163
- phosphor thermometry, 45
- phosphorescence, 240
- photoelectric effect, 235–236
- photons, 230
- photoplethysmograph, 164
- PiCCOTM, 182
- PICO model, 1–2
- piezoelectric absorption
- gas concentration measurement, 92–93
- piezoelectric effect, 92–93, 208, 216–217
- pitot-tube pneumotachograph, 77–78
- Plank's constant, 228, 239
- platinum resistance thermometers, 43–44
- plenum vaporizers, 119–121
- pneumotachograph, 77–78
- PO₂ electrodes, 104–105
- Poiseuille's law, 54–55
- Poisson distribution, 14
- Poisson regression, 14
- portable ventilators, 141–142
- positive end-expiratory pressure (PEEP), 138–139
- positive predictive value (PPV), 12–13
- potential energy, 32
- powders
- properties of, 54
- power, 32
- Poynting effect, 82
- pressure, 32
- definition, 70
 - units of measure, 70
- pressure (mechanics), 33
- pressure-control ventilation (PCV), 140–144
- pressure-reducing valves, 72
- probability, 14–15
- conditional probability, 14
 - frequentist statistical approach, 14–15
 - objectivism, 14–15
 - posterior probability, 14
 - prior probability, 14
 - quantifying, 15
 - subjectivism, 14
- protons, 226–227
- pseudo-critical temperature
- mixtures of gases, 116–117
- psychrometers, 46
- publication bias, 4, 21–22
- pulmonary artery catheter (PAC), 178–180
- pulmonary artery pressure, 165
- pulse-echo principle, 218
- pulse oximetry, 98–101
- causes of incorrect SpO₂ readings, 100, 102–104
 - development of devices, 97
 - SaO₂ (arterial oxygen saturation), 98
 - SpO₂ (pulse-oximetry oxygen saturation), 98
- pulse-oximetry limitations, 102–104
- anaemia with co-existing hypoxia, 103–104
 - carboxyhaemoglobin, 104
 - finger nail polish, 103
 - haemoglobinopathies, 103
 - intravenous pigmented dyes, 103
 - methaemoglobinaemia, 102–103
 - movement artefact, 103
 - poor perfusion, 103
 - sulph-haemoglobinaemia, 103
 - venous pulsations, 103
- Pythagoras, 207
- quantum mechanics, 226–227
- radiation (ionizing), 40
- radiation (thermal), 39–40
- radiation and decay, 228–229
- alpha radiation, 229
 - beta radiation, 229–230
 - gamma radiation, 229–230
 - half-life, 229–230
 - X-ray radiation, 229–230
- radiation safety, 230–232
- Raman effect, 90–91
- Raman gas analyzers, 90–91
- randomization, 3
- avoiding selection bias, 3
- range, 9–11
- Rayleigh refractometer, 92
- Rayleigh scattering, 90, 92, 212–213, 222
- reflection, laws of, 211
- refractive index, 92, 242–243
- refractometry
- gas concentration measurement, 92
- Regnault's hygrometer, 46–47
- regression, 13–14
- resistive hygrometers, 46
- reverse piezoelectric effect, 216
- Reynolds number, 56
- rheology, 57
- risk, 15–17
- absolute risk (AR), 15
 - risk ratio (relative risk), 15–16
- Ritchie oxygen failure whistle, 72–73
- safety
- electrical safety, 150–155
 - fires and explosions, 148–150
 - humidity and electrostatic discharge prevention, 155
 - issues relating to humidity, 45
 - lasers, 148–149
 - scavenging systems, 146–147
- sampling, 3
- saturated vapour pressure (SVP), 66, 115
- scatterplots, 11
- scavenging systems, 146–147
- adjuncts to scavenging, 147
 - collecting system, 147
 - components, 147
 - disposal system, 147
 - exterior port, 147
 - permitted limits for anaesthetic agents in the theatre environment, 146–147
 - receiving system, 147
 - transfer system, 147
- Schimmelbusch mask, 122
- Schrader connectors, 84
- Schrader sockets, 82
- scuba diving
- equipment, 105
 - rebreathing systems, 137
 - risk of flying after diving, 126
- See also* hyperbaric systems.
- Sechrist Bird VIP ventilator, 140
- second gas effect, 67
- Seebeck effect, 44
- selection bias, 3
- Severinghaus electrode, 107
- sevoflurane, 117–119
- SI (Système Internationale) units, 25–28
- ampere (electric current), 26
 - base units, 25–27
 - candela (luminescence), 26
 - derived units, 27–28
 - kelvin (temperature), 26
 - kilogram, 25–34
 - metre, 25–26
 - mole (amount of substance), 26
 - reporting style conventions, 27–28
 - second (time), 26
- sievert (Sv), 231
- Simpson's rule, 184
- skewed distributions, 6–7
- smoke detectors, 229
- SNAP (sensory nerve action potential), 253
- Snell's law, 214
- somatosensory evoked potential (SSEP), 253
- SONAR, 208, 223
- sound energy, 32
- sound intensity level (SIL), 209
- sound pressure level (SPL), 210

Index

- Spearman's rank correlation
 coefficient, 11
 specific heat capacity (SHC), 41
 specific latent heat, 41
 SPECT (single-photon emission
 computed tomography), 236
 spectroscopy, 228
 sphygmomanometers, 160–164
 aneroid sphygmomanometers, 162
 auscultatory method, 161
 digital sphygmomanometers, 163
 DINAMAP (device for indirect
 non-invasive automatic mean
 arterial pressure), 163
 elements required for BP
 measurement, 160–161
 factors affecting accuracy of
 measurement, 163–164
 less commonly used methods, 161
 mercury sphygmomanometers,
 161–162
 oscillometric method, 161
 phlebostatic axis, 163
 Von Recklinghausen
 oscillotonometer, 162–163
 SpO₂ (pulse-oximetry oxygen
 saturation), 98
 standard deviation (SD), 7, 9–11
 standard error, 10
 standard error of the mean (SEM), 10
 standards
 IEC standards for medical electrical
 equipment, 152–154
 static discharge
 lightning bolts, 48
 risk in the operating theatre, 48
 statistics
 absolute variation, 9
 agreement, 11–12
 analysis of variance (ANOVA), 20
 association, 11
 average, 8–9
 box-and-whisker plots, 9–10
 categorical data, 5
 chi-squared test, 19–20
 confidence intervals, 17–18
 continuous variables, 5
 correlation, 11
 correlation coefficients, 11
 data representation, 5–8
 data types, 4–5
 deductive statistics, 14–20
 descriptive statistics, 4–8
 dichotomous data, 5
 discrete variables, 5
 distinction from population
 parameters, 10
 exponential distribution, 7–8
 Fisher's exact test, 20
 Forest plot, 21
 fragility index, 18
 funnel plot, 21–22
 goodness-of-fit measures, 14
 hazard, 17
 hazard ratio (HR), 17
 hypothesis testing, 18–19
 hypothesis tests, 19–20
 importance in medicine, 1
 interquartile range (IQR), 9–11
 interval variables, 5–14
 Mann–Whitney U test, 20
 mean, 8–9
 measures of central tendency, 8–9
 measures of spread, 9–11
 median, 8–9
 metric data, 5
 mode, 8–9
 negative predictive value (NPV),
 12–13
 nominal data, 5
 normal distribution, 6–7
 null hypothesis, 18
 odds, 16–17
 odds ratio (OR), 16–17
 ordinal data, 5
 p-value, 11, 19
 positive predictive value (PPV),
 12–13
 power calculation, 18–19
 probability, 14–15
 qualitative data, 5
 quantitative data, 5
 range, 9–11
 ranked data, 5
 ratio variables, 5–14
 regression, 13–14
 risk, 15–17
 risk ratio (relative risk), 15–16
 scatter plots, 11
 sensitivity, 12–13
 skewed distributions, 6–7
 specificity, 12–13
 standard deviation (SD), 9–11
 standard error, 10
 standard error of the mean (SEM), 10
 summary statistics, 8–14
 t-test, 19
 type 1 error, 18
 type 2 error, 18
 types of variables, 4–5
 variance, 9
 Wilcoxon signed rank sum test,
 20
 statistics in clinical practice
 evidence-based medicine, 22
 meta-analysis, 21
 publication bias, 21–22
 systematic review, 21
 Stewart–Hamilton equation, 176–177
 STIR (short T1 inversion recovery)
 imaging, 238
 study design
 allocation of participants to study
 groups, 3
 avoiding selection bias, 3
 bias, 3–4
 blinding, 3
 case-control studies, 2
 causes of incorrect recording of
 measurements, 3–4
 clinical standards, 4
 cohort studies, 2
 confounding, 4
 consideration by an ethics
 committee, 4
 crossover, 4
 cross-sectional studies, 2
 defining the research question, 1–2
 double-blinded studies, 3
 experimental studies, 2
 intention-to-treat analysis, 4
 key questions, 1
 observational studies, 2
 open or open-label studies, 3
 outcome measures (endpoints), 2
 PICO model, 1–2
 publication bias, 4
 randomization, 3
 sampling, 3
 uncertainty around outcome
 measures, 2
 sulph-haemoglobinaemia, 103
 Swan–Ganz catheter, 178
 systematic review, 21
 systolic blood pressure (SBP), 159–160

 t-test, 19
 technetium-sestamibi-99m, 236
 temperature
 absolute zero, 41
 apparent temperature, 46–48
 continuous variables, 5–14
 definition, 41
 laws of thermodynamics, 38–39
 phase change and, 115–117
 relationship to heat and humidity, 46–48
 thermometric properties, 42
 triple point of water, 41–42
 units of measurement, 41
 temperature measurement, 42–45
 tesla (T), 34
 theatre environment
 electrical safety, 150–155
 fires and explosions, 148–150

- humidity and electrostatic discharge prevention, 155
- scavenging systems, 146–147
- thermal energy, 32, 39
- thermistors, 44
- thermochromism, 43
- thermocouples, 44
- thermodynamics
 - first law, 31–32
 - laws of, 38–39
 - second law, 117
- thermometers, 42–45
 - alcohol thermometers, 42
 - bimetallic-strip thermometers, 43
 - Bourdon gauge thermometer, 42–43
 - electrical devices, 42
 - fibre-optic thermometers, 44–45
 - Galilean thermometer, 45
 - infrared thermometers, 43
 - liquid crystal thermometers, 43
 - liquid thermometers, 42
 - mercury thermometers, 42
 - non-electric thermometers, 42
 - phosphor thermometry, 45
 - platinum resistance thermometers, 43–44
 - thermistors, 44
 - thermocouples, 44
 - tympanic-membrane thermometers, 43
- thermometric properties, 42
- thermometry, 42
- Torriceilian vacuum, 72
- total internal reflection (optical fibres), 242–243
- transducers, 36
- transformers, 31
- trans-oesophageal echocardiography (TOE), 183
- transthoracic echocardiography, 183–184
- transthoracic electrical bio-impedance (TEB), 184
- triple point, 115
- triple point of water, 41–42
- tympanic-membrane thermometers, 43
- type 1 error, 18
- type 2 error, 18
- ultrasonic nebulizers, 223
- ultrasonic scalpels, 223
- ultrasound
 - 3D and 4D ultrasound, 222
 - A-mode (amplitude mode), 217
- acoustic impedance for human tissues, 210
- applications outside of clinical imaging, 223
- artefacts, 218–219
- attenuation coefficients of human tissues, 210–211
- B-mode (brightness mode), 217–218
- basic image generation, 217–219
- Doppler imaging, 219–222
- fundamentals, 208–213
- high-intensity focused ultrasound (HIFU), 223
- history of development, 207–208
- image processing, 219
- M-mode (motion mode), 218
- piezoelectric effect, 216–217
- probe construction and behaviour, 213–216
- propagation velocities for human tissues, 210
- properties of ultrasound waves, 208–210
- pulse-echo principle, 218
- reflection of energy, 211–213
- reverse piezoelectric effect, 216
- timed gain compensation (TGC), 211
- ultraviolet absorption
 - gas concentration measurement, 93–94
- universal gas law, 61, 65–66
- vacuum-insulated evaporator (VIE)
 - oxygen supply, 82–84
- vacuum-insulated oxygen evaporator
 - action of the superheater, 116
- vaporizers, 119
 - direct-injection vaporizers, 122
 - draw-over vaporizers, 122
 - entropy and phase change, 115
 - ether inhaler, 122
 - hazards associated with, 123–124
 - operation with the circle breathing system, 137
 - plenum vaporizers, 119–121
 - safety features, 122–123
 - saturated vapour pressure, 115
 - Schimmelbusch mask, 122
 - systems of historical interest, 122
 - vapour-injection vaporizers, 121–122
- vapour
 - definition, 115
 - See also* anaesthetic vapours.
- vapour-injection vaporizers, 122
- vapour pressure, 115
- variable-orifice flowmeters, 76–77
- velocity, 33
- ventilators and breathing systems, 130
 - airway pressure release ventilation (APRV), 143
 - alternative modes of ventilation, 142–144
 - Bernoulli principle, 130–131
 - bi-level positive airway pressure (BiPAP) devices, 132
 - circle breathing system, 137
 - classification systems, 132
 - components of breathing systems, 132
 - continuous positive airway pressure (CPAP) devices, 131–132
 - extracorporeal CO₂ removal (ECCO₂R), 143–144
 - extra-corporeal membrane oxygenation (ECMO), 143–144
 - high-flow nasal oxygen (HFNO) devices, 132
 - high-frequency oscillating ventilator (HFOV), 142–143
 - Humphrey ADE system, 136
 - ideal characteristics, 132–133
 - Mapleson A system, 133–134
 - Mapleson B system, 134–135
 - Mapleson C system, 135
 - Mapleson classification, 133–136
 - Mapleson D, E and F systems, 135–136
 - mechanical ventilation, 137–141
 - non-invasive ventilation (NIV), 131–132
 - open, semi-open, semi-closed and closed systems, 133
 - portable ventilators, 141–142
 - Venturi effect, 130–131
- ventiPACTM ventilator, 141–142
- ventricular assist devices (VADs), 204–205
- Venturi effect, 60, 130–131
- Venturi masks, 131
- Venturi oxygen masks, 60
- viscosity
 - dynamic viscosity, 56
 - kinematic velocity, 56
- visual echocardiography, 183–184
- Vitalograph[®], 74
- volume-clamp method, 164, 182
- volume-control ventilation (VCV), 139–140
- Von Recklinghausen oscillotonometer, 162–163
- voxels, 233

Index

washout curve, 175–176	weber (Wb), 34	work
water	weight (mechanics), 33	definition, 31–32
triple point, 41–42	wet and dry bulb hygrometers, 46	energy and, 31–32
water-bath humidifiers, 49	Wheatstone bridge, 166–167	World Health Organization (WHO)
Water’s bag, 135	Wilcoxon rank sum test, 20	Surgical Safety Checklist, 149
wavelength, 209	Wilcoxon signed rank sum test,	Wright respirometer, 74–75
waves	20	
properties of, 208–210	Wood’s metal, 82	X-ray radiation, 229–230