

Index

- Abbott, Gilbert, 204
- ABCD algorithm
- airway, 391–394
 - breathing, 394–396
 - circulation, 396–398
- ABCDE approach
- decision making, 420
 - resuscitation, 408–414
 - task fixation, 420
 - task management, 420
 - team-working and leadership, 420
- abortion, 43
- and conscientious objection, 23–24
- absorbable sutures, 357
- accidental awareness during general anaesthesia (AAGA), 246
- accountability, 445
- in healthcare practice, 30
 - negligence and, 31–32, 33
- accountable and supplementary items, 288–290
- acquired venous thromboembolism (VTE) disease, 280
- active gas scavenging system (AGSS), 215
- Acute Coronary Syndrome (ACS), 153
- Acute Disseminated Intravascular Coagulopathy (DIC), 156–157
- treatment of, 157
- acute respiratory distress syndrome (ARDS), 148
- adenosine triphosphate (ATP), 314
- measurement, 268
- adjustable pressure limiting (APL) valve, 213
- admissions lounge, 59–60
- adolescent, 365
- Adult Respiratory Distress Syndrome (ARDS), 141
- advance decisions, 38–39
- Advanced Life Support (ALS) Algorithm, 414
- afferent sensing process, 312
- age
- aging patients, 350
 - risk for intraoperative deaths due to, 433
- agents. *See* anaesthetic agents
- airway
- ABCD algorithm, 391
 - advanced management of, 123–130
 - airway maintenance, 111, 168
 - anatomy of, 116–117
 - and lungs of paediatric patients, 365–366
 - aspiration of, 394
 - assessment of, 391–392
 - conducting, 100
 - equipment, 386
 - intervention and evaluation, 392–393
 - laryngospasm, 393
 - management of, 116, 119–120
 - obstruction, 384
 - obstruction of, 408–409
 - preoperative assessment, 117–119
 - respiratory, 101
- airway devices, 119–122
- second generation supraglottic, 122–123
- airway gases, analysis of, 177
- alfentanil, 166, 239, 380
- alginate dressings, 352
- American Society of Anaesthesiologists (ASA), 242
- American Society of Anesthesiologists (ASA) Physical Status Classification System status, risk factor for intraoperative deaths and, 433–434
- aminosteroid agents, 234
- anaesthesia, 107
- balanced, 109
 - delayed emergence from, 400
 - delirium on regaining consciousness from general, 400
 - effect of on body temperature, 319
 - emergence and recovery from, 114–115
 - emergency, 242–243
 - epidural, 196–198
 - for fetal surgery, 252
 - general, 246, 315–316, 370
 - Guedel classification and, 109–110
 - history of, 108
 - homeostasis and, 396
 - induction of, 109
 - maintenance of general, 112–113
 - mechanism of action and, 108–109
 - monitoring (depth of), 113–114
 - obstetric, 243
 - phases of, 109
 - problems during, 87–88
 - process of induction and, 110–111
 - regional, 191, 315
 - spinal, 192–196
 - spinal and epidural, 245
 - total intravenous (TIVA), 164–167
- Anaesthesia Associate (AA)
- education for, 448
 - history of, 448
 - opposition to the role of, 449
 - professional and legal implications and, 449
 - role boundaries of, 449
- Anaesthesia Associate Postgraduate Diploma, 448
- anaesthetic agents and cardiovascular function, 328
- commonly used, 225–227
 - routes of administration, 225–228

- anaesthetic agents, inhalation, 229–231
 desflurane, 231
 environmental effects of, 232
 isoflurane, 231
 nitrous oxide (N₂O), 231
 sevoflurane, 231
 Xenon, 232
- Anaesthetic Associate (AA), 443
- anaesthetic breathing systems, 136, 218
 definitions used for, 218–219
 ideal breathing system, 218
- anaesthetic care, 448
- anaesthetic equipment, 60
 paediatric patients and, 370
- anaesthetic machine, 60, 112, 126, 136, 204–205, 210
 adjustable pressure limiting valve, 214–215
 back bar and vaporisers of the, 211–212
 checking, 216
 circle breathing system and Ventilator, 212–213
 common gas outlet, 212
 cylinder safety features, 208–209
 emergency oxygen flush, 213
 features of the, 206–207
 flexible pipeline hoses and, 207
 flowmeters and, 210–211
 gas cylinder and, 208
 history of, 204
 how to check the, 216
 oxygen failure warning device, 213
 piped gas supply, 207
 pressure gauges and, 209
 pressure regulators and, 210
 prevention of hypoxic gas delivery, 213–214
 purpose of, 204
 scavenging systems and, 215
 suction apparatus and, 215
 units of pressure and, 205
- anaesthetic room, 60
- anaesthetics, local, 235, 381
 absorption and toxicity, 236
 anticholinergics, 237
 antiemetics, 237
 antihypertensives, 237
 cardiovascular drugs, 236
 vasopressors by bolus, 236
 vasopressors by infusion, 236
- analgesia, 114, 238
 drugs used in multimodal, 402
 multimodal, 402
 non-opioid, 238
 other, 403
 postoperative, 150
 simple, 379, 402
- anaphylaxis, 143, 152, 343
 lower risk of, 326
 treatment for, 143–144
- angiotensin converting enzyme (ACE), 325
- antagonists
 5-HT₃, 238
 dopamine, 237
 specific, 396
- antibiotics, 239
 antibiotic resistance, 76–77
- antibodies
 blood group, 336
 immune, 338
 naturally occurring, 336–337
- anticholinergics, 88, 97, 168, 237, 238
- anticoagulation, 157
- anticonvulsants, 380
- antidepressants, 380
- antiemetics, 237, 238
- antihistamines, 238
- antihypertensives, 237
- Antimicrobial resistance (AMR), 76
- aortic stenosis (AS), 153
- arrhythmias, 127, 154, 202, 396
- arterial cannulation, 180
 contraindications and, 180
- artificial ventilation, 134
 history of, 134
- aspiration, 111, 112, 394
- aspiration pneumonia, 147
- aspiration, gastric, 147–148
- assessments
 of the surgical patient, 4
 risk, 4
- Association for Perioperative Practice (AfPP), 73
- Association for Perioperative Practitioners (AfPP), 11
- Association of Anaesthetists, 317
- Association of Anaesthetists of Great Britain and Ireland (AAGBI), 192, 216
- asthma, 140
- atrial fibrillation (AF), 94–95
- atrial flutter, 95
- Autism, Measles, Mumps and Rubella (MMR) vaccine link to, 11
- Automatic Endoscope Reprocessor (AER), 270
- autonomy, 34
- awareness, 168
 situational, 419–420
- Ayre's T-Piece circuit, 212, 370,
See also Mapleson, William
- back bar, 211–212
- backtracking process, 169–170
- bag-valve-mask, 396
- Bain system, 221
- bariatric patients, 255
 anaesthetic care of, 259–260
 patient positioning and manual handling, 260–261
 physiological changes in, 256
 postoperative care of, 261
 preoperative assessment and preparation of, 258
 preparation of the theatre, 258–259
 psychological considerations for, 258
 respiratory function of, 256
 risk of reflux, 258
 surgery of, 261
- bedside equipment. *See* equipment
- benzylisoquinolinium agents, 234
- bipolar diathermy, 279
- bleeding. *See* blood
- blood
 antibodies, 336
 blood groups, 336
 coagulation profile of, 345
 components used for transfusion, 342–343
 immune antibodies, 338
 naturally occurring antibodies, 336–337
 physiological role of, 334
 physiology of haemoglobin and oxygen affinity, 335
 processing and storage of, 339
 red blood cells, 334, 335

- blood (cont.)
 selection of blood
 donors, 338
 surgical control of
 bleeding, 345
 white blood cells, 335
 blood pressure, 198
 children's, 366
 high, 82
 invasive monitoring of,
 180, 188
 non-invasive, 174–175
 blood products, 143, 157
 blood transfusion, 336
 adverse effects of, 343
 alternatives to, 346
 crossmatch tests, 341–342
 cryoprecipitate, 342–343
 delayed adverse reactions,
 344–345
 fresh frozen plasma, 342
 history of, 336
 immediate adverse reactions,
 343–344
 maintenance of adequate
 circulating volume, 345
 massive, 345
 oxygen carriage and, 345
 platelets, 343
 procedures, 338, 339–341
 red cell components, 342
 screening donors, 338
 selection of blood
 donors, 338
 body heat. *See* body
 temperature
 body temperature, 311–312
 afferent sensing, 312
 central control, 313
 cold-fibres, 312
 conduction, 314
 convection, 315
 core, 311
 evaporation, 314
 maintaining or
 increasing, 314
 measurement of, 319–320
 nociceptor (pain)
 fibres, 312
 radiation, 314
 reducing, 314–315
 regulation of, 312–315
 transient Receptor Potential
 (TRP) channels, 312
 voluntary responses, 313
 warm-fibres, 312
*Bolam v. Friern Hospital
 Management
 Committee*, 32
*Bolitho v. City and Hackney
 Health Authority*, 33
 Boyle, HEG, 204
 bradyarrhythmias, 96
 bradycardias, 87–88, 93, 96, 98,
 168, 234, 236, 238,
 366, 381
 caused by, 396
 hypertension and, 145
 isolated, 237
 tachycardias and, 94
 treatment of, 369
 Brain, Archibald, 120
 breathing, 409–410
 risk assessment, 394
 breathing equipment. *See*
 equipment
 breathing systems, 204,
 212–213, 214, 218, 219,
 259, 370
 anaesthetic, 136
 anaesthetic machines
 and, 112
 circle, 222, 417
 HME filter and, 223
 ideal, 218
 Brief Pain Inventory, 377
 broad complex
 tachyarrhythmias, 95
 Bromiley, Martin, 422
 bronchoscopy, fibre optic, 129
 caesarean section, 249–250
Campbell v. MGN, 42
 cannula. *See also* cannulation
 removal of the arterial, 185
 removal of the central
 venous, 189
 cannulation
 arterial, 180
 central venous, 185–186
 children and, 369
 complications of central
 venous, 189
 contraindications of
 arterial, 180
 equipment for central
 venous, 188
 insertion techniques, 181
 positioning the patient
 for, 188
 sites for, 180–181, 186
 capacity, 37
 sixteen-and seventeen-year-
 olds and, 40
 test for, 37
 cardiac arrest rhythms, 408
 non-shockable, 415
 perioperative, 418–419
 reversible causes, 415–416
 shockable, 415
 cardiac arrhythmias, 94
 cardiac conduction system, 83,
 89–93
 cardiac cycle, 82–83
 cardiac muscle, 85
 cardiac output, determinants
 of, 85–87
 cardiac rate, 93–94
 cardiogenic shock, 153–154
 treatment of, 154
 cardiopulmonary resuscitation
 (CPR), 407
 cardiorespiratory arrest,
 407–408
 management of, 414–417
 cardio-respiratory system, 328
 cardiocography (CTG), 252
 cardiovascular drugs, 236
 cardiovascular emergencies,
 150–154
 cardiovascular function, 328
 cardiovascular system, 257
 anatomy of, 81
 cardiac conduction
 system, 83
 cardiac cycle, 82–83
 pulmonary circulation, 81
 systemic circulation, 82
 care
 anaesthetic, 259–260
 definition of, 1
 duty of, 32
 holistic, 2
 models of, 2–4
 monitoring of, 6–7
 nursing, 1
 perioperative, 1, 114, 287
 postoperative, 168
 post-resuscitation, 418
 principle of, 1
 principles of perioperative, 7
 recording, 5–6
 standard of, 32–33
 theories of, 2
 Care Inspectorate, 6
 care process
 implementation of, 5
 planning of, 4

- rechecking and evaluating the, 5
- systematic diagnosis and, 4
- Care Quality Commission, 6
- care, ASPIRE process of, 3
- Carter Braine support, 308
- categorical moral imperatives, 18
- causation, 33–34
- cell salvage, 346
- central control, 313
- central nervous system, 140
- central neuraxial blockade, 192
- central venous pressure measurement of, 185–186, 189
- Charnley, John, 64
- chemoreceptor trigger zone (CTZ), 237
- children, 365
 - care for, 365
 - decision-making and, 40
 - developmental psychology and, 367
 - effect of hospital admission on, 367
 - in the PACU, 404
 - paediatric anaesthesia and, 365
 - recovery and post anaesthetic care unit (PACU), 65
 - sixteen- and seventeen-year-olds, 40
 - under sixteen, 40–41
 - welfare of, 41
- chronic obstructive pulmonary disease (COPD), 4, 140
- circle system, the, 222
- circulation, 396–398, 410–412
 - pulmonary, 81
 - systemic, 82
- cleaning process, 267–268
 - determining cleanliness, 268
 - ultrasonic cleaners, 268
- clinical governance, 6, 51
- clinical pharmacology, 224
- clinical Waste bags, 297
- clinical waste segregation tables, 295
- clonidine, 381
- clotting process, 348
- coagulation profile, 345
- coagulopathies, dilutional, 345
- Cochrane Library, 11
- cold-fibres, 312
- collagen dressings, 352
- College of Operating Department Practitioners (CODP), 11
- colour coding systems, 295
- COMFORT scale, 376
- common gas outlet, 212
- compatibility tests, 341–342, *See also* blood transfusion
- competitively blocks acetylcholine (ACh), 112
- conduction, 314, 320
- Confidential Enquiry into Postoperative Deaths (CEPOD), 345
- confidentiality, 41
 - disclosure and breach of, 42–44
 - duty of, 42
- conscientious objection
 - abortion and, 23–24
 - and professional standards, 24
 - in healthcare, 22–23
- consciousness
 - delirium on regaining consciousness from general anaesthesia, 400
 - regaining from general anaesthesia, 400
- consent, 34
 - informed, 18, 21, 35–36, 39, 192, 200, 341
 - to disclose, 42
 - treatment without, 35
- consequentialism, 17, *See also* moral dilemmas
- contact time, 269
- continuous positive airway pressure (CPAP), 261, 366
- Control of Substances Hazardous to Health (COSHH), 277
 - 2002, 54
 - Regulations, 63, 292, 297
- controlled mechanical ventilation (CMV), 137
- convection, 315, 320
- COVID-19 pandemic, 439
- CPAP (Continuous Positive-Airway Pressure), 138
- cricoid pressure, 111
- CRIES scale, 376
- criminal and civil law, 28
- Critical Incident Stress Management Intervention (CISM), 438
- crossmatch tests, 341–342
- cryoprecipitate, 342–343, 344
- cuffed endotracheal tubes (ETTs), 370–371
- culture, 427
- Cumulative Index of Nursing and Allied Health Literature (CINAHL), 11
- cyclo-oxygenase enzyme (COX-2), 379
- cylinders
 - gas, 208
 - safety features of, 208–209
- Data Protection Act (2018), 43
- Day Surgery Units (DSU), 58
- dead space, 103
- deaths
 - as a traumatic event, 435–436
 - intraoperative, 432, 439
 - recognising intraoperative deaths in surgery, 436–437
 - risk factors for intraoperative, 433–435
 - support for intraoperative, 437
 - what to do after intraoperative, 439
- decontamination, 264, 277
 - Automatic Endoscope Reprocessor (AER), 270
- cleaning process, 267–268
- contact time and, 269
- disinfection process, 268–269
- facilities for, 272
- life cycle, 266–267
- manual cleaning and, 268
- of medical equipment, 277
- processes of, 266–273
- reasons for, 264
- sterilisation, 270, 273
- thermal washer–disinfectors, 269
- UK healthcare legislation and the UK, 264–266
- ultrasonic cleaners and, 268

- deep vein thrombosis (DVT), 280
 defibrillation, 415, 416–417
 defibrillator pads, 89, 417
 sizes of defibrillator pads, 89
 delirium, emergence, 400
 deontology, 17–18
 Department of Health & Social Care, 57
 Department of Health (DoH), 11, 30, 72, 446, 448
 antimicrobial stewardship program, 75
 assessment tools from, 280
 decontamination recommendations, 268
 guidelines, 65
 Health Building Note (HBN) 13 manual, 272
 Department of Health and Social Care, 264
 desflurane, 231
 decontamination, 264
 dexamethasone, 238
 diabetes, 156, 257, 351
 diabetic ketoacidosis (DKA), 154
 treatment of, 154–155
 gestational, 243
 disability
 airway obstruction and, 412–413
 neurological status, 400
 discharge criteria, 5, 261, 388, 404
 checklist, 6
 disclosure
 and breach of confidentiality, 42–44
 consent to, 42
 under the Mental Capacity Act (MCA), 43–44
 disinfection process, 268–269, 273
 distributive shock, 152
 double-lumen endobronchial tubes (DLTs), 129
 downtime, 437
 drains, 156, 439
 classification of surgical, 354
 insertion of, 447
 surgical, 353–354
 wound, 53, 261, 347
 drug reactions, adverse, 143–145
 drugs. *See* anaesthetic agents adjunct, 380
 used at bedside, 387
 duty of care, 32
 echocardiogram (ECG), 175–177, 192
 education
 Anaesthesia Associate (AA), 448
 for coping, 439
 Surgical Care Practitioner (SCP), 446–447
 Surgical First Assistant (SFA), 444
 electrocardiogram (ECG), 84–85, 89
 monitoring the, 89
 electroencephalogram (EEG), 113
 Embase, 11
 emergence, postoperative care and, 168
 emergencies, 35
 emergency procedures, 147, 242, 249, 371
 endotracheal intubation, 100, 111, 123
 endotracheal tubes (ETTs), 54, 100, 111, 121, 123–124, 126, 129, 136, 177, 218, 223
 correct placement of, 127
 cuffed versus uncuffed, 370–371
 fibre-optic bronchoscopy and, 129
 reinforced, 128–129, 266
 second generation devices and, 122–123
 size and depth of, 371
 via oral or nasal cavity, 123
 environment, working, 426–427
 epidural anaesthesia, 196–198
 epilepsy, 145
 Equality Act (2010), 30
 equipment
 bedside, 386
 daily checks of, 387
 emergency, 387
 miscellaneous bedside, 387
 monitoring, 386
 transfusion, 386
 ergonomics. *See* human factors
 ethics
 ethical dilemmas, 16–17, 251
 in healthcare, 15, 16
 law and, 19
 moral theory and, 16–17
 virtue, 18
 etomidate, 229
 EU General Data Protection Regulation, 41
Eudomonas aeruginosa
 bacteraemia, 72
 European Convention on Human Rights, 24
 European Court of Human Rights (ECtHR), 24
 European Medical Devices Regulation, 274
 evaporation, 314
 events, never, 427
 evidence
 basic hierarchy of, 10
 finding, 10–11
 in support of perioperative practice, 11–12
 sources of, 10–11
 evidence-based practice (EBP), 9
 barriers to, 12
 definition of, 9
 future practice development and, 12–13
 importance of, 9–10
 exposure, causes for sick patient's condition, 413–414
 extra corporeal membrane oxygenation (ECMO), 139
 extubation, 110, 114, 126, 147, 260, 371, 394
 post, 128
 fentanyl, 166, 239
 fetal surgery, anaesthesia for, 252
 FiberWire®, 363
 firefly luciferase, 108
 Five Steps to Safer Surgery, 287, 292
 flexible pipeline hoses, 207
 flooring/floor, 65–66
 flowmeters, 210–211
 fluid loss
 conditions associated with, 331
 fluid management, 329
 anaesthetic agents and cardiovascular function, 328

- benefits of, 330
 definitions, 322
 fluid loss conditions and, 331
 fluid movement, 322–325
 fluid regulation, 324–326
 intraoperative care, 327–328
 intraoperative fluid
 assessment, 328
 intraoperative fluid
 delivery, 329
 intraoperative fluid
 losses, 328
 perioperative, 322
 postoperative, 330
 preoperative assessment of
 fluid status, 327
 foam dressings, 352
 Francis, Robert, 34
 Frank–Starling relationship,
 322–324
 frozen section, 293–295
 functional residual capacity
 (FRC), 102, 256, 303
 gas outlet, common, 212
 gas supply, 207
 cylinder, 208
 flexible pipeline hoses, 207
 flowmeters, 210–211
 gastric aspiration, 147–148
 treatment for, 148–149
 gastrointestinal system, 258
 gauges, pressure, 209
 gauze, 352
 general anaesthesia, 107, 143,
 147, 156, 164
 accidental awareness and,
 166, 168
 airway maintenance and, 111
 ECG monitoring during, 89
 emergence from, 53
 maintenance of, 112–113
 monitoring and, 172
 monitoring standards
 for, 110
 pregnancy and, 246
 regional anaesthesia and, 191
 General Data Protection
 Regulation (GDPR), 43
 General Medical Council
 (GMC), 11, 20, 24, 31,
 34, 450
 guidelines, 35
 General Nursing Council, 20
 Gillick competence
 *Gillick v. West Norfolk and
 Wisbech Area Health
 Authority*, 40, 43
 glycaemic control, 257
 goal-directed therapy, 328
 *Great Ormond Street Hospital
 v. Yates and Gard*, 41
 Guedel, Arthur Ernest, 109
 Guedel airway, 111, 120
 Guedel classification,
 109–110
 Guidance on Personal Beliefs
 and Medical Practice,
 GMC's, 24
 Guidelines for the Provision of
 Anaesthetic Services for
 Postoperative Care, 384
 Gwathmey, JT, 204
 haematologic emergencies,
 156–158
 haemodynamic monitoring
 process, 180–182
 haemoglobin
 physiology Of, 335
 haemolysis, delayed, 344–345
 haemolytic disease of the foetus
 and newborn
 (HDFN), 338
 Haemonetics Cell Saver
 systems, 346
 haemophilia A, 343
 hazard, 51
 risks and, 51, 53
 trip, 51
 head-elevated laryngoscopy
 pillow (HELP), 246
 Health & Safety at Work Act
 (1974), 277
 Health and Care Professions
 Council (HCPC), 6, 20,
 24, 49
 Health and Safety (Display
 Screen Equipment)
 Regulations (1992),
 The, 52
 Health and Safety at Work Act
 (HASAWA), 49, 62
 overview of, 50–51
 Health and Safety Executive
 (HSE), 49
 health and safety legislation,
 297–298
 health and safety process
 rationale for, 49–50
 health and safety regulations,
 51–54
 Health and Social Care Act
 2008, 266, 274
 2012, 30
 Health Building Note (HBN)
 13, 272
 healthcare associated
 bloodstream infection
 (BSI), 72
 healthcare
 accountability and
 negligence, 31–32
 conscientious objection in,
 22–23
 ethics in, 15
 operating department design
 and, 66–67
 healthcare associated infections
 (HCAI), 71–72, 77, *See*
 also infections
 healthcare databases, 11
 Healthcare Inspectorate
 Wales, 6
 healthcare law, 28, 44
 healthcare practice, 16, 28
 equality in, 29–30
 ethical, 20
 ethical values in, 15
 moral theories, 17
 principlism in, 18
 responsibility and
 accountability, 30
 shared decision-making
 in, 19
 healthcare practitioners/
 professionals, 15, 16
 ethics and, 15
 fitness to practise
 of, 21–22
 paternalism, 18–19
 principlism, 18
 professional regulation,
 20–21
 professionalism of, 19–20
 the law and, 19
 virtue ethics and, 18
 heart blocks, 96
 first degree, 97
 Mobitz 2, 98
 second degree, 97–98
 third or complete, 98
 heat and moisture exchange
 (HME) filter,
 136–137, 223

- high-frequency oscillatory ventilation (HFOV), 138
- Hoffmann degradation, 234
- holism. *See also* care
- Hollnagel, Erik, 427
- Holmes, Oliver Wendell, 107
- homeostasis, 311–312, 347, 396
- hospital acquired pneumonia (HAP), 72
- human error, 422–424
- human factors
and healthcare, 422
definition of, 422
- Human Fertilisation and Embryology Act (1990), 23
- Human Rights Act (1998), 41, 42
- humans, predictable variability in, 424–425
- humidity, measurement of, 137
- hydrocolloid dressings, 351
- hydrogel dressings, 352
- hypertension, 82, 127, 145, 237, 283, 304, 328, 344, 398–400. *See also* blood pressure; hypotension, blood pressure
- pulmonary, 256, 257
- hyperthermia
malignant, 316–317
physiological effects of, 318–319
- hypoglycaemia, 146, 155–156
treatment, 146, 156
- hypotension, 88, 96, 114, 145, 149, 151, 152, 153, 202, 283, 328, 330, 381, 397
cause, 420
cause of, 97, 196, 198, 397
in bronchospasm, 234
management of, 143
risk assessment, 397–398
sudden, 143
treatment of, 398
- hypothermia, 311, 351, 401
inadvertent
intraoperative, 316
physiological effects of, 317–318
therapeutic, 317
- hypovolemic shock, 151, 331
treatment of, 151
- hypoxic gas delivery,
prevention of, 213–214
- implantable cardioverter-defibrillator (ICD), 89
- induction, 167–168
inhalational, 369
process of, 110–111
rapid sequence, 111
- induction agents,
intravenous, 227
etomidate, 229
ketamine, 228–229
propofol, 228
sodium thiopentone, 228
- infants, 367, 370
birth of D-positive, 338
definition of, 365
paediatric anaesthesia, 366
perioperative mortality rates for, 433
postoperative pain in, 372
premedication and, 368
pre-term, 74
pulse oximeters and, 173
risk of intraoperative mortality, 433
short-term separation and, 367
withdrawal of treatment from, 41
- infections, 350. *See also* surgical site infections (SSIs)
antibiotic resistance and, 76–77
chain of, 69–70
healthcare associated infections (HCAI), 71–72
infectious agent, 70
management of, 77
mode of transmission of, 71
patients and, 72–73
personal hygiene and prevention of, 72–73
portal of entry into the host, 71
portal of exit from the reservoir, 71
prevention and control (IPC) of, 72
prevention in the theatre environment, 75–76
prevention of, 69, 264, 297
reservoir for, 70
susceptible host, 71
- infectious agents, 70, 72
- infusion
maintenance of IV lines, 168
simple (of propofol), 165–166
- inhalational anaesthetic agents, 109
- injections, 165
- integrated care pathway (ICP), 6
- intermittent pneumatic compression (IPC)
devices, 280
- intermittent positive-pressure ventilation (IPPV), 124, 134, 328
- International Association for the Study of Pain (IASP), 375, 382
- International Standards Organisation (ISO), 208
- intervention, 396
stages of, 392–393
- intraoperative cell salvage device, 283–284
- intrauterine foetal death (IUED), 245
- intravenous fluids, 88, 114, 143, 175. *See also* fluid management
composition of, 326
premedications and, 225
- intubation, 100, 147, 235
aids used for, 124–126
endotracheal, 111, 123
fibre-optic
bronchoscopy, 129
sequence for, 127
specialist tubes and techniques, 127–129
traumatic, 394
- isoflurane, 231
- Jackson Rees modification, 370
- Jackson Rees modification (Mapleson F), 370
- Japanese Association for Acute Medicine, 318
- Kant, Immanuel, 18
- ketamine, 228–229, 328, 381
- kidney, 140
- Klebsiella*, 72
- laryngeal mask airway (LMA), 111, 120–122. *See also* airway devices
- laryngoscopy, 116, 118, 119, 127, 237, 239, 246, 256, 260, 370, 371

- direct, 120, 124, 366
- indirect, 130
- laryngoscopes for direct, 124
- laryngospasm, 371, 393, 394
 - treatment of, 369
- Lasting Power of Attorney (LPA), 39
- lateral position, 308–309
- law. *See also* healthcare law
 - conscientious objection in, 23–24
 - criminal and civil law, 28
 - healthcare, 28
 - sources of, 28–29
- lighting, 61–62
- lithotomy position, 306–308
- liver, 140
- Lloyd-Davies position, 306
- local anaesthetic systemic toxicity (LAST), 145, 191–192, 196, 198, 202, 236
 - treatment for, 145
- local anaesthetic toxicity. *See* local anaesthetic systemic toxicity (LAST)
- local anaesthetics, 235, 381
 - absorption and toxicity, 236
- Low Platelet levels (HELLP Syndrome), 243
- lower segment caesarean section (LSCS), 242
- lungs, 101, 102, 104, 105, 106, 128, 136, 139
 - fluid in the, 141
 - function of, 100
 - perfusion of, 105
 - respiratory system, 100
 - the airway and, 365–366
 - ventilators and, 134, 138
 - volumes of, 102
- Macintosh laryngoscope blades, 370
- Magill circuit, 219
- Magill forceps, 124, 128
- malignant hyperthermia, 144
- Management of Health and Safety at Work Regulations (1999), 54
- manual cleaning process, 268
- Manual Handling Operations Regulations (1992), 52–53
- Mapleson, William
 - lack modification, 219
 - Mapleson A system, 219
 - Mapleson B circuit, 220
 - Mapleson Breathing System classification, 219
 - Mapleson C, 417
 - Mapleson C circuit, 220, 396
 - Mapleson D circuit, 221
 - Mapleson E and F, 221
- McGill Pain Questionnaire, 377
- mean arterial pressure (MAP), 184
- Measles, Mumps and Rubella (MMR) vaccine
 - Autism link to, 11
- mechanical ventilation, 64
 - systemic effects of, 139–140
- Medical Associate Professionals (MAP), 449–450
- medical devices. *See* medical equipment
- medical equipment, 274
 - avoiding adverse events from, 280
 - bipolar diathermy, 279
 - decommissioning of, 277
 - definition of, 274
 - instructions on using, 276
 - intermittent Pneumatic Compression Devices, 280
 - maintenance, repair and reporting on, 276–277
 - monopolar diathermy, 278
 - procurement of, 275
 - training practitioners to use, 275
 - types of, 274
 - use of, 278–280
 - waveforms, 280
- Medical Royal Colleges, 11
- Medicines and Healthcare Products Regulatory Agency (MHRA), 264, 274
- Medline, 11
- Mental Capacity Act (MCA) 2005, 35, 37
 - disclosure under, 43–44
- metabolic emergencies, 154–156
- Methicillin-resistant Staphylococcus aureus (MRSA) bacteraemia, 72
- Micro-laryngeal tubes (MLTs), 128
- Mid-Staffordshire General Hospital Trust, 34
- Miller laryngoscope blades, 370
- minimum alveolar concentration (MAC), 113, 230
- minute ventilation, 103
- Mobitz 2, 98
- Modified Aldrete Score, 404
- monofilament sutures, 356
- monopolar diathermy, 278
- Montgomery v. Lanarkshire Health Board*, 35
- moral dilemmas, 16–17
- moral philosophy, 16
- moral theory, 16–17
- morbidity and mortality meetings, 439
- morphine, 239
- Morton, WTG, 204
- multifilament/braided sutures, 357
- muscle paralysis, 112
- muscle relaxants/relaxation, 109, 112, 177, 178, 232–235, 396
- muscular blocking agents, non-polarising, 234
- muscular contraction, 232
- myocardial infarction, 150
 - treatment of, 150–151
- narrow complex tachyarrhythmia, 94
- nasopharyngeal airway, 120, *See also* airway
- National Confidential Enquiry into Patient Outcome and Death (NCEPOD), 242
- National Early Warning Score System, 178
- National Framework for Decontamination Regulation, 266
- National Health Service (NHS), Constitution of the, 1
- National Institute for Health and Care Excellence (NICE), 11, 178, 188, 249, 439
 - recommendations from, 401

- National Patient Safety Agency (NPSA) Five Steps to Safer Surgery documentation, 4
- National Practitioner Programme, 446
- National Safety Standards for Invasive Procedures (NatSSIPs), 10, 287, 428
- National Surgical Qualitative Improvement Program, 433
- natural light, 61, 65
- nausea and vomiting, 108, 115, 150, 191, 228, 239, 380, 384, 402
management of, 237, 238, 389
postoperative, 403
- needles, 200, 288, 292, 358–360, *See also* sharps
accidental sticks from, 53
spinal, 195
tissue penetration and, 359–362
used, 51, 276
- negative pressure wound therapy (NPWT), 352
- negligence, 31, 43
accountability and, 31–32, 33
defence to, 33
tort of, 35
- neonates, 366, 367, 371, 407
anaesthetic equipment used for, 370
death of, 251
defibrillator pads, 89
definition of, 365
drugs used in obstetrics, 246
perioperative mortality rates for, 433
pulse oximeters for, 173
ventilators for, 141
- nerve stimulator, 112, 191, 198, 200–202, 260, 396
peripheral, 235
- neurogenic shock, 152
- neurological emergencies, 145–146
- neurological injury, 141
- neuromuscular blockade, 177, 396
blocking agents, 109, 143, 239
monitoring and reversal of, 234–235
- Neuromuscular Junction (NMJ), 232
- Nightingale, Florence, 2
- nitrous oxide (N₂O), 231
- NMBDs, Depolarising, 232–234
nociceptive, 377
nociceptor (pain) fibres, 312
- non-absorbable sutures, 357
- non-depolarising agents, 112
- non-discriminatory practice, 29–30
- non-invasive reusable equipment, 264
- non-steroidal anti-inflammatory drugs (NSAIDs), 238, 246, 379, 402
- normothermia, 178, 400, *See also* body temperature
maintaining, 314, 319, 351, 366, 367, 401
- nosocomial infection, 71
- nurses, 20, 216, 443
care given by, 1
Nurses, Midwives and Nursing Associates, 24
Registered Nurses and Nursing Associates, 21, 22
training of, 389
- Nurses Registration Act (1919), 20
- Nursing and Midwifery Council (NMC), 6, 20, 24, 34, 49
- nursing models, 3
- nursing process, 2, 4
- obesity, 147, 255, 257, 351, *See also* bariatric patients
defining, 255–256
functional residual capacity (FRC) in patients, 256
- Obesity Surgery Mortality Risk Stratification Score (OS-MRS), 262
- obstetrics
drugs used in, 246–248
emergencies in the theatres, 250–251
emergency care, 242
legal and ethical considerations in, 251
procedures of, 249, 250
theatres, 242, 243, 250
- obstructive shock, 152–153
- Office of the Public Guardian, 39
- oliguria, 330
- Open Athens account, 11
- operating department design, 57–58
admissions lounge, 59–60
anaesthetic room, 60
departmental layout, 59
flooring, 65–66
laminar flow, 64
lighting, 61–62
location of, 58
modular theatres, 66
operating theatre/operating room, 61
plenum, 63–64
preparation room, 60
recovery and post anaesthetic care unit (PACU), 65
scrub rooms, 61
security, 58
staff areas, 66
temperature and humidity, 64
theatre design, 66
ultra-clean ventilation and SSI, 64
utility room (sluice), 66
ventilation, 62–63, 64
walls, 66
- Operating Department Practitioners (ODP), 1, 20, 21, 22, 216, 443
standards of proficiency, 49
statistics and, 432
- operating theatre/operating room, 2, 3, 7, 53, 57, 60, 61, 63, 66, *See also* operating department
body temperature in, 311
care in, 6, 15
care providing in, 1
conduction heating in, 320
convection and body tempering in the, 320
design of, 57
humidity in, 137
infection prevention in, 75–76
modular, 66
natural light in, 61
preparing for the bariatric patients, 258–259

- radiation heating in the, 320
- removal of waste anaesthetic gas from, 222
- temperature management in, 320, 366
- theatre design, 66
- ventilation systems for, 62
- waste anaesthetic gas from, 215
- opioids, 239, 379–380, 402
 - used in perioperative care, 380
- oropharyngeal airway, 120, *See* also airway
- oxygen affinity, physiology Of, 335
- oxygen failure warning device, 213
- oxygen flush, emergency, 213
- oxygenation, 350
- pad position, 417
- paediatric anaesthesia, 365–366
 - thermoregulation and, 366
- paediatric patients
 - anaesthetic equipment, 370
 - differences between, 365
 - general anaesthesia, 370, 371
 - inhalational induction and, 369
 - intravenous access, 369
 - laryngospasm, 371
 - pathology and, 371
 - perioperative care of, 365
 - postoperative effects of general anaesthesia, 371
 - postoperative nausea and vomiting (PONV), 372
 - preoperative assessment, 368
 - preoperative fasting, 368
 - regional anaesthesia, 369
- pain
 - assessing, 376–377
 - assessment of, 401
 - chronic, 381
 - chronic post-surgical, 382
 - classification of, 375
 - definition of, 375
 - management of, 238, 375, 378–379
 - management of acute, 381
 - McGill Pain Questionnaire, 377
 - medications, 379–381
 - modulation of, 378
 - nerve blocks in acute, 381
 - neuropathic, 375
 - nociceptive, 375
 - non-pharmacological management, 378
 - perception of, 377
 - pharmacological management, 378
 - physiology, 377–378
 - postoperative control, 401–402
 - reduction of chronic post-surgical, 382
 - transduction of, 377
 - transmission, 377
- paracetamol, 238, 379, 382, 402
- paralysis
 - muscle, 112
 - residual, 396
- Parkland formula, 331
- paternalism, 18–19
- Paterson, Ian, 31
 - Report of the Independent Inquiry into the Issues raised, 31
- patient care, 3, 6, 9, 34, 61, 69, 73, 223, 437
 - end of, 73
 - evidence based practice and, 9, 10
 - in the operating theatre, 15
 - in the PACU, 388, 391
 - infection prevention and, 69
 - paediatric, 365
 - standards of, 57
 - transition of, 58
- patient-controlled analgesia (PCA), 402
- patients, 72–73
 - aim of positioning for surgery, 301–302
 - bariatric, 255, 256, 258
 - best interest decision making for, 38
 - care in the Postanaesthetic Care Unit (PACU), 390–391
 - care plan of the, 4
 - caring for the perioperative, 2
 - common positions for surgery, 302–309
 - Lasting Power of Attorney for, 39
 - lateral positioning of, 308–309
 - lithotomy positioning of, 306–308
 - monitoring of, 172–179
 - physiological changes in the bariatric, 256
 - positioning of the, 188, 301
 - postoperative monitoring of, 178
 - supine position and, 302–304
 - Trendelenburg position and, 304
- peer support, 437
- perfusion
 - lungs, 105
 - mechanical ventilation, 106
 - ventilation, 105–106, 139, 305, 331
- perioperative care, 114
 - infection prevention and, 264
 - phases of, 287
 - principles of, 7
- Perioperative Care Collaborative (PCC), 33, 443
- perioperative patients
 - assessing for risk of thrombosis, 257
 - caring for the, 2
- perioperative practice, 12, 15, 49, 52, 264
 - clinical decisions and, 13
 - evidence in support of, 11–12
 - practitioners in, 443
 - surgical scrub role in, 287
- peripheral nerve blockade, 198–200
- peripheral nerve
 - stimulation, 177
- peripheral nerve stimulators (PNS), 235
- personal hygiene, 72–73
- personal protective equipment (PPE), 50, 72, 292
 - at work regulations (1992), The, 52
- Pethick test, 221
- pharmacodynamics, 225
- pharmacokinetic model, 170
- pharmacokinetics, 224–225
- physicochemical systems, 271
- piped gas supply, 207

- plasma, 144, 165, 167, 170, 234, 324, 336, 339, 342,
See also blood
 fresh, 343
 fresh frozen, 157, 234, 327, 336, 342, 344, 398
 gas, 271
 lipaemic, 166
 low, 156
 maintain target, 113
 monitoring, 169, 225
 non-specific, 166
 osmolality, 326
 osmolarity, 324
 raised, 236
 platelets, 343
 plenum, 63
 pneumonitis, 147
 Poly Implant Prothèse (PIP)
 breast implant
 scandal, 274
 positive end-expiratory
 pressure (PEEP), 138, 139, 140, 141
 positive-pressure ventilation
 (IPPV), 189
 ventilators, 134
 Post Anaesthetic Care
 Nursing, 389
 post-anaesthetic care unit
 (PACU), 109, 115, 178, 220, 261, 384
 children in the, 404
 clinical environment,
 384–385
 handover to the ward, 404
 planning patient care in,
 390–391
 safe discharge criteria, 404
 staff training for, 389
 staffing of, 388
 taking patient to, 389–390
 postoperative analgesia, 168
 postoperative nausea and
 vomiting (PONV), 164, 237, 403
 paediatric patients and, 372
 treatment, 403
 post-resuscitation care, 418
 post-transfusion purpura
 (PTP), 344
 power of attorney, lasting, 39
 power supply, 65
 practice, scope of, 6
 pregnancy
 changes during, 243
 general anaesthesia, 246
 non-obstetric surgery in, 251
 obstetric anaesthesia
 and, 243
 rapid sequence
 induction, 111
 spine position in, 303
 preoperative
 considerations, 167
 pre-oxygenation, 167
 preparation room, 60
 pressure gauges, 209
 pressure limiting valve,
 adjustable, 214–215
 pressure monitoring set,
 182–184, 188
 pressure regulators, 210
 pressure, units of, 205
 primary intention
 (closure), 347
 principlism, 18
 professional regulation
 fitness to practise and, 21–22
 professional standards
 conscientious objection
 and, 24
 Professional Standards
 Authority, 20
 professional-patient
 relationship, 41
 prone position, 106, 114, 139, 304–306, 419
 respiratory changes and, 305
 propofol, 108, 111, 168, 228, 239
 injections of, 165
 simple infusion of, 165–166
 Provision and Use of Work
 Equipment Regulations
 (PUWER) 1998, 53, 276
 public interest, duty of
 confidentiality and, 42
 PubMed, 11
 pulmonary circulation, 81
 pulmonary embolism, 146–147
 treatment of, 147
 pulse oximetry, 173–174
 pumps
 failure of, 170
R v. Adomako, 33
 radiation, 314, 320
 rapid sequence induction
 (RSI), 111, 167, 234, 252, 258, 366
 literature on, 370
 rapid sequence spinal
 anaesthesia (RSS), 245
*Re B (Adult
 Refusal of Medical
 Treatment)*, 36
*Re P (Medical treatment
 best interests)*, 40
 rebreathing circuit, 136, 222
 recovery and post-anaesthetic
 care unit (PACU), 65
 Regulation and Quality
 Improvement
 Authority, 6
 regulators, pressure, 210
 remifentanyl, 239
 renin-angiotensin-aldosterone
 system (RAAS), 325
 Reporting of Injuries, Diseases
 and Dangerous
 Occurrences
 Regulations (RIDDOR)
 (1995), 53
 reproductive services, 22
 reservoirs, 70, 120, 122,
 215, 216
 oxygen, 103
 portal of exit from the, 71
 reservoir bag, 213, 214, 218,
 219, 221, 370
 residual paralysis, 396
 respiration
 control of, 101
 normal, 136
 respiratory arrest, 407
 respiratory protective
 equipment (RPE), 52
 respiratory system
 conducting airways of, 100
 function of, 100
 intubation and, 100
 primary components of, 100
 respiratory airways, 101
 resuscitation
 ABCDE approach to,
 408–414
 care after, 418
 defibrillation and, 416
 emergency, 407
 non-technical skills in, 419
 objectives of, 408
 outcomes of an attempt, 418
 pad position and, 417
 safety and, 417
 Resuscitation Council (UK),
 407, 414
 RIDDOR (1995), 53

- risks, 51
 assessment for breathing issues, 394
 assessment for hypotension, 397–398
 assessments, 4, 50, 52, 54, 297–298, 368, 444
 assessments before manual moving process, 52–53
 assessments for VTE, 147
 management, 50
 Ritchie whistle, 213
 rocuronium, 111, 112
 Role Boundaries, 447
 Royal College of Anaesthetists, 448, 449
 4th National Audit Project (NAP4), 147
 Royal College of Nursing (RCN), 11
 Royal College of Surgeons, 33, 36, 443, 446
 accredited programme, 445
- Sackett, David, 9
 safe management of healthcare waste (HTM 07–01), 295
 SBAR approach, 404
 scavenging systems, 215
 scrub practitioners, 287
 duties and responsibilities, 122–123
 handling and disposing of sharps, 290
 management of accountable and supplementary items, 288–290
 sharps safety transfer, 290–292
 scrub rooms, 61
 secondary intention, 347
 seizures, 145–146
 treatment for, 146
 Sellick, Brian, 111
 sepsis, 152
 Sequential Organ Failure Assessment (SOFA) score, 152
 Serious Hazards of Transfusion (SHOT), 338
 sevoflurane, 231
 sharps
 handling and disposing of, 290
 transferring safely, 290–292
- shock, 151
 sick patient
 early warning systems, 407
 the
 recognising, 407
 sick patient, the
 assessment and resuscitation of, 408
 cardiorespiratory arrest, 407–408
 Silvester, Henry Robert, 134
 skin closure products, 363
 skin glue, 364
 sleep apnoea, obstructive, 256–257
 sodium thiopentone, 228
 Spaulding Classification, 266, 267
 specimen
 for the frozen section, 293–295
 identification of, 293
 management, 292
 types, 292
Spencer v. Hillingdon NHS Trust, 36
 spinal anaesthesia, 192–196
 staff areas, 66
 statutory exemptions, 23
 Sterile Service Departments (SSD), 272
 sterilisation, 264, 270, 273, 277,
See also
 decontamination
 packaging of instruments, 272–273
 physical methods of, 270–272
 STOP-bang questionnaire, 257
 Stratafix™, 364
 stress and fatigue,
 managing, 421
 stroke (cerebrovascular accident), 146
 suction apparatus, 215
 sugammadex, 112
 supine position, 302–304
 supraglottic airway devices, 223
 supraglottic airways devices, 218, 370
 surgery
 recover from, 347
 risk factor for intraoperative deaths due to time of, 435
- risk factor for intraoperative deaths due to type of, 435
 Surgical Care Practitioner (SCP), 443, 445–448
 education, 446–447
 history of, 445–446
 opposition to role of, 447
 professional and legal implications, 447
 surgical drains, 353–354
 classification of, 354
 Surgical First Assistant (SFA), 443–445
 education, 444
 surgical patients
 assessment of the, 4
 planning care of, 4
 systematic diagnosis of, 4
 surgical scrub role, 287
 surgical site infections (SSIs), 62, 72, 73
 forced air warming and, 320
 link to opening doors, 75
 minimising risks of, 264, 351, 352
 operation department
 design and prevention of, 64
 prevention of, 72–73, 287
 prevention of in theatre environment, 75–76
 risk of, 316, 351
 surgical staples, 362, *See also*
 sutures; needles
 removal of, 363
 surgical technique, difference in, 371
 susceptible hosts, 71
 sutures, 356
 characteristics of, 356
 Medical Technologies
 Guidance on, 357
 needles used for, 358–360
 size of, 357–358
 specialist, 363–364
 types of, 356–357
 suxamethonium, 111, 232–234
 apnoea, 144
 apnoea, treatment, 144
 sympathetic nervous system (SNS), 328
 syphoning effect, 170
 systematic diagnosis
 surgical patients, 4
 systemic circulation, 82

- systemic vascular resistance (SVR), 328
- tachyarrhythmias, 94–96
- tachycardia, 151, 283, 328, 344
- tachycardia, ventricular, 96
- TA-GVHD, 344
- Target Controlled Infusion (TCI) pumps, 165
- task fixation, 420
- task management, team leader and, 420
- team
- non-technical skills, 428–429
- teams, 428
- effective, 429
- temperature
- monitoring of, 178
- temperature and humidity, 64
- temperature management, in operating theatre, 320
- tension pneumothorax, 149
- treatment of, 149
- theatre design. *See* operating theatre/operating room
- Theatre Support Workers (TSWs), 1
- thermal washer–disinfectors, 269
- thermogenesis, 314
- thermoregulation, 320
- effects of anaesthesia on, 75–76
 - paediatric anaesthesia and, 366
 - thermoregulatory disturbance, 400–401
- thrombosis, 257
- Tossach, William, 134
- Total Body Water (TBW), 322
- total hip replacement surgery, 64
- total intravenous anaesthesia (TIVA), 113, 164–165, 168
- administration of, 166
 - disadvantages of, 166
 - equipment for, 166–167
 - giving, 164
 - use of, 164–165
- total parenteral nutrition (TPN), 186
- tourniquets, 282–283
- train-of-four (ToF) mode, 177, 235
- transducer, 182–184, 188
- transfusion equipment. *See* equipment
- transfusion reactions, 157
- transient receptor potential (TRP) channels, 312–313
- transparent dressings, 352
- Transverse abdominis plane (TAP) block, 246
- treatment
- refusal of, 36
 - without consent, 35
- Trendelenburg position/tilt, 106, 188, 304
- reverse, 304
- trip hazards, 51
- Type 1 acute coronary syndrome (T1ACS), 150
- Type 2 acute coronary syndrome (T2ACS), 150
- UK Conformity Assessed (UKCA), 274
- ultra clean ventilation and SSL, 64
- Ultra Clean Ventilation (UCV), 63
- ultrasonic cleaners, 268
- ultrasound, 200–201
- uncuffed endotracheal tubes, 370–371
- United Nations Convention on the Rights of the Child, 41
- Units of Pressure, 205
- urinary tract infections (UTI), 72
- vacuum insulated evaporators (VIE), 207
- vaporisers, 112, 211–212, 216, 231
- vasopressors
- by bolus, 236
 - by infusion, 236
- vecuronium, 112
- venous thromboembolism (VTE), 257
- ventilation, 60, 62–63, 103–104
- artificial, 134
 - asthma and, 140
 - bag-mask, 258
 - cardiovascular, 81
 - central nervous system and, 140
- chronic obstructive pulmonary disease (COPD) and, 140
- controlled mechanical, 137
- for specific medical conditions, 140–141
- history of artificial, 134
- jet, 139
- mechanical, 64, 136
- modes of, 137–138
- perfusion mismatch, 139
- perfusion relationship and, 105–106
- positioning during mechanical, 106
- pressure-controlled and volume-controlled, 137
- prone, 139
- respiratory, 139
- specialist, 138–139
- spontaneous vs mechanical, 106
- systemic effects of mechanical, 139–140
- ventilators, 134
- ventilators and, 134
- ventilators, ideal, 141
- ventilators, parameters of, 137–138
- ventricular fibrillation (VF), 96
- ventricular tachycardia, 96
- videolaryngoscopes, 130
- virtue ethics, 18
- voluntary responses, 313
- vomiting, 108, 115, 150, 191, 228, 239, 380, 384, 389, 402, *See also* nausea and vomiting, postoperative nausea and vomiting (PONV)
- management of, 237
- Von Willebrand's disease, 343
- W v. Edgell*, 42
- Wakefield, Andrew, 11
- walls, 66
- warm-fibres, 312
- Warren, JC, 204
- waste management, 295
- clinical waste bags, 297
 - clinical waste segregation tables, 295
 - colour-coding systems, 295
- waste receptacles, 295
- waveforms, 177, 180, 280
- arterial pressure, 184–185

| | | |
|--|--|-----------------------------------|
| capnography, 417 | World Health Organization (WHO), 11, 251, 274 | factors affecting the, 350–351 |
| central venous pressure, 188 | ladder, 378 | haemostasis phase of, 348 |
| green, 85 | surgical safety checklist, 4, 5, 287, 427, 432 | importance of, 347 |
| weight loss surgery, 255 | use of laminar airflow systems and, 64 | inflammatory phase of, 348 |
| Wells, Horace, 108 | wound dressings | intention, 347–348 |
| <i>West Bromwich Albion v. El Safety</i> , 32 | functions of, 351 | maturation/remodelling phase, 350 |
| Wheatstone bridge circuit, 183 | negative pressure | phases of, 348 |
| WHO Surgical Safety Checklist, 10 | wound therapy (NPWT), 352 | proliferative phase of, 350 |
| <i>Wilshire v. Essex Area Health Authority</i> , 33 | types of, 351–352 | |
| Workplace (Health, Safety and Welfare) Regulations (1992), 51–52 | wound healing process, 347 | Xenon, 232 |