

# Index

- abdominal aortic aneurysm, 35
- absorbent and incontinence products
- fecal incontinence, 370
  - urinary incontinence, 359
- absorption, pharmaceutical, 44
- Abuse Intervention Model, 669
- acamprosate, 265
- Accurate Hierarchical Conditions
- Category (HCC), 739
- acetylcholinesterase inhibitors, 121
- Achilles tendinitis, 564
- acrochordons, 459
- actina purpura, 460
- actinic keratosis, 461
- action tremors, 218
- activity, defined, 580
- acupuncture, 690
- acute ischemic stroke, 212–213
- acute kidney injury (AKI), 325
- acute myelogenous leukemia (AML), 501–502
- acute otitis externa (AOE), 536–537
- acute spontaneous intracerebral hemorrhage, 210
- acute ST-segment elevation myocardial infarction (STEMI), 145
- adrenal insufficiency (AI), 391–392
- adrenal nodules, 390
- advance directives
- defined, 762
  - documentation process, 764
  - formulation process, 763
  - legalities of, 762
  - limitations of, 762
  - person-centered care (chronic kidney disease), 332
  - physician role in, 763
  - types of, 762–763
- adverse drug reactions (ADRs) in the elderly
- chronic obstructive pulmonary disease (COPD), 274
  - cognitive impairment, 48–49
  - falls, 47–48
  - in intensive care, 280
  - overview, 47
- Age Discrimination in Employment Act of 1967, 700
- age-related macular degeneration, 531–532
- aging interventions
- biology of aging advances, 14–15
  - challenges, 17–18
  - clinical trial design, 16–17
  - preclinical models, 15–16
  - summary of, 12
  - translational aging research, 12–14
- albuminuria category (kidney disease), 325
- Alcohol, Smoking and Substance Involvement Screening Test (ASSIST), 259
- alcohol abuse
- definitions, 257
  - and HIV, 316–317
  - pharmacology, 264–265
  - prevalence of, 257
  - screening for, 39
  - sensory disorders and, 194
  - withdrawal treatment, 263–265
- Alcohol Use Disorders Identification Test (AUDIT), 39, 259–260
- Alexander technique, 687
- Alternative Payment Models (APMs), 739
- Alzheimer's disease (AD)
- defined, 116
  - diagnosis, 116–117
  - diagnostic testing, 116
  - disease-oriented therapies for, 119
  - home and community-based care, 623–624
  - psychotic symptoms in, 252
  - REACH intervention trial (Resources for Enhancing Alzheimer's Caregiver Health), 730–731
  - risk factors, 116
  - time frame to death, 117
- Alzheimer's disease (AD), neuropsychiatric symptoms
- Describe, Investigate, Create, and Evaluate (DICE) approach, 121
  - nonpharmacological, 121–122
- Alzheimer's disease (AD), symptomatic therapies
- acetylcholinesterase inhibitors, 121
  - memantine, 121
- amantadine, 223
- amputation, lower extremity, 589
- amyloid cardiomyopathy, 153–155
- amyotrophic lateral sclerosis (ALS), 191
- anemia in the elderly
- autoimmune hemolytic anemia (AIHA), 497–498
  - classification, 493
  - clinical consequences, 493
  - clinical presentation, 493–494
  - defined, 493
  - etiology of, 493
- anemia in the elderly, macrocytic myelodysplastic syndrome, 497
- vitamin B12 deficiency, 497
- anemia in the elderly, microcytic iron deficiency, 494–495
- thalassemia, 495
- anemia in the elderly, normocytic anemia of chronic kidney disease (CKD), 496
- anemia of inflammation (AI), 495–496
- anemia of chronic kidney disease (CKD), 496
- anemia of inflammation (AI), 495–496
- angiotensin-converting enzyme inhibitors (ACEIs), 144
- angiotensin receptor blockers (ARBs)
- for heart failure (HF), 151
  - for hypertension, 178
- angle-closure glaucoma, 529
- ankle fractures, 448–449
- anorexia, 56
- anosmia, 541
- antibiotic resistance in the elderly
- Clostridium difficile*, 304
  - growing threat of, 303
  - methicillin-resistant *S. aureus* (MSRA), 303–304
- anticoagulation for stroke prevention
- direct thrombin inhibitors and oral factor Xa agents, 211
  - in hemorrhagic stroke, 212
  - indications for, 212
  - mechanical closure, 211
  - timing of, 211
  - warfarin, 211

- antidepressants
  - and crash risk, 677
  - dosage recommendations, 253
  - effectiveness of, 248–249
- antiepileptic drugs and crash risk, 677
- antihistamines
  - and crash risk, 677
  - exercise guidelines for, 72
- antiplatelet therapy for stroke prevention
  - aspirin, 210
  - clopidogrel, 211
  - dual antiplatelet therapy (DAPT), 211
- antipsychotics, 136
- antithrombotic therapy, 185
- anxiety disorders in the elderly, 247
- aortic insufficiency, 157
- aortic stenosis (AS)
  - clinical presentation, 156
  - diagnosis, 156
  - epidemiology, 156
  - management, 156–157
- apixaban, 211
- aromatherapy, 689–690
- arthritis, exercise guidelines for, 67
- arthroplasty and physical activity, 70
- aspirin
  - colorectal cancer (CRC), 514
  - diabetes mellitus, 403
  - for stroke prevention, 210
- Assessing Care of Vulnerable Elders (ALCOVE-2), 27
- assessment, geriatric
  - cancer, 506–507
  - comprehensive geriatric assessment (CGA), 21–29
  - essential principles of elder care, 6–7
  - pressure injuries, 485
- assessment, geriatric preoperative
  - cardiopulmonary risk, 571
  - clinical evaluation, 571
  - cognitive evaluation, 569–570
  - FIT CHAMP mnemonic, 572
  - functional evaluation, 570–571
  - goals of care, 570
  - history and physical exam, 569
  - polypharmacy, 571–572
  - rehabilitation, 572
  - risk assessment and referrals, 572
- asthma-COPD overlap syndrome (ACOS), 271
- asymptomatic bacteriuria
  - epidemiology, 298–299
  - management, 299
- atelectasis, 573
- atherosclerotic cardiovascular disease (ASCVD), 410–411
- athlete's foot, 560
- atopic dermatitis, 465–466
- atrial fibrillation (AF)
  - clinical presentation, 160
  - incidence of, 159–160
  - postoperative, 160
  - and stroke risk, 211
- atrial fibrillation (AF) management
  - ablation, 161
  - complications, 162
  - DOACs, 161
  - focus of, 160
  - stroke and, 161
  - thromboembolism and, 160–161
- atrophic gastritis, 290
- atrophic vaginitis, 346, 373
- auditory loss otolaryngology, 538
- autism spectrum disorder (ASD)
  - caregivers for, 613
  - common comorbidities, 613
  - definition, 612
  - etiology of, 612
  - life expectancy, 613
  - overlap with SPMI and ID, 614
  - prevalence of, 612–613
  - treatment best practices, 613
- autoimmune blistering disorders (AIBD), 468–469
- autoimmune hemolytic anemia (AIHA), 497–498
- autonomy. *See* patient autonomy in elderly health
- bacterial pneumonia
  - diagnosis, 299
  - etiology of, 300
  - management, 299–300
  - risk factors for, 299
- balance examination
  - background of, 94
  - findings, 94
- balance in otolaryngology
  - age-related changes, 539
  - common pathologies, 539
- Barrett's esophagus (BE), 287–288
- basal cell carcinoma, 460–462, 525
- basic calcium phosphate hydroxyapatite deposition disease, 429
- Beers criteria, 46–47
- behavioral health providers (BHPs), 610–611
- Bell's palsy, 542
- benign prostatic hyperplasia
  - medical management of, 340–342, 359
  - minimally invasive therapies, 342–343
  - pathophysiology of, 340
  - surgical management of, 342
- benzodiazepines
  - abuse of, 257
  - for alcohol abuse, 264
  - and crash risk, 677
  - falls and, 48
  - withdrawal treatment, 265
- benztropine, 223
- beta-blockers
  - for heart failure (HF), 151
  - for hypertension, 178
  - for myocardial infarction, 144
- binge drinking, 257
- bioavailability, pharmaceutical, 44–45
- biofeedback
  - complementary and alternative medicine (CAM), 686
- fecal incontinence, 369
- biology of aging advances
  - caloric restriction, 14
  - Interventions Testing Program (ITP), 15
  - metformin, 15
  - mutations for, 14
  - SASP inhibitors, 14–15
- biopsychosocial model of frailty, 82
- bipolar disorder, 249
- bisphosphonate use and musculoskeletal injuries, 443
- bladder cancer
  - clinical presentation, 340
  - complications, 340
  - management, 340
- bladder outlet obstruction, 352
- bleeding, gynecological, 374
- blepharitis, 526
- body mass index (BMI), 58
- bone conditions of the elderly. *See also* osteoporosis
  - calcium pyrophosphate deposition disease (CPPD), 429
  - giant cell arteritis (GCA), 430–431
  - gout, 428–429
  - and HIV, 315
  - inclusion body myositis (IBM), 431
  - Paget's disease, 422–423
  - polymyalgia rheumatica (PMR), 430
  - primary hyperparathyroidism (PHPT), 422
  - remitting seronegative symmetric synovitis with pitting edema (RS3PE), 431
  - renal osteodystrophy, 423
  - rheumatoid arthritis (RA), 427–428
  - secondary hyperparathyroidism, 422
  - Sjogren's syndrome, 431
  - summary of, 422
- brachytherapy, 513
- bradycardia, 159
- breast cancer
  - characteristics, 508
  - clinical presentation, 509
  - epidemiology, 508
  - prevention of, 509
  - prognosis, 509

## Index

- breast cancer (cont.)
  - risk factors, 508
  - screening, 33, 508–509
  - staging, 509
- breast cancer management
  - early-stage disease, 509–511
  - locally advanced disease, 511
  - metastatic disease, 511
  - survivorship, 511
- bronchiectasis
  - defined, 274
  - diagnosis, 274
  - nontuberculous mycobacterium (NTM), 274–275
  - treatment, 274
- bunion, 561
- buprenorphine, 265–266
- cachexia, 56
- CAGE questionnaire, 258–259
- calcium, 60–61
- calcium channel blockers, 178
- calcium pyrophosphate deposition disease (CPPD)
  - basic calcium phosphate hydroxyapatite deposition disease, 429
- clinical presentation, 429
- epidemiology, 429
- treatment, 429
- calluses, 559
- caloric restriction and longevity, 14
- Canada's Food Guide, 59
- cancer
  - bladder, 340
  - cervical, 379
  - endometrial, 378
  - eyelid, 525
  - head and neck, 543
  - leukemias, 501–502
  - multiple myeloma, 499–501
  - nutrition for, 688
  - ovarian, 378–379
  - thyroid, 387–388
  - vaginal, 379–380
  - vulvar, 379
- cancer, gastric, 290
- cancer, skin
  - actinic keratosis, 461
  - basal cell carcinoma, 460–462
  - melanoma, 462–464
  - squamous cell carcinoma, 461–462
- cancer in the elderly
  - assessment, 506–507
  - breast cancer, 508–511
  - clinical trials, 507–508
  - colorectal cancer (CRC), 513–516
  - epidemiology, 506
  - immunotherapy, 518
  - internet resources, 519
  - life expectancy, 506–507
  - lung cancer, 516–518
  - otolaryngology, 550–551
  - prostate cancer, 511–513
  - treatment goals, 507
- cancer screening
  - breast cancer, 33
  - cervical cancer, 34
  - colorectal cancer, 34
  - guidelines for, 33
  - lung cancer, 34
  - prostate cancer, 34
- candidiasis, 373–374
- canes, 583–584
- cardiac resynchronization therapy (CRT), 155
- cardiovascular disease (CVD)
  - age and, 407–408
  - age and lipid-lowering therapy, 407–408
  - atherosclerotic cardiovascular disease (ASCVD), 410–411
  - and driving, 677
  - and HIV, 314–315
  - lipid-lowering therapy clinical trials, 408–409
  - primary prevention trials, 409–410
- cardiovascular disease (CVD), management
  - limitations of, 413
  - medicine adherence, 414
  - non-statin therapy, 412–413
  - risk assessment, 413–414
  - statin therapy, 411–412
  - statin underutilization, 415
- cardiovascular disease (CVD), recommended lifestyle changes
  - dietary/behavioral, 411
  - exercise guidelines for, 67, 411
- caregivers for elderly
  - autism spectrum disorder (ASD), 613
  - burden of, 728
  - and COVID-19, 728–729
  - cultural dimensions, 733
  - defined, 727
  - dementia support, 124–125, 729–730
  - diabetes mellitus, 404–405
  - driving history interview, 678
  - epidemiology, 727
  - home and community-based care, 629
  - identification, 730
  - impacts of, 729
  - need for, 620
  - and nursing homes, 728
  - palliative care, 730
  - person-centered care (chronic kidney disease), 331–332
  - REACH intervention trial, 730–731
  - in rehabilitation, 581
  - retirement and, 702–703
  - for strokes, 213
- caregivers for elderly, support
  - financial, 731
  - groups, 731
  - respite, 731
- carotid artery disease, 212
- case managers, 611
- castrate-resistant prostate cancer (CRPC), 513
- cataracts, 528
- cautious gait, 232
- cavities. *See* dental caries
- CBTI therapy, 237
- celiac disease (CD)
  - clinical presentation, 291
  - epidemiology, 290–291
  - management, 291
- cellulitis, 470–471
- cerebellar lesions and gait disorders, 231–232
- cerebellar outflow tremors, 219
- cerumen impaction, 536
- cervical cancer
  - clinical presentation, 379
  - epidemiology, 379
  - screening, 34, 379
- challenges in aging interventions
  - akin to preventive medicine, 17
  - funding, 17
  - lack of researchers, 17
  - regulatory framework, 17
  - societal perceptions, 17–18
- Charles Bonnet syndrome, 532
- chemotherapy. *See also* pharmacology
  - colorectal cancer (CRC), 515, 516
  - toxicity considerations, 510–511
- cherry angiomas, 459
- chiropractic medicine, 691
- cholesteatomas, 537
- Choosing Wisely guidelines, 8
- chronic disease trajectory
  - aging and, 12–13
  - practice transformation in elder care, 745
- chronic inflammatory demyelinating polyneuropathy (CIDP), 194
- chronic kidney disease (CKD)
  - anemia, 496
  - defined, 325
  - epidemiology, 324–325
- chronic kidney disease (CKD) challenges
  - high burden of comorbidities, 329
  - life expectancy variability, 329
  - limited evidence base, 328
  - scope of, 328
- chronic kidney disease (CKD) management
  - complication management, 327–328

- goals of, 327
- person-centered care, 329–332
- preparing for kidney failure, 328
- slowing progression, 327
- chronic lymphocytic leukemia (CLL), 501
- chronic myeloid leukemia (CML), 501
- chronic obstructive pulmonary disease (COPD)
  - defined, 271
  - diagnosis, 271
  - epidemiology, 270–271
- chronic obstructive pulmonary disease (COPD) management
  - acute COPD, 273
  - complications, 273–274
  - COPD classification and management, 272
  - stable COPD, 271–273
- chronic sinusitis, 541
- Civil Rights Act (1964), 710
- Clinical Assessment of Driving-Related Skills (CADReS), 37
- clinical trial design for aging
  - interventions
    - biomarkers, 17
    - complexity acceptance, 17
    - efficacy of, 16
    - identifying proper treatment regimens, 16
    - resilience and, 16
    - study population selection, 16
- Clock Drawing Test, 679
- clopidogrel, 211
- Clostridium difficile* (CDI) resistance
  - diagnosis, 304
  - epidemiology, 304
  - management, 304
- Clostridium difficile* colitis (CDC), 293–294
- cluster headaches, 199
- Cockcroft-Gault formula, 45–46
- cognition in the elderly
  - dementia, 36
  - in medical assessment, 25
- cognitive impairment. *See also*
  - geropsychiatry; intellectual disability (ID) and aging; neurological problems
- adverse drug reactions (ADRs) in the elderly
- diabetes mellitus, 404
- exercise guidelines for, 71
- and gait disorders, 228
- in intensive care, 279
- mental status evaluation, 246–247
- schizophrenia and, 251
- Cognitive Impairment Assessment and Care Planning, 738
- cognitive impairment not dementia (CIND), 113
- Cognitive-Behavioral Social Skills Training (CBSST), 612
- coital positions, 601
- collaboration in elderly health
  - defined, 396
  - patient outcomes, 8
  - timing of, 8
- colorectal cancer (CRC)
  - clinical presentation, 514
  - epidemiology, 513
  - prevention of, 514
  - prognosis, 515
  - screening, 34, 513–514
  - staging, 514–515
- colorectal cancer (CRC) management
  - advanced-stage disease, 515–516
  - early-stage disease, 515
- communication skills in elderly health
  - care
    - considerations of children, 4–5
    - cultural diversity, 4
    - importance of, 4
    - National Standards for Culturally and Linguistically Appropriate Services (CLAS), 709
    - during pandemic, 777
    - patient involvement, 4
    - reassurance, 5
- Community Actions and Resources
  - Empowering Seniors Model (CARES), 27
- compassionate care in elderly health
  - listening skills, 9
  - time spent with patient, 9
- complementary and alternative medicine (CAM)
  - frequency of use, 684
  - growing use by elderly, 684–685
  - integrative medicine and, 684
  - patient–provider disconnect, 685–686
  - professional training and education in, 692
  - promise of, 692–693
  - reasons to use, 685
- complementary and alternative medicine (CAM), reasons for professional to recommend
  - better outcomes, 692
  - decreased dependence on pharmacology, 692
  - enhanced patient and provider communication, 691–692
  - patient care option expansion, 691
  - prevention and self-care emphasis, 692
- complementary and alternative medicine (CAM) therapies
  - acupuncture, 690
  - aromatherapy, 689–690
  - biofeedback, 686
  - chiropractic medicine, 691
  - dietary, 687–689
  - guided imagery, 686
  - herbal medicine, 689
  - homeopathic medicine, 690
  - hypnosis, 686
  - massage and body work, 687
  - meditation, 686
  - mind–body therapies, 686
  - mindful exercise, 687
  - naturopathic medicine, 690–691
  - nutraceuticals, 689
  - spiritual healing, 691
  - touch therapies, 687
- comprehensive geriatric assessment (CGA) main processes
  - advance care planning, 26–27
  - functional assessment, 22–24
  - medical assessment, 24–25
  - social assessment, 25–26
  - summary of components, 22
- comprehensive geriatric assessment (CGA) models
  - frailty and, 87
  - geriatrician-led, 27
  - nurse-led, 28
  - primary care physician (PCP)-led, 27–28
  - that can be adapted for primary care, 28
- comprehensive geriatric assessment (CGA) summary, 21–22
- compression of morbidity, 13
- Confusion Assessment Method (CAM), 131–132
- conjunctiva, 526
- conjunctivitis
  - allergic, 527
  - bacterial, 526
  - chronic, 527
  - viral, 526–527
- consequentialism, 761
- constipation, 292–293
- Continuing Care Retirement Communities (CCRCs), 626
- continuity of care in elderly health
  - importance of, 3
  - team approach to, 3
- corns, 559
- corticobasal ganglionic degeneration (CBD), 222–223
- COVID-19. *See also* pandemic effects on the elderly
  - caregiving affected by, 728–729
  - epidemiology, 771–772
  - ethics of, 761
  - home and community-based care, 628
  - and physical activity, 74

## Index

- Creutzfeldt-Jakob disease (CJD), 118  
 crowned dens syndrome (CDS), 429  
 crutches, 584  
 cultural competence in health care  
   defined, 708  
   LEARN model of cross-cultural  
     communication, 712–713  
   National Standards for Culturally and  
     Linguistically Appropriate Services  
     (CLAS), 709  
   provider guidelines, 710–712  
   questions to ask patients, 712  
 cultural diversity of older adults. *See*  
   ethnogeriatric care  
 culture, 703  
 current procedural terminology (CPT)  
   code, 758  
 Cushing's syndrome, 391
- dabigatran, 211  
 DASH diet, 687–688  
 deep brain stimulation (DBS)  
   for essential tremors, 219  
   for Parkinson's disease, 226–228  
 defecography, 367  
 deficit model of frailty, 82  
 delirium in the elderly  
   defined, 129  
   and dementia, 118  
   etiology of, 130–131  
   incidence of, 129  
   overview of, 129  
   pathophysiology of, 130  
   prediction of, 130–131  
   prevention of, 119, 131  
 delirium in the elderly, evaluation  
   diagnosis, 131–132  
   diagnostic studies for, 134  
   mnemonic for, 133  
 delirium in the elderly, management  
   delirium room (DR), 134–135  
   hyperactive patient, 135  
   hypoactive patient, 135  
   in intensive care, 279  
   multiple interventions for, 132  
   patient interaction recommendations,  
     135  
   pharmacological, 135–136  
   postsurgical, 573  
   predisposing and precipitating factors  
     for, 135  
 delirium room (DR), 134–135  
 delusional disorder, 251  
 dementia in the elderly  
   cultural component of, 707–708  
   defined, 112–113  
   elder abuse and, 668  
   epidemiology, 112  
   ethics of care, 766–767
- individuals with intellectual  
     disabilities, 610  
   key points, 125  
   risk factors, 112  
   sleep disorders and, 241–242  
 dementia in the elderly, diagnosis  
   cognitive assessment, 114–115  
   diagnostic testing, 115  
   evaluation approach, 112–113  
   genetic testing for, 116  
   history taking, 113–114  
   medication review, 114–115  
   neuroimaging, 115–116  
   physical exam, 115  
   psychotic symptoms in, 252  
 dementia in the elderly, subtypes  
   Alzheimer's disease (AD), 116–117  
   dementia with Lewy bodies (DLB),  
     117–118  
   depression and delirium, 118  
   frontotemporal dementia (FTD), 117  
   prion disease, 118  
   rapidly progressive, 118  
   vascular dementia, 117  
 dementia in the elderly, supportive care  
   advance directives, 121–122  
   caregiving for, 124–125, 729–730  
   driving safety, 122–124  
   placement out of home, 124  
   safety strategies, 122–124  
   summary of, 123  
 dementia with Lewy bodies (DLB)  
   overview of, 117–118  
   and Parkinson's disease, 222  
 demographics  
   of aging, 1  
   caregivers for elderly, 4  
   cultural diversity of older adults, 4  
   elderly working past age 65, 9  
   fall risk factors, 91  
   functional deficits in the elderly, 23  
   oral health in the elderly, 24  
   physical activity in elderly adults, 64  
   retirement, 699–700, 702  
 dental caries, 548–549  
   epidemiology, 548  
   etiology of, 548–549  
   prevalence of, 548  
   prevention of, 551  
   treatment, 551–552  
 deontology, 761  
 depression in the elderly  
   after stroke, 213  
   and anxiety, 247–248  
   chronic, 249  
   and dementia, 118  
   electroconvulsive therapy (ECT), 249  
   epidemiology, 248  
   etiology of, 248
- pharmacology, 248–249  
   screening, 36  
 dermatochalasis, 525  
 dermatologic conditions in the elderly  
   hair, nails, and glands, 459  
   mitigating photoaging, 458  
   skin function changes with aging,  
     457–458  
   skin structure changes with aging,  
     457–458  
 dermatologic conditions in the elderly,  
   benign skin lesions  
     acrochordons, 459  
     actinic purpura, 460  
     cherry angiomas, 459  
     epidermal inclusion cysts, 460  
     sebaceous hyperplasia, 460  
     seborrheic keratosis, 459  
     solar lentigines, 459–460  
 dermatologic conditions in the elderly,  
   infectious skin diseases  
     cellulitis, 470–471  
     erysipelas, 469–470  
     intertrigo, 472–473  
     onychomycosis, 472  
     scabies, 472  
     shingles, 471  
 dermatologic conditions in the elderly,  
   inflammatory skin diseases  
     atopic dermatitis, 465–466  
     autoimmune blistering disorders,  
       468–469  
     lower-extremity skin changes, 467–468  
     pruritus, 466–467  
     psoriasis, 465  
     rosacea, 464  
     seborrheic dermatitis, 464–465  
 dermatologic conditions in the elderly,  
   malignant skin lesions  
     actinic keratosis, 461  
     basal cell carcinoma, 460–462  
     melanoma, 462–464  
     squamous cell carcinoma, 461–462  
 Describe, Investigate, Create, and  
   Evaluate (DICE) approach, 121  
 diabetes  
   cultural component of, 707  
   and foot ulcers, 564–565  
   and peripheral artery disease (PAD),  
     184  
 diabetes mellitus  
   cardiovascular risk factors, 402–403  
   diagnosis, 395–396  
   epidemiology, 395  
   exercise guidelines for, 67  
   nephropathy screening, 404  
   screening, 35  
 diabetes mellitus management  
   cognitive impairment, 404



- dietary/behavioral, 396–397
- exercise guidelines for, 397
- eye care, 403
- family and home care, 404–405
- glycemic control, 397
- guidelines for, 396
- home blood glucose monitoring, 402
- lower-extremity complications, 403–404
- palliative care, 397
- pharmacology, 397–402
- diabetic neuropathy, 192–193
- diabetic retinopathy, 530–531
- digit flexus, 562
- digoxin, 152
- dipeptidyl peptidase-4 (DPP-4) inhibitors (diabetes), 401
- distal radius fractures, 451–452
- distribution, pharmaceutical, 45
- disulfiram, 264
- diuretics
  - for heart failure (HF), 150
  - for hypertension, 178
- diverticulosis, 293
- dizziness in the elderly
  - classification, 103
  - defined, 102
  - frequency of, 102
  - most common vestibular conditions, 109
  - presyncope, 102
  - primary care and, 102
  - relevant web pages for, 108–110
  - syncope, 102
- dizziness in the elderly, acute
  - conditions around, 105–106
  - differential diagnosis, 106–107
  - and stroke, 107
  - treatment, 107–108
- dizziness in the elderly, chronic
  - conditions for, 108
  - differential diagnosis, 108
- dizziness in the elderly, intermittent
  - differential diagnosis, 104–105
  - treatment, 105
- do no harm principle, 7
- Down syndrome (DS), 605
- driving and the elderly
  - cessation, 680–681
  - crash risk, 675
  - dementia and, 122–124
  - education, 679
  - functional demands, 676
  - importance of, 675
  - legal and ethical concerns, 681
  - need for, 675
  - referrals, 679–680
  - resources, 678
  - risk of injury and death, 675–676
  - safety, 37
  - value of, 676
- driving and the elderly, clinical
  - assessment
  - driving history interview, 677–678
  - functional changes, 676
  - medical risk factors for impairment, 676–677
  - pharmacology, 677
  - physical exam, 678–679
- drug adherence in the elderly
  - factors affecting, 49
  - frequency of, 49
  - improving, 49–50
- drug holidays, 420
- dry eye, 527
- dual antiplatelet therapy (DAPT), 211
- ductal carcinoma *in situ*, 509
- durable power of attorney for health care, 763
- dysarthria, 228
- dysphagia
  - diagnosis, 288
  - differential diagnosis, 288
  - epidemiology, 288
  - etiology of, 288
  - and GERD, 540
  - and odynophagia, 288
  - treatment, 288–289
- Ebola virus disease (EVD), 774
- ectopic ACTH production, 390
- ectropion, 524
- edoxaban, 211
- elder abuse
  - clinical presentation, 667
  - common geriatric health issue, 37
  - defined, 664
  - dementia in, 668
  - diagnosis, 668
  - emergency department (ED), 667–668
  - epidemiology, 664
  - frequency of, 26, 665
  - home and community-based care, 624–625
  - interventions, 668–669
  - multidisciplinary approach, 670, 671
  - reporting mechanism, 671
  - screening, 667
  - studies, 664–665
  - systemic research, 669–671
- elder abuse risk factors
  - financial crimes, 665–666
  - gender, 665
  - multimorbidity, 665
- elderly care, essential principles of
  - communication skills, 4–5
  - compassionate care, 9
  - demographics, 1
  - ethical decision-making, 7–8
  - family and home care, 3–4
  - good health-care principles, 1
  - interprofessional collaboration, 8
  - patient knowledge, 5
  - patient partnership, 5–6
  - prevention and health maintenance, 7
  - respect values of patient, 8–9
  - thorough evaluation and assessment, 6–7
- electroconvulsive therapy (ECT), 249
- electronic health records (EHRs), 740–742, 746
- emergency department (ED)
  - alternative model of, 437
  - elder abuse, 667–668, 669–670
  - geriatric history and guidelines for, 435–436
  - geriatric-specific issues, 434–435
  - importance of, 434
  - key considerations for, 438
  - research and development, 437–438
- emergency department (ED), aspects for
  - geriatrics
  - community connection, 436–437
  - screening process, 436
  - structure, 436
  - training, 436
- endocarditis, 158–159
- endocrine disorders in the elderly
  - hypercalcemia of malignancy, 385
  - hypoparathyroidism, 385
  - overview of, 383
  - primary hyperparathyroidism (PHPT), 383–384
  - secondary/tertiary
    - hyperparathyroidism, 384–385
    - vitamin D deficiency, 384
- endocrine disorders in the elderly,
  - adrenal gland
  - adrenal insufficiency (AI), 391–392
  - adrenal nodules, 390
  - Cushing's syndrome, 391
  - pheochromocytoma, 391
  - primary aldosteronism (PA), 390–391
- endocrine disorders in the elderly,
  - pituitary gland
  - ectopic ACTH production, 390
  - hypopituitarism, 388–390
- endocrine disorders in the elderly,
  - thyroid gland
  - hyperthyroidism, 386–387
  - hypothyroidism, 385–386
  - subclinical hyperthyroidism, 387
  - subclinical hypothyroidism (SCH), 386
  - thyroid cancer, 387–388
  - thyroid nodules, 387
- endocrine therapy, 510

## Index

- endometrial cancer
  - clinical presentation, 378
  - epidemiology, 378
  - prognosis, 378
  - risk factors for, 378
  - treatment, 378
  - types of, 378
- end-stage renal disease (ESRD), 325
- entropion, 524
- epidemic, defined, 771
- epidermal inclusion cysts, 460
- epididymitis, 344
- epiphora, 525
- epistaxis, 541
- eplerenone, 144
- erectile dysfunction (ED), 598–600
- erysipelas, 469–470
- essential thrombocytosis (ET), 502
- essential tremors
  - indications for, 218–219
  - versus Parkinsonian, 218
  - pathophysiology of, 218
  - pharmacology, 219
  - therapy for, 219
- ethics in elderly health
  - Choosing Wisely guidelines, 8
  - complexity of, 8
  - COVID-19, 761
  - dementia and, 766–767
  - do no harm principle, 7
  - goals of care, 764
  - judgment substitution, 767–769
  - and medical nihilism, 7–8
  - minimal interference when needed, 7
  - nutrition and hydration, 769–770
  - patient autonomy, 762–764
  - personal nature of, 761
  - principles of, 761
- ethics in elderly health, actions and intentions
  - death from actions, 765–766
  - principle of double effect, 764–765
- ethnogeriatric care
  - caregiving for, 733
  - cultural competence, 708–713
  - importance of, 705
  - practice transformation in, 742–744
  - team-based care, 743–744
- ethnogeriatric care disparities
  - disease prevalence, 707–708
  - quality of care, 705
- eustachian tube dysfunction, 538
- euthanasia, 765–766
- evaluation and assessment in elderly health
  - complete understanding of patient, 6
  - nonspecific signs and symptoms, 7
  - polypharmacy problem, 6–7
  - prejudgment avoidance, 6
- wastebasket diagnoses avoidance, 6
- exercise
  - cardiovascular disease (CVD), 411
  - peripheral artery disease (PAD) in elderly adults, 184–185
- external beam radiation therapy (EBRT), 513
- extrapyramidal disorders and gait, 228
- eye movement desensitization and reprocessing therapy (EMDR), 614
- falls
  - common geriatric health issue, 36
  - incidence of, 91
  - morbidity from, 91
  - mortality from, 91
  - and surgery potential, 571
- falls, clinical assessment
  - history, 93–94
  - Stopping Elderly Accidents, Deaths and Injuries (STEADI) algorithm, 92–93
- falls, physical exam components
  - balance, 94
  - gait, 94–96
- falls, prevention of
  - electronic, 96
  - exercise guidelines for, 67, 96
  - home health care, 96
  - hospital based, 96
  - interventions, 95–96
  - long-term care facility, 96
  - whole body vibration, 96
- falls, risk factors
  - acute trigger, 92
  - adverse drug reactions (ADRs) in the elderly, 47–48
  - demographics of, 91
  - functional deficits, 92
  - medical comorbidities, 92
  - syncope versus mechanical falls, 92
- family and home care
  - burden of, 4
  - cost of, 4
  - demographics of, 4
  - options, 3
  - role of health-care providers, 3–4
- FASI scoring system, 580, 581
- fasting, 689
- fat pad atrophy, 564
- fecal incontinence in the elderly. *See also* urinary incontinence in the elderly
  - classification, 365
  - epidemiology, 364
  - and fecal impaction, 366
  - pathophysiology of, 364–365
  - types of, 366
- fecal incontinence in the elderly, evaluation
  - diagnosis, 367
  - history taking, 366
  - physical exam, 366–367
  - specialized tests, 367
- fecal incontinence in the elderly, management
  - biofeedback, 369
  - dietary/behavioral, 368
  - injectable agents, 369
  - nursing home, 370
  - percutaneous tibial nerve stimulation (PTNS), 369
  - pharmacology, 368
  - products for, 370
  - surgical management of, 369
  - therapeutic modalities, 368
- Feldenkrais, 687
- femoral neck fractures, 446
- fesoterodine, 356
- festination, defined, 229
- FIT CHAMP mnemonic, 572
- flatfoot, 563
- floppy eyelid syndrome, 525
- flu. *See* influenza; pneumococcus
- foot health in the elderly
  - clinical presentation, 558
  - epidemiology, 558
  - forefoot, 561–563
  - heel, 563–564
  - hyperkeratotic lesions, 559
  - ingrown toenail, 561
  - midfoot, 563
  - onychomycosis, 560–561
  - skin and nail conditions, 558
  - tinea pedis, 560
  - ulcerations, 559–560
- foot health in the elderly, diseases
  - diabetes, 564–565
  - gout, 565–566
- foot osteoarthritis, 426
- forefoot dysfunction
  - digiti flexus, 562
  - hallux limitus, 561–562
  - hallux rigidus, 561–562
  - hallux valgus, 561
  - Morton's neuroma, 562–563
  - sesamoiditis, 562
  - stress fractures, 562
- Fracture Risk Assessment Tool (FRAX), 35
- frailty
  - background of, 81
  - defined, 81
  - screening, 82
  - and surgery potential, 570–571
  - and translational aging research, 13
- frailty clinical applications
  - decision-making, 85
  - palliative care, 85–86

- signs and symptoms, 85
- frailty epidemiology
  - age, 82–83
  - comorbidity, 83
  - disability, 83
  - gender, 83
  - race/ethnicity, 83
  - and survival, 83
- frailty interventions
  - chronic obstructive pulmonary disease (COPD), 274
  - clinical programs, 87
  - comprehensive geriatric evaluation, 87
  - exercise guidelines for, 71
  - hormonal, 87
  - nutritional, 86
  - pharmacological, 87
  - physical activity and, 86
  - resilience and, 87
- frailty models
  - biopsychosocial model, 82
  - deficit model, 82
  - phenotype model, 81
- frailty pathogenesis
  - cycle of, 83
  - endocrine pathways, 84
  - immune system, 84
  - musculoskeletal, 84
  - natural history of, 84
- frontal lesions and gait disorders, 229–230
- frontotemporal dementia (FTD), 117
- Functional Adaptation Skills Training (FAST), 612
- functional assessment (CGA)
  - demographics of, 23
  - functional mobility, 23
  - gait instability and falls, 23
  - oral health, 24
  - sensory impairment, 23–24
- functional assessment in rehabilitation
  - barriers, 581
  - caregiver support, 581
  - current, 580–581
  - FASI scoring system, 580, 581
  - living environment, 581
  - premorbid, 580
  - rehabilitation physical exam, 581
- functional deficits in the elderly and falls, 92
- fungal sinusitis, 541
- gait disorders in the elderly
  - classification, 230
  - differential diagnosis, 228–229
  - epidemiology, 228
  - etiologies, 231
  - evaluation, 229
  - examination, 228–229
    - pathophysiology of, 228
    - treatment, 232
- gait examination
  - background of, 94
  - physical exam elements of, 94–96
- gastric cancer, 290
- gastritis, atrophic, 290
- gastroesophageal reflux disease (GERD)
  - characteristics, 287
  - clinical presentation, 286
  - diagnosis, 286
  - epidemiology, 286
  - frequency of, 540
- gastroesophageal reflux disease (GERD) management
  - lifestyle modification, 287
  - pharmacology, 287
  - surgery for, 287
- gastrointestinal disorders in the elderly,
  - colon
    - Clostridium difficile* colitis (CDC), 293–294
  - constipation, 292–293
  - diverticulosis, 293
  - inflammatory bowel disease (IBD), 293
  - irritable bowel syndrome (IBS), 294
- gastrointestinal disorders in the elderly, epidemiology, 286
- gastrointestinal disorders in the elderly, esophageal
  - Barrett's esophagus (BE), 287–288
  - dysphagia, 288–289
- gastroesophageal reflux disease (GERD), 286–287
- gastrointestinal disorders in the elderly, small intestine
  - celiac disease (CD), 290–291
  - mesenteric ischemia (MI), 291–292
- small intestinal bacterial overgrowth (SIBO), 292
- gastrointestinal disorders in the elderly, stomach
  - atrophic gastritis, 290
  - gastric cancer, 290
  - peptic ulcer disease (PUD), 289–290
- genitourinary fistulae, 345–346
- genitourinary syndrome of menopause (GSM), 375–377
- Geriatric Competencies for EM Residents, 435
- Geriatric Depression Scale, 25
- Geriatric Emergency Medicine Task Force, 435
- Geriatric Resources for Assessment and Care of Elders (GRACE) model, 27
- geriatrician-led CGA models, 27
- geropsychiatry. *See also* cognitive impairment
  - anxiety and depression, 247–248
  - anxiety disorders, 247
  - cognitive disorders, 252
  - in home and community-based care, 624
  - mood disorders, 248–250
  - personality disorder, 250–251
  - psychotic symptoms, 251–252
  - settings for, 245
  - suicidal ideation, 250
- geropsychiatry evaluation
  - history taking, 245–246
  - mental status evaluation, 246–247
- geropsychiatry management
  - pharmacology, 252–253
  - psychotherapy, 253–254
  - treatment barriers, 254
- geroscience approach, 13
- Get Up and Go test, 23, 36, 229
- GFR category (kidney disease), 325
- giant cell arteritis (GCA)
  - clinical presentation, 430
  - diagnosis, 532–533
  - epidemiology, 430, 532
  - treatment, 430–431, 533
- gingivitis, 549
- glaucoma
  - angle-closure glaucoma, 529
  - epidemiology, 528–529
  - pharmacology, 529
  - primary open-angle glaucoma (POAG), 529
- GLP-1 receptor agonists (GLP-1 RAs) (diabetes), 401
- good elderly health-care principles
  - continuity of care, 2–3
  - physician role, 1–2
- gout
  - clinical presentation, 428
  - epidemiology, 428
  - and foot health, 565–566
  - treatment, 428–429
- Guillain-Barré syndrome
  - epidemiology, 190
  - sensory disorders and, 194
  - treatment, 190–191
- gynecological issues in the elderly
  - atrophic vaginitis, 373
  - bleeding, 374
  - candidiasis, 373–374
  - lichen sclerosus, 374
  - pelvic exams and, 373
  - pruritis, 374
  - sexually transmitted infections (STIs), 374–375
  - vaginal discharge, 374
  - vulvodynia, 374
  - vulvovaginitis, 373



## Index

- gynecological issues in the elderly, cancer  
cervical, 379  
endometrial, 378  
ovarian, 378–379  
vaginal, 379–380  
vulvar, 379
- gynecological issues in the elderly,  
menopausal  
genitourinary syndrome (GSM),  
375–377  
pelvic organ prolapse, 377  
sexual dysfunction, 377–378  
vasomotor symptoms (VMS), 375–376
- H1N1 influenza virus, 773–774
- hallucinations. *See* visual hallucinations
- hallux limitus, 561–562
- hallux rigidus, 561–562
- hallux valgus, 561
- hammertoe deformity, 562
- HAND (HIV-associated neurocognitive disorder), 316
- hand osteoarthritis, 425–426
- hazardous drinking, 257
- head and neck cancer, 543
- Head Impulse Nystagmus Test of Skew (HINTS Plus) exam, 106–107
- headaches in the elderly  
primary headaches, 199  
secondary headache syndromes,  
199–205
- Health Information Technology (HIT), 740
- health insurance. *See also* Medicaid;  
Medicare  
benefits defined, 752  
cost control, 753  
goals of, 751  
mechanisms of, 751  
nursing home, 752  
program expenditure statistics, 751  
return on investment (ROI), 752–753  
risk spread in, 751–752
- health literacy  
definition, 716  
future of, 723  
guidelines for, 716
- health literacy and technology  
alternatives to, 721–722  
barriers to, 722  
benefits of, 721  
chat bots, 722–723  
electronic medical records  
portal, 722  
patient assistance with, 723
- health literacy, low  
communication strategies for office  
visit, 719–720  
communication strategies for sensory  
deficits, 720
- communication tools for, 720–721  
impacts of, 716  
prevalence among the elderly, 716  
prevalence in general population,  
716  
print resource optimization, 721  
screening tools, 718
- Health Plan Employer Data and  
Information Set (HEDIS), 739
- Healthcare Effectiveness Data and  
Information Set (HEDIS), 66
- health-care system  
flaws in, 750–751  
overview of, 750
- health-care system, financials  
cost perspectives, 758–759  
hospitals, 757  
physician, 757–758  
principles of, 753–754
- healthy sleep, 235
- hearing loss  
common geriatric health issue, 37  
communication tools for, 720  
frequency of, 23–24
- heart disease in elderly adults  
aortic insufficiency, 157  
aortic stenosis (AS), 156–157  
atrial fibrillation (AF), 159–162  
bradycardia, 159  
cultural component of, 707  
effects of aging on cardiovascular and  
organ systems, 139–141  
endocarditis, 158–159  
heart failure (HF), 148–156  
mitral regurgitation, 158  
mitral stenosis, 157–158  
myocardial infarction (MI), 139–148  
nutrition for, 688  
pericardial constriction, 163  
pericardial effusion, 163  
pericarditis, 163  
prevalence of, 139  
secondary prevention trials, 410–411  
stable ischemic heart disease (SIHD),  
146–148  
tricuspid regurgitation, 158  
ventricular arrhythmias, 162
- heart failure (HF)  
clinical features, 149  
diagnosis, 149–150  
epidemiology, 148  
etiology of, 148–149  
functional classification, 149  
pathophysiology of, 148  
prevention of, 149
- heart failure (HF) management  
ACE inhibitors, 150–151  
angiotensin plus neprilysin inhibition,  
151
- angiotensin receptor blockers (ARBs),  
151  
anticoagulant drugs, 152  
anti-inflammatory drugs, 152  
beta-blockers, 151  
digoxin, 152  
diuretics, 150  
heart transplantation, 152–153  
implantable devices, 155  
intravenous inotropic agents and  
vasodilators, 152  
invabradine, 151  
left ventricular assist devices (LVADs),  
153  
mineralocorticoid antagonists (MRA),  
151–152  
prognosis, 156  
rehospitalization, 155–156  
sodium-glucose cotransporter  
inhibition, 152
- heart failure with preserved ejection  
fraction (HFpEF)  
and amyloid cardiomyopathy,  
153–155  
clinical presentation, 153  
epidemiology, 153  
pharmacology, 154
- heel dysfunction  
Achilles tendinitis, 564  
heel pad syndrome, 564  
plantar fasciitis, 563–564  
tarsal tunnel syndrome, 564
- heel pad syndrome, 564
- Helping People Experience Success  
(HOPES), 612
- hematologic malignancies in the elderly  
leukemias, 501–502  
multiple myeloma, 499–501
- hematuria  
clinical evaluation, 335  
epidemiology, 335–336  
etiology of, 336  
management, 335, 336
- hemiparetic gait, 232
- hemorrhagic stroke  
anticoagulation reversal, 212  
cerebral amyloid angiopathy (CAA),  
210  
defined, 210  
etiology of, 210
- hemorrhagic stroke management  
acute ischemic stroke, 210  
acute spontaneous intracerebral  
hemorrhage, 210
- hepatitis A and B immunizations, 38–39
- hepatitis B screening, 35
- hepatitis C screening, 35–36
- herbal medicine, 689
- herpes zoster. *See* shingles

- hip fractures
  - intertrochanteric, 446–448
  - outcomes, 445–446
  - presentation, 444–445
  - principles of, 444
  - rehabilitation, 588–589
- homeopathic medicine, 690
- hormone therapy (HT)
  - for hypopituitarism, 389–390
  - menopausal, 375
- Hospital Elder Life Program, 131
- Housing and Urban Development (HUD), 625
- human immunodeficiency virus (HIV) in the elderly
  - epidemiology, 310, 772–773
  - prevalence of, 310
  - risk assessment, 310–311
  - screening difficulties, 310
  - testing, 311–312
- human immunodeficiency virus (HIV) in the elderly, management
  - bone health, 315
  - cardiovascular disease (CVD), 314–315
  - functional decline, 317
  - goals of, 312–313
  - HAND (HIV-associated neurocognitive disorder), 316
  - liver disease, 316–317
  - multimorbidity, 313–314
  - peripheral neuropathy, 316
  - pre-exposure prophylaxis (PrEP), 318–319
  - preventing advanced aging, 313
  - psychiatric disorders, 315–316
  - renal disease, 315
  - transmission prevention, 317–318
  - treatment adherence, 317
- human papillomavirus (HPV)
  - and otolaryngeal cancer, 550
  - and sexuality in the elderly, 595–598
- hydrocephalus, 231
- hypercalcemia of malignancy, 385
- hyperlipidemia
  - and peripheral artery disease (PAD), 184
  - screening, 35
- hypertension in elderly adults
  - clinical evaluation, 175
  - comorbidities, 175–176
  - diagnosis, 174
  - end organ effects, 176
  - epidemiology, 173
  - and hemorrhagic stroke, 210
  - pathophysiology of, 173–174
  - and peripheral artery disease (PAD), 184
  - screening, 34–35
  - treatment benefits, 176–177
- hypertension in elderly adults, management
  - considerations for, 177–178
  - guidelines for, 177
  - nonpharmacological, 177
  - pharmacology, 178
- hyperthyroidism
  - epidemiology, 386
  - examination, 386–387
  - subclinical, 387
- hypnosis, 686
- hypnotics, 677
- hypoparathyroidism, 385
- hypopituitarism
  - clinical presentation, 388
  - diagnosis, 388–389
  - epidemiology, 388
  - symptoms, 388
  - treatment, 389–390
- hypothyroidism
  - epidemiology, 385
  - screening, 35
  - subclinical, 386
  - treatment, 385–386
- immune thrombocytopenic purpura, 498–499
- immunosenescence, 774
- immunotherapy in the elderly, 518
- impairment, defined, 580
- implantable cardioverter-defibrillators (ICDs), 155
- implantable devices for heart failure, 155
- inclusion body myositis (IBM), 431
- Indian Health Services (IHS), 623
- infectious disease in the elderly
  - aging and, 297
  - antibiotic resistance, 303–304
  - asymptomatic bacteriuria, 298–299
  - bacterial pneumonia, 299–301
  - diagnosis, 298
  - environmental vulnerability, 297
  - epidemiology, 297
  - influenza, 301
  - keratitis, 527–528
  - shingles, 302–303
  - tuberculosis (TB), 301–302
  - urinary tract, 298–299
- inflammatory bowel disease (IBD), 293
- influenza
  - diagnosis, 301
  - epidemiology, 301
  - immunizations, 37–38
  - management, 301
- ingrown toenail, 561
- inhalers, 274
- inpatient rehabilitation facilities (IRF), 582–583
- insomnia in the elderly
  - 3P model, 236
  - CBTI therapy for, 237
  - clinical presentation, 235
  - defined, 235
  - diagnosis, 236
  - prevalence of, 235
  - and sleep apnea, 240
- insomnia in the elderly, management
  - exercise guidelines for, 67
  - pharmacology, 237–239
  - psychological, 236–238
- institutionalization, overutilization of, 3
- insulin (diabetes), 402
- integrative medicine, defined, 684
- intellectual disability (ID) and aging. *See also* cognitive impairment
  - common comorbidities, 605–606
  - definition, 604
  - etiology of, 604–605
  - life expectancy, 605
  - overlap with SPMI and autism, 614
  - prevalence of, 605
  - social determinants of health (SDOH), 606
- intellectual disability (ID) and aging, interprofessional team approach
  - behavioral health providers (BHPs), 610–611
  - case managers, 611
  - occupational therapists, 611
  - physical therapists, 611
  - social workers, 611
  - speech pathologists, 611
- intellectual disability (ID) and aging, treatment
  - dementia and, 610
  - diet and exercise, 609–610
  - medication review, 607–608
  - pain management, 607–608
  - patient living environment, 607
  - patient participation, 606–607
  - psychological support, 608–609
  - screening and prevention health, 606
- intensive care unit (ICU) and the elderly
  - advance directives, 280
  - cognitive impairment, 279
  - confusion assessment method, 279
  - delirium, 279
  - mechanical ventilation risk, 280
  - prevalence of, 279
  - sepsis, 279–280
- intention tremors, 219
- interstitial lung disease (ILD)
  - defined, 275
  - diagnosis, 275
  - special considerations, 276
  - treatment, 275–276
- intertrigo, 472–473

## Index

- Interventions Testing Program (ITP), 15  
 intracranial stenosis and stroke, 212  
 intraurethral prostatic stents, 342–343  
 iron deficiency anemia, 494–495  
 irritable bowel syndrome (IBS), 294  
 ivabradine, 151
- kidney disease in the elderly  
   epidemiology, 324–325  
   key terms in, 318–324  
 kidney disease in the elderly, clinical  
   evaluation  
     challenges to, 326–327  
     history and physical exam, 326  
     lab and imaging tests, 326  
     specialist referral, 326  
 kidney failure, 325  
 knee osteoarthritis, 426
- LEARN model of cross-cultural  
   communication, 712–713
- left ventricular assist devices (LVADs)  
   for heart failure (HF), 153  
   indication for anticoagulation for  
     stroke prevention, 212
- leukemias  
   acute myelogenous leukemia (AML),  
     501–502  
   chronic lymphocytic leukemia (CLL),  
     501  
   chronic myeloid leukemia (CML),  
     501  
   contrasting hemograms, 502  
   myeloproliferative neoplasms, 502
- levodopa, 224
- lichen sclerosus, 346, 374
- life expectancy factors, 1
- lipid disorders management  
   age and cardiovascular risk, 407–408  
   age and lipid-lowering therapy,  
     407–408  
   age of study population, 407  
   clinical trials, 408–409
- lipid disorders management,  
   cardiovascular disease (CVD)  
   atherosclerotic cardiovascular disease  
     (ASCVD), 410–411  
   dietary/behavioral, 411  
   exercise guidelines for, 411  
   limitations of, 413  
   lipid-lowering therapy clinical trials,  
     408–409  
   medicine adherence, 414  
   non-statin therapy, 412–413  
   primary prevention trials, 409–410  
   statin therapy, 411–412  
   statin underutilization, 415
- lithium carbonate, 252
- living will, 762–763
- long-term care for the elderly. *See also*  
   nursing home
- long-term care for the elderly, home and  
   community-based settings  
   caregiver issues, 629  
   COVID-19, 628  
   financial issues, 629  
   hospital-at-home programs, 628  
   medical care in, 627–628
- long-term care for the elderly, need for, 620
- long-term care for the elderly, public  
   residential options  
   assisted living facilities (ALFs), 626–627  
   Continuing Care Retirement  
     Communities (CCRCs), 626  
   Housing and Urban Development  
     (HUD), 625  
   Naturally Occurring Retirement  
     Communities (NORCs), 625  
   skilled nursing facilities (SNFs), 758  
   Village Movement, 625–626
- long-term care for the elderly, public  
   structures for  
   Alzheimer's disease (AD), 623–624  
   elder abuse victims, 624–625  
   under Medicaid, 622–623  
   under Medicaid and Medicare, 623  
   under Medicare, 621–622  
   mental illness and substance abuse, 624  
   Native American and Alaska Native  
     elders, 623  
   Older Americans Act (OAA), 621  
   overview of, 620–621  
   veterans, 623
- Lou Gehrig's disease. *See* amyotrophic  
   lateral sclerosis
- low vision, 533
- lower-extremity skin changes, 467–468
- lubricants (sexual), 600–601
- lumbar nerve root compromise and gait  
   disorders, 228
- lung cancer  
   clinical presentation, 516  
   epidemiology, 516  
   prevention of, 516  
   screening, 34, 516  
   staging, 517
- lung cancer management  
   early stage, 517  
   locally advanced disease, 517–518
- MACRA (Medicare Access and CHIP  
   Reauthorization Act), 739–740
- macular degeneration, 531–532
- malignant otitis externa (MOE), 537
- malnutrition in the elderly. *See also*  
   nutrition and aging  
   diagnosis, 295  
   etiology of, 294–295  
   guidelines for, 24  
   obesity, 24  
   treatment, 295  
   unintended weight loss, 25
- malnutrition in the elderly, etiology  
   cytokines, 55  
   diminished sense of taste, 55  
   gastrointestinal, 54–55  
   neuroendocrine, 54–55  
   oral integrity, 55  
   social causes, 56  
   summary of, 55
- malnutrition in the elderly, syndromes  
   anorexia, 56  
   cachexia, 56  
   sarcopenia, 56  
   sarcopenic obesity, 56–57
- Malnutrition Screening Tool (MST), 58
- Malnutrition Universal Screening Tool  
   (MUST), 58
- manometry, 367
- massage and body work, 687
- mean corpuscular volume (MCV), 493
- Medicaid. *See also* health insurance  
   home and community-based care  
     under, 622–623  
   for home care, 3  
   overview of, 756–757
- medical assessment (CGA)  
   cognition, 25  
   dementia, 114–115  
   malnutrition, 24–25  
   mood disorders, 25  
   polypharmacy, 25  
   urinary incontinence, 24
- Medicare. *See also* health insurance  
   history of, 754  
   home and community-based care  
     under, 621–622  
   insurance expenditure percentage, 751  
   items not covered by, 756  
   nursing home, 758  
   payment gap structure of, 754  
   physician payment metrics, 758  
   return on investment (ROI), 752–753
- Medicare, parts of  
   overview of, 754  
   Part A, 755  
   Part B, 755  
   Part C, 755–756  
   Part D, 756
- Medicare Advantage (MA) program,  
   755–756
- Medicare Annual Wellness Visit (AWV),  
   33
- meditation, 686
- meglitinide drugs (diabetes), 400
- melanoma, 462–464
- melatonin, 136

- memantine, 121  
 Ménière's disease, 539  
 menopause  
   hormone therapy (HT), 375  
   lifestyle changes, 375  
   pathophysiology of, 375  
   serotonin reuptake inhibitors (SSRIs), 375  
   treatment summary, 376  
   vasomotor symptoms (VMS), 375–376  
 mental status evaluation  
   abnormal thoughts, 246–247  
   cognitive assessment, 247  
   general appearance, 246  
   mood, 246  
   practice transformation, 745–746  
   speech, 246  
   suicidal ideation, 246  
 mesenteric ischemia (MI), 291–292  
 metabolism and pharmacology, 45  
 metastatic disease  
   breast cancer, 511  
   musculoskeletal injuries and, 442  
 metformin  
   and antiaging, 15  
   for diabetes mellitus, 398–400  
   exercise guidelines for, 72  
 methadone, 265–266  
 methicillin-resistant *S. aureus* (MRSA)  
   resistance  
     antibiotic alternatives, 304  
     diagnosis, 303–304  
     epidemiology, 303  
 middle and inner ear otolaryngology  
   age-related changes, 537  
   common pathologies, 537–538  
 midfoot dysfunction  
   pes planus, 563  
   posterior tibial tendon dysfunction, 563  
 migraine headaches, 199  
 migrainous vertigo, 539  
 mild cognitive impairment (MCI)  
   defined, 113  
   screening, 36  
 mind–body therapies, 686  
 mineralocorticoid antagonists (MRA), 151–152  
 Mini-Cog Assessment Instrument for Dementia, 36  
 Mini-Mental State Examination (MMSE), 115  
 Mini-Mental Status Examination (MMSE), 36  
 Mini-Nutritional Assessment Short Form (MNA-SF), 58  
 MIPS (Merit-Based Incentive Payment System), 739–740  
 mirabegron, 356–357  
 mistreatment. *See* elder abuse  
 mitral regurgitation  
   epidemiology, 158  
   management, 158  
 mitral stenosis  
   epidemiology, 157  
   management, 157–158  
 Modification of Diet in Renal Disease (MDRD), 46  
 MOLST (medical orders for life-sustaining treatments), 763  
 Montreal Cognitive Assessment (MoCA), 36, 115  
 mood disorders in the elderly  
   bipolar disorder, 249  
   chronic depression, 249  
   depression, 248–249  
   diagnostic tools for, 25  
   grief/bereavement, 249–250  
   prevalence of, 248  
 Morton's neuroma, 562–563  
 motor neuron disease, 191  
 movement disorders in the elderly  
   gait disorders, 228–232  
   parkinsonism, 219  
   Parkinson's disease (PD), 219–220  
   tremors, 218–220  
 Multidimensional Assessment of Older People in Primary Care (AMPI-AB), 28  
 multiple myeloma, 499–501  
 multiple sclerosis  
   epidemiology, 189–190  
   sensory disorders and, 194  
   treatment, 190  
 multiple system atrophy (MSA), 222  
 muscle weakness in the elderly  
   evaluation, 191–192  
   Guillain-Barré syndrome, 190–191  
   motor neuron disease, 191  
   multiple sclerosis, 189–190  
   myasthenia gravis, 191  
   neurological causes of, 189–190  
   non-neurological causes of, 191  
   potential diagnostic red flags, 192  
 musculoskeletal injuries in the elderly  
   and driving, 677  
   periprosthetic fractures, 442  
 musculoskeletal injuries in the elderly,  
   injury factors  
     communion and bone weakness, 441–442  
     intraarticular fractures, 442  
     open fractures, 441  
     polytrauma, 441  
 musculoskeletal injuries in the elderly,  
   management  
     ankle fractures, 448–449  
     distal radius fractures, 451–452  
     femoral neck fractures, 446  
     hip fractures, 444–446  
     intertrochanteric hip fractures, 446–448  
     preoperative considerations, 443–444  
     proximal humerus fractures, 449–451  
     vertebral compression fractures, 452  
 musculoskeletal injuries in the elderly,  
   pathologic fractures  
     bisphosphonate use and, 443  
     metastatic disease, 442  
 musculoskeletal injuries in the elderly,  
   patient factors  
     bone quality, 440–441  
     preinjury status, 440  
     soft-tissue quality, 441  
     systemic disease, 440  
 myasthenia gravis  
   epidemiology, 191  
   skeletal manifestations of, 191  
   treatment, 191  
 myelodysplastic syndrome, 497  
 myelopathy and gait, 228  
 myocardial infarction (MI)  
   acute ST-segment elevation myocardial infarction (STEMI) reperfusion, 145  
   clinical presentation, 140–141  
   complications, 146  
   diagnosis, 141–142  
   epidemiology, 139  
   non-ST-segment elevation reperfusion, 145  
   pharmacology management, 142–145  
   risk factors for, 139  
 naltrexone  
   for alcohol abuse, 264–265  
   for opioid abuse, 266  
 nasal cavity and sinus  
   age-related changes, 540  
   common pathologies, 540–541  
 National Standards for Culturally and Linguistically Appropriate Services (CLAS)  
   Civil Rights Act (1964), 710  
   communication and language assistance, 709  
   engagement, continuous improvement and accountability, 709  
   principal standard, 709  
 Naturally Occurring Retirement Communities (NORCs), 625  
 naturopathic medicine, 690–691  
 neurogenic bladder, 352–353  
 neurological problems. *See also* cognitive impairment  
   and driving, 677  
   headaches, 199–205  
   muscle weakness, 189–192

## Index

- neurological problems (cont.)  
 seizure disorders, 195–197  
 sensory disorders, 192–196  
 NHANES audiometric battery  
 questionnaire, 23  
 nonarteritic ischemic optic neuropathy (NAION), 533  
 nonselective beta-blockers, 72  
 nonsteroidal anti-inflammatory drugs (NSAIDs) exercise guidelines, 72  
 non-syncopal falls, 92  
 nontuberculous mycobacterium (NTM), 274–275  
 normal pressure hydrocephalus (NPH) and gait, 230–231  
 nurse-led CGA models, 28  
 nursing home. *See also* long-term care for the elderly; skilled nursing facilities and caregiver burden, 728  
 fecal incontinence, 370  
 health insurance coverage, 752  
 oral health in, 553  
 sleep disorders in, 241  
 urinary incontinence in, 359–360  
 nutraceuticals, 689  
 nutraceuticals and exercise performance, 67  
 nutrition and aging. *See also* malnutrition in the elderly  
 for cancer, 688  
 cardiovascular disease (CVD), 411  
 classification, 688–689  
 consequences, 54  
 demographics of, 54  
 dental caries, 549  
 frailty and, 86  
 for heart disease, 688  
 importance of, 54  
 natural foods and, 687  
 osteoporosis, 419  
 pressure injuries, 484–485, 488  
 requirements for, 58–60  
 nutrition and aging, diets  
 DASH diet, 687–688  
 fasting, 689  
 nutrition and aging, management  
 complementary and alternative medicine (CAM) therapies, 687–689  
 guidelines for, 39  
 in long-term care, 61  
 tips for, 61  
 nutrition and aging, micronutrients  
 calcium, 60–61  
 importance of, 60  
 supplements, 61  
 vitamin B12, 60  
 vitamin D, 60  
 nutrition and aging, screening for  
 body mass index (BMI), 58  
 Malnutrition Screening Tool (MST), 58  
 Malnutrition Universal Screening Tool (MUST), 58  
 Meals-on-Wheels mnemonic, 57  
 Mini-Nutritional Assessment Short Form (MNA-SF), 58  
 obesity  
 exercise guidelines for, 67  
 frequency of, 24  
 sarcopenic, 56–57  
 obstructive sleep apnea (OSA). *See* sleep apnea in the elderly  
 occupational therapists, 611  
 odynophagia, 288  
 Older Americans Act (OAA), 621  
 onychomycosis, 472, 560–561  
 opioid abuse, 257–258, 265–266  
 opioid analgesics  
 and crash risk, 677  
 falls and, 48  
 oral cavity  
 age-related changes, 541  
 common pathologies, 542  
 oral health in the elderly  
 demographics, 24  
 dental caries, 548–549  
 importance of, 548  
 in long-term care, 553  
 palliative care, 553  
 primary care implications, 553–554  
 teeth replacement, 552–553  
 osteitis deformans, 537  
 osteitis fibrosa. *See* renal osteodystrophy  
 osteoarthritis  
 clinical presentation, 425  
 epidemiology, 425  
 foot, 426  
 hand, 425–426  
 knee, 426  
 spine/hip, 426  
 treatment, 426–427  
 osteopenia, 440–441  
 osteoporosis. *See also* bone conditions of the elderly  
 aging and bone health, 418  
 exercise guidelines for, 67  
 Fracture Risk Assessment Tool (FRAX), 35  
 screening, 35, 418–419  
 osteoporosis management  
 bone health nutrition, 419  
 nonpharmacological, 420  
 pharmacology, 420  
 serial bone density monitoring, 420  
 otolaryngeal cancer  
 epidemiology, 550  
 etiology of, 550  
 incidence of, 550  
 risk factors, 550, 551  
 otolaryngology in the elderly  
 Bell's palsy, 542  
 head and neck cancer, 543  
 nasal cavity and sinus, 540–541  
 oral health, 551–553  
 periodontal diseases, 549–550  
 otolaryngology in the elderly, ear  
 auditory, 538–539  
 balance, 539  
 cancers, 550–551  
 middle and inner ear, 537–538  
 oral cavity, 541–542  
 outer ear, 536–537  
 throat, 540  
 otitis deformans. *See* Paget's disease  
 outbreak, defined, 771  
 outer ear otolaryngology  
 age-related changes, 536  
 common pathologies, 536–537  
 ovarian cancer  
 clinical evaluation, 378–379  
 epidemiology, 378  
 overflow urinary incontinence, 358  
 Paget's disease, 422–423  
 palliative care  
 caregiving for, 730  
 diabetes mellitus management, 397  
 oral health in, 553  
 person-centered care (chronic kidney disease), 332  
 practice transformation in elder care, 745  
 pandemic, defined, 771  
 pandemic effects on the elderly. *See also* COVID-19  
 definitions, 771  
 Ebola virus disease (EVD), 774  
 H1N1 influenza virus, 773–774  
 HIV and, 772–773  
 impact of, 771  
 SARS and, 773  
 pandemic effects on the elderly, general  
 risks  
 comorbidities, 774–775  
 immunosenescence, 774  
 psychiatric disorders, 775–776  
 social determinants of health (SDOH), 775  
 pandemic effects on the elderly, response  
 to  
 communication, 777  
 diagnosis, 776  
 infection control, 775–776  
 preparedness for, 777  
 reporting mechanism, 776  
 response and recovery, 777  
 therapeutic modalities, 776–777



- paramedicine, 436–437
- paraneoplastic cerebellar degeneration (PCD), 232
- paraphimosis, 344
- Parkinsonian tremors, 218
- parkinsonism
  - clinical features of, 220–221
  - defined, 219
  - neuropsychiatric manifestations of, 221
- Parkinson's disease (PD)
  - dementia and, 118
  - differential diagnosis, 221–223
  - epidemiology, 219–220
  - etiology of, 229
  - rehabilitation, 588
- Parkinson's disease (PD) management
  - clinical algorithm, 225–227
  - clinical treatment, 224–225
  - deep brain stimulation (DBS), 226–228
  - pharmacology, 223–224
  - psychosis and hallucinations, 224
- paronychia, 561
- participation, defined, 580
- pathogen, defined, 771
- patient autonomy in elderly health
  - family member involvement with patient consent, 6
  - patient-assisted suicide, 5–6
  - shared decision-making, 5
- Patient Health Questionnaire (PHQ-9), 25
- patient knowledge in elderly health
  - steps of, 5
  - understanding of family, 5
- Patient Protection and Affordable Care Act (2010), 66
- patient-centered medical home (PCMH) model, 737–738
- pelvic organ prolapse, 346, 377
- peptic ulcer disease (PUD)
  - clinical presentation, 289
  - defined, 289
  - diagnosis, 289
  - risk factors, 289–290
  - treatment, 289
- percutaneous tibial nerve stimulation (PTNS), 369
- Performance Oriented Mobility Assessment, 23
- pericardial constriction, 163
- pericardial effusion, 163
- pericarditis, 163
- periodontal diseases
  - etiology of, 550
  - gingivitis, 549
  - periodontitis, 549
  - prevalence of, 549
  - prevention of, 552
  - treatment, 552
- periodontitis, 549
- peripheral artery disease (PAD) in elderly adults
  - classification, 182, 183–184
  - clinical presentation, 181–182
  - defined, 180
  - with diabetes, 184
  - diagnosis, 182–183
  - differential diagnosis, 183
  - epidemiology, 180–181
  - with hyperlipidemia, 184
  - with hypertension, 184
  - pathophysiology of, 181
  - screening, 182
  - secondary prevention trials, 410–411
  - and smoking, 184
- peripheral artery disease (PAD) in elderly adults management
  - antithrombotic therapy, 185
  - exercise, 184–185
  - guidelines for, 184
  - prognosis, 186
  - surgery for, 185–186
  - vasodilators, 185
- peripheral neuropathy and HIV, 316
- personality disorder in the elderly
  - clinical approaches to, 250–251
  - defined, 250
- person-centered care (chronic kidney disease)
  - advance directives, 332
  - conservative management, 332
  - geriatric assessment, 330–331
  - guidelines for, 330
  - importance of family caregivers in, 331–332
  - palliative care, 332
- pes planus, 563
- Peyronie's disease, 344
- pharmacodynamics in the elderly
  - age-related changes, 46
  - defined, 44
- pharmacokinetics in the elderly
  - absorption, 44
  - bioavailability, 44–45
  - defined, 44
  - distribution, 45
  - metabolism, 45
  - renal elimination, 45–46
- pharmacology. *See also* chemotherapy; polypharmacy problems in the elderly
  - alcohol abuse, 264–265
  - complementary and alternative medicine (CAM) therapies as substitute, 692
  - and crash risk, 677
  - for delirium, 135–136
- depression, 248–249
- diabetes mellitus, 397–402
- drug interactions, 253
- essential tremors, 219
- exercise guidelines for, 67
- fecal incontinence, 368
- frailty and, 87
- gastroesophageal reflux disease (GERD), 287
- geropsychiatric, 252–253
- glaucoma, 529
- and headaches, 204
- for insomnia, 237–239
- Medicare Part D, 756
- osteoporosis, 420
- Parkinson's disease (PD), 223–224
- pressure injuries, 487–488
- psychotic effects from, 251
- and sexuality, 598
- start low and go slow maxim, 252
- stress urinary incontinence, 358
- urgency urinary incontinence, 356–357
- urinary catheters, 339
- phenotype model of frailty, 81
- pheochromocytoma, 391
- phimosis, 343
- photoaging mitigation, 458
- photovaporization of the prostate (PVP), 342
- Physical Activity Guidelines for Americans, 59
- physical activity in elderly adults
  - after arthroplasty, 70
  - benefits of, 64–65
  - chronic disease, 67
  - chronic disease and, 64
  - consequences of not doing, 64
  - COVID-19 and, 74
  - demographics of, 64
  - diabetes mellitus and, 397
  - frailty and, 86
  - guidelines for, 39
  - injuries, 67–70
  - intellectual disability (ID) and, 611
  - medications and, 67
  - social isolation and loneliness, 70–74
- physical activity in elderly adults, primary care role
  - counseling approaches, 66–67
  - exercise barriers, 66
  - guidelines for, 67
  - incentives for, 66
- physical therapy for pressure injuries, 483
- physician role in elderly health care
  - advanced directives, 763
  - advocate for patient, 2
  - financials of, 757–758
  - incorporate social determinants, 2
  - leadership, 1

## Index

- physician role (cont.)  
   personal commitment, 1–2  
   person-centered primary care, 2  
   social support, 2  
 physician-assisted suicide, 5–6  
 Pilates, 687  
 plantar fasciitis, 563–564  
 pneumococcus, 38  
 pneumonia in the elderly  
   bacterial, 299–301  
   classification, 277  
   diagnosis, 277  
   prevalence of, 276–277  
   treatment, 277–278  
 POLST (physician orders for life-sustaining treatment), 763  
 polycythemia vera (PV), 502  
 polymyalgia rheumatica (PMR)  
   clinical presentation, 430  
   epidemiology, 430  
   treatment, 430  
 polypharmacy problems in the elderly. *See also*  
   pharmacology  
   adverse drug reactions (ADRs), 47–49  
   Beers criteria, 46–47  
   deprescribing, 25, 50  
   drug adherence, 49–50  
   evaluation and assessment, 6–7  
   frequency of, 25, 44  
   in geropsychiatry, 253  
   gout, 429  
   medication strategies, 50  
   pharmacist partnering, 25  
   pharmacodynamic changes, 46  
   pharmacokinetic changes, 44–46  
   practice transformation in elder care, 745  
   STOPP/START criteria, 47  
   and surgery potential, 571–572  
   tremors and, 219–220  
   undertreatment, 49  
 positive airway pressure (PAP), 240  
 posterior tibial tendon dysfunction, 563  
 posterior vitreous detachment (PVD), 529  
 post-herpetic neuralgia, 193–194  
 post-traumatic stress disorder (PTSD), 614  
 practice transformation in elder care  
   care coordination, 746  
   culture of, 742–744  
   defined, 736  
   evolution of, 737–738  
   home-based care, 736  
   importance of, 736–737  
   role of subspecialty care, 738  
   triple aim, 737  
   practice transformation in elder care, best practices  
     access continuity, 747  
     acute illness, 745  
     chronic disease trajectory, 745  
     electronic health record (EHR) work flows, 746  
     financial stability, 747  
     mental status evaluation, 745–746  
     palliative care, 745  
     polypharmacy problem, 745  
     prevention of, 744–745  
     quality of care, 746–747  
     social determinants of health (SDOH), 745  
   practice transformation in elder care, data sources  
     claims data, 742  
     electronic health records (EHRs), 741–742  
     patient input, 742  
     social determinants of health (SDOH), 742  
   practice transformation in elder care, importance of, 736  
   practice transformation in elder care, payment models  
     Accurate Hierarchical Conditions Category (HCC), 739  
     Alternative Payment Models (APMs), 739  
     Cognitive Impairment Assessment and Care Planning, 738  
     Health Plan Employer Data and Information Set (HEDIS), 739  
     MACRA (Medicare Access and CHIP Reauthorization Act), 739–740  
     MIPS (Merit-Based Incentive Payment System), 739–740  
     Psychiatric Collaborative Care Model, 738  
     transformation components, 740–741  
     value-based care (VBC), 738  
   pramipexole, 223–224  
   Preadmission Screening and Resident Review (PASARR), 624  
   preclinical models for aging interventions  
     reasons for, 15  
     relevance of, 15–16  
     types of, 16  
   pre-exposure prophylaxis (PrEP), 318–319  
   presbyopia, 528  
   pressure injuries  
     assessment, 485  
     classification, 478  
     diagnosis, 479–481  
     differential diagnosis, 481  
     epidemiology, 477  
     healing time, 477  
     pathophysiology of, 478–479  
     and quality of life, 477  
     risk assessment, 480  
     risk factors, 480–483  
     screening, 480  
   pressure injuries, management  
     epithelial advancement, 486  
     infection control, 486  
     moisture, 486  
     nutrition, 488  
     pharmacology, 487–488  
     tissue, 485–486  
     wound repair, 487  
   pressure injuries, prevention  
     incontinence management, 485  
     mobility equipment, 484  
     nutrition, 484–485  
     physical therapy, 483  
     pressure redistribution support surfaces, 484  
     prophylactic dressings, 484  
     scheduled repositioning, 483  
   preventive health, common geriatric issues  
     dementia, 36  
     depression, 36  
     driving safely, 37  
     elder abuse, 37  
     falls, 36  
     hearing impairment, 37  
     visual impairment, 37  
   preventive health for the elderly  
     goals for, 33  
     Medicare Annual Wellness Visit (AWV), 33  
     nutrition and exercise, 7  
     recommendations for, 7  
   preventive health, immunizations  
     hepatitis A and B, 38–39  
     herpes zoster, 38  
     influenza, 37–38  
     pneumococcus, 38  
     tetanus, 38  
   preventive health, lifestyle  
     alcohol abuse, 39  
     nutrition, 39  
     physical activity, 39  
     sexually transmitted infections (STIs), 39–40  
     smoking, 39  
   preventive health screening for the elderly  
     abdominal aortic aneurysm screening, 35  
     cancer, 33–34  
     hepatitis B, 35  
     hepatitis C, 35–36  
     hyperlipidemia, 35  
     hypertension, 34–35

- hypothyroidism, 35
- osteoporosis, 35
- type 2 diabetes, 35
- primary aldosteronism (PA), 390–391
- Primary Care Assessment Tool for Elderly (PASTEL), 28
- primary care physician-led CGA models, 27–28
- primary headaches
  - cluster headaches, 199
  - defined, 199
  - migraines, 199
  - prophylactic treatment, 201
  - tension, 199–201
  - treatment, 201
  - types of, 200
- primary hyperparathyroidism (PHPT)
  - bone condition of the elderly, 422
  - epidemiology, 383
  - evaluation, 383
  - medical management of, 384
  - surgery for, 383–384
- primary myelofibrosis (PMF), 502
- primary open-angle glaucoma (POAG), 529
- primary progressive aphasia (PPA), 117
- principle of double effect, 764–765
- Program of All-Inclusive Care for the Elderly (PACE), 3
- progressive supranuclear palsy (PSP), 222
- prostate cancer
  - clinical presentation, 511
  - epidemiology, 511
  - prognosis, 512
  - screening, 34, 511
  - staging, 512
- prostate cancer management
  - active surveillance, 512
  - advanced cancer, 513
  - brachytherapy, 513
  - castrate-resistant prostate cancer (CRPC), 513
  - localized disease, 512
  - radiation therapy, 513
  - radical prostatectomy (RP), 512
  - watchful waiting, 512
- prostatitis
  - clinical presentation, 343
  - epidemiology, 343
  - management, 343
  - and prostatodynia, 343
- prostatodynia, 343
- proton pump inhibitors (PPIs), 72
- provider cultural competence, 710–712
- proximal humerus fractures, 449–451
- pruritis, 374, 466–467, 558
- psoriasis, 465
- Psychiatric Collaborative Care Model, 738
- psychiatric disorders
  - and driving, 677
  - and HIV, 315–316
  - pandemic effects on, 775–776
- psychosis in the elderly
  - delusional disorder, 251
  - hallucinations, 251
  - from medications, 251
  - schizophrenia, 251
  - treatment, 251
- psychotherapy for the elderly
  - family assessment, 253–254
  - individual, 253
  - marital, 253
- ptosis, 524–525
- pulmonary embolism (PE)
  - diagnosis, 278
  - epidemiology, 278
  - special considerations, 279
  - treatment, 278
- pulmonary issues in the elderly
  - and driving, 677
  - exercise guidelines for, 71
  - intensive care, 279–280
  - natural aging process, 270
  - prevalence of, 270
- pulmonary issues in the elderly, acute
  - conditions
    - pneumonia, 276–278
    - pulmonary embolism (PE), 278–279
- pulmonary issues in the elderly, chronic
  - lung disease
    - bronchiectasis, 274
  - chronic obstructive pulmonary disease (COPD), 270–274
  - interstitial lung disease (ILD), 275–276
  - obstructive sleep apnea (OSA), 276
- qigong, 687
- quinolones, 72
- radical prostatectomy (RP), 512
- Rapid Geriatric Assessment (RGA), 28
- rasagiline, 223
- REACH intervention trial (Resources for Enhancing Alzheimer's Caregiver Health), 730–731
- rehabilitation, 572
  - activity, 580
  - functional aging and, 578–579
  - functional assessment (CGA), 579–581
  - impairment, 580
  - importance of, 578
  - participation, 580
  - professional team, 582
- rehabilitation, common problems
  - hip fractures, 588–589
  - lower-extremity amputation, 589
  - Parkinson's disease (PD), 588
  - stroke, 586–588
- rehabilitation assistive devices
  - canes, 583–584
  - crutches, 584
  - mechanical aids, 586
  - reasons for, 583
  - walkers, 584
  - wheelchairs, 584–586
- rehabilitation settings
  - home, 583
  - inpatient facilities, 582–583
  - multidisciplinary versus interdisciplinary, 582
  - selection, 583
  - subacute, 583
- Reiki, 687
- remitting seronegative symmetric synovitis with pitting edema (RS3PE), 431
- renal disease and HIV, 315
- renal elimination pharmacology, 45–46
- renal osteodystrophy, 423
- resilience and frailty, 87
- resource-based relative value system (RBRVS), 757
- respect and value of patient in elderly health
  - breakdown of stereotypes, 8–9
  - cultural connection, 8
  - worker demographics, 9
- rest tremors, 218, 220–221
- retinal artery occlusions (RAO), 531
- retinal detachment, 530
- retinal vein occlusions (RVO), 531
- retinopathy, diabetic, 530–531
- retirement
  - Age Discrimination in Employment Act of 1967, 700
  - defined, 699
  - demographics of, 699–700
  - perspectives on, 699
  - transitional nature of, 700
  - transitional types, 700
- retirement contextual factors
  - caregiving burden, 702–703
  - chronic health conditions, 701
  - emotional health and social well-being after, 701–702
  - psychological well-being after, 701
  - remote work, 703
  - social networks and, 703
  - social reference groups, 702
  - sociodemographic, 702
- reversible dementia, 115
- rheumatoid arthritis (RA)
  - clinical presentation, 427
  - epidemiology, 427

## Index

- rheumatoid arthritis (RA) (cont.)  
   treatment, 427–428  
 rheumatologic disease in the elderly,  
   425–427  
 rhinitis, 540  
 risky drinking, 257  
 rivaroxaban, 211  
 ropinirole, 223–224  
 rosacea, 464  
 rotigotine, 224  
 rubral tremors, 219
- sacral nerve stimulation with  
   percutaneous tibial nerve  
   stimulation (PTNS), 357  
 Saint Louis University Mental Status  
   Examination (SLUMS), 36  
 sarcopenia, 56  
 sarcopenic obesity, 56–57  
 scabies, 472  
 schizophrenia, defined, 251  
 Screening, Brief Intervention, and  
   Referral to Treatment (SBIRT)  
   paradigm, 260–262  
 scrotal edema, 344  
 sebaceous cell carcinoma, 525  
 sebaceous hyperplasia, 460  
 seborrheic dermatitis, 464–465  
 seborrheic keratosis, 459  
 secondary headache syndromes  
   evaluation, 204–205  
   medication related, 204  
   with neuralgias, 201  
   red flag symptoms, 204  
   types of, 202  
 secondary hyperparathyroidism, 422  
 secondary/tertiary hyperparathyroidism,  
   384–385  
 seizure disorders in the elderly  
   clinical presentation, 196  
   epidemiology, 195–196  
   management, 197  
   pharmacology, 198  
 selective serotonin reuptake inhibitors  
   (SSRIs)  
   for depression, 248–249  
   exercise guidelines for, 72  
   falls and, 48  
   for menopause, 375  
 selegiline, 223  
 senescence-associated secretory  
   phenotype (SASP) inhibitors, 14–15  
 sensory ataxia, 232  
 sensory disorders in the elderly  
   alcohol neuropathy, 194  
   causes of, 192–193  
   diabetic neuropathy, 192–193  
   evaluation, 195  
   Guillain-Barré syndrome, 194
- normal patterns, 192  
   post-herpetic neuralgia, 193–194  
   terms, 195  
   treatment, 195–196  
   vitamin B12 deficiency, 194  
 sensory impairment (CGA)  
   hearing loss, 23–24  
   vision loss, 23  
 sensory neuropathy and gait, 228  
 sepsis in intensive care, 279–280  
 serial bone density monitoring, 420  
 sesamoiditis, 562  
 severe acute respiratory syndrome  
   (SARS), 773  
 severe and persistent mental illness  
   (SPMI) and aging  
   common comorbidities, 611–612  
   defined, 611  
   etiology of, 611  
   life expectancy, 611  
   overlap with autism and ID, 614  
   prevalence of, 611  
   telehealth treatment, 612  
 severe and persistent mental illness  
   (SPMI) and aging, skills training  
   program  
   Cognitive-Behavioral Social Skills  
   Training (CBSST), 612  
   Functional Adaptation Skills Training  
   (FAST), 612  
   Helping People Experience Success  
   (HOPES), 612  
 sex toys, 600  
 sexual response cycles, 594–595  
 sexuality in the elderly  
   demographics and aging, 593–594  
   erectile dysfunction (ED), 598–600  
   gynecological issues in, 377–378  
   HIV and, 595–598  
   medical conditions and, 598  
   medication impact, 598  
   relevance of, 593  
   sexual response cycles, 594–595  
   sexually transmitted infections (STIs)  
   misconceptions, 595  
   surgery and, 600  
   treatment barriers, 594  
 sexuality in the elderly, enhancements to  
   coital positions, 601  
   lubricants, 600–601  
   sex toys, 600  
 sexually transmitted infections (STIs)  
   gynecological, 374–375  
   misconceptions, 595  
   prevention of, 39–40  
 SGLT-2 inhibitors, 401–402  
 shamanism, 691  
 shingles  
   clinical presentation, 302
- epidemiology, 471  
   etiology of, 302  
   eye, 528  
   immunizations, 38  
   management, 303  
   in otolaryngology, 537  
   vaccination, 303  
 Short Michigan Alcoholism Screening  
   Test-Geriatric Version (SMAST-G),  
   39, 260  
 sick sinus syndrome, 159  
 Simplified Nutrition Assessment  
   Questionnaire (SNAQ), 39  
 single-item screening questions (SISQs),  
   258  
 sinoatrial dysfunction, 159  
 sinusitis  
   chronic, 541  
   defined, 540–541  
   fungal, 541  
 Sjogren's syndrome  
   clinical presentation, 431  
   epidemiology, 431  
   treatment, 431  
 skilled nursing facilities (SNFs), 758. *See*  
   also nursing home  
 sleep apnea in the elderly  
   comorbidities, 238  
   defined, 237–238  
   diagnosis, 239, 276  
   and insomnia, 240  
   positive airway pressure (PAP), 240  
   prevalence of, 238, 276  
   STOP-BANG questionnaire, 240  
   treatment, 240–241, 276  
 sleep disorders in the elderly  
   dementia and, 241–242  
   healthy sleep and, 235  
   in the hospital, 241  
   insomnia, 235–239  
   in the nursing home, 241  
   sleep apnea, 237–241  
 small intestinal bacterial overgrowth  
   (SIBO), 292  
 smoking  
   cessation, 39  
   and peripheral artery disease (PAD),  
   184  
 social assessment (CGA)  
   elder abuse, 26  
   social determinants of health (SDOH),  
   26  
   social isolation, 26  
   spiritual assessment, 26  
 social determinants of health (SDOH)  
   defined, 26, 745  
   and intellectual disabilities, 606  
   pandemic effects on, 775  
   public health data and, 742

- social inclusion framework, 669  
social isolation in the elderly, 26, 70–74  
social workers, 611  
sodium-glucose cotransporter inhibition, 152  
solar lentigines, 459–460  
solifenacin, 356  
speech pathologists, 611  
spine/hip osteoarthritis, 426  
spiritual assessment in the elderly, 26  
spiritual healing, 691  
squamous cell carcinoma, 461–462, 525, 536  
stable ischemic heart disease (SIHD), 146–148  
start low and go slow maxim, 252  
START program, 670  
statins  
    age of study population, 407  
    clinical trials, 408–409  
    diabetes mellitus, 403  
    exercise guidelines for, 72  
    lipid-lowering therapy, 411–412  
    for myocardial infarction, 144  
    primary prevention trials, 412  
    safety of, 412  
    side effects, 412  
    underutilization of, 415  
STEADI toolkit, 23  
steppage gait, 232  
steroids, exercise guidelines for, 72  
stone disease  
    complications, 339  
    epidemiology, 339  
    management, 339  
STOP-BANG questionnaire, 240  
Stopping Elderly Accidents, Deaths and Injuries (STEADI) algorithm, 92–93  
STOPP/START criteria, 47  
stress urinary incontinence  
    behavioral treatment, 357–358  
    defined, 352  
    pharmacology, 358  
    surgical management of, 358  
stroke in the elderly  
    and atrial fibrillation (AF), 161  
    caregiver burden, 213  
    carotid artery disease and, 212  
    clinical presentation, 208–209  
    defined, 208  
    and dizziness, 107  
    end-of-life care, 213  
    epidemiology, 208  
    intracranial stenosis and, 212  
    rehabilitation, 213, 586–588  
    risk factors for, 209–210  
    secondary prevention trials, 410–411  
    symptoms, 208  
stroke in the elderly, complications  
    depression, 213  
    dysphagia screening, 213  
    venous thromboembolism (VTE), 213  
stroke in the elderly, prevention of  
    anticoagulation, 211–212  
    antiplatelet therapy, 210–211  
    atrial fibrillation (AF), 211  
    glycemic control, 212  
    lipid-lowering therapy, 212  
stroke in the elderly, types of  
    hemorrhagic stroke, 210  
    TOAST classification, 209  
    transient ischemic attack (TIA), 209  
subclinical hypothyroidism (SCH), 386, 387  
substance abuse in the elderly  
    alcohol abuse, 257  
    benzodiazepines, 257  
    epidemiology, 256  
    home and community-based care, 624  
    opioids, 257–258  
    prevalence of, 256  
substance abuse in the elderly, screening for  
    Alcohol, Smoking and Substance Involvement Screening Test (ASSIST), 259  
    Alcohol Use Disorders Identification Test (AUDIT), 259–260  
    CAGE questionnaire, 258–259  
    diagnosis, 262  
    goal of, 258  
    Screening Brief Intervention and Referral to Treatment Test (SBIRT), 260–262  
    Short Michigan Alcoholism Screening Test-Geriatric Version (SMAST-G), 260  
    single-item screening questions (SISQs), 258  
    summary of tests, 264  
substance abuse in the elderly, treatment  
    alcohol withdrawal, 263–265  
    benzodiazepine withdrawal, 265  
    goals for, 263  
    opioid withdrawal, 265–266  
sudden gait failure, 228  
sudden sensorineural hearing loss, 538–539  
suicide in the elderly  
    prevalence of, 250  
    prevention of, 250  
sulfonylurea drugs (diabetes), 400  
supraventricular tachycardias (SVTs), 159  
surgical principles in the elderly  
    acute care, 573–574  
    intraoperative care, 572  
    population demographics, 569  
    surgical principles in the elderly, postoperative complications  
        atelectasis, 573  
        delirium, 573  
        pressure ulcers, 573  
        sexual dysfunction, 598  
        urinary tract infections (UTIs), 573  
surgical principles in the elderly, preoperative  
    cardiopulmonary risk, 571  
    clinical evaluation, 571  
    cognitive evaluation, 569–570  
    FIT CHAMP mnemonic, 572  
    functional evaluation, 570–571  
    goals of care, 570  
    history and physical exam, 569  
    polypharmacy, 571–572  
    rehabilitation, 572  
    risk assessment and referrals, 572  
swallowing  
    age-related changes, 540  
    common pathologies, 540  
systemic adjuvant therapy, 510  
tai chi, 687  
tamponade and pericardial effusion, 163  
tap test, 231  
tarsal tunnel syndrome, 564  
team-based care  
    defined, 743  
    embracing diversity, 743–744  
    low literacy, 744  
    and provider engagement, 743  
    safety culture, 743  
telehealth treatment, 741  
tension headaches, 199–201  
tetanus immunization, 38  
thalassemia, 495  
thiazides and exercise, 72  
thiazolidinediones (TZDs), 400  
3P model of insomnia, 236  
throat disorders in otolaryngology  
    swallowing, 540  
    voice, 540  
thrombocytopenia  
    immune thrombocytopenic purpura, 498–499  
    overview of, 498  
thromboembolism and atrial fibrillation, 160–161  
thrombolytic therapy  
    for acute ischemic stroke, 212–213  
    mechanical, 213  
thyroid cancer, 387–388  
thyroid nodules, 387  
Timed Get Up and Go test, 679  
tinea pedis, 560  
tinnitus, 539  
tolterodine, 356



## Index

- Trails-Making B test, 679
- transcatheter aortic valve replacement (TAVR), 156–157
- transdermal patch (urinary incontinence), 356
- transient ischemic attack (TIA)
  - ABCD 2 criteria for, 209
  - risk factors, 210
  - risk stratification, 209
- translational aging research
  - chronic disease trajectory, 12–13
  - compression of morbidity and, 13
  - economic reasons for, 12
  - frailty and, 13
  - geroscience approach, 13
  - societal benefits, 13–14
- transurethral microwave thermotherapy (TMT), 342
- tremors
  - defined, 218
  - polypharmacy problems, 219–220
- tremors, types of
  - action tremors, 218
  - essential tremors, 218–220
  - essential versus Parkinsonian, 218
  - intention tremors, 219
  - Parkinsonian tremors, 218
  - rest tremors, 218
- Triage-Titrate-Test method (dizziness), 103
- tricuspid regurgitation, 158
- tricyclic antidepressants (TCAs), 47
- trihexyphenidyl, 223
- tropium, 356
- tuberculosis (TB)
  - clinical presentation, 301–302
  - epidemiology, 301
  - screening, 302
  - treatment, 302
- ulcerations, postsurgical, 573
- unintended weight loss, 25
- urethral caruncle, 345
- urethral diverticulum, 345
- urethral strictures, 344–345
- urgency urinary incontinence, defined, 351–352
- urgency urinary incontinence, management
  - behavioral, 355–356
  - dietary, 355
  - pharmacology, 356–357
  - sacral nerve stimulation with percutaneous tibial nerve stimulation (PTNS), 357
  - surgical, 357
- urinary catheters
  - guidelines for, 338
  - management, 338
- overuse of, 338
- pharmacology, 339
- recommendations for, 338
- urinary incontinence in the elderly. *See also* fecal incontinence in the elderly
  - benign prostatic hyperplasia, 359
  - bladder outlet obstruction, 352
  - classification, 351
  - defined, 350
  - epidemiology, 350
  - frequency of, 24
  - in men, 24
  - neurogenic bladder, 352–353
  - overflow, 358
  - pathophysiology of, 350–351
  - stress, 352, 357–358
  - types of, 352
  - urgency urinary, 351–352
  - in women, 24
- urinary incontinence in the elderly, evaluation
  - clinical testing, 354
  - differential diagnosis, 353–354
  - formal urodynamic testing, 354
  - history taking, 353
  - physical exam, 353
- urinary incontinence in the elderly, management
  - absorbent and incontinence products, 359
  - ambulatory care, 355
  - nursing home, 359–360
  - products for, 359
  - therapeutic modalities, 355
- urinary tract infections (UTIs)
  - clinical evaluation, 337
  - clinical presentation and diagnosis, 298
  - differential diagnosis, 337
  - epidemiology, 298, 336
  - mortality from, 337
  - postsurgical, 573
  - prevention of, 337–338
  - risk factors, 337
- urological conditions in the elderly
  - benign prostatic hyperplasia, 340–343
  - bladder cancer, 340
  - hematuria, 335–336
  - palliative care, 346
  - sexual health and, 346
  - stone disease, 338–340
  - urinary catheters, 338–339
  - urinary tract infections (UTIs), 336–338
- urological conditions in the elderly, female
  - atrophic vaginitis, 346
  - genitourinary fistulae, 345–346
  - lichen sclerosus, 346
  - pelvic organ prolapse, 346
- urethral caruncle, 345
- urethral diverticulum, 345
- urological conditions in the elderly, male
  - epididymitis, 344
  - paraphimosis, 344
  - Peyronie's disease, 344
  - phimosis, 343
  - prostatitis, 343
  - scrotal edema, 344
  - urethral strictures, 344–345
- vaginal cancer, 379–380
- vaginal discharge, 374
- value-based care (VBC), 738
- vascular dementia, 117
- vasodilators, 185
- vasomotor symptoms (VMS) of menopause, management
  - hormone therapy (HT), 375
  - lifestyle changes, 375
  - selective serotonin reuptake inhibitors (SSRIs), 375
  - treatment summary, 376
- vasomotor symptoms (VMS) of menopause, pathophysiology, 375
- venous stasis dermatitis, 558
- venous thromboembolism (VTE) and stroke, 213
- treatment, 278
- ventricular arrhythmias, 162
- vertebral compression fractures, 452
- vertigo, 539
- vestibular disorders
  - and gait disorders, 228
  - migraine, 539
- veterans' home and community-based care, 623
- vibegron, 357
- virtue-based ethics, 761
- vision loss
  - communication tools for, 720
  - frequency of, 23
- visual hallucinations (VH), 222, 251
- visual impairment
  - age-related macular degeneration, 531–532
  - blepharitis, 526
  - cataracts, 528
  - Charles Bonnet syndrome, 532
  - common geriatric health issue, 37
  - diabetes mellitus, 403
  - diabetic retinopathy, 530–531
  - and driving, 677
  - dry eye, 527
  - epidemiology, 524
  - glaucoma, 528–529
  - infectious keratitis, 527–528
  - low vision, 533

posterior vitreous detachment (PVD), 529	age-related structural changes to, 524	common pathologies, 540
presbyopia, 528	dermatochalasis, 525	Vulnerable Elder Protection Team (VEPT), 670
retinal artery occlusions (RAO), 531	ectropion, 524	vulvar cancer, 379
retinal detachment, 530	entropion, 524	vulvodynia, 374
retinal vein occlusions (RVO), 531	epiphora, 525	vulvovaginitis, 373
visual impairment, conjunctivitis	floppy eyelid syndrome, 525	
allergic, 527	lacrimal system, 524	waddling gait, 232
bacterial, 526	ptosis, 524–525	walkers, 584
chronic, 527	visual impairment, optic nerve disorders	warfarin
physiology of, 526	giant cell arteritis (GCA), 532–533	and atrial fibrillation (AF), 161
viral, 526–527	nonarteritic ischemic optic neuropathy (NAION), 533	for stroke prevention, 211
visual impairment, corneal	vitamin B12, 60, 194, 497	wheelchairs, 584–586
abrasions, 527	vitamin D, 60	Whisper Test, 23
physiology of, 527	vitamin D deficiency	
visual impairment, eyelid neoplasms	epidemiology, 384	xerosis, 558
basal cell carcinoma, 525	treatment benefits, 384	yoga, 687
epidemiology, 525	voice	
sebaceous cell carcinoma, 525	age-related changes, 540	Zenker's diverticulum, 540
squamous cell carcinoma, 525		
visual impairment, eyelids		