
Index

- A_n , type, 63
- Abel–Jacobi map, 270
- abelian surface, 20, 33
- abelian variety, 411, 440
 - principally polarised, 269, 313
- abundance, 28, 52, 55
 - for general type, 56
 - for numerical Kodaira dimension zero, 56
 - for surface, 421
 - for threefold, 52, 421
 - log, 52
- abundant divisor, 55
- ACC (ascending chain condition), 48
 - for canonical thresholds, 256
 - for log canonical thresholds, 52, 261, 368
 - for minimal log discrepancies, 48
- adjacent elements, 450
- adjunction
 - for fibration, 36
 - inversion of, 35, 51
 - of Cohen–Macaulay schemes, 180
 - to Cartier divisor, 8, 9
 - to minimal lc centre, 35
 - to reduced divisor, 35
- adjunction exact sequence, 180
- affine cone, 33, 112, 180
 - classical, 398
- affine space, 2
- Albanese map, 412
- algebraic group, 64
- algebraic scheme, 2
- algebraic space, 196
- alpha invariant, 405
- ample cone, 15, 435
- ample divisor, 14, 15
- ample model, 36
- ample sheaf, 3
- analytic model, 10
- analytic space, 10
- anti-canonical divisor, 20, 93
- anti-canonical embedding, 389
- anti-canonical ring, 325, 326
- anti-canonical system, 93
- arc space, 51
- arithmetic genus, 312, 371
- Artin approximation, 60
- Artin’s algebraisation theorem, 62
- Artin–Mumford example, 270
- ascending chain condition, *see* ACC
- Atiyah flop, 24, 121
- Atiyah–Singer index theorem, 98
- automorphism group, 112, 435
- axial multiplicity, 105
- Azumaya algebra, 314
- BAB conjecture, 368
- base locus, 6
 - relative, 16
- base-point free theorem, 30
 - analytic, 32
- basket, 106, 448
 - packing, unpacking of, 449, 450
 - under covering, 126
- bend and break, 266, 363, 366
- Bernoulli number, generalised, 86
- Bertini’s theorem, 7
- Betti number, 98, 269, 433
- big cone, 18, 436
- big divisor, 17, 18
- big linear system, 258
- binary polyhedral group, 69, 389
- birational automorphism group, 439

- birational contraction map, 24
 - crepant, 36
 - negative, 36
 - non-positive, 36
- birational map, 3
 - small, 24
- birational rigidity, 272, 275
 - of conic bundle, 319
 - of del Pezzo fibration, 348
 - of Fano threefold, 276, 398
 - of hypersurface, 276, 399
 - over the base, 272
- birational superrigidity, 273
- rationally bounded family, 370
- blow-up, 9
 - Kawamata, 118
 - symbolic, 163
 - weighted, 70, 71
- Bogomolov's inequality, 417
- Borel–Moore homology, 50
- Borel–Weil theory, 382
- boundary, 28
- bounded family, 360
- Brauer group, 314
- Buchsbaum–Eisenbud theorem, 183
- cA_n, cD_n, cE_n , type, 77
- $cA/r, cAx/r, cD/r, cE/r$, type, 90
- Calabi–Yau fibration, 435
 - log, 435
- Calabi–Yau variety, 435
- canonical divisor, 7
 - of projective space, 7
 - of ruled surface, 253
 - of weighted blow-up, 71
 - relative, 23
- canonical map, 315, 387, 446
- canonical model, 37
 - log, 37
- canonical ring, 41, 446
 - log, 41
- canonical singularity, 29, 351
 - cyclic quotient, 72, 88
 - strictly, 107
 - surface, 77
 - threefold, 84, 107, 148, 203
 - under covering, 75
- canonical threshold, 256, 257
 - ACC for, 256
- Cartier divisor, 5
- Castelnuovo's contraction theorem, 19
- Castelnuovo's criterion for rationality, 268
- categorical quotient, 65
- cDV (compound Du Val) singularity, 77
 - isolated, 78
 - type of, 77
- centre, 28
 - lc, 35, 375
 - maximal, 274
 - non-plt, 35
- chain, 190, 363
- character of group, 86
 - even, odd, 86
 - primitive, 69
- Chern character, 98
- Chern class, 97
 - of projective space, 97
 - top, 97, 348
 - total, 97
- Chern polynomial, 98
- Chow ring, 98
- Chow's lemma, 3
- Chow-theoretic decomposition of the diagonal, 271
- class T , 189, 327
- Clemens–Griffiths criterion, 269
- Clifford map, 394
- Cohen–Macaulay sheaf, 8, 76, 177
- Cohen–Macaulay singularity, 6, 33, 183
 - multiplicity of, 78
- cohomology and base change, 5
- cohomology ring, 96
 - of projective space, 97
- cohomology with compact support, 345
- comb, 366
- compatible base map, 250
- complement, 368
- complete linear system, 6
- complete scheme, 2
- completion
 - formal, 276, 309
 - of ring, 60, 62, 244
 - profinite, 418
- complex scheme, 2
- complex torus, 269, 411
- complex variety, 2
- compound Du Val singularity, *see* cDV singularity
- conductor ideal, 89
- conductor in the normalisation, 89
- conductor of character, 86
- cone as scheme
 - affine, 33, 112, 180

480

Index

- cone as scheme (cont.)
 - classical affine, 398
 - classical projective, 267
- cone in vector space
 - ample, 15, 435
 - big, 18, 436
 - convex, 15
 - effective, 436
 - mobile, 355, 435
 - nef, 15, 435
 - of curves, 15, 30
 - positive, 440
 - pseudo-effective, 18, 435
 - rational polyhedral, 436
- cone theorem, 23, 30
 - analytic, 32
- conic bundle, 286
 - Gorenstein, 294, 295
 - over perfect field, 311
 - \mathbf{Q} -, *see* \mathbf{Q} -conic bundle
 - standard, 286, 291
 - threefold, *see* threefold conic bundle
- conical fibration, 286
 - embedded, 286
 - equivalence of, 286
- connected fibres, 3
- connectedness lemma, 34, 120
- contraction, 19
 - associated with face, 30
 - crepant, 36
 - divisorial, 26, 31
 - extremal, 19
 - face corresponding to, 436
 - flipping, 24, 31
 - flopping, 202, 429
 - negative, 36
 - non-positive, 36
 - of fibre type, 19
 - small, 24
- contraction theorem, 23, 30
 - analytic, 32
 - Castelnuovo's, 19
 - Grauert's, 194
- contribution, 100
 - of cyclic quotient singularity, 101
 - surface, 105
 - threefold, 106, 110
 - under deformation, 101
- cover
 - cyclic, 72, 73
 - index-one, 74
 - splitting, 212, 297
- covering family, 363
- Cox ring, 346, 355, 358
- Cremona group, 272
- crepant birational map, 36
- curve, 2
 - (-1) -, 19
 - chain of, 190, 363
 - cone of, 15, 30
 - deformation of, 223, *see also* bend and break
 - elliptic, 190, 438, 445
 - general in polarised system, 412
 - hyperelliptic, 315
 - monomial, 163, 185
 - plane, 282
 - rational, *see* rational curve
 - relative, 13
 - space, 281
 - trigonal, 271, 315
 - type in divisorial contraction, 181
- cuspidal, 52, 380
- cycle, 13
 - fundamental, 83, 130
 - relative, 13
- cyclic cover, 72, 73
- cyclic group, 2, 68
- cyclic quotient singularity, 70
 - canonical, terminal, 72, 88
 - contribution of, 101
 - fourfold, 433
 - surface, 35, 189
 - threefold, 88, 107
 - type of, 70
 - weighted blow-up of, 70
- cylinder, 51
- D_n , type, 63
- DCC (descending chain condition), 48
 - for Sarkisov degrees, 256
- deformation, 186, 365, 385
 - L -, 222
 - miniversal (semi-universal), *see* miniversal deformation
 - of curve, 223, *see also* bend and break
 - of extremal neighbourhood, 221
 - versal, 186
- deformation retract, 81
- degree
 - along polarised system, 412
 - of del Pezzo fibration, 325
 - of del Pezzo surface, 112, 325

- of Grassmannian, 383, 395
- of weak del Pezzo fibration, 339
- on curve, 140
- Sarkisov, 256
- splitting, 208, 297
- weighted, 70
- del Pezzo fibration, 325
 - degree of, 325
 - elementary, 325
 - threefold, *see* threefold del Pezzo fibration
 - weak, 339
- del Pezzo surface, 111, 325
 - degree of, 112, 325
 - over perfect field, 343
 - structure, 325
- descending chain condition, *see* DCC
- dévissage, 4
- different, 35
- difficulty, 47
- discrepancy, 29, 122
 - log, 29
 - minimal log, *see* minimal log discrepancy
- discriminant divisor, 287
 - quintic, 314
- discriminant locus, divisorial part of, 319
- discriminant of polynomial, 271
- divisor
 - abundant, 55
 - ample, 14, 15
 - anti-canonical, 20, 93
 - big, 17, 18
 - canonical, *see* canonical divisor
 - Cartier, 5
 - discriminant, 287
 - dreamy, 406
 - effective, 5, 6, 12
 - free, 6, 16
 - integral, 12
 - mobile, 7, 16
 - nef, 14
 - principal, 5
 - pseudo-effective, 18
 - Q**-, **R**-, 12
 - reduced, 6
 - relatively effective, 18, 436
 - semi-ample, 16
 - simple normal crossing (snc), 9
 - very ample, 14
 - Weil, 6
- divisor class group, 6
 - of Du Val singularity, 172
 - of ordinary double point, 12
 - of quartic threefold, 276
 - of quasi-smooth hypersurface, 399
 - of terminal threefold singularity, 84, 95, 430
- divisorial contraction, 26
 - elementary, 26, 31
 - log, 31
 - threefold, *see* threefold divisorial contraction
- divisorial extraction, 117
- divisorial sheaf, 6
- dlt (divisorially log terminal) singularity, 29, 33, 76
- Donaldson–Futaki invariant, 404
- Douady space, 309
- double projection, 390
- double solid, 270, 317
- dreamy divisor, 406
- Du Bois singularity, 425
- Du Val singularity, 62, 77
 - as quotient singularity, 68
 - curve in, 172
 - divisor class group of, 172
 - dual graph of, 130
 - simultaneous resolution of, 203
 - type of, 63
- dual graph, 130
- dualising complex, 8, 425
- dualising sheaf, 8
- duality
 - Grothendieck, 8, 425
 - Poincaré, 97, 347
 - Serre, 9
- Dynkin diagram, 130
- E_n , type, 63
- ε -lc singularity, 368
- easy addition, 53
- effective cone, 436
- effective divisor, 5, 6, 12
- elementary del Pezzo fibration, 325
- elementary divisorial contraction, 26, 31
- elementary flipping contraction, 24, 31
- elliptic curve, 190, 438, 445
- elliptic involution, 400
- elliptic singularity, 82, 83, 377
- embedding dimension, 62, 83
- Enriques surface, 20
- Euler characteristic, 4
 - topological, 98, 345
 - under covering, 372
- Euler class, 97

- Euler sequence, 7
 - relative, 253, 287
- exceptional locus, 9
- exceptional type, of divisorial contraction, 123
- existence of flips, 27, 31, 42, 200
- exponential sequence, 11
- extension theorem, 43
- extremal contraction, 19
- extremal face, 30
 - contraction associated with, 30
 - corresponding to contraction, 436
 - negative, 30
- extremal neighbourhood, 188, 211, 295
 - as deformation, 188
 - classification, 193, 195, 197, 231, 245
 - deformation of, 221
 - divisorial, 188
 - irreducible, 188
 - isolated, 188
 - semistable, 192, 245
- extremal ray, 30, *see also* extremal face
 - length of, 31
- face, extremal, *see* extremal face
- factoriality, 12, 293
 - of lci singularity, 399
 - of quartic threefold, 277
 - of surface singularity, 173
- Q**-, *see* **Q**-factoriality
- family
 - birationally bounded, 370
 - bounded, 360
 - covering, 363
 - of Reid–Fletcher, 398
- Fano index, 372, 398
- Fano threefold
 - birational rigidity of, 276, 398
 - classification, 378, 382, 387, 391, 398
 - general elephant of, 371
 - genus of, 372
 - line in, 384, 389
 - Mukai’s description, 394
 - Mukai–Umemura, 389
 - of principal series, 389
 - Q**-, *see* **Q**-Fano threefold
 - rationality of, 391
 - volume for, 372, 398
 - weak, 371
- Fano type, 368
 - ε -lc, 368
- Fano variety, 360
 - boundedness of, 360, 368
- Gorenstein, 360
- K-stability of, 403
- Q**-, 360
 - rational connectedness of, 267, 366
 - weak, 360
- fibre coproduct, 196
- fibrewise link, 250
- fictitious singularity, 106
- fixed part, 7, 16
- flatness, 62, 286, 288, 293, 299
- flip, 24, 200
 - elementary, 24, 31
 - existence of, 27, 31, 42, 200
 - Francia, 25
 - log, 31
 - pre-limiting (pl), 42
 - termination of, 27, 33, 40, 46
 - threefold, *see* threefold flip
- flipping contraction, 24
 - elementary, 24, 31
 - log, 31
- flop, 202, 428, 430
 - Atiyah, 24, 121
 - D -, 202, 430
 - threefold, 203, 430
- flopping contraction, 202
 - analytic, 429
 - D -, 202
- foliation, 415
- formal completion, 276, 309
- Francia flip, 25
- free divisor, 6, 16
- free linear system, 6
- free rational curve, 365
- free resolution, 177
 - minimal, 177
- Fujita conjecture, 447
- fundamental class, 97
- fundamental cycle, 83, 130
- fundamental domain, 436
- fundamental group, 85, 95, 208, 296, 388
 - étale, 418
- G_2 -manifold, 395
- GAGA principle, 11
- general elephant, 93
 - conjecture, 94
 - of conic bundle, 305
 - of del Pezzo fibration, 327
 - of divisorial contraction, 131, 137, 164
 - of Fano threefold, 371, 377
 - of flipping contraction, 231

- of terminal singularity, 94
- general linear group, 65
- general point, 7
- general type, variety of, 53, 434, 446
 - abundance for, 56
- generic semi-positivity, 414
- genus
 - arithmetic, 312, 371
 - geometric, 446
 - of Fano threefold, 372
- geometric genus, 446
- geometric invariant theory, 331
- geometric quotient, 64, 67
- germ, 2
- Gieseker stability, 413
- gluing lemma, 366
- good log minimal model, 56
- Gorenstein ideal, 183
- Gorenstein scheme, projectively, 180
- Gorenstein singularity, 78, 425
 - artinian, 81
 - of codimension three, 183
 - \mathbf{Q} -, 12, 74
 - unprojection of, 179
- grade, 183
- Grassmannian, 268, 382
 - degree of, 383, 395
 - orthogonal, 394
 - relative, 313
 - symplectic, 395
- Grauert–Riemenschneider vanishing, 29
- Grauert’s criterion for contractibility, 194
- Grothendieck duality, 8, 425
- Grothendieck–Lefschetz theory, 276, 418, 438
- group
 - algebraic, 64
 - automorphism, 112, 435
 - binary polyhedral, 69, 389
 - birational automorphism, 439
 - Brauer, 314
 - character of, 69, 86
 - Cremona, 272
 - cyclic, 2, 68
 - divisor class, *see* divisor class group
 - étale fundamental, 418
 - fundamental, 85, 95, 208, 296, 388
 - general linear, 65
 - linearly reductive, 65
 - orthogonal, 440
 - Picard, 5
 - polyhedral, 296
 - pseudo-automorphism, 435
 - representation of, 65, 172, 382, 419
 - small, 68
 - special linear, 65
 - special orthogonal, 394
 - symplectic, 395
 - Weyl, 440
- Harder–Narasimhan filtration, 413
- hidden non-Gorenstein point, 123
- Hilbert polynomial, 5, 288, 360
 - reduced, 413
- Hilbert scheme, 223, 360, 363, 386
- Hilbert–Burch theorem, 178
- Hilbert–Mumford criterion, 331
- Hirzebruch surface, 20, 250, 369
 - canonical divisor of, 253
- Hirzebruch–Riemann–Roch theorem, 98
- Hodge decomposition, 269
- Hodge index theorem, 362
- Hodge number, 269, 433
- Hom scheme, 223
- homaloidal transform, 252
- homology manifold, 347
- Hurwitz’s theorem, 246
- hyperelliptic curve, 315
- hyperelliptic surface, 20
- hypersurface, 272, 276, 329, 398
- hypersurface singularity, 60, 85, 88, 187
- ideal
 - conductor, 89
 - Gorenstein, 183
 - irrelevant, 346, 355, 370
 - monomial, 257
 - multiplier, 375
 - perfect, 183
- Iitaka conjecture, 58
- Iitaka dimension, 53, 423
 - numerical, 54, 423
- Iitaka fibration, 53, 446
- image, 2
 - inverse, 2
 - of rational map, 3
- implicit function theorem, Tougeron’s, 60
- imprimitive point, *see* primitive point
- incidence scheme, 268, 315, 317, 329
- index
 - Fano, 372, 398
 - of \mathbf{Q} -Gorenstein variety, 74
 - topological, 296
- index-one cover, 74

- integral divisor, 12
- integral scheme, 2
- intermediate Jacobian, 269, 313
- intersection multiplicity, 79
- intersection number, 4, 13, 15
 - local, 13
 - on surface, 192
- invariant element, 64, 65
- inverse image, 2
- inversion of adjunction, 35
 - precise, 51
- irregularity, 268, 313, 411
- irrelevant ideal, 346, 355, 370
- Iskovskikh–Manin theorem, 265, 276, 399
- Jacobian, 18, 269, 313, 314
 - intermediate, 269, 313
- Jordan–Hölder filtration, 413
- k -, over field, 311
- K -condition, 355
- K -polystability, 404
- K -semistability, 404
 - under deformation, 409
- K -stability, 404
- K^2 -condition, 348
- $K3$ surface, 20, 376, 396, 440
- Kähler–Einstein metric, 403
- Kawamata blow-up, 118
- Kawamata log terminal singularity, *see* klt singularity
- Kawamata–Morrison cone conjecture, 436
- Kawamata–Viehweg vanishing, 29
 - analytic, 32
- Kleiman’s ampleness criterion, 15
- klt (Kawamata log terminal) singularity, 29
 - numerically, 295
 - surface, 191
 - under covering, 75
- Kodaira dimension, 53
 - numerical, 54
- Kodaira vanishing, 29
- Kodaira’s lemma, 17, 18
- Kodaira’s table, 437
- Kummer sequence, 388
- Kustin–Miller unprojection, 180
- L -deformation, 222
- l -splitting, 237
- Lagrangian, 394, 395
- Landau’s symbol, 4
- lc centre, 35
 - minimal, 35, 375
- lc (log canonical) singularity, 29, 33, 42, 446
 - numerically, 191
 - surface, 190
 - under covering, 75
- Lefschetz condition, 277
 - effective, 277, 418
- Lefschetz fixed-point formula, holomorphic, 102
- Lefschetz hyperplane theorem, 273
- Lefschetz number, holomorphic, 102
- Leray spectral sequence, 4
- level, of unpacking, 450
- line, 384, 389
- linear equivalence, 6
 - Q -, R -, 14
 - relative, 14
- linear system, 6
 - anti-canonical, 93
 - big, 258
 - complete, 6
 - free, 6
 - mobile, 6, 251, 351
 - restriction of, 43, 275
 - standard, 252
- linearly reductive group, 65
- link, 250
 - fibrewise, 250
 - Sarkisov, 250, 261
 - square, 253
- local complete intersection (lci) singularity, 51
 - factoriality of, 399
- local intersection number, 13
- locally primitive germ, 208, 297
- log abundance, *see* abundance
- log Calabi–Yau fibration, 435
- log Calabi–Yau pair, 435
- log canonical model, 37
 - weak, 39
- log canonical ring, 41
- log canonical singularity, *see* lc singularity
- log canonical threshold, 52, 405
 - ACC for, 52, 261, 368
- log discrepancy, 29
 - minimal, *see* minimal log discrepancy
- log divisorial contraction, 31
- log flip, *see* flip
- log flipping contraction, 31
- log minimal model, 31, 37, 52
 - good, 56
 - marked, 434
- log Mori fibre space, 31
- log resolution, 10
 - strong, 10

- log terminal singularity, *see* It singularity
 lower semi-continuity, of minimal log discrepancies, 48
 It (log terminal) singularity, 29
 surface, 191
 Lüroth's problem, 268
- map, rational, *see* rational map
 marked log minimal model, 434
 marking map, 434
 matrix factorisation, 177
 Matsusaka's big theorem, 361
 maximal base modification, 441
 maximal centre, 274
 McKay correspondence, 172, 176
 minimal log discrepancy, 48
 ACC for, 48
 by arc space, 50
 divisor computing, 52
 lower semi-continuity of, 48
 of threefold, 85, 95
 minimal model, 25, 37, 428
 good, 56
 log, 31, 37, 52
 marked, 434
 relative, 31
 minimal model program (MMP), 26, 32
 for surface, 21
 with scaling, 39
 minimal point, 222
 minimal resolution, 23
 miniversal (semi-universal) deformation, 187
 of comb, 366
 of hypersurface singularity, 187
 space, 187
 Mittag-Leffler condition, 243
 MMP, *see* minimal model program
 mobile cone, 355, 435
 effective, 436
 mobile divisor, 7, 16
 mobile linear system, 6, 251, 351
 mobile part, 7, 16
 model
 ample, 36
 analytic, 10
 canonical, 37
 log canonical, 37
 log minimal, *see* log minimal model
 minimal, *see* minimal model
 semistable, 331
 stable, 331
 standard, 326, 333
 weak log canonical, 39
 monomial curve, 163, 185
 monomial ideal, 257
 Mori fibre space, 25, 250
 log, 31
 relative, 31
 motivic integration, 434
 Mukai pairing, 396
 Mukai vector, 396
 Mukai–Umemura threefold, 389
 multiplicity
 axial, 105
 intersection, 79
 of one-cycle, 352
 of singularity, 78, 83
 multiplier ideal, 375
 Mumford–Takemoto stability, 413
- n -fold, 2
 Nadel vanishing, 375
 Nakai's criterion, 14
 natural number, 2
 nef cone, 15, 435
 effective, 436
 nef divisor, 14
 nef sheaf, 375, 452
 nef threshold, 40, 322
 negativity lemma, 21
 nodal cubic, 190, 283
 Noether normalisation, 8
 Noether's formula, 340
 Noether–Fano inequality, 253
 Noether–Lefschetz theorem, 276
 non-klt centre, 35
 non-klt locus, 35
 non-vanishing, 56, 373, 411
 non-vanishing theorem, 30
 normal form, 133, 209
 normal sheaf, 370, 379, 395
 numerical equivalence, 13, 14
 numerical Itaka dimension, 54, 423
 numerical Kodaira dimension, 54
- Oka–Cartan theorem, 11
 orbifold coordinate, 69
 orbit, 64
 order, 28, 63, 118
 weighted, 70
 ordinary double point, 12, 121, 169, 271, 277
 ordinary type, of divisorial contraction, 123
 orthogonal Grassmannian, 394
 degree of, 395
 orthogonal group, 440

- \mathbf{P}^n -bundle, 2
- packing, 449
- pair, 28
 - automorphism of, 435
 - exceptional, 368
 - isomorphism of, 435
 - log Calabi–Yau, 435
 - pseudo-automorphism of, 435
 - pseudo-isomorphism of, 435
 - without effectivity, 351
- perfect ideal, 183
- Pfaffian, 183
 - maximal, 183
- Picard group, 5
- Picard number, 14
 - relative, 13
 - under flip, 25
- pl flip, 42
- plane, 384
- plane curve, 282
- pliability, 275
 - of cardinality at least three, 346
 - of cardinality two, 276, 358
- plt (purely log terminal) singularity, 29, 34
- Plücker embedding, 382
- Plücker quadric, 397
- pluricanonical map, 446
- plurigenus, 268, 446
- Poincaré duality, 97, 347
- point, 2
 - general, 7
 - minimal, 222
 - ordinary double, 12, 121, 169, 271, 277
 - primitive, imprimitive, *see* primitive point
 - very general, 7, 363
- polarisation, 396, 404
- polarised system, 412
 - general curve in, 412
- polyhedral group, 296
- polystable sheaf, 413, 419
- positive cone, 440
 - effective, 440
- pre-limiting (pl) flip, 42
- precise inversion of adjunction, 51
- primitive character, 69
- primitive element, 70
- primitive point, imprimitive point, 208, 297
 - classification, 213, 300
- principal divisor, 5
- principal series, Fano threefold of, 389
- profinite completion, 418
- projection formula, 4, 14, 97
- projective cone, classical, 267
- projective morphism, 3
- projective space, 2
 - canonical divisor of, 7
 - Chern class of, 97
 - cohomology ring of, 97
 - weighted, 71, 277, 398
- projective space bundle, 2
 - weighted, 347, 355
- projectively Gorenstein scheme, 180
- proper mapping theorem, 11
- Prym variety, 313
- pseudo-automorphism, 435
- pseudo-automorphism group, 435
- pseudo-cover, 312
 - associated with conic bundle, 313
- pseudo-effective cone, 18, 435
- pseudo-effective divisor, 18
- pseudo-effective threshold, 321
- pseudo-isomorphism, 435
- pseudo-reflection, 68
- pull-back, 12, 14
 - on surface, 192
- purely log terminal singularity, 29, 34
- push-forward, 8, 14
- Q**-conic bundle, 294
 - base of, 304
 - classification, 303
 - germ, 294
 - irreducible, 294
- Q**-divisor, 12
 - Q**-Cartier, 12
- Q**-factorialisation, 41, 171
 - of threefold, 203, 206
- Q**-factoriality, 12
 - for divisorial contraction, 26
 - for flip, 25
 - for Mori fibre space, 32
 - of quotient singularity, 68
 - of surface singularity, 173
- Q**-Fano threefold
 - à la Prokhorov–Reid, 402
 - birational rigidity of, 398
 - birational unboundedness of, 370
 - Fano index of, 398
 - general elephant of, 377
 - in family of Reid–Fletcher, 398
 - K-stability of, 408
- Q**-Fano variety, 360
 - boundedness of, 368

- rational connectedness of, 267
 - weak, 360
- Q**-Gorenstein singularity, 12
 - index of, 74
- Q**-linear equivalence, 14
- Q**-smoothing, 105
- quadratic involution, 399
- quasi-smooth variety, 398
- quotient, 65
 - categorical, 65
 - geometric, 64, 67
- quotient singularity, 68, 75
 - cyclic, *see* cyclic quotient singularity
 - surface, 35, 68, 189, 191
 - threefold, 85, 88, 107
- R_i , Serre's condition, 6
- R**-divisor, 12
 - R**-Cartier, 12
- R**-linear equivalence, 14
- ramification formula, 74
- rational chain connectedness, 267, 364
- rational connectedness, 267, 366
 - under deformation, 272
- rational curve
 - chain of, 190, 267, 363
 - covering family of, 363
 - free, 365
 - nodal cubic, 190, 283
 - sheaf on, 20
 - tree of, 132, 166, 365
 - twisted, 281, 387
 - very free, 365
- rational map, 3
 - birational, 3
 - birational contraction, 24
 - image of, 3
- rational polyhedral cone, 436
- rational polytope, 39
- rational singularity, 33, 188, 248
 - surface, 83, 173
- rationality, 265
 - Castelnuovo's criterion, 268
 - Clemens–Griffiths criterion, 269
 - of conic bundle, 310
 - of del Pezzo fibration, 343
 - of Fano threefold, 391
 - of hypersurface, 272
 - stable, *see* stable rationality
 - under deformation, 272
- real torus, 443
- reduced divisor, 6
- reflection, 68
- reflexive sheaf, 6, 310, 414
- Reid–Fletcher, family of, 398
- relative setting, 13
- relatively effective divisor, 18, 436
- representation of group, 65, 172, 382, 419
- resolution of module, 177
- resolution of singularities, 9
 - log, 10
 - minimal, 23
 - simultaneous, 203
 - strong, 9, 10
- restricted volume, 407
- retract, deformation, 81
- Riemann–Roch theorem
 - asymptotic, 4
 - Hirzebruch, 98
 - singular, 99, 105, 106
- ring
 - anti-canonical, 325, 326
 - canonical, 41, 446
 - Chow, 98
 - cohomology, 96, 97
 - completion of, 60, 62, 244
 - Cox, 346, 355, 358
 - log canonical, 41
- round-down, 2, 12
- round-up, 2, 12
- ruled surface, 253
- ruledness, 266
 - of hypersurface, 272
 - under deformation, 272
- S_i , Serre's condition, 6
- Sarkisov category, 250
- Sarkisov degree, 256
 - DCC for, 256
- Sarkisov isomorphism, 250
- Sarkisov link, 250, 261
 - type of, 250
- Sarkisov program, 255, 261
 - of Corti, 261
- Sarkisov relation, 403
- Sarkisov threshold, 252
- saturation, 207
- scaling, MMP with, 39
- scheme, 2
 - algebraic, 2
 - complete, 2
 - complex, 2
 - Hilbert, 223, 360, 363, 386
 - Hom, 223

- scheme (cont.)
 incidence, 268, 315, 317, 329
 integral, 2
 Schubert calculus, 383, 395
 semi-ample divisor, 16
 semi-invariant function, 69
 semi-positivity, generic, 414
 semi-positivity theorem, 375
 semi-universal deformation, *see* miniversal deformation
 semistable extremal neighbourhood, 192, 245
 semistable model, 331
 semistable polynomial, 331
 semistable sheaf, 413
 Serre duality, 9
 Serre vanishing, 5
 Serre's criterion, 6
 sheaf
 ample, 3
 Cohen–Macaulay, 8, 76, 177
 divisorial, 6
 dualising, 8
 nef, 375, 452
 normal, 370, 379, 395
 on projective line, 20
 polystable, 413, 419
 reflexive, 6, 310, 414
 semistable, 413
 stable, 413
 tangent, 97
 very ample, 3
 Shokurov's polytope, 39
 simple normal crossing (snc) divisor, 9
 singular Riemann–Roch formula, 99
 for surface, 105
 for threefold, 106
 singularity, 2
 canonical, *see* canonical singularity
 cDV, 77, 78
 Cohen–Macaulay, 6, 33, 78, 183
 dlt, 29, 33, 76
 Du Bois, 425
 Du Val, *see* Du Val singularity
 ε -lc, 368
 elliptic, 82, 83, 377
 fictitious, 106
 Gorenstein, *see* Gorenstein singularity
 hypersurface, 60, 85, 88, 187
 klt, *see* klt singularity
 lc, *see* lc singularity
 local complete intersection (lci), 51, 399
 lt, 29, 191
 plt, 29, 34
Q-Gorenstein, 12, 74
 quotient, *see* quotient singularity
 rational, *see* rational singularity
 resolution of, *see* resolution of singularities
 surface, *see* surface singularity
 terminal, *see* terminal singularity
 threefold, *see* threefold singularity
 slope, 413
 slope stability, 413
 small birational map, 24
 small group, 68
 socle, 81
 space curve, 281
 special linear group, 65
 special orthogonal group, 394
 spectral sequence, Leray, 4
 Spinor embedding, 394
 splitting cover, 212, 297
 splitting degree, 208, 297
 splitting principle, 97
 square link, 253
 stabiliser, 64
 stability
 Gieseker, 413
 in geometric invariant theory, 331
 K-, 404
 slope (Mumford–Takemoto), 413
 stable model, 331
 stable polynomial, 331
 stable rationality, 268
 criterion, 271
 of conic bundle, 310
 of hypersurface, 272
 under deformation, 272
 without rationality, 271
 stable sheaf, 413
 standard conic bundle, 286, 291
 standard linear system, 252
 standard model, 326, 333
 Stein factorisation, 3
 strict transform, 9
 string, 189
 conjugate, 190
 subadjunction formula, 35
 support, 6
 surface, 2
 abelian, 20, 33
 abundance for, 421
 del Pezzo, *see* del Pezzo surface

- Enriques, 20
- Hirzebruch, 20, 250, 369
- hyperelliptic, 20
- intersection number on, 192
- K3, 20, 376, 396, 440
- pull-back on, 192
- rationality for, 268
- ruled, 253
- singular Riemann–Roch formula for, 105
- test, 275, 282
- surface singularity
 - canonical, 77
 - elliptic, 82, 83, 377
 - factorial, 173
 - lc, 190
 - lt, 191
 - quotient, 35, 68, 189, 191
 - rational, 83, 173
 - terminal, 23
- symbolic blow-up, 163
- symbolic power, 139, 207
- symbolic power algebra, 163
- symplectic Grassmannian, 395
 - degree of, 395
- symplectic group, 395
- T , class, 189, 327
- tangent sheaf, 97
- terminal lemma, 88
- terminal singularity, 23, 29
 - cyclic quotient, 72, 88
 - surface, 23
 - threefold, *see* threefold singularity, terminal
 - under covering, 75
- terminalisation, 203
- termination of flips, 27, 33, 40, 46
- test configuration, 404
- test surface, 275, 282
- theta characteristic, 315
 - even, odd, 315
- threefold
 - abundance for, 52, 421
 - cubic, 268, 273, 317, 382
 - Fano, *see* Fano threefold
 - minimal, 421
 - of general type, 447
 - \mathbf{Q} -factorialisation of, 203, 206
 - \mathbf{Q} -Fano, *see* \mathbf{Q} -Fano threefold
 - quartic, 265, 276, 391
 - singular Riemann–Roch formula for, 106
 - stably rational but irrational, 271
 - Ueno’s example, 22
 - unirational but irrational, 268
 - unirational but stably irrational, 270
- threefold Calabi–Yau fibration, 439
- threefold conic bundle, *see also* \mathbf{Q} -conic bundle
 - birational rigidity of, 319
 - general elephant of, 305
 - pseudo-cover associated with, 313
 - rationality of, 310
 - with discriminant divisor of degree six, seven, eight, 317
 - with quintic discriminant divisor, 314
- threefold del Pezzo fibration
 - birational rigidity of, 348
 - elementary, 326
 - general elephant of, 327
 - multiple fibre of, 339
 - of degree four, 343
 - of degree three, 327
 - of degree two, one, 333, 348
 - rationality of, 343
 - standard model for, 326, 333
- threefold divisorial contraction
 - to curve, 162, *see also* extremal neighbourhood
 - general elephant of, 164
 - type of curve, 181
 - to point, 117
 - cyclic cover of, 125
 - general elephant of, 131, 137
 - geometric classification, 148
 - numerical classification, 122
 - type of, 122
- threefold flip, *see also* extremal neighbourhood
 - classification, 231, 245
 - double cover of, 207
 - existence of, 200
 - Francia, 25
 - general elephant of, 231
 - termination of, 46
- threefold flop, 24, 121, 203, 430
- threefold singularity
 - canonical, 84, 107, 148, 203
 - quotient, 85, 88, 107
 - terminal, 78, 88, 90
 - divisor class group of, 12, 84, 95, 430
 - general elephant of, 94
 - minimal log discrepancy of, 85, 95
 - type of, 90
- threshold
 - canonical, 256, 257

490

Index

- threshold (cont.)
 log canonical, 52, 261, 368, 405
 nef, 40, 322
 pseudo-effective, 321
 Sarkisov, 252
- Todd class, 98
- topological index, 296
- Torelli theorem, 440
- toric variety, 15, 70, 346
- torus
 complex, 269, 411
 real, 443
- total weight, 404
- Tougeron's implicit function theorem, 60
- tower, 119
- trace map, 8, 300
- transform
 homaloidal, 252
 strict, 9
 weak, 118
- tree, 132, 166, 365
- triangulation, 81
- trigonal curve, 271, 315
- Tsen's theorem, 311
- two-ray game, 171, 250, 258, 344, 390
- Ueno's example, 22
- uniformising parameter, 133, 209, 326
- unirationality, 268
 without rationality, 268
 without stable rationality, 270
- uniruledness, 266
 criterion, 266, 363, 414
 separable, 266
 under deformation, 272
- universal exact sequence, 383
- unpacking, 449
 at level l , 450
- unprojection, 179, 180
- vanishing
 Grauert–Riemenschneider, 29
 Kawamata–Viehweg, 29, 32
 Kodaira, 29
 Nadel, 375
 Serre, 5
- variety, 2
- abelian, *see* abelian variety
- Calabi–Yau, 435
- complex, 2
- Fano, *see* Fano variety
- of general type, *see* general type
- polarised, 396, 404
- Prym, 313
- rational, *see* rationality
- rationality chain connected, 267, 364
- rationality connected, 267, 272, 366
- relative, 13
- ruled, 266, 272
- stably rational, *see* stable rationality
- toric, 15, 70, 346
- unirational, *see* unirationality
- uniruled, *see* uniruledness
- vector bundle, 396, 417
- versal deformation, 186
- very ample divisor, 14
- very ample sheaf, 3
- very free rational curve, 365
- very general point, 7, 363
- volume, 54, 361, 406, 434
 for Fano threefold, 372, 398
 restricted, 407
- weak del Pezzo fibration, 339
- weak Fano variety, 360
 Gorenstein, 360
- weak log canonical model, 39
- weak transform, 118
- Weierstrass preparation theorem, 62
- weight
 of semi-invariant function, 69
 total, 404
- weighted blow-up, 70, 71
- weighted degree, 70
- weighted order, 70
- weighted projective space, 71, 277, 398
 well-formed, 398
- weighted projective space bundle, 347, 355
- Weil divisor, 6
- Weyl group, 440
- Yau–Tian–Donaldson conjecture, 405
- Zariski's main theorem, 3