
Index

- adaptive Markov chain Monte Carlo, 325
- adaptive Metropolis, 325
- adaptive resampling, 239
- additive noise approximation, 67
 - for pendulum model, 67
- affine Kalman smoother, *see* RTS smoother, affine
- applications
 - audio signal processing, 6
 - biological processes, 5
 - brain imaging, 5
 - Gaussian process regression, 5
 - global positioning system, 2
 - GPS/INS, 4
 - inertial navigation, 3
 - integrated inertial navigation, 4
 - inverse problems, 7
 - learning systems, 7
 - multiple target tracking, 3
 - physical systems, 7
 - robotics and autonomous systems, 5
 - spread of infectious diseases, 5
 - stochastic optimal control, 6
 - target tracking, 2
 - telecommunications, 6
- automatic differentiation, 117, 127
- auxiliary particle filter, 246
- backward-simulation particle smoother, 310
 - with rejection sampling, 314
- batch solution
 - general Bayesian, 31
 - to linear regression, 28
- Bayes' rule, 19
- Bayesian estimation of parameters, 319
- Bayesian filter, 94, 103, 104
 - for Gilbert–Elliot channel model, 105
- Bayesian filtering
 - applications, 2
 - as Bayesian inference, 9
 - equations, 94
 - equations for discrete state space, 103
 - equations for HMMs, 104
 - origins, 7
- Bayesian inference
 - building blocks, 19
 - connection with ML, 17
 - philosophy, 17
- Bayesian optimal filtering, *see* Bayesian filtering
- Bayesian optimal smoothing, *see* Bayesian smoothing
- Bayesian smoother, 253, 261
 - for Gilbert–Elliot channel model, 261
- Bayesian smoothing
 - applications, 2
 - as Bayesian inference, 9
 - equations, 253
 - equations for discrete state spaces, 261
 - equations for HMMs, 261
 - origins, 7
- block matrix inverse, 356
- bootstrap filter, 242
- Chapman–Kolmogorov equation, 94, 104
- Cholesky factorization
 - algorithm, 357
 - time derivative, 357
- companion code repository, 106
- conditional distributions
 - in conditional moments form, 184
- constant gradient covariance for polar CT model, 68
- constant velocity model, 48
- curvature integration, *see* spherical curvature integration
- curvature Kalman filter

- additive, 145
- fifth order, 163
- for coordinated turn model, 149
- for pendulum tracking, 149
- non-additive, 147
- cubature RTS smoother
 - additive, 282
 - fifth order I, 287
 - fifth order II, 289
 - for coordinated turn model, 290
 - for pendulum tracking, 284
 - non-additive, 283
- cubature/unscented RTS smoother fifth order
 - for coordinated turn model, 290
- degeneracy problem, 236
- discretization by mean linearization, 60
- discretization of linear dynamic models, 49
- discretization with a constant gradient, 66
- discretized model
 - car dynamics, 51
 - constant/Wiener velocity model, 50
 - mean for the bicycle model, 63
 - mean for the Cartesian CT model, 61
 - mean for the polar CT model, 60
 - pendulum dynamics
 - Euler–Maruyama, 54
 - polar coordinated turn
 - Euler–Maruyama, 57
 - Wiener process, 49
- dynamic linear models, 8
- dynamic model
 - definition, 11
 - of probabilistic state space model, 91
- energy function, 322
 - derivative for linear Gaussian model, 372, 373
 - derivative for non-linear Gaussian model, 375
 - linear Gaussian model, 332
 - non-linear Gaussian model, 337
 - particle filter approximation, 341
 - recursion, 322
 - SIR-based approximation, 341
- Euler–Maruyama method, 53
- Euler–Maruyama simulation, 58
- expectation-maximization
 - algorithm, 328
 - as coordinate ascend, 327
 - backward-simulation particle smoother-based evaluation of Q , 343
 - evaluation of linear Gaussian Q , 334
 - evaluation of non-linear Gaussian Q , 338
 - for linear Gaussian models, 336
 - maximization of linear Gaussian Q , 336
 - reweighting smoother-based evaluation of Q , 344
- extended 2nd order RTS smoother
 - additive, 270
- extended Kalman filter
 - first order additive, 113
 - first order non-additive, 115
 - for pendulum tracking, 117
 - for polar coordinated turn model, 118
 - iterated, 124
 - second order additive, 119
- extended RTS smoother
 - additive, 267
 - for coordinated turn model, 269
 - for pendulum tracking, 269
 - iterated, 274
 - second order, 270
- fifth order cubature/unscented RTS smoother
 - additive, 287
 - non-additive, 289
- filtering distribution
 - definition, 94
- filtering model, *see* state space model
- Fisher’s identity, 323, 330
 - for linear Gaussian model, 373
- Gauss–Hermite cubature, 139
- Gauss–Hermite Kalman filter
 - additive, 140
 - for coordinated turn model, 142
 - for pendulum tracking, 141
- Gauss–Hermite quadrature, 22, 138
- Gauss–Hermite RTS smoother
 - additive, 280
 - for coordinated turn model, 290
 - for pendulum tracking, 281
- Gaussian approximation
 - definition, 22
 - in extended Kalman filter, 113

- Gaussian assumed density filter, *see* Gaussian filter
- Gaussian distribution, 355
- Gaussian filter
 - additive, 133
 - for Poisson observations, 196
 - non-additive, 135
 - with enabling linearizations, 169
- Gaussian moment matching, 132, 133
- Gaussian process regression, 7
- Gaussian random walk, 92
 - for linear regression, 34
- Gaussian RTS smoother
 - additive, 278
 - conditional distribution form, 293
 - non-additive, 280
- generalized SLR smoother, 295
- generalized statistical linear regression, 205
 - definition, 204
- Hermite polynomial, 137
- Hessian matrix, 109
- importance sampling, 23, 233
- iterated extended Kalman filter, 124
 - for coordinated turn model, 125
 - for pendulum tracking, 124
- iterated extended RTS smoother, 274
 - for coordinated turn model, 275
 - for pendulum tracking, 275
- iterated posterior linearization, 208
 - of a cubic function, 210
- iterated posterior linearization filter
 - additive, 212
 - conditional distribution form, 216
 - conditional moment form, 215
 - non-additive, 214
- iterated posterior linearization smoother
 - additive, 297
 - conditional moments, 299
 - for coordinated turn model, 304
- Jacobian matrix, 109
- Kalman filter, 8
 - affine, 102
 - basic, 97
 - conditional distribution iterated posterior linearization, 216
 - conditional moment iterated posterior linearization, 215
 - cubature, 145
 - cubature non-additive, 147
 - extended, 113
 - fifth order cubature, 163
 - fifth order unscented, 163
 - for car tracking, 99
 - for Gaussian random walk, 98
 - for linear regression, 30
 - for linear regression with drift, 35
 - Gauss–Hermite, 140
 - Gaussian, 133
 - Gaussian non-additive, 135
 - iterated extended, 124
 - iterated posterior linearization, 212
 - Monte Carlo, 195
 - Monte Carlo iterated posterior linearization, 224
 - non-additive extended, 115
 - non-additive iterated posterior linearization, 214
 - second order extended, 119
 - sigma-point conditional moment, 193
 - iterated posterior linearization, 222
 - sigma-point iterated posterior linearization, 218
 - sigma-point non-additive conditional moment, 198
 - sigma-point non-additive iterated posterior linearization, 221
 - stationary, 102
 - statistical linear regression I, 187
 - statistical linear regression II, 188
 - statistical linear regression III, 190
 - statistical linear regression IV, 192
 - statistically linearized, 177
 - statistically linearized non-additive, 177
 - unscented, 156, 157
- Kalman smoother, *see* RTS smoother
- Laplace approximation, 323
- least squares estimate, 25
- linear approximation, 110, 111
- linear quadratic Gaussian regulator, 8
- linear regression, 27
- linearization, *see* linear approximation
- linearization with respect to initial condition, 64
- linearized continuous-time dynamic model, 59
- local linearization, 241

- loss function
 - 0–1, 21
 - absolute error, 21
 - definition, 21
 - quadratic error, 21
- MAP-estimate, 22, 323
- marginal likelihood of parameters, 321
- Markov chain Monte Carlo, 23, 324
- matrix inversion lemma, 356
- measurement model
 - definition, 19
 - joint distribution of measurements, 93
 - of probabilistic state space model, 91
- Metropolis–Hastings, 324
- ML-estimate, 18, 323
- MMSE-estimate, 21
- Monte Carlo iterated posterior
 - linearization filter, 224
- Monte Carlo Kalman filter, 195
- Monte Carlo method, 23, 229
- Monte Carlo RTS smoother, 293
- multinomial resampling, 238
- non-additive transform
 - in conditional moments form, 183
- non-linear transform
 - additive Gaussian moment matching, 132
 - additive generalized statistical linear regression, 205
 - additive linear approximation, 110
 - additive quadratic approximation, 112
 - additive statistical linear regression, 180
 - additive statistical linearization, 173
 - additive unscented transform approximation, 153
 - non-additive Gaussian moment matching, 133
 - non-additive linear approximation, 111
 - non-additive unscented transform approximation, 154
- on-line learning, 33
- optimal filtering, *see* Bayesian filtering
- optimal importance distribution, 241
- optimal smoothing, *see* Bayesian smoothing
- parameter estimation
 - definition, 319
 - Gaussian random walk, 333
 - linear Gaussian models, 332
 - pendulum model, 343
 - via Gaussian filtering and smoothing, 337
 - via particle filtering and smoothing, 340
 - via Rao–Blackwellization, 345
 - via state augmentation, 330
- particle filter
 - algorithm, 240
 - auxiliary, 246
 - for cluttered pendulum tracking, 243
 - for pendulum tracking, 243
 - Rao–Blackwellized, 248
- particle marginal Metropolis–Hastings, 342
- particle Markov chain Monte Carlo, 342
- particle smoother
 - backward-simulation, 310
 - Kim’s approximation, 317
 - marginal, 314
 - Rao–Blackwellized, 316
 - reweighting, 314
 - SIR, 308
- posterior distribution
 - batch linear regression model, 29
 - definition, 19
 - joint distribution of states, 93
 - recursive linear regression model, 30
- posterior linearization
 - definition, 207
- posterior linearization filter
 - for coordinated turn model, 220
- posterior mean, 21
- posterior statistical linear regression
 - of a cubic function, 208
- prediction, *see* update
- prior distribution
 - definition, 19
 - joint distribution of states, 93
- probabilistic notation, 27
- quadratic approximation, 112
- quadrature Kalman filter, *see* Gauss–Hermite Kalman filter
- Rao–Blackwellization of parameters, 345
- Rao–Blackwellized particle filter, 248
- Rao–Blackwellized particle smoother, 316

- Rauch–Tung–Striebel smoother, *see* RTS Smoother
- recursive solution
 general Bayesian, 32
 to linear regression, 30
- rejection sampling, 313
- resampling, 237
 inverse transform sampling for, 238
 multinomial, 238
 stratified, 238
 systematic, 239
- reweighting particle smoother, 314
- robust adaptive Metropolis, 325
- RTS smoother
 affine, 260
 basic, 255
 cubature, 282, 283
 extended, 267
 fifth order cubature/unscented, 287, 289
 for car tracking, 258
 for Gaussian random walk, 258
 Gauss–Hermite, 280
 Gaussian, 278, 280
 iterated posterior linearization I, 297
 iterated posterior linearization II, 299
 sigma-point iterated posterior linearization I, 301
 sigma-point iterated posterior linearization II, 302
 unscented, 285, 286
- sample impoverishment, 242
- second order approximation, *see* quadratic approximation
- sensitivity equations, 323, 334
 linear Gaussian model, 372
 non-linear Gaussian model, 375
- sequential importance resampling, 240
- sequential importance sampling, 235
- sigma point conditional moment Kalman filter, 193
- sigma-point iterated posterior linearization filter
 additive, 218
 conditional moment form, 222
 non-additive, 221
- sigma-point iterated posterior linearization smoother
 version I, 301
 version II, 302
- sigma-point non-additive conditional moment filter, 198
- SIR particle smoother, 308
- spherical cubature integration
 algorithm, 144
- state augmentation, 330
- state space model
 autoregressive (AR) model, 86
 bicycle dynamics, 63
 car dynamics, 47
 car position measurement, 74
 Cartesian CT model dynamics, 61
 cluttered pendulum, 81
 conditional independence, 92
 constant velocity model, 48
 Gaussian random walk, 92
 generalized linear model, 84
 Gilbert–Elliot channel model, 87
 gyroscope as input, 82
 linear Gaussian, 96
 linear-in-parameters regression model, 83, 84
 Markov property, 92
 multiple range measurements, 77
 non-linear additive Gaussian, 113
 non-linear non-additive Gaussian, 115
 notation, 35
 pendulum dynamics, 52
 pendulum measurement, 76
 polar coordinated turn dynamics, 55
 probabilistic, 91
 radar measurement, 76
 robust car measurement, 78
 time-varying autoregressive (TVAR) model, 86
 Wiener velocity model, 48
- statistical decision theory, 20
- statistical inversion, 5, 9
- statistical linear regression
 conditional moments form, 183
 definition, 179
 Gaussian approximation from, 180
 generalized definition, 204
 of a cubic function, 182
 of Poisson observations, 185
 version I, 179
- statistical linear regression filter
 version I, 187
 version II, 188
 version III, 190
 version IV, 192

406

INDEX

- statistical linear regression smoother, 292
- statistical linearization
 - definition, 171
 - Gaussian approximation from, 172
 - of a cubic function, 174
 - version I, 171
 - version II, 172
 - version III, 176
- statistically linearized filter
 - additive, 177
 - non-additive, 177
- stratified resampling, 238
- Student's t-distribution, 78
- systematic resampling, 239

- Taylor series, 108
- time-invariant model, 36
- two-filter smoother, 255

- unscented Kalman filter
 - additive, 156
 - fifth order, 163
 - for coordinated turn model, 160, 165
 - for pendulum tracking, 160, 165
 - non-additive, 157
- unscented RTS smoother
 - additive, 285
 - fifth order I, 287
 - fifth order II, 289
 - for coordinated turn model, 290
 - for pendulum tracking, 287
 - non-additive, 286
- unscented transform
 - additive, 153
 - non-additive, 154
- update, *see* prediction
- utility function, 21

- Viterbi algorithm, 263
 - for discrete HMMs, 265
 - for Gilbert–Elliot channel model, 265

- Wiener filter, 7
- Wiener velocity model, 48
- Woodbury formula, 356