

CONTENTS

Preface *page xv*

Chap. I. Cartesian coordinate-system

1·1. Cartesian coordinates; 1·11. Convention of signs, right-handed system	1
1·2. Radius-vector, direction-angles; 1·21. Direction-cosines; 1·22. Radius-vector in terms of coordinates; 1·23. Identity connecting the direction-cosines	2
1·3. Change of origin	3
1·4. Distance between two points	4
1·5. Angle between two lines, actual direction-cosines; 1·51. Numbers proportional to the direction-cosines; 1·52. Expression for $\sin^2 \theta$	4
1·6. Perpendicularity and parallelism; 1·61. Condition for perpendicularity; 1·62. Conditions for parallelism	5
1·7. Position-ratio of a point w.r.t. two base-points; 1·71. Another set of section-formulae; 1·72. Mean point of two points; 1·73. Mean point of three points	6
1·8. General cartesian coordinates; 1·81. Radius-vector in terms of coordinates; 1·82. Identity connecting direction-ratios; 1·83. Distance between two points; 1·84. Angle between two lines	7
1·9. Examples	8

Chap. II. The straight line and plane

2·1. Degrees of freedom; 2·11. Equations of a straight line; 2·111. Freedom-equations; 2·112. Standard form; 2·113. Another form of freedom-equations; 2·12. Equation of a plane; 2·121. Freedom-equations; 2·122. Determinant form; 2·123. Equation of first degree represents a plane; 2·124. Orientation of a plane, normal equation of plane; 2·125. Intercept-equation; 2·13. Intersection of two planes; 2·14. Note on vectors	11
2·2. Angles	15
2·31. Intersection of a straight line and a plane; 2·32. Points, lines and plane at infinity; 2·33. Homogeneous cartesian coordinates; 2·34. Freedom-equations of a line in homogeneous coordinates; 2·341. Matrices; 2·35. Equation of a plane in homogeneous coordinates; 2·351. Freedom-equations of a plane in homogeneous coordinates; 2·36. Point, line and plane at infinity represented analytically	16
2·41. Intersection of three planes; 2·42. Pencil of planes; 2·43. Condition that three lines through the origin should lie in one plane; 2·44. Intersection of two straight lines	21
2·5. Number of data which determine a point, a plane and a straight line; 2·51. Coordinates of a plane; 2·511. Notation; 2·52. Coordinates of a line; 2·521. Identical relation; 2·522. Line determined by a set of coordinates satisfying the identical relation; 2·523. Relations between the two sets of line-coordinates; 2·524. Condition that two lines should intersect	24

Cambridge University Press

978-1-316-60190-7 - Analytical Geometry of Three Dimensions

D. M. Y. Sommerville

Table of Contents

[More information](#)

vi

CONTENTS

2-6. Imaginary elements	<i>page</i> 30
2-71. Distance from a point to a plane; 2-72. Distance of a point from a straight line; 2-73. Shortest distance between two straight lines; 2-731. Moment of two lines	31
2-8. Volume of tetrahedron; 2-81. in terms of coterminous edges; 2-82. in terms of six edges	34
2-9. Transformation of coordinates; 2-91. Euler's equations; 2-92. Modulus of transformation; 2-95. Examples	37
 Chap. III. General homogeneous or projective coordinates	
3-1. Projective geometry; 3-11. Primitive geometrical elements and forms	46
3-2. One-to-one correspondence; 3-21. Cross-ratio, metrical definition; 3-22. Coordinate of a point on a line	47
3-3. Cross-ratio of four parameters; 3-31. The six cross-ratios of four numbers; 3-311. Harmonic and equianharmonic sets; 3-32. Representation of a pair by a quadratic equation; 3-321. Condition that two pairs should be harmonic; 3-322. In a harmonic set at least one of the pairs must be real; 3-323. Cross-ratio of two pairs; 3-324. Condition that cross-ratio should be real; 3-325. and positive	49
3-41. Geometrical cross-ratio; 3-42. Harmonic set; 3-43. Projective ranges; 3-44. Fundamental theorem of projective geometry; 3-45. Cross-ratio property of conic	53
3-5. Homography, double-points; 3-51. Involution; 3-52. Involution determined by two pairs of elements; 3-521. Involution determined by a quadrangle	55
3-6. Geometrical cross-ratio as a number; 3-61. Identification with the cross-ratio of the parameters; 3-62. Harmonic set; 3-63. Rational net; 3-64. Projective coordinates in two dimensions; 3-65. The unit-point; 3-66. Projective coordinates in three dimensions; 3-67. in n dimensions	58
3-71. Cross-ratios of different geometrical forms; 3-72. Polar plane of a point w.r.t. a tetrahedron	63
3-81. Transition from projective to metrical geometry; 3-82. Distance in metrical geometry of one dimension; 3-83. Distance in two dimensions; 3-84. The Absolute; 3-85. Metrical coordinates referred to a tetrahedron; 3-851. Quadriplanar coordinates; 3-852. Volume-coordinates; 3-853. Barycentric coordinates; 3-86. Plane at infinity; 3-861. Cartesian coordinates	64
3-91. Analytical representation of a homography; 3-92. Determination of an involution by two pairs; 3-921. If both pairs are real, the involution is elliptic or hyperbolic according as the cross-ratio is negative or positive; 3-922. If one pair is imaginary, the involution is hyperbolic; 3-93. Two involutions on the same line have a unique common pair	70
3-95. Examples	71
 Chap. IV. The sphere	
4-1. Equation in terms of centre and radius; 4-11. Centre and radius, virtual sphere and point-sphere; 4-12. Sphere of infinite radius	74
4-2. Power of a point w.r.t. a sphere; 4-21. Positive, negative and zero power; power w.r.t. a point-sphere; 4-22. Power w.r.t. a plane	75

Cambridge University Press

978-1-316-60190-7 - Analytical Geometry of Three Dimensions

D. M. Y. Sommerville

Table of Contents

[More information](#)

CONTENTS

vii

4·3. Sphere through four given points; 4·31. Condition that five points should lie on a sphere	page 76
4·41. Intersection of sphere and plane; 4·42. Intersection of two or more spheres; 4·421. Radical plane of two spheres; 4·422. Radical axis of three spheres; 4·423. Radical centre of four spheres; 4·43. Angle of intersection of two spheres; 4·431. Condition that two spheres should be orthogonal; 4·432. Sphere orthogonal to four given spheres	77
4·5. Pole and polar w.r.t. a sphere; 4·51. Jacobian of four spheres	79
4·6. Linear systems of spheres; 4·61. One-parameter system, co-axial system or pencil; 4·62. Two-parameter system; 4·63. Three-parameter system; 4·64. Linear relations connecting the coefficients	81
4·7. Inversion in a sphere; 4·71. Inverse of a sphere; 4·72. Invariance of angles; 4·73. Stereographic projection; 4·74. Inversion as a geometrical transformation	84
4·8. The circle at infinity; 4·81. Isotropic lines and planes	86
4·9. Examples	89

Chap. V. The cone and cylinder

5·1. Equation of a cone; 5·11. General equation of quadric cone with vertex at origin; 5·12. Circular cone or cone of revolution; 5·122. Conditions for circular cone; 5·123. The conic at infinity on a circular cone has double contact with the circle at infinity	94
5·2. Intersection of a cone and a plane through the vertex; 5·21. Tangent-plane, tangential equations; 5·22. Condition that two generators should be at right angles; 5·23. Angle between two generating lines; 5·231. Condition that lines of intersection should be real	97
5·3. Polar of a point w.r.t. a cone	100
5·4. Reciprocal cones; 5·41. Reciprocal of a cone	100
5·5. Rectangular generators; 5·51. Three mutually rectangular generators; 5·52. Rectangular cone; 5·53. Orthogonal cone	102
5·6. Relation between geometry of cones and geometry of conics	104
5·7. Cylinders; 5·71. Classification of cylinders; 5·72. Tangential equations of a cylinder; 5·73. Reciprocal of a cylinder; 5·74. Developables	105
5·9. Examples	107

Chap. VI. Types of surfaces of the second order

6·1. Surfaces of revolution; 6·11. Oblate and prolate spheroids; 6·12. Hyperboloids of revolution; 6·121. of two sheets; 6·122. of one sheet; 6·13. Paraboloid of revolution; 6·14. Other surfaces of revolution, the anchor-ring; 6·15. Circular cone and cylinder	110
6·21. Ellipsoid; 6·22. Hyperboloid of two sheets; 6·23. Hyperboloid of one sheet; 6·24. Elliptic paraboloid; 6·25. Hyperbolic paraboloid; 6·251. Alternative equation	113
6·3. Ruled surfaces; 6·31. Hyperboloid generated by revolving line; 6·32. Hyperboloid with its two sets of generating lines; 6·33. Hyperbolic paraboloid	114
6·4. Imaginary generating lines of ellipsoid, etc.; 6·41. The elliptic paraboloid	117
6·5. Examples	119

Chap. VII. Elementary properties of quadric surfaces derived from their simplest equations

7.1. The canonical equations; 7.11. Symmetry	page 121
7.2. Tangential properties; 7.21. Intersection of a straight line with a quadric; 7.22. Tangent at a point; 7.221. Direction-cosines of normal; 7.222. Tangent-plane to central quadric; 7.223. Tangent-plane to paraboloid; 7.23. Tangential equation; 7.231. of paraboloid	122
7.3. Pole and polar; 7.31. Definition of polar-plane; 7.32. Conjugate points; 7.33. Pole of a plane; 7.34. Conjugate planes; 7.35. Tangent-cone; 7.351. Rectangular hyperboloid; 7.352. Orthoptic sphere; orthogonal hyperboloid; 7.353. Enveloping cylinder; 7.36. Polar of a line; 7.37. Polar tetrahedra; 7.38. Conjugate lines; 7.381. Self-conjugate tetrahedra; 7.382. Tetrahedra in perspective	124
7.4. Diametral planes; 7.41. Centre of a plane section; 7.411. Alternative method; 7.412. Section with a given centre; 7.413. Diametral plane conjugate to a given direction; 7.414. Locus of mid-points of chords through a fixed point; 7.42. Conjugate diameters; 7.421. Sum of squares of conjugate diameters; 7.422. Volume of parallelepiped on three conjugate diameters; 7.43. Principal diametral planes and axes	131
7.5. The hyperboloids	136
7.6. Quadric referred to conjugate diameters	137
7.7. Normals; 7.71. Every normal is perpendicular to its polar; 7.72. Number of normals from a given point; 7.73. Lines of curvature	137
7.8. The paraboloids; 7.81. Diametral planes; 7.82. Normals	139
7.9. Examples	140

Chap. VIII. The reduction of the general equation of the second degree

8.1. General equation; 8.11. Quadric through nine points; 8.12. Quadric containing a given conic; 8.13. Quadrics through two conics	144
8.2. Conjugate points; 8.21. Polar-plane; 8.22. Generating lines; 8.23. Tangent-plane; 8.231. Tangent-plane meets surface in two generating lines; 8.24. Hyperbolic, parabolic and elliptic points; 8.25. Polar-lines	147
8.3. Invariants; 8.31. Discriminant, condition for a cone; 8.311. Degenerate quadrics; 8.32. Absolute and relative invariants, modulus of transformation; 8.33. Definition of invariant; 8.331. Lemma on determinants; 8.332. An invariant is transformed by multiplying by a power of the modulus; weight of an invariant; 8.34. Projective invariant of general quadric; 8.341. A quadric has no absolute projective invariant; 8.342. A quadric has only one projective invariant; 8.35. Condition for real generating lines	149
8.4. Polarity; 8.41. Correlations; 8.42. Condition for a polarity; 8.43. Null-system; 8.431. Null-system in statics; 8.432. The linear complex	154

Cambridge University Press

978-1-316-60190-7 - Analytical Geometry of Three Dimensions

D. M. Y. Sommerville

Table of Contents

[More information](#)

CONTENTS

ix

8-51. Canonical equation of a quadric; 8-52. Specialised and degenerate quadrics; 8-53. Projective classification of conics; 8-54. Projective classification of quadrics	page 158
8-6. Metrical aspect of a quadric; 8-61. Diametral planes; 8-62. The centre; 8-63. Conic at infinity on a quadric; 8-64. Metrical classification of quadrics; 8-65. Principal diametral planes	162
8-7. The discriminating cubic; 8-71. Roots all real; 8-72. Multiple roots; 8-721. Lemma on determinants; 8-722. Relation between multiple roots and rank of matrix; 8-73. The principal directions; 8-74. Principal axes in relation to the circle at infinity	167
8-8. Transformation of rectangular coordinates; 8-81. Reduction to axes through the centre; 8-82. Rotation of axes, invariants; 8-83. Reduction to the principal axes; 8-84. Reduction of the paraboloid; 8-85. Elliptic and hyperbolic cylinders; 8-86. Parabolic cylinder	170
8-9. Quadrics of revolution; 8-95. Examples	175

Chap. IX. Generating lines and parametric representation

9-1. Lines on a surface; 9-11. Two systems of generators of a quadric	181
9-2. Equation of quadric when two generators are opposite edges of the tetrahedron of reference; 9-21. Equations of the generating lines; 9-22. Generators of the paraboloid parallel to one or other of two planes	182
9-3. Regulus generated by two projective pencils of planes; 9-31. Quadric generated by transversals of three skew lines; 9-32. Quadric with two given generators of different systems	183
9-4. Lines meeting one, two, three or four fixed lines; 9-41. Common transversals of two pairs of polars w.r.t. a quadric	185
9-51. Freedom-equations of hyperboloid of one sheet; 9-52. Hyperbolic paraboloid	188
9-6. Parametric equations of a curve; 9-61. The conic; 9-62. The space-cubic; 9-63. Every conic can be represented by rational freedom-equations; 9-64. Every non-plane cubic curve is rational	188
9-7. Parametric equations of a surface; 9-71. Representation on a plane; 9-72. Stereographic projection; 9-73. Order of the surface represented by parametric equations; 9-731. Surfaces represented by quadratic equations	191
9-9. Examples	195

Chap. X. Plane sections of a quadric

10-1. Species of sections	199
10-2. Centre of a plane section; 10-21. The paraboloid	200
10-31. Axes of a central plane section; 10-32. Non-central section; 10-33. Asymptotes of plane section	200
10-4. Circular sections; 10-41. Central quadrics; 10-42. Paraboloids	204
10-5. Models	205
10-6. Sphere containing two circular sections	207
10-7. Umbilics; 10-71. Configuration of the umbilics	207
10-9. Examples	209

Chap. XI. Tangential equations

11-1. Homogeneous point- and plane-coordinates	<i>page</i> 212
11-21. Tangent-plane of a surface; 11-22. Point of an envelope	212
11-3. Tangential equation derived from point-equation, and <i>vice versa</i> ; 11-31. Tangential equation of quadric	213
11-4. Some special forms of the tangential equation of a quadric	214
11-5. Order and class of a surface; 11-51. Plane curve dual to cone; 11-52. Tangential equation of a plane curve	215
11-6. Tangential equations of a cone	217
11-7. Equations in line-coordinates; 11-71. Line-equation of a conic; 11-72. of quadric; 11-73. Polar of a line w.r.t. a quadric; 11-74. Another form of the line-equation	218
11-8. Degenerate quadric envelopes	221
11-9. Examples	222

Chap. XII. Foci and focal properties

12-1. Foci of a conic; 12-11. Focal axes of a quadric; 12-12. Foci of a quadric	224
12-2. Analytical treatment; 12-21. Focal axes; 12-22. Focal conics; 12-23. Foci; 12-24. Relation to the circular sections, directrices; 12-25. Relation of the focal conics to one another	227
12-31. Metrical property of foci; 12-32. Sections normal to a focal conic; 12-33. Quadrics having ring-contact; 12-34. Dandelin's theorem	233
12-4. Confocal quadrics; 12-41. Confocals through a given point; 12-42. Triple orthogonal system; 12-43. Confocal quadrics in tangential coordinates; 12-431. The focal developable; 12-44. Confocals touching a given line	235
12-5. The paraboloids; 12-51. Confocal paraboloids	239
12-61. Foci of a cone; 12-62. Cylinder; 12-63. Confocal cones; 12-64. Confocal cylinders	241
12-7. Conjugate focal conics	244
12-8. All quadrics of a confocal system have the same foci and focal axes; 12-81. The focal axes are generators of quadrics of the confocal system	246
12-9. Deformable framework of generating lines of a quadric; 12-91. The paraboloid; 12-95. Examples	247

Chap. XIII. Linear systems of quadrics

13-1. Linear one-parameter system or pencil of quadric loci; 13-11. Base-curve; 13-12. One quadric through each point; 13-13. Involution on a line; 13-14. Two quadrics touching a given line; 13-15. Three quadrics touching a given plane; 13-16. Common self-polar tetrahedron of two quadrics; 13-17. Four cones in a pencil of quadrics	251
13-2. Linear tangential one-parameter system; 13-21. Tangent-developable; 13-22. One quadric touching a given plane; 13-23. Two touching a given line; 13-24. Three passing through a given point; 13-25. Four quadric-envelopes of a pencil are conics	253
13-3. Confocal quadrics; 13-31. Curves of intersection of confocal quadrics, lines of curvature; 13-32. The indicatrix, lines of curvature through an umbilic; 13-33. Lines of curvature projected into confocal conics; 13-34. Lines of curvature of a cone or a cylinder; 13-35. Sphero-conics; 13-36. Confocal conics in non-euclidean geometry	254

Cambridge University Press

978-1-316-60190-7 - Analytical Geometry of Three Dimensions

D. M. Y. Sommerville

Table of Contents

[More information](#)

CONTENTS

xi

13-4. Polar properties of pencil of quadrics; 13-41. The polar-planes of a given point all pass through one line; 13-42. The polar complex of lines; 13-43. Locus of points corresponding to coplanar lines of the complex; 13-431. The poles of a given plane generate a cubic curve; 13-44. The polars of a given line generate a regulus; 13-45. The tetrahedral complex	page 261
13-5. Polar properties of a tangential system of quadrics	264
13-61. Quadrics through eight fixed points; 13-62. Set of eight associated points	265
13-7. Paraboloids and rectangular hyperboloids in a linear system	266
13-8. Classification of linear systems; 13-81. General case; 13-811. Double-contact; 13-812. Ring-contact; 13-813. Quadruple-contact; 13-82. Simple contact, base-curve a nodal quartic; 13-821. Stationary contact; 13-822. Triple-contact; 13-823. Contact along two lines; 13-83. Base-curve a space-cubic and a chord; 13-831. Contact along a double generator; 13-84. Stationary contact, base-curve a cuspidal quartic; 13-841. Base-curve a conic and two lines intersecting on it; 13-85. A space-cubic and a tangent; 13-86. Invariant-factors; 13-87. Singular case	267
13-9. Examples	274
Chap. XIV. Curves and developables	
14-1. Curves and their representation; 14-11. Order of a curve; 14-12. Parametric representation; 14-13. Lüroth's theorem; 14-14. Intersection of two surfaces	277
14-21. Complex of secants and congruence of bisecants; 14-22. Apparent double-points; 14-23. Maximum number of double-points of a plane curve; 14-231. Rational plane curves; 14-232. Unicursal curves have zero deficiency or genus; 14-24. Genus of a space-curve	281
14-3. Tangents and osculating planes	284
14-4. Developables; 14-41. Edge of regression; 14-42. Significance of term "developable"; 14-43. Cuspidal edge	284
14-51. Order, class and rank of a curve or developable; 14-52. Equations determining the rank and class	286
14-6. THE SPACE-CUBIC; 14-61. Intersection of quadriccones; 14-62. Secants and bisecants; 14-631. Projective construction; 14-632. Tangents and osculating planes; 14-64. Quadrics containing a cubic curve; 14-641. Intersection of cubic and conic lying on quadric; 14-642. Involution on a cubic curve; 14-643. Common generator of two quadrics containing a cubic curve; 14-651. One bisecant through every point in space; 14-652. Class and rank of a cubic curve; 14-66. Cubic curve through six points; 14-671. Intersection of two cubic curves lying on a quadric; 14-672. Through five given points on a quadric pass two cubics lying on the surface; 14-681. Line-coordinates of a tangent; 14-682. Osculating planes; 14-683. Linear complex containing the tangents; 14-69. Metrical classification of cubic curves	287
14-7. QUARTIC CURVES, two species	295
14-71. QUARTICS OF FIRST SPECIES, complete intersection of two quadrics; 14-711. Cuts every generator of quadric in two points; 14-712. Partial intersection of a quadric and a cubic surface; 14-713. No trisecants, no apparent double-points, not rational; 14-714. Parametric representation by elliptic functions; 14-715. Nodal quartic; 14-7151. Rational parametric representation of nodal quartic; 14-716. Cuspidal quartic; 14-717. Class and rank of quartics of first species; 14-718. Tangent-developable of two quadrics	296

14·72. QUARTICS OF SECOND SPECIES; 14·721. Intersection of a quadric surface and a cubic cone having a double-line coinciding with a generator of the quadric; 14·722. Intersection of a quadric and a cubic surface having two skew lines in common; 14·723. Trisecants; 14·724. Parametric representation; 14·725. Three types of quartics of Second Species	<i>page</i> 301
14·8. Number of intersections of two curves (conics, cubics or quartics) lying on a quadric surface	303
14·9. Curve of striction of a regulus; 14·95. Examples	304
 Chap. XV. Invariants of a pair of quadrics	
15·1. Simultaneous invariants of two quadrics; 15·11. Simplified forms	309
15·2. Geometrical meanings for the vanishing of the invariants; 15·21. $\Theta' = 0$; ∞^3 tetrahedra inscribed in S and self-polar w.r.t. Σ' , S outpolar to Σ' ; 15·211. ∞^3 tetrahedra circumscribed to Σ' and self-polar w.r.t. S , Σ' inpolar to S ; 15·212. Examples: eight associated points; 15·22. $\Phi = 0$, ∞ tetrahedra self-polar w.r.t. S' and having edges touching S	310
15·31. Relation of Φ to the line-equations of the two quadrics; 15·32. Invariants for the reciprocal system; 15·33. Absolute invariants; 15·34. Examples of invariant equations; 15·35. Contact of quadrics; 15·36. Case where one of the quadrics is a cone; 15·37. or a conic	313
15·4. Metrical applications; 15·41. Affine transformation; 15·42. Orthogonal transformation; 15·43. Simultaneous invariants of circle at infinity and conic at infinity on quadric; 15·44. Conditions for rectangular and orthogonal hyperboloids; 15·45. Orthocyclic hyperboloids; 15·46. Orthofocal hyperboloids	321
15·51. Contravariants; 15·52. Tangential equation of curve of intersection of two quadrics; 15·53. Covariants; 15·54. Covariants and contravariants viewed as invariants	325
15·61. Reciprocal quadrics; 15·62. Expression of reciprocal as a covariant	328
15·7. Harmonic complex of two quadrics	329
15·81. Line-equation of curve of intersection of two quadrics; 15·82. The various equations of a curve and its developable; 15·83. Point-equation of developable belonging to curve of intersection of two quadrics	331
15·91. Conjugate generators; 15·92. Rectangular hyperboloids in non-euclidean geometry; 15·95. Examples	333
 Chap. XVI. Line geometry	
16·11. Plücker's coordinates; 16·12. Condition for intersection of two lines; 16·13. Complex, congruence, and line-series; 16·14. Lines through a given point or in a given plane; 16·15. Degree of a complex; 16·16. Linear complex; pole and polar-plane, polar-lines	337
16·2. Geometry of four dimensions; 16·21. Linear equations and loci; 16·22. Quadrics in S_4 ; conjugate points; 16·23. Lines on a quadric V_3^2 ; 16·24. Hypercones; 16·25. The complete system of ∞^3 lines on a V_3^2	340
16·3. Geometry of five dimensions; 16·31. Linear spaces; 16·32. Quadrics in S_5 ; 16·33. Two systems of ∞^3 planes on a V_4^2 ; 16·34. Intersection of a quadric with a linear space; tangents and polars	343

Cambridge University Press

978-1-316-60190-7 - Analytical Geometry of Three Dimensions

D. M. Y. Sommerville

Table of Contents

[More information](#)

CONTENTS

xiii

16-4. Representation of lines in ordinary space by points on a V_4^2 (ω); notation; 16-41. Condition for intersection of two lines; 16-42. The planes of ω : field-planes and bundle-planes; 16-43. The lines of ω	<i>page</i> 345
16-5. The linear complex; 16-51. Its invariant; 16-52. Special or singular linear complex; 16-53. Linear congruence; 16-531. Singular linear congruence; 16-532. Parabolic linear congruence; 16-54. Linear series or regulus; 16-55. Determination of a linear complex by five lines	346
16-6. Polar properties of a linear complex; 16-61. Pole and polar-plane; 16-611. Change of notation; 16-621. Condition for a singular complex; 16-622. Singular congruence; 16-623. Degenerate regulus; 16-63. Polar lines; 16-64. Conjugate linear complexes; 16-65. Homographies and involutions determined by two linear complexes	348
16-7. Canonical equation of a quadric in S_3	352
16-8. The quadratic complex; 16-81. Four lines in common with any regulus; 16-82. Singular points and planes; singular surface; 16-83. Polar of a line w.r.t. a quadratic complex; polar congruence; 16-831. Tangent linear congruence; 16-84. Singular lines; 16-85. Order and class of the singular surface; 16-86. Co-singular quadratic complexes	353
16-9. Special types of quadratic complexes; general type with singular surface a Kummer Surface; 16-91. Complex of tangent-lines to a quadric; 16-92. Complex of tangent-lines to a cone; 16-93. Tetrahedral complex; 16-94. Harmonic complex; tetrahedroid, Fresnel's wave-surface	358
16-95. Examples	362

Chap. XVII. Algebraic surfaces

17-1. Definition, reducible and irreducible surfaces; 17-11. Order of a surface; 17-12. Tangent-plane; 17-13. Section by tangent-plane at O has a double-point at O ; 17-14. Inflexional tangents; hyperbolic, elliptic and parabolic points; 17-15. Equation determining the points in which a line cuts the surface; 17-16. Equation of the tangent-plane at a point; 17-17. Conjugate tangents, stationary plane, point of osculation	364
17-2. Curvature; 17-21. Meunier's theorem; 17-22. Gaussian measure of curvature, mean curvature	366
17-3. Polars; 17-31. First polar passes through points of contact of tangent-planes; 17-32. The Hessian; 17-33. The Steinerian	369
17-4. Constant-number of an algebraic surface; 17-41. Class of a surface; 17-42. Reciprocal surfaces	372
17-5. Double-points; 17-51. Node or conical point; 17-52. Discriminant; 17-53. Binode and unode; 17-531. Reduction of class for a node, binode or unode; 17-54. Trope, double tangent-plane; 17-55. Tritangent-planes; 17-56. Bitangent developable; 17-57. Triple-points, double or nodal curve	373
17-6. Lines and conics lying on a surface	378
17-7. RULED SURFACES; 17-71. Intersection of three complexes; 17-72. Tangent-plane through a generator; 17-73. Degree of a ruled surface; 17-74. Rank of a surface; 17-75. Genus; 17-761. Double-curve; 17-762. Bitangent developable; 17-763. Order of the double-curve; 17-77. Directrix curves; 17-78. Ruled cubics; 17-781. Cayley's ruled cubic; 17-79. Ruled quartics; 17-791. Quartic developable; 17-792. Non-developable ruled quartics	379

17·8. CUBIC SURFACES; 17·81. Generated by point common to corresponding planes of three related bundles; 17·811. Geometrical determination of correlation between bundles of planes; 17·82. Every cubic surface is rational; 17·83. Double and triple tangent-planes; 17·84. Through every line of the surface pass five tritangent planes; 17·85. Through a double-point pass six lines; 17·861. A cubic surface without double-points has twenty-seven lines; 17·862. Forty-five tritangent planes; 17·863. Schläfli's notation; 17·87. The double-six; 17·88. Classification of cubic surfaces according to the reality of the twenty-seven lines; 17·89. Projective classification according to double-points	<i>page</i> 388
17·9. QUARTIC SURFACES; 17·91. Lines on a quartic surface; 17·911. The Weddle surface; 17·92. Rational quartics; 17·921. Monoids; 17·93. The Steiner surface; 17·931. Parametric equations; 17·932. Possesses four tropes; 17·933. ∞^2 conics; 17·934. Tangential equation; 17·935. Parametric equations of second degree represent a Steiner surface; 17·94. The surface of Veronese, V_2^4 ; 17·941. Possesses ∞^2 conics; 17·942. Envelope of four-flats, M_4^3 , which cut the surface of Veronese in pairs of conics; 17·943. Tangent-plane at a point on V_2^4 ; 17·944. V_2^4 is a double surface on M_4^3 ; 17·95. Normal varieties; 17·951. A normal variety is rational; 17·952. has no double-points; 17·96. Projections of the surface of Veronese on space of three dimensions; 17·97. Rational quartic surface with a double-line; 17·98. Rational quartic surface with a double-conic; 17·981. Cyclides; 17·982. Projection of the surface of intersection of two quadrics in S_4	397 408
17·99. Examples	
<i>Index</i>	411