

## AUTHOR INDEX

Bold type refers to bibliography

- Airy, G., 169, **23**  
 Alexanderson, E. F. W., 40, **44**, **39**, **43**
- Barnes, J. L., 5  
 Bedford, A. V., 129–30, **44**  
 Bell, J., 27, **85**  
 Bentley, G. P., 23, **47**  
 Black, H. S., 152, 170, **28**  
 Bode, H. W., 76, 170, **8**  
 Borden, P. A., **19**  
 Bowman, K. K., **44**, **43**  
 Bristol, E. S., **40**  
 Brown, G. S., x, 90, 129, 163, 170, **17**, **74**  
 Bujak, J. Z., 113, **60**  
 Bush, V., 31
- Cage, J. M., **61**  
 Callender, A., 94, 118, 133, 169, **33**, **34**  
 Campbell, D. P., x, 129, 163, **17**, **62**  
 Campbell, W. W., 132, 170, **63**  
 Carslaw, H. S., 188  
 Chestnut, H., **86**  
 Churchill, R. V., 188  
 Clark, W. J., 35  
 Cooke, P. A., 112, **38**  
 Coombes, J. E. M., 35, **87**  
 Crank, J., 31, **14**  
 Criss, G. B., **88**  
 Cunningham, W. J., **104**
- Daniel, P. J., 170  
 Davis, F. W., **64**  
 Draper, C. S., 23, **47**
- Eckman, D. P., 169, **9**, **75**  
 Edwards, M. A., 40, **44**, **39**, **43**  
 Evans, W. R., **105**
- Farrington, G. H., **89**  
 Field, H., 13, **54**  
 Fitzgerald, A. E., **18**  
 Fletcher, G. H., 41, **45**  
 Floyd, G. F., 129, 170  
 Fredendall, G. L., 129–30, **44**
- Gardner, M. F., 5  
 Gerst, I., **93**  
 Getting, I. A., 7  
 Graham, R. E., **76**  
 Greenwood, I. A., **15**
- Hall, A. C., 90, 170, **74**, **77**  
 Hannah, M. R., 136, **106**  
 Harris, H., 76, **78**, **90**, **91**  
 Hartree, D. R., 94, 118, 133, 169, **33**, **34**  
 Hayes, K. A., 2, 91, **66**, **92**  
 Hazen, H. L., 8, 29, 169, **29**
- Heaviside, O., 123  
 Herman, D., 13, **55**  
 Herr, D., **93**  
 Herwald, S. W., **58**  
 Higgs-Walker, G. W., **49**  
 Holdam, J. V., **15**  
 Horlock, J. H., xiii  
 Hunsaker, J. C., 13, 136, **16**
- Ivanoff, A., 54, 169, **30**, **36**
- Jaeger, J. C., 188  
 James, H. M., 7, 94, 163, **13**  
 Jofeh, L., xiii  
 Johnson, T. C., 27, **67**
- Kauffmann, P. G., **68**  
 Kirby, F. N., xiii
- Lanchester, F. W., 75, 114  
 Lauer, H., 76, **12**  
 Lesnik, R., 76, **12**  
 Lyle, O., **11**
- MacLellan, G. D. S., xiii, 155  
 Macrae, D., **15**  
 Marcy, H. T., 90, 148, 170, **79**  
 Mason, C. E., **41**, **48**  
 Mason, H. L., 7  
 Matson, L. E., 76, **12**  
 Maxwell, J. Clerk, 169, **24**  
 Melvin, M. A., **94**  
 Meredith, F. W., 112, 144, **38**, **108**  
 Minorsky, N., 81, 118, 169, **26**, **50**, **51**  
 Mitereff, S. D., 169, **32**  
 Moyer, E. E., 40, **56**
- Newton, G. C., 35, **95**  
 Nichols, N. B., 7, 94, 163, 170, **13**, **53**, **57**, **103**  
 Nyquist, H., 144, 170, **27**
- Oldenbourg, R. C., 170, 7
- Palmer, H. L., 40, **56**  
 Peters, J. C., **40**  
 Philbrick, G. A., **48**  
 Phillips, R. S., 7, 94, 163, 170, **13**  
 Piaggio, H. T. H., 82  
 Pipes, L. A., 180  
 Porter, A., xiii, 73, 94, 118, 133, 169, **33**, **34**, **96**,  
**107**  
 Prinz, D. G., 118, 130, 169, **59**, **69**  
 Profos, P., 132, **70**
- Restemeyer, W. E., **71**  
 Rhodes, T. J., 169, **4**  
 Rightmire, B. G., 13, 136, **16**

Cambridge University Press

978-1-316-61184-5 - An Introduction to the Theory of Control in Mechanical Engineering

R. H. Macmillan

Index

[More information](#)

## 190

Ritson, F. J. V., 94, **101**  
Routh, E. J., 74, 118, 169, **25**

Sartorius, H., 170, **7**  
Sherman, S., 74, 118, **80, 97**  
Smith, E. S., **6, 37**  
Spitzglass, A. E., 169, **42**  
Stevenson, A. B., **34**

Thynell, G. M., **19**  
Tolle, E., 169, **1**  
Trinks, W., **2**  
Tustin, A., 41, 58, 63, 170, **45, 98, 99**

## AUTHOR INDEX

Uttley, A. M., 40, **83**

Watt, J., 169  
Weiss, H. K., 61, 64, 90, 170, **3, 46, 72, 81**  
Whiteley, A. L., 40, 75, 76, 96, 97, 148, 170, **31, 82, 100**  
Williams, F. C., 40, 94, 170, **83, 101**  
Willis, C. H., 40, **39**  
Wilson, W. E., 13, **84**  
Woods, F. S., 180

Zeibolz, H., **35, 102**  
Zeigler, J. G., **53, 57, 103**

## SUBJECT INDEX

- Accuracy, *see* Servo-system performance
- Acknowledgements, x, xiii
- Aided laying, *see* Fire control
- Amplidyne, 43–4
- Angular velocity measurement, *see* Measuring elements
- Aperiodic response, *see* Response
- Attenuation and phase diagrams
- asymptotic properties, 154
  - corner frequency, 154
  - logarithmic scale units, 153
  - $M$  and  $\phi$  contours, 154–5
  - particular systems, 156–60; complex delay, 157–8; integrator, 156, 153–4; phase advance, 159–60; simple delay, 156–7
  - worked example, governor, 159, 161–2
- Automatic control
- applications, ix, 12
  - comparison of three types, 3
  - comparison with manual, 6–7
  - position control, automatic pilot, 112; hydraulic r.p.c., worked example, 56–8, 98–100, 124–6, 163–6; simple system, 51–2
  - process control, tank level, 11, 52–5; temperature, 3, 76, 114, 115
  - regulators, voltage, 10, 12, 67; constant speed propeller, 12; engine governor, 55–6, 66–7, 112, 147–8, 150–1, 159, 161–2; hydraulic governor, 113
  - stability examples, 101–2
- Backlash, *see* Non-linearity, Simulators
- Bibliography
- books, 171
  - for Complex numbers, 180
  - for Laplace transform method, 188
  - papers and articles, 172–5
- Block diagrams
- closed loop control, 4
  - general servo-system, 108; simplified form, 111
  - open chain control, 2
  - particular systems, governor, 112; hydraulic position control, 78; tank-level control, 53; temperature, 77
- Characteristic equation
- defined, 52
  - feedback amplifier, 112
  - general servo-system, 109
  - graphical determination of roots, 132–3
  - particular systems, automatic pilot, 112; hydraulic governor, 113; r.p.c. system, 52; steam governor, 112
  - various orders of control, 80
  - worked example, 133–4
- Complex numbers
- analytic functions, 178
  - conjugate functions, 180
  - De Moivre's theorem, 177
  - function theory, 178–80; orthogonal transformation, 132–5, 155, 179;  $u$  and  $v$  contours, 135
  - harmonic response, 116–18
  - references, 180
  - stability determination, 118–20; distributed delay, 119–20; finite delay, 119–20; r.p.c. system, 118
  - use of, 176–80
- Conditional stability, 14–15
- Continuous control, 11
- classification by order, 80; displacement error, zero order, 69, 81; zero displacement error, first order, 55, 69; zero velocity error, second order, 78, 81
  - integral or floating, velocity, 54, 56, 78, 81; instability of, 60
  - linear and non-linear, 11
  - proportional, 52–3
  - proportional plus integral, 55, 118–20
  - torque, 81
- Control
- example, economic, 130
  - fundamental principles of, 1–12
  - ideal, 68
  - manual, *see* Human operator; compared with automatic, 6–7
  - order of, 79–81
  - sequence of, analysis, 104–9; defined, 1
  - theory of, apparent obscurity, ix; value, ix, xi
  - See also* Automatic control, Control system, Controller, Fire control
- Control elements, 13–49
- input and output, 1–2
  - signal converters, 18
  - See also* Data transmission systems, Electric power drives, Gearing, Human operator, Hydraulic control elements, Measuring elements, Powered relays
- Control signal
- conversion of form, 18
  - defined, 1
  - input and output quantities, 18
  - See also* Control elements
- Control system
- comparison of three types, 3
  - defined, 1
  - error of, 3
  - general type, 107
  - motive power and operating medium, choice of, 45–6; example, 48
  - open loop and closed chain, 4; r.p.c. system, 52
  - synthesis compared with analysis, 131
  - See also* Automatic control, Electric power drives, Hydraulic control systems, Multiloop systems, Servo-system
- Controlled variable, 1
- Controller
- classification of types, 7
  - defined, 1

- Controller (*continued*)  
*See also* Continuous control, Discontinuous control
- Damping  
 causes lag, 55  
 critical, 82–3  
 Lanchester damper, 75, 114  
 ratio, 23  
 reducing instability, 54, 75
- Data transmission systems  
 potentiometer transmission, 24–5  
 purpose, 24  
 relay transmission, 24  
 resistance transmission, 25  
 self-synchronous repeaters (synchros, maglips, selsyns, etc.), 25–7; coarse and fine links, 70–1; control transformer, 26; differential generator, 27; differential motor (hunter), 27; examples of application, 71; synchro-generator (transmitter), 26; synchro-motor (receiver), 26; transfer function for, 46–7
- Dead time, *see* Delay, finite
- Delta function, *see* Inputs
- Delay  
 causes, 80  
 complex exponential, 23–4, 80  
 distributed, 106, 119–20  
 double, no interaction, 22  
 effect of interaction, 106  
 effect on performance, example, 102  
 finite (dead time), 24, 80; effect on stability, analysis, 76–8, 119–20  
 simple exponential, 20, 22  
 standard loci, 136–40  
*See also* Transfer function, Stability
- Design procedure, 163  
*See also* Servo-system
- Deviation, defined, 3  
*See also* Error
- Differential analyser  
 determination of transient, 94  
 use of mechanical torque amplifiers, 32
- Dimensionless notation, 82  
 damping ratio, 82  
 frequency ratio, 85  
 scales for error and time, 83, 85
- Discontinuous control  
 definite correction, 10  
 relay type, 7, 64–6; differential zone, 7; power ratio, 7; types of response, 8–10, 64–6  
 step-by-step, 12  
 triggered, 11
- Distance/velocity effect, 24  
*See also* Delay, finite
- Distributed delay, *see* Delay
- Disturbance, external  
 changes potential value of output, 54  
 defined, 2  
 equivalent to change of input, 81, 115  
 feedback operator, 107
- Drop, *see* Error, steady state
- Dynamic magnification, defined, 30, 85  
*See also* Harmonic response
- Electric-power drives, 40–6  
 a.c. motors, induction motor, 44–5; example 48; torque/speed characteristics, 45  
 amplidyne, 43–4  
 analogy with hydraulic drives, 40–2  
 application of, 70  
 armature control, 41–3; Ward-Leonard drive, transfer function, 41–3  
 field-controlled, 40–1; split field motor, 40; transfer function for, 41; velodyne, 40
- Error  
 defined, 3  
 modification of, to improve stability, 75; networks to achieve, 76, 103; operator for, 107  
 sign of, 4  
 static, reduction by gearing, 69, 70  
 steady state, dynamic, 51, 69–73; for controls of various orders, 80; elimination by integral action, 54–5; properties of, 127–8; reduction by feed-back or feed-forward, 72–3; reduction by gearing or matched lags, 70
- Feed-back  
 defined, 4  
 equivalent to error modification, 76  
 inherent, 7, 50  
 inverse locus for, 151–2  
 operator for, 107  
 reduction of dynamic errors, 72; acceleration, 73; disturbance, 73, 76; velocity, 72  
 r.p.c. system, worked example, 99  
 stability improved, 75
- Feed-forward  
 eliminates dynamic error, 72  
 operator for, 107
- Finite delay, *see* Delay
- Fire control, 59–62  
 aided laying, 60; ideal and actual responses, 61; mechanism, 61; stability of, 61, 78  
 predictor, director or lead computer, 59  
 regenerative tracking, 61–2  
 tracking the target, 59–60
- Floating control, *see* Continuous control
- Follow-up mechanism, 27–32  
*See also* Powered relays
- Friction, speed dependent, *see* Non-linearity
- Gain, *see* Sensitivity
- Gain margin, 145  
 from asymptotic loci, 154
- Gearing  
 dynamic effects of, 33–5; equivalent inertia, 33–4; examples, 47–9; optimum gear ratio, 33–5  
 reduction of static errors, 69, 70  
 variable speed, 32–5; continuously variable 32–3; ball, cylinder and disk, 19–32; clutch type, 33; cone and disk, 32; friction disk, 32; Hayes gear, 32–3; sphere and disk, 32
- Governing equation  
 defined, 51  
 response from, examples, 101  
 various orders of control, 80;  
*See also* Characteristic equation

## SUBJECT INDEX

193

- Governor, *see* Automatic control, regulators
- Graphs, accuracy of, xiii
- Harmonic response, expressions for,  
 first order system, single delay, 81–2; error,  
 117–8;  $M$  and  $\phi$ , 85–7, 117;  $M_{\max}$  and  $\omega_r$ ,  
 88  
 from Laplace transform, 122–3  
 loop and overall, 145–6  
 second order, derivative control, 89;  $M_{\max}$  and  
 $\omega_r$ , 89  
 second order, single delay,  $M_{\max}$ , 90  
 single delay, 24, 30  
*See also* Harmonic response locus
- Harmonic response locus, Nyquist diagram,  
 asymptotic form, 152–5;  $M$  and  $\phi$  contours,  
 154–5  
 construction and properties, 135–43; basic  
 operators, 136–40; governor, worked ex-  
 ample, 142–3; simple relay, 30–1; simple  
 systems, 140–1  
 determination of gain, 147, 150; governor,  
 worked example, 147–8, 150–1  
 effect of finite delay, 143  
 inverse locus, 148–52; construction, 159–60;  
 limiting forms, 167; multiloop systems, 151–2  
 logarithmic form, 155  
 stability criterion, 143–5; conditional stability,  
 145  
 uses of various forms, 162; r.p.c. system,  
 comparison of loci, 163–6  
*See also* Attenuation and phase diagrams
- Historical note, 169–70
- Human operator, 6  
 analysis of reactions, 58–9  
 design of system to suit, 59; aided laying and  
 display, 59  
 transfer function, 107  
*See also* Fire control
- Hunting, *see* Stability
- Hurwitz stability criterion, 74
- Hydraulic control elements, 13–18  
 ancillary elements: filter, cooler, etc., 18;  
 damping dashpot, example, 46  
 control valves, 18  
 motors, 17  
 pumps, 13–17; efficiency: overall, torque,  
 volumetric, 17; leakage, 17; variable  
 delivery, 14–16  
 working fluid, 13  
 working pressure, 40
- Hydraulic control systems, 35–40  
 comparison of valve and flow control, 39–40  
 dither, 13  
 flow-controlled (constant volume system), 35–7;  
 efficiency, examples, 48; transfer functions,  
 37, 48  
 pneumatic differentiation, 46  
 r.p.c. servo-system, worked example, 56–8;  
 addition of feed-back, 99; performance, 100;  
 transient response, worked example, 56–8  
 valve-controlled (constant pressure system),  
 37–9; analysis, 39; constant pressure supply,  
 39; non-linearity of, 39; power considera-  
 tions, 39
- variable speed transmission, 35; basic equa-  
 tions, 36; leakage, 35, 48; overall efficiency,  
 35, 48  
*See also* Hydraulic control elements
- Induction motor, 44–5
- Inputs, 109–10  
 delta function, 109  
 finite duration of step, 124–5; r.p.c. system,  
 126  
 Laplace transforms, 186–7  
 ramp function, solution for single delay, 22;  
 step function, solution for single delay, 21;  
 solution for double delay, 22  
 two general types, xi
- Lanchester damper, 75, 114
- Laplace transform method, 181–8  
 comparison with other methods, 181  
 definitions, 181  
 driving function transform, 121  
 examples, 188  
 final value theorem, 126–7, 185  
 finding transient response, 121  
 Heaviside's expansion theorem, 123–4, 184  
 initial condition transform, 121  
 justification for use, xii; r.p.c. system, 124  
 references, 188  
 various input transforms, 186–7  
 worked example, 185–6
- Load, operator for, 107
- Magslip, *see* Data transmission systems, self-  
 synchronous repeaters
- Manual control, comparison with automatic, 6–7  
*See also* Human operator
- Mathematics, complex numbers, xii  
 knowledge necessary, xii  
 Laplace transformation, xii  
*See also* Complex numbers, Laplace transform  
 method
- Measuring elements, 4  
 for angular velocity, 19–21; for fluid flow rate,  
 22–3; for pressure, 23; for temperature,  
 21–2  
 operator for, 107  
 transfer functions of, 20
- Mechanical Sciences Tripos, questions set in,  
 xiii, 46, 47–8, 66, 101, 102
- Metadyne, 40–1, 43–4
- Motors  
 electric, *see* Electric-power drives  
 hydraulic, 17
- Multiloop systems, 108  
 inverse locus for, 151–2  
 stability of, 144
- Nomenclature  
 confusing and illogical, ix  
 different types of control, 2  
 principal symbols and notation, xiv
- Non-linearity  
 causes of, 62  
 due to backlash, 63–4; leads to instability, 64  
 limits maximum amplitude of oscillation, 5

- Non-linearity (*continued*)  
 non-linear systems, 62–6; approximate transfer function, 63; behaviour compared with linear, 62–3; valve controlled hydraulic system, 39  
 reduction by high loop gain, 72  
 speed dependent friction, violin bow, 63  
 Nyquist diagram, *see* Harmonic response locus  
 Nyquist stability criterion, 144
- Offset, *see* Error, steady state  
 Operators, *see* Delay, Transfer function
- Order  
 of control, 79–81  
 of response, 81  
*See also* Transient response, Continuous control, Error, steady state
- Overshoot, maximum  
 approximate determination, 125  
 performance criterion, 96–7  
 r.p.c. system, 126  
 simple systems, 84
- Performance criteria, *see* Servo-system performance
- Phase advance  
 anticipatory action, 55  
 example, 47  
 increases stability, 75  
 networks to achieve, 75–6, 103  
 reduces non-linearity, 55
- Phase margin, 145  
 from asymptotic loci, 154
- Position control, *see* Automatic control
- Potential value of output, 54
- Power  
 dissipated in control system, 115  
 source necessary for instability, 5  
 variation with load demand, 9
- Power amplifier, mechanical, *see* Powered relays
- Powered relays, 27–32  
 continuous action hydraulic, 29–30  
 driver and follower, defined, 28  
 examples, 47  
 integral action, 29  
 interrupted air jet, 28–9  
 servo-system, 50; governing equation, 51  
 torque amplifier, defined, 28; action and amplification, 31–2; example, 47; inherent feed-back in, 50; use in differential analyser, 32
- Principal oscillation, *see* Response
- Process control, *see* Automatic control
- Pumps, hydraulic, 13–17  
*See also* Hydraulic control elements
- Ramp function, *see* Inputs
- References, *see* Bibliography
- Regenerative tracking, 61–2
- Regulator, *see* Automatic control
- Relaxation oscillations, defined, 5
- Relay, for data transmission, 24  
*See also* Powered relays, Discontinuous control
- Resonant frequency, defined, 88  
*See also* Harmonic response
- Response  
 aperiodic, first order system, 83, 85; flow control, 23; level control, 53–4; performance criterion, 96  
 classification by order, 81  
 complex systems, 92  
 conditions for aperiodic, tank-level, 53  
 data transmission systems, 27  
 effect on feedback, example, 67  
 principal oscillation, 125  
 stable, unstable and aperiodic, 5  
 transient and harmonic, defined, xi; close relationship, xii, 128; expression relating, 128–30  
 unit impulse and unit step, 121  
*See also* Harmonic response, Transfer function, Transient response
- Routh's stability criteria, 74
- Selsyn, *see* Data transmission systems, self-synchronous repeaters
- Sensitivity  
 and stability, xi, 5, 74  
 defined, 51  
 effect on performance, 98  
 effect on static and dynamic errors, 69  
 reduction of non-linearity, 72  
 variation in control range, 56
- Servo-mechanism, defined, 7  
*See also* Automatic control, Control system, Servo-system
- Servo-system  
 analysis of simple systems, 50–8  
 definitions, 7  
 design procedure, 163  
 general system, block diagram, 108  
 operator for, 107  
 power dissipation, 115  
 simulators, 94–5  
*See also* Automatic control, Control system, Servo-system performance
- Servo-system performance  
 accuracy, sensitiveness and stability defined, 68  
 effect of sensitivity on, 98  
 gain for maximum magnification, 146–7; governor, worked example, 147–8  
 r.p.c. system, worked example, 98–100  
 various criteria, 95–8; aperiodic response, 96, 97; example, 103; figures of merit, 95; maximum overshoot, 95; phase and gain margins, 145; rate of response, 95–6; r.m.s. error, 95
- Whiteley's criteria, 96–7; example on application, 103
- Simulators, 94–5  
 non-linear elements, backlash, 94
- Stability  
 automatic controls, examples, 101–2  
 characteristic equation, examples from, 101  
 conditional, 145  
 degree of, 75  
 determination by use of complex numbers, 118–20; finite and distributed delays, 118–20; examples, 130  
 economic control, example, 130

## SUBJECT INDEX

195

- Stability (*continued*)
- Hurwitz criterion for, 74
  - hydraulic position control, 78
  - Lanchester damper, 75
  - methods of achieving, 79; use of feed-back, example, 100
  - multiloop systems, 144
  - negative velocity feed-back, 75
  - Nyquist criterion, 143–5
  - Routh's criteria, 74
  - sensitivity and, xi, 5, 74
  - system with finite delay, 76–8, 119–20
  - system with distributed delay, 119–20
- Step function, *see* Inputs
- Symbols, list of principal, xiv
- Synchro, *see* Data transmission systems, self-synchronous repeaters
- Telemetering, *see* Data transmission systems
- Time constant
- simple delay, defined, 22
  - supply, demand and transfer, 115
- Time lag, *see* Delay
- Torque amplifier, *see* Powered relays
- Transfer function, 20
- brief notation, 107; automatic pilot, 112; governor, 112; hydraulic governor, 113
  - feed-back amplifier notation, 111–12
  - forms for various elements: complex exponential delay, 23–4, 105; distributed delay, 106; double delay, without interaction, 22; finite delay, 105; integrator, 104; multiplier, 104; proportional plus integral control, 107; series of elements, 105; simple exponential delay, 20, 22, 105
  - linear elements, 104
  - loci for basic functions, 136–40
  - system and loop, defined, 110; characteristic equation, 110; overall, 110
- Transfer lag, defined, 106, 115
- Transient response, expressions for
- double delay, displacement step, 22
  - finite delay, 24
  - first order system, double delay, 91–3; charts for solution, 93; r.p.c. system, worked example, 98–9; solution by Laplace transform, 124
  - first order system, single delay, 81–2; displacement step, 82–3; disturbance step, maximum error, 83–4; impulsive input, 121–2; velocity step, rate of response, 85–6
  - graphical solution for, 132–5; example, 167
  - relation between responses to various inputs, 127
  - second order system, derivative control, velocity step, 88
  - second order system, single delay, 90; displacement and velocity steps, 90–1
  - single delay, displacement step, 21; velocity step, 22
- Velodyne, 40
- Violin bow, *see* Non-linearity, speed dependent friction
- Ward-Leonard drive, 41–3
- Weighting function, 121
- characterizes system, 128
- Whiteley's performance criteria, 96–7
- See also* Servo-system performance