

Index

Locators in plain type refer to the questions sections and those in **bold** refer to the answers. Locators followed by (t) refer to tables.

- Abrikosoff's tumor (granular cell tumor) 264, 355
 acanthoma, clear cell 26, 36–37
 acanthosis nigricans 187, 199
 accessory nipple 186, 199
 accessory tragus 186, 198–199
 acne conglobata 163, 167
 acquired elastotic hemangioma 277, 363
 acral fibrokeratoma 266, 357
 acral melanoma 251, 345
 acroangiokeratoma 279, 363
 acrodermatitis enteropathica 27, 38–39, 185–186, 197
 acrokeratosis verruciformis 10, 15
 acrospiroma 258, 351
 actinic keratosis 244, 339
 actinomycetoma 212, 218(t), 235–236
 acute generalized exanthematous pustulosis 40, 52–53, 58, 65–66
 adenocarcinoma, digital papillary 260, 352
 adenoma
 erosive adenomatosis of the nipple 259, 352
 papillary eccrine 258, 351
 sebaceous 256, 348–349
 adhesion molecules 57, 65
 adipocytes with needle-shaped clefts 172, 181–182
 adipophilin 256, 349
 AIDS-associated conditions
 eosinophilic folliculitis 163, 167
 Kaposi's sarcoma 280–281, 364
 psoriasiform dermatitis 25, 35
 Albright hereditary osteodystrophy 189, 201
 ALCL (anaplastic large cell lymphoma) 285, 368
 alkaptonuria 190, 203
 allergic contact dermatitis 41, 55
 allergic granulomatosis (Churg-Strauss syndrome) 99, 112–113
 alopecia
 alopecia areata 164, 168
 follicular mucinosis 139, 148–149
 GLPL syndrome 74, 89
 lichen planopilaris 74, 89
 pseudopelade of Brocq 164, 169
 scarring/non-scarring 163, 166(t), 168
 α_1 -antitrypsin deficiency (AATD) 172, 182
 amastigotes 214, 240
 amyloid
 lichen amyloidosis 76–77, 93–94, 190, 202
 nodular amyloidosis 189–190, 202
 anagen 162, 166
 anaplastic large cell lymphoma (ALCL) 285, 368
 ANCA *see* anti-neutrophil cytoplasmic antibodies
Ancylostoma braziliense (hookworm) 215, 240
 angiofibroma 266, 357
 angiokeratoma 276, 362
 angiolymphoid hyperplasia with eosinophilia 277, 363
 angiomatoid fibrous histiocytoma 272, 360
 angiomatosis
 bacillary 363–364
 diffuse dermal 279, 363
 Sturge-Weber syndrome 275, 361
 angiomatous fibroblastoma 268, 358
 angiomatous lipoma 264–265, 356
 angiomatous myxoma, superficial 139, 149, 273, 360–361
 angiosarcoma 281, 365
 annular elastolytic giant cell granuloma 113–114, 117, 122, 128
 anthrax 207, 229–230
 anti-neutrophil cytoplasmic antibodies (ANCA)
 Chapel Hill Consensus criteria on vasculitides 96, 108
 myeloperoxidase-ANCA 97, 108
 PR3-ANCA 96–98, 108, 112
 apocrine glands
 Fox-Fordyce disease 41, 54, 165, 170
 hidrocystoma 151, 160, 256–257, 349
 mixed tumors 259, 351
 appendageal tumors 299–309(t) *see also individual tumors*
 argyria 191, 203
 arteriovenous hemangioma 278, 363
 arthropathy
 gout 189, 201–202
 Reiter's syndrome 25, 35
 rheumatoid nodule 117, 127
 ashy dermatosis 74, 88–89
 aspergillosis 212, 236
 asteroid bodies 114, 122
 atopic dermatitis 42, 56
 atrophie blanche 95, 104
 atypical fibroxanthoma 272, 360
 auricular pseudocysts 153, 162
 autoimmune conditions
 antibodies 72, 85
 dermatitis herpetiformis 60, 69–70
 IgA pemphigus 40, 53, 58, 65
 lupus erythematosus 72, 85
 morphea 129, 133
 pemphigus foliaceus 58, 65
 pemphigus vulgaris 58–59, 66
 Wegener's granulomatosis 72, 85, 96–98, 108, 112 *see also* lupus anticoagulant
 antigenic targets
 bullous disorders 63(t)
 bullous pemphigoid 40, 53, 60, 68–69
 extracellular matrix components 132(t)
 LABD 60–61, 70
 lupus erythematosus 72–73, 85–86
 mucous membrane pemphigoid 61, 70
 non-blistering disorders 83–84(t), 102–103(t)
 B-cell lymphoma
 diffuse large 287, 369
 follicle center cell 286, 369
 intravascular large 287, 369
 marginal zone 286, 369
 bacillary angiomatosis 363–364
 balloon cell nevus 343
 BAP1 loss 252, 346
Bartonella spp. 117, 127, 207, 230, 280, 363–364
 basal cell carcinoma 245, 339–340
 Becker's nevus 17–18, 23
 Behcet's disease 99, 113, 165, 170
 β -catenin 151, 160, 254, 270, 347, 359
 biopsy 64
 for SLE 62, 71
 for Sneddon's syndrome 95, 106
 for vasculitis 62, 71
 Birt-Hogg-Dubè syndrome 255, 348
 black yeasts *see* dematiaceous fungi
 blastomycosis 117, 127, 211, 235
 Blau syndrome 114, 123
 'blue' granulomas 120–121(t) *see also* granuloma annulare; Wegener's granulomatosis
 blue nevus
 cellular targets 251, 345
 epithelioid 252, 346

Index

- bowenoid papulosis 214, 239, 245, 339
 Bowen's disease 244, 339
 branchial cleft cysts 152, 161
 bronchogenic cysts 152, 160–161
 Brooke-Spiegler syndrome 192, 205, 257, 350
 bullous congenital ichthyosiform erythroderma 9, 13
 bullous impetigo 206, 227
 bullous lupus erythematosus 60–61, 69, 71, 72, 85–86
 bullous pemphigoid 61–62, 71
 antigenic targets 40, 53, 60, 68–69
 immunofluorescence 40, 53, 60, 69
 Buruli ulcers 207, 229
 Buschke-Ollendorf syndrome 131, 135
- café-au-lait spots 17, 21–22(t), 22
 calcinosis cutis 188, 196(t), 200–201
 calciophylaxis 173, 184, 188, 201
 pilomatricoma 151, 160, 254, 347
 subepidermal calcified nodule 188, 201
 calcium metabolism 189, 201
 carbuncles 206, 228
 carcinoma
 basal cell 245, 339–340
 mucinosa 259–260, 352
 mucoepidermoid 247, 341–342
 sebaceous 256, 349
 see also squamous cell carcinoma
 carcinosarcoma 247, 342
 Carney's complex 139–148, 148, 252, 346
 NAME syndrome 139, 149, 273, 361
 catagen 162, 166–167
 caterpillar bodies 59–60, 68, 186, 198
 cautery artefacts 1, 7
 CD antigens 136, 145
 CD34-positive 143–144(t)
 NSF 130, 134, 138, 147
 sclerotic fibroma 266, 357
 solitary fibrous tumor 267, 357
 spindle cell lipoma 265, 356
 Langerhans cell histiocytosis 284, 367
 mycosis fungoides 284, 367
 Rosai-Dorfman disease 283, 366
 subcutaneous panniculitis-like T-cell lymphoma 172, 183
 urticaria pigmentosa 282, 365–366
- CDKN2A* mutation 250, 345
 cellular blue nevus 251, 345
 cercarial dermatitis 215, 241
 cervical (neck) cysts
 branchial cleft 152, 161
 bronchogenic 152, 160–161
 thyroglossal 152, 161
 chancres 208, 231
 Chapel Hill Consensus criteria 96, 101–102(t), 106–108
 Chediak-Higashi syndrome 17, 22, 248, 343
 chemotherapy
 eruptive keratoacanthoma 187, 200
 neutrophilic eccrine hidradenitis 164, 169, 187, 199–200
 chilblains *see* perniosis
 children *see* pediatric conditions
 chlamydia infections 206, 208, 227, 231
 Reiter's syndrome 25, 35
 chondrodermatitis nodularis helicis 131, 135
 chondroitin sulfate 137, 145
 chromo(blasto)mycosis 116, 126, 210–211, 234
 chronic superficial dermatitis (small plaque parapsoriasis) 42, 57, 76, 92–93
 Churg-Strauss syndrome 99, 112–113
 cicatricial pemphigoid (mucous membrane pemphigoid) 61, 70–71
 clear cell acanthoma 26, 36–37
 clear cell papulosis 244, 339
 CMV (cytomegalovirus) 213, 238
 coagulation and coagulopathy
 atrophie blanche 95, 104
 cascade 100
 DIC 95, 100(t), 104–105
 protein C 94, 103
 protein S 94, 103–104
 warfarin-induced necrosis 95, 104
 see also lupus anticoagulant
 cocaine use (LIVEN) 96, 107–108
 coccidiomycosis 116, 126, 211, 234
 collagen 129, 133
 vertically-orientated bundles 2, 8
 vitamin C deficiency 185, 196–197
 see also individual conditions
 collarettes 270, 359
 colloid milium 190, 202–203
 colon cancer, metastatic 274, 361
 connective tissue diseases 82–83(t)
 see also individual conditions
 contact dermatitis 41, 55
- cornoid lamellation 9, 13, 77, 94
Corynebacterium spp.
 erythrasma 206, 228
 pitted keratolysis 216, 241–242
 Cowden's syndrome 2, 8, 253, 266, 346–347, 357
 Coxsackie viruses 214, 240
 cryoglobulins 95, 105
Cryptococcus neoformans 209, 232–233
 crystal arthropathy 189, 201–202
 cutaneous collagenous vasculopathy 99, 113, 276, 362
 cutaneous epithelioid angiomatous nodule 277, 363
 cutaneous lymphadenoma 255, 347–348
CYLD mutations 257, 350
 cylinderoma 257, 349–350
 cysts 154–158(t)
 non-epithelial-lined 149, 159
 squamous epithelium-lined 149, 159
 see also individual types
 cytarabine 164, 169, 187, 200
 cytomegalovirus (CMV) 213, 238
- Dabska's tumor 281, 364
 Darier's disease 9, 13, 59, 67
 deep lamina lucida pemphigoid 61, 71
 deep penetrating nevus 249, 343
 deficiency states 2, 8, 26, 37–38, 194(t)
 acrodermatitis enteropathica (zinc) 27, 38–39, 185–186, 197
 pellagra (nicotinic acid) 26, 37–38
 scurvy (vitamin C) 185, 196–197
 Degos disease 98, 111
 dematiaceous fungi 116, 125, 210, 233
 chromo(blasto)mycosis 116, 126, 210–211, 234
 phaeohyphomycosis 116, 125–126, 210, 233–234
 sporotrichosis 116–117, 126–127, 211, 234
 depositional diseases 196(t)
 see also individual conditions
 dermatitis herpetiformis 60, 69
 autoantibodies 60, 69–70
 histopathology 60–61, 69–70
 dermatofibroma 270, 359
 dermatofibrosarcoma protuberans 271, 359–360
 dermatomyofibroma 268, 358
 dermatophytes 209, 232
 desmoid tumor 270, 359
 desmoplastic melanoma 250–251, 345
- desmoplastic trichilemmoma 253, 347
 DIC (disseminated intravascular coagulation) 95, 100(t), 104–105
 diffuse dermal angiomatosis 279, 363
 diffuse large B-cell lymphoma 287, 369
 digital fibrokeratoma 266, 357
 digital fibromatosis 268, 358
 digital fibromyxoma (superficial acral fibromyxoma) 273, 360
 digital papillary adenocarcinoma 260, 352
 digits
 rudimentary polydactyly 261, 353
 see also nails
 dilated pore of Winer 252, 346
 dissecting cellulitis of the scalp (Hoffman's disease) 163, 167
 disseminated intravascular coagulation (DIC) 95, 104–105
 Dowling-Degos disease 18, 23
 Galli-Galli disease 9, 13
 drug-induced conditions
 elastosis perforans serpiginosa 132, 136
 eruptive keratoacanthoma 187, 200
 hyperpigmentation 191, 204
 lichenoid drug eruption 75, 90, 187, 200
 neutrophilic eccrine hidradenitis 164, 169, 187, 199–200
 pityriasis rosea 26, 37, 41, 54
 toxic epidermal necrolysis 75, 90–91, 188, 200
 warfarin-induced necrosis 95, 104
 dysplastic nevus 250, 345
- ear
 accessory tragus 186, 198–199
 auricular pseudocysts 153, 162
 chondrodermatitis nodularis helicis 131, 135
 EBV (Epstein-Barr virus) 213, 238–239
 eccrine glands
 acrospiroma 258, 351
 hidrocystoma 151, 160, 256–257, 349
 neutrophilic eccrine hidradenitis 164, 169
 papillary eccrine adenoma 258, 351
 ecthyma contagiosum (orf) 213, 237

- elastofibroma dorsii 131, 135–136
 elastophagocytosis/elastoclasia 113–114, 117, 122, 128
 elastosis perforans serpiginosa 132, 136
 endometriosis, cutaneous 153, 161–162
 endovascular papillary angioendothelioma 281, 364
 eosinophilic cellulitis (Wells's syndrome) 281, 365
 eosinophilic fasciitis 129–130, 133–134
 eosinophilic folliculitis 163, 167
 eosinophilic spongiosis 40, 44(t), 52, 60, 69
 epidermal tumors 289–294(t)
 see also individual tumors
 epidermodysplasia verruciformis 214, 239
 epidermolysis bullosa 10, 16, 59, 67
 genetics 12(t), 64(t)
 epidermolysis bullosa acquisita 10, 16, 59, 61, 67, 71
 epithelioid blue nevus 252, 346
 epithelioid cell histiocytoma 270, 359
 epithelioid hemangioma 277, 363
 epithelioid sarcoma 272, 360
 Epstein-Barr virus (EBV) 213, 238–239
 erosive adenomatosis 259, 352
 eruptive keratoacanthoma 187, 200
 eruptive xanthoma 283, 366
 erysipeloid 206, 228
 erythema annulare centrifugum 41, 55, 98, 109
 erythema elevatum diutinum 96, 108
 erythema induratum (nodular vasculitis) 171–172, 181
 erythema infectiosum (fifth disease) 214, 240
 erythema multiforme 75, 90, 187, 200
 erythema nodosum 171, 179
 erythrasma 206, 228
 erythrocytes, extravasated 185, 196–197
 erythroderma
 bullous congenital ichthyosiform 9, 13
 pityriasis rubra pilaris 25, 36
 psoriasis 25, 36
 eumycetoma 212, 218(t), 235–236
 exotoxins 206, 228
 anthrax 207, 229–230
 staphylococcal 206, 227
 extracellular matrix components 132(t)
 extranodal NK/T-cell lymphoma 286, 368–369
 eye
 juvenile xanthogranuloma 282, 366
 uveal melanoma 249, 344
 eyelash mites (*Demodex*) 215, 241
 eyelid
 LMDF 113, 115, 122, 124, 165, 170
 oncocytoma 275, 361
 facial idiopathic granulomas with regressive evolution (FIGURE, LMDF) 113, 115, 122, 124, 165, 170
 familial benign chronic pemphigus (Hailey-Hailey disease) 10, 14, 59, 66–67
 fat necrosis, encapsulated 173, 184
 favus (tinea capitis favosa) 209, 232
FH/fumarate hydratase 261, 352–353
 fibroepithelioma of Pinkus 245, 340
 fibrofolliculoma 255, 348
 fibrohistiocytoma 271, 359
 fibrokeratoma 266, 357
 fibromatosis 270, 359
 digital 268, 358
 immunohistochemistry 270, 359
 infantile myofibromatosis 269, 358
 fibrous and fibroblastic tumors 313–322(t)
 see also individual tumors
 fibrous hamartoma of infancy 268, 358
 fifth disease 214, 240
 filler reactions 192, 195(t), 204
 fleas 216, 241
 Flegel's disease 10, 14–15
 focal dermal hypoplasia (Goltz-Gorlin syndrome) 10, 14
 see also hidrocystoma
 follicle center cell lymphoma 286, 369
 follicular mucinosis 139, 148–149
 follicular occlusion triad 163, 167
 follicular tumors
 fibrofolliculoma 255, 348
 of the infundibulum 253–254, 347
 panfolliculoma 151, 159–160, 255, 348
 trichoadenoma 253, 346
 trichoeplithelioma 254, 347
 trichofolliculoma 254, 347
 folliculitis
 carbuncles 206, 228
 eosinophilic 163, 167
 pityrosporum 163, 167–168, 209–210, 233
 sterile neutrophilic 165, 170
 viral-associated
 trichodysplasia 163, 167
 Fordyce's spots 255, 348
 Fox-Fordyce disease 41, 54, 165, 170
 fumarate hydratase/*FH* 261, 352–353
 fungal infections 219–224(t), 224–226(t)
 aspergillosis 212, 236
 blastomycosis 117, 127, 211, 235
 coccidiomycosis 116, 126, 211, 234
 Cryptococcus neoformans 209, 232–233
 dematiaceous fungi 116, 125, 210, 233
 chromo(blasto)mycosis 116, 126, 210–211, 234
 phaeohyphomycosis 116, 125–126, 210, 233–234
 sporotrichosis 116–117, 126–127, 211, 234
 dermatophytes 209, 232
 histoplasmosis 211, 235
 hyphae and pseudohyphae 209, 232
 mucormycosis 212, 236
 mycetoma 212, 218(t), 235–236
 pityrosporum (*M. furfur*) 163, 167–168, 209–210, 233
 Galli-Galli disease 9, 13
 gamma/delta T-cell lymphoma 285, 368
 Gardner syndrome 138–148, 148, 151, 160, 270, 359
 Gaucher's disease 185, 197
 genes
 acrodermatitis enteropathica (*ZIP4*) 186, 197
 ALCL 285, 368
 BAP1 252, 346
 Brooke-Spiegler syndrome (*CYLD*) 257, 350
 Carney's complex 148, 148
 dermatofibrosarcoma protuberans 271, 360
 epidermolysis bullosa 12(t), 64(t)
 Gorlin-Goltz syndrome (*PTCH1*) 245, 340
 Hailey-Hailey disease (*ATP2C1*) 10, 14
 liposarcoma (*MDM2*) 265, 356–357
 lysosomal storage diseases 185, 197
 melanoma 249–251, 344–345
 MEN1 262, 353
 Muir-Torre syndrome (*MSH2/MLH-1*) 256, 349
 MYC 281, 365
 NF1 262, 354
 pilomatricoma (*CTNNB1*, β -catenin) 151, 160, 254, 347
 proto-oncogenes 2, 8
 pseudoxanthoma elasticum (*ABCC6*) 132, 136
 Reed syndrome (*FH*) 261, 352–353
 Sipple syndrome (*RET*) 262, 353–354
 solitary fibrous tumor (*STAT6*) 267, 357
 spindle cell lipoma 265, 356
 Spitz nevi (*HRAS*) 249–250, 343–344
 squamous cell carcinoma (*TP53*) 246, 341
 tumor suppressor genes 2, 8
 uveal melanoma (*GNAQ*) 249, 344
 see also individual conditions
 gestational herpes 97–98, 109
 gestational pemphigoid 60, 69
 Gianotti-Crosti syndrome 42, 56–57, 214, 240
 giant cell fibroblastoma 271, 359–360
 giant cell granuloma 113–114, 117, 122, 128
 giant cell tumor of tendon sheath 273, 360
 giant cells, intraluminal 2, 8
 glomangiomyoma 278, 363
 glomeruloid hemangioma 276, 362
 glomulovenous malformation (glomangioma) 275, 361
 glomus tumor 278, 363
 glucagonoma syndrome 27, 39, 186, 197–198
 glucocerebrosidase 185, 197
GNAQ mutations 249, 344
 Goltz-Gorlin syndrome (focal dermal hypoplasia) 10, 14
 see also hidrocystoma
 gonorrhea 208, 231
 Gorlin-Goltz syndrome (nevoid basal cell carcinoma) 245, 339–340
 gout 189, 201–202
 graft-versus-host disease 73, 87
 Graham Little-Piccardi-Lasseur (GLPL) syndrome 74, 89
 granular cell tumor 264, 355
 granular parakeratosis 10, 15
 granuloma annulare 113–115, 122, 124
 deep/subcutaneous 115, 125
 differential diagnosis 113–114, 122, 171, 180
 granuloma faciale 96, 108

Index

- granuloma inguinale 207, 230
 granulomatosis with polyangiitis
 see Wegener's
 granulomatosis
 granulomatous reactions
 118–119(t)
 'red' and 'blue' granulomas
 120–121(t)
 see also individual conditions
 granulomatous slack skin 114, 123
 granulomatous vasculitis 101(t)
 see also individual conditions
 Graves's disease 137, 146
 Grover's disease 10, 14, 59, 67
- Hailey-Hailey disease 10, 14, 59,
 66–67
- hair
 anagen 162, 166
 catagen 162, 166–167
 shaft fractures 163, 168
 see also alopecia
 halo nevus 250, 344
 hand, foot and mouth disease
 214, 240
 hemangioendothelioma 281, 364
 hemangioma
 acquired elastotic 277, 363
 arteriovenous 278, 363
 epithelioid 277, 363
 glomeruloid 276, 362
 hobnail 276–277, 362
 infantile 276, 362
 microvenular 276, 362
 heme biosynthesis 59, 68, 186,
 198
 Henoch-Schönlein purpura 96,
 106–107
 hereditary leiomyomatosis and
 renal cell cancer (Reed
 syndrome) 139, 148,
 260–261, 352–353
 herpes gestationis 97–98, 109
 herpes simplex viruses (HSV-1/
 HSV-2) 213, 238
 herpes zoster 213, 238
 hibernoma 265, 356
 hidradenitis, neutrophilic eccrine
 164, 169
 hidradenitis suppurativa 163, 167
 hidradenoma (eccrine
 acrosiroma) 258, 351
 hidrocystoma 151, 160, 256–257,
 349
 histiocytic tumors 329–331(t)
 see also individual tumors
 histiocytoma (dermatofibroma)
 270, 359
 histocompatibility antigens
 (HLA) 25, 35
 histoplasmosis 211, 235
 HIV *see* AIDS-associated
 conditions
 hobnail hemangioma 276–277,
 362
- Hoffman's disease 163, 167
 hookworm 215, 240
 Hori's nevus 250, 344
 HPV *see* human
 papillomaviruses
 HRAS mutations 249–250,
 343–344
 human papillomaviruses (HPV)
 218(t)
 bowenoid papulosis 214, 239,
 245, 339
 epidermodysplasia
 verruciformis 214, 239
 plantar warts 213, 239
 Hunter's syndrome 139, 149
 Hutchinson triad 209, 231–232
 hyaluronan 136, 145
 hyperkeratosis
 follicular 25, 35–36
 of the nipple 10, 15
 hyperkeratosis lenticularis
 perstans (Flegel's disease)
 10, 14–15
 hyperpigmentation disorders 17,
 20–21(t), 22, 248, 343
 Becker's nevus 17–18, 23
 Dowling-Degos disease 18, 23
 drug-induced 191, 204
 Laugier-Hunziker syndrome
 17, 22
 ochronosis 190, 203
 hyperthyroidism 137, 146
 hypertrophic lichen planus 74, 88
 hyphae 209, 232
 hypopigmentation disorders
 19–20(t)
 Chediak-Higashi syndrome
 17, 22, 248, 343
 vitiligo 17, 22, 77, 94
- ichthyosis
 ichthyosis vulgaris 9, 12–13
 Netherton's syndrome 10, 14
 X-linked 9, 13
 IgA deposition in LABD 61, 70
 IgA pemphigus 39–40, 52–53, 58,
 65
 ILVEN (inflammatory linear
 verrucous epidermal
 nevus) 26, 36, 243, 338
 immunofluorescence
 bullous pemphigoid 40, 53, 60,
 69
 leukocytoclastic vasculitis 96,
 106
 lichen planus 74, 88
 immunoglobulins
 autoantibodies *see*
 autoimmune conditions,
 antibodies
 cryoglobulins 95, 105
 monoclonal gammopathy 52(t)
 immunohistochemistry 4–7(t)
 immunomatosis 270, 359
 glomus tumor 278, 363
- infantile hemangioma
 276, 362
 inflammatory myofibroblastic
 tumor 269, 358
 Langerhans cell histiocytosis
 284, 367
 leiomyoma 260–261, 352
 lichenoid amyloidosis 77, 94,
 190, 202
 lymphoma 285–286, 368–369
 metastatic disease 274, 322(t),
 361
 Muir-Torre syndrome 248,
 342–343
 mycosis fungoides 284, 367
 nerve sheath myxoma
 263, 355
 neurofibroma 262, 354
 neurothekeoma 264, 355
 nodular amyloidosis 190, 202
 NSF 130, 134, 138, 147
 Paget's disease 274, 361
 extramammary 260, 352
 PEComa 269, 358
 Rosai-Dorfman disease 283,
 366
 sclerotic fibroma 266, 357
 sebaceous carcinoma 256, 349
 solitary fibrous tumor 267, 357
 spindle cell lipoma 265, 356
 squamous cell carcinoma 246,
 340
 urticaria pigmentosa 282,
 365–366
- immunosuppression
 AIDS-associated
 eosinophilic folliculitis 163,
 167
 Kaposi's sarcoma 280–281,
 364
 psoriasisform dermatitis 25,
 35
 cryptococcal infections 209,
 232–233
 viral-associated
 trichodysplasia 163, 167
- impetigo 58, 65, 206, 227
 incontinentia pigmenti 40–41,
 52, 54
 infantile hemangioma 276, 362
 infantile myofibromatosis 269,
 358
 infections
 artistic renditions of 224–226(t)
 and reaction pattern 217(t)
 see also individual diseases or
 organisms
 inflammatory linear verrucous
 epidermal nevus
 (ILVEN) 26, 36, 243, 338
 inflammatory myofibroblastic
 tumor 269, 358
 ink-spot lentigo 248, 343
 interdigitating dendritic cell
 sarcoma 287, 369
- interface dermatitis 72, 84
 see also individual conditions
 intraepidermal blisters/pustules
 31–33(t), 62–63(t)
 intravascular large B-cell
 lymphoma 287, 369
 intravascular papillary
 endothelial hyperplasia
 279–280, 363
 inverted follicular keratosis 252,
 346
 iron deposits (Monse's tattoo) 1, 7
 irritant contact dermatitis 41, 55
- juvenile xanthogranuloma 282,
 366
- kala-azar 214, 240
 kaposiform
 hemangioendothelioma
 281, 364
 Kaposi's sarcoma 280–281, 364
 Kasabach-Merritt syndrome 281,
 364
 Kawasaki's disease 96, 107
 keloid 131, 135
 keratins 12(t)
 bullous congenital
 ichthyosiform
 erythroderma 9, 13
 psoriasis 24, 34
 keratoacanthoma
 eruptive 187, 200
 keratoacanthoma centrifugum
 marginatum 248, 342
 and Muir-Torre syndrome
 248, 342–343
 subungual 248, 342
 keratosis
 actinic 244, 339
 inverted follicular 164,
 169–170
 seborrheic 243, 338
 Ketron-Goodman disease 284,
 367–368
- kidney disease
 and angiomyolipoma 265, 356
 and calciphylaxis 173, 184,
 188, 201
 metastatic 274, 361
 and NSF 130, 134, 138, 147
 and perforating collagenosis
 131, 135
 Reed syndrome 139, 148,
 260–261, 352–353
 Kindler's syndrome 73, 88
 KIT mutations 249, 251, 344–345
 Klebsiella granulomatosis 207,
 230
 Kyrle's disease 10, 16
- LABD (linear IgA bullous
 dermatosis) 60–61, 70
 Langerhans cell histiocytosis 284,
 367

- larva migrans 215, 240
Laugier-Hunziker syndrome 17, 22
Ledderhose disease 270, 359
Legionella pneumophila 206, 228
leiomyoma 139, 148, 260–261, 352–353
leiomyosarcoma 261, 353
leishmaniasis 214, 218(t), 240
lentigenes 21(t), 248, 343
 ink-spot lentigo 248, 343
 see also individual conditions
leprosy
 Lucio's phenomenon 207, 229
 tuberculoid 207, 229
Leser-Trèlat sign 187, 199, 243, 338
leukocytoclasia without vasculitis 101(t)
 see also individual conditions
leukocytoclastic vasculitis 96, 99, 106, 113
levamisole-induced
 vasculopathy, ecchymosis and necrosis (LIVEN) 96, 107–108
lice 206, 227
lichen amyloidosis 76–77, 93–94, 190, 202
lichen myxedematosus (scleromyxedema) 137, 146
lichen nitidus 74, 89
lichen planopilaris 74, 89
 GLPL syndrome 74, 89
lichen planus 73–74, 78–81(t), 88–89
lichen planus pigmentosus (ashy dermatosis) 74, 88–89
lichen sclerosus 76, 92, 130, 135
lichen scrofulosorum 114, 123, 207, 229
lichen simplex chronicus 25, 36
lichen striatus 75, 89–90
lichenoid drug eruption 75, 90, 187, 200
lichenoid reaction patterns 78–81(t)
linear IgA bullous dermatosis (LABD) 60–61, 70
lipodermatosclerosis 172, 183–184
lipoma, spindle cell 265, 356
liposarcoma, well-differentiated 265, 356–357
livedo reticularis 94, 103
livedoid vasculopathy (atrophie blanche) 95, 104
LMDF (lupus miliaris disseminatus faciei) 113, 115, 122, 124, 165, 170
lobular panniculitis 170, 175–177(t), 179
 see also individual conditions
localized cicatricial pemphigoid 61, 71
localized cutaneous amyloidosis (lichen amyloidosis) 76–77, 93–94, 190, 202
lower limb
 acroangiodermatitis 279, 363
 diffuse large B-cell lymphoma 287, 369
 lipodermatosclerosis 172, 183–184
 macular arteritis 97, 108–109, 173, 184
 mycetoma 212, 218(t), 235–236
 nodular vasculitis 171–172, 181
 plantar fibromatosis 270, 359
 plantar warts 213, 239
 poroma 257–258, 350
 pretibial myxedema 137, 145–146
 talon noir 192, 204
Lucio's phenomenon 207, 229
lupus anticoagulant 72, 85, 95, 106
 cutaneous manifestations 72, 85, 95, 106
 laboratory findings 72, 85, 95, 106
lupus erythematosus *see* systemic lupus erythematosus (SLE)
lupus miliaris disseminatus faciei (LMDF) 113, 115, 122, 124, 165, 170
lupus profundus (lupus panniculitis) 73, 86–87, 172, 183
lupus vulgaris 207, 228
lupus-related perniosis 76, 91–92, 98, 111
Lyme disease 208, 231
lymphangioma circumscriptum 275, 361–362
lymphocytic vasculitis 98, 101(t), 111–112
 PLEVA 75, 91, 98, 110
 see also individual conditions
lymphoepithelioma-like carcinoma 247, 342
lymphogranuloma venereum 208, 231
lymphoma 332–336(t)
 ALCL 285, 368
 diffuse large B-cell 287, 369
 extranodal NK/T-cell 286, 368–369
 follicle center cell 286, 369
 intravascular large B-cell 287, 369
 marginal zone B-cell 286, 369
 mycosis fungoides 114, 123, 284, 367
 primary cutaneous CD8+ aggressive epidermotropic cytotoxic T-cell 286, 369
 primary cutaneous gamma/delta T-cell 285, 368
 Sézary's syndrome 284, 368
 subcutaneous panniculitis-like 172, 183, 285, 368
lymphomatoid papulosis 285, 368
lysosomal storage diseases 185, 194(t), 197
macular arteritis 97, 108–109, 173, 184
Majocchi's granuloma 76, 93, 98, 110
malakoplakia 117, 127, 208, 230
Malassezia furfur (*Pityrosporum ovale*)
 folliculitis 163, 167–168, 209–210, 233
 pityriasis versicolor 210, 233
malignant atrophic papulosis (Degos disease) 98, 111
marginal zone B-cell lymphoma 286, 369
Marjolin's ulcer 245, 340
mast cells/mastocytosis 282, 365–366
MDM2 265, 356–357
measles 214, 240
median raphe cysts 152–153, 161
melanin biosynthesis 17, 22
melanoacanthoma 244, 338–339
melanoma
 acral 251, 345
 desmoplastic 250–251, 345
 FISH probes 252, 346
 mucosal 249, 344
 mutations 249–251, 344–345
 side effect of chemotherapy 187, 200
 spitzoid 250, 344
 uveal 249, 344
Melkersson-Rosenthal syndrome 115, 124
MEN *see* multiple endocrine neoplasias
Merkel cell carcinoma 264, 355
Merkel cell polyoma virus 264, 355–356
metachronous metastases 273, 361
metaplastic carcinoma 247, 342
metaplastic synovial cysts 153, 162
metastasis
 immunohistochemical profiles 274, 322(t), 361
 metachronous 273, 361
Michelis-Gutmann bodies 207–208, 230
Mickulicz cells 208, 230
microcystic adnexal carcinoma 288, 369–370
microscopic polyangiitis 97, 108
microvenular hemangioma 276, 362
Miescher's radial granuloma 171, 179
miliaria crystallina 58, 66
Milker's nodule virus 213, 237
minocycline-induced reaction 191, 204
mismatch repair (MMR)
 proteins/*MSH-2* 2, 8, 248, 256, 342–343, 349
mites
 Demodex 215, 241
 Sarcoptes 215, 241
 vectors of *Rickettsia* 208, 230–231
mixed pattern vasculitis 96, 107–108
molluscum contagiosum 213, 236–237
monoclonal gammopathy (paraproteinemia) 52(t), 281, 365
 necrobiotic xanthogranuloma 115, 125, 283, 366
 scleromyxedema 137, 146
Monsel's tattoo 1, 7
morphea (scleroderma) 129, 133, 171, 180–181
MSH-2/mismatch repair proteins 2, 8, 248, 256, 342–343, 349
mucin
 extracellular 139, 149
 interstitial 114, 122
mucinoses 137, 140–143(t), 145
 see also individual conditions
mucinous carcinoma 259–260, 352
mucocutaneous leishmaniasis 214, 240
mucoepidermoid carcinoma 247, 341–342
mucopolysaccharides
 chondroitin sulfate 137, 145
 hyaluronan 136, 145
 stains 140(t)
mucopolysaccharidosis type II (Hunter's syndrome) 139, 149
mucormycosis 212, 236
mucosal melanoma 249, 344
mucous membrane (cicatricial) pemphigoid 61, 70–71
Muir-Torre syndrome 17, 22, 256, 349
 and keratoacanthoma 248, 342–343
multiple endocrine neoplasias (MEN) 313(t)
 type 1 (MEN1) 261–262, 353
 type 2A (Sipple syndrome) 262, 353–354
MYC overexpression 281, 365

Index

- mycetoma 212, 218(t), 235–236
Mycobacterium spp.
 classification 114, 121(t), 123, 207, 218(t), 229
M. leprae
 Lucio's phenomenon 207, 229
 tubercloid leprosy 207, 229
M. marinum (swimming pool granuloma) 207, 229
M. tuberculosis
 erythema induratum/
 nodular vasculitis
 171–172, 181
 lupus vulgaris 207, 228
 scrofuloderma 207, 228
M. ulcerans (Buruli ulcer) 207, 229
 rapid growers 114, 123, 207, 229
 spindle cell pseudotumors 206, 227
mycosis fungoides 284, 367
 granulomatous slack skin 114, 123
mycotic cysts 210, 233–234
myeloid sarcoma 287, 369
myeloperoxidase ANCA (MPO-ANCA) 97, 108
myoepithelioma 259, 351–352
myopericytoma 269, 358
myxoinflammatory fibroblastic sarcoma 270, 359
myxoma
 cutaneous 138–148, 148
 nerve sheath 263, 354–355
 superficial acral fibromyxoma 273, 360
 superficial angiomyxoma 139, 149, 273, 360–361
nails *see* subungual tumors
NAME syndrome 139, 149, 273, 361
nappes claires 25, 36
neck cysts
 branchial cleft 152, 161
 bronchogenic 152, 160–161
 thyroglossal 152, 161
necrobiosis 113, 122
necrobiosis lipoidica 115, 124–125, 171, 179–180
necrobiotic xanthogranuloma 115, 125, 282–283, 366
necrolytic migratory erythema 27, 39, 186, 197–198
necrotizing vasculitis 207, 229
Neisseria gonorrhoeae 208, 231
neonates
 adipocytes with needle-shaped clefts 172, 181–182
 lupus erythematosus 72–73, 86
 sclerema neonatorum 170, 179
 nephrogenic systemic fibrosis (NSF)
 CD profile of fibroblasts 130, 134, 138, 147
 histopathology 130, 134, 137–138, 146–147
 and renal disease 130, 134, 138, 147
 nerve sheath tumors
 myxoma 263, 354–355
 neurothekeoma 263–264, 355
 perineurioma 262, 354
 schwannoma 262–263, 354
 Netherton's syndrome 10, 14
 neural and neuroendocrine tumors 310–313(t)
 neurilemmoma 262–263, 354
 neurofibromatosis type 1 (NF1) 262–263, 354
 neuroma
 multiple mucosal 262, 353
 solitary circumscribed 261, 353
 traumatic 261, 353
 neurothekeoma 263–264, 355
 neutrophilic dermatoses 99, 113
 neutrophilic eccrine hidradenitis 164, 169, 187, 199–200
 neutrophilic folliculitis 165, 170
 neutrophilic microabscesses 61, 71
 neutrophilic spongiosis 39, 43(t), 52
nevi 295–299(t)
 balloon cell 343
 Becker's 17–18, 23
 blue
 cellular 251, 345
 epithelioid 252, 346
 deep penetrating 249, 343
 dysplastic 250, 345
 halo 250, 344
 nevus sebaceous 258–259, 351
 with proliferation of slender pigmented melanocytes 250, 344
 recurrent 249, 343
 Reed 250, 344–345
 Spitz 249–250, 344
nevoid basal cell carcinoma syndrome (Gorlin-Goltz syndrome) 245, 339–340
nevoid hyperkeratosis of the nipple 10, 15
NF1 (neurofibromatosis type 1) 262–263, 354
nicotinic acid deficiency (pellagra) 26, 37–38
Niemann-Pick disease 185, 197
nipple
 accessory 186, 199
 erosive adenomatosis 259, 352
 nevoid hyperkeratosis 10, 15
 Paget's disease 274, 361
Nocardia 212, 236
 nodular amyloidosis 189–190, 202
 nodular fasciitis 266–267, 357
 nodular vasculitis 171–172, 181
 non-inflammatory purpura 94, 103
 NSF *see* nephrogenic systemic fibrosis
 nummular dermatitis 42, 55
 occlusive vasculopathy 95, 101(t), 105–106
see also individual conditions
 ochronosis 190, 203
 oculocutaneous albinism *see* Chediak-Higashi syndrome
 oncocytoma 275, 361
 onychomatrixoma 247–248, 342
 orf (ecthyma contagiosum) 213, 237
 osteoma cutis 189, 201
 p14 (ARF)/p16 (INK4a) proteins 250, 345
 p53/TP53 246, 341
 pagetoid reticulosis 284, 367–368
 Paget's disease 274, 361
 extramammary 260, 352
 pancreatic panniculitis 172, 182
 panfolliculoma 151, 159–160, 255, 348
 panniculitis
 lobular 170, 175–177(t), 179
 lupus 73, 86–87, 172, 183
 pancreatic 172, 182
 secondary 172–173, 178(t), 184
 septal 170–171, 174–175(t), 179
see also individual conditions
 papillary dermal infiltrates 76, 98, 111
 papillary eccrine adenoma 258, 351
 parakeratosis 1–2, 7–8, 42, 55–56
 granular 10, 15
 in pityriasis rosea 26, 37
 paramyxoviruses 214, 240
 paraneoplastic dermatoses 2, 8, 243, 338
 acanthosis nigricans 187, 199
 necrolytic migratory erythema 27, 39, 186, 197–198
 pemphigus 59, 66, 76, 93
 paraproteinemia (monoclonal gammopathy) 52(t), 281, 365
 necrobiotic xanthogranuloma 115, 125, 283, 366
 scleromyxedema 137, 146
 parapsoriasis 42, 57, 76, 92–93
 parasites
Demodex mite 215, 241
 hookworm 215, 240
 lice 206, 227
Sarcoptes mite 215, 241
 ticks 208, 215, 230–231, 241
Tunga flea 216, 241
 parvovirus B19 214, 240
 Pautrier microabscesses 25, 34, 76, 92
 PEComa 269, 358
 pediatric conditions
 adipocytes with needle-shaped clefts 172, 181–182
 Blau syndrome 114, 123
 bullous congenital ichthyosiform erythroderma 9, 13
 congenital syphilis 209, 231–232
 digital fibromatosis 268, 358
 fibrous hamartoma of infancy 268, 358
 fifth disease 214, 240
 giant cell fibroblastoma 271, 359–360
 granuloma annulare 115, 125
 ILVEN 26, 36, 243, 338
 impetigo 58, 65, 206, 227
 infantile hemangioma 276, 362
 infantile myofibromatosis 269, 358
 juvenile xanthogranuloma 282, 366
 lichen striatus 75, 89–90
 lupus erythematosus (neonatal) 72–73, 86
 lymphangioma
 circumscriptum 275, 361–362
 pseudoxanthoma elasticum 132, 136
 Rothmund-Thomson syndrome 246, 341
 sclerema neonatorum 170, 179
 staphylococcal scalded skin syndrome 2, 8, 58, 65
 subepidermal calcified nodule 188, 201
 yaws 209, 232
 pellagra 26, 37–38
 pemphigoid
 bullous 61–62, 71
 antigenic targets 40, 53, 60, 68–69
 immunofluorescence 40, 53, 60, 69
 deep lamina lucida 61, 71
 gestational 60, 69
 mucous membrane (cicatrical) 61, 70–71
 pemphigus
 Hailey-Hailey disease 10, 14, 59, 66–67
 IgA pemphigus 39–40, 52–53, 58, 65
 paraneoplastic 59, 66, 76, 93
 pemphigus foliaceus 40, 52, 58, 65

- pemphigus vegetans 40, 53, 59, 61, 66, 71
 pemphigus vulgaris 58–59, 66
 penicillamine 132, 136
 penis
 bowenoid papulosis 214, 239, 245, 339
 lichen sclerosus 76, 92, 130, 135
 median raphe cysts 152–153, 161
 plasmacytosis mucosae 281–282, 365
 ulcers 208, 231
 perforating collagenosis 131, 135
 perineurioma 262, 354
 perivascular myoma 269, 358
 perniosis 76, 91–92, 98, 111
 Peutz-Jeghers syndrome 18, 23
 phaeohyphomycosis 116, 125–126, 210, 233–234
 photodermatoses
 genetic 192, 205
 polymorphic light eruption 193, 205
 porphyria cutanea tarda 59–60, 68, 186, 198
 see also sun exposure
 pigmented purpuric dermatosis 76, 93, 98, 110–111
 pilomatrical change in epidermal cysts 151, 160
 pilomatricoma 151, 160, 254, 347
 pitted keratolysis 216, 241–242
 pityriasis lichenoides chronica 75–76, 91, 98, 110
 pityriasis lichenoides et varioliformis acuta (PLEVA) 75, 91, 98, 110
 pityriasis rosea 26, 37, 41, 54
 pityriasis rubra pilaris 1–2, 8, 25, 35–36
 pityriasis versicolor 210, 233
 pityrosporum folliculitis 163, 167–168, 209–210, 233
Pityrosporum ovale *see* *Malassezia furfur*
 plantar fibromatosis 270, 359
 plantar warts 213, 239
 plasmacytosis mucosae 281–282, 365
 PLEVA (pityriasis lichenoides et varioliformis acuta) 75, 91, 98, 110
 plexiform fibrohistiocytoma 271, 359
 plexiform neurofibroma 262, 354
 POEMS syndrome 276, 362
 poikiloderma 73, 88
 poikiloderma congenitale (Rothmund-Thomson syndrome) 246, 341
 polyarteritis nodosa
 cutaneous 97, 109, 173, 184
 macular arteritis 97, 108–109, 173, 184
 polydactyly, rudimentary 261, 353
 polymorphic light eruption 193, 205
 polymorphous eruption of pregnancy 97, 109
 porokeratosis 9, 13, 77, 94
 poroma 257–258, 350
 porphyria cutanea tarda
 etiology 59, 68, 186, 198
 histopathology 59–60, 68, 186, 198
 ultrastructure 60, 68, 186, 198
 port-wine stain 275, 361
 postradiation angiosarcoma 281, 365
 postradiation panniculitis 172–173, 184
 poxviruses 213, 236–237
 pregnancy
 herpes 97–98, 109
 pemphigoid 60, 69
 PUPPP 97, 109
 pretibial myxedema 137, 145–146
 progesterone dermatitis 42, 57
 proliferating trichilemmal cysts 150, 159
 protein C 94, 103
 protein S 94, 103–104
 proteinase 3-specific ANCA (PR3-ANCA) 96–98, 108, 112
 proto-oncogenes 2, 8
 prurigo nodularis 243, 338
 pruritic urticarial papules and plaques of pregnancy (PUPPP) 97, 109
 psammoma bodies 274, 361
 pseudohyphae 209, 232
 pseudo-Kaposi's sarcoma 279, 363
 pseudopelade of Brocq 164, 169
 pseudoxanthoma elasticum 132, 136
 psoriasiform dermatitis, AIDS-associated 25, 35
 psoriasiform reactions 27–31(t)
 intraepidermal pustules 31–33(t)
 subcorneal pustules 24, 31–33(t), 33
 psoriasis 24–25, 34, 36
PTEN 2, 8
 purpura
 Henoch-Schönlein 96, 106–107
 non-inflammatory/senile 94, 103
 pyoderma gangrenosum 98, 111
 radiotherapy
 postradiation angiosarcoma 281, 365
 postradiation panniculitis 172–173, 184
 radiation dermatitis 192, 204–205
 re-excision perineural invasion 262, 354
 recurrent nevus 249, 343
 'red' granulomas 115, 120–121(t), 125
 see also individual conditions
 Reed nevus 250, 344–345
 Reed syndrome 139, 148, 260–261, 352–353
 Refsum's disease 9, 13
 Reiter's syndrome 25, 35
 relapsing polychondritis 187, 199
 renal disease
 and angiomyolipoma 265, 356
 and calciphylaxis 173, 184
 metastatic 274, 361
 and NSF 130, 134, 138, 147
 and perforating collagenosis 131, 135
 Reed syndrome 139, 148, 260–261, 352–353
 Restylane deposits 192, 204
RET mutations
 desmoplastic melanoma 251, 345
 Sipple syndrome (MEN2A) 262, 353–354
 reticulohistiocytoma 282, 366
 rheumatoid nodule 117, 127
 rhinoscleroma 208, 230
 rhinosporidiosis 212, 236
Rickettsia 206, 208, 217–218(t), 227, 230–231
 ringworm (tinea) 209, 232
 rosacea 165, 170
 Rosai-Dorfman disease 283, 366
 Rothmund-Thomson syndrome 246, 341
 Rowell's syndrome 72, 84–85
 sarcoidal granulomas 114, 123
 sarcoma
 angiosarcoma 281, 365
 epithelioid 272, 360
 interdigitating dendritic cell 287, 369
 Kaposi's 280–281, 364
 leiomyosarcoma 261, 353
 liposarcoma 265, 356–357
 myeloid 287, 369
 myxoinflammatory fibroblastic 270, 359
 synovial 272, 360
 scabies 215, 241
 scalp
 favus 209, 232
 Hoffman's disease 163, 167
 syringocystadenoma papilliferum 258–259, 351
 see also alopecia; hair
 scarring alopecia 166(t)
 scars, keloid 131, 135
 SCC *see* squamous cell carcinoma
 Schaumann bodies 114, 122–123
 schistosomiasis 215, 241
 schwannoma 262–263, 354
 scleredema 138, 147–148
 sclerema neonatorum 170, 179
 scleroderma (morphea) 129, 133, 171, 180–181
 scleromyxedema 137, 146
 sclerotic fibroma 266, 357
 scrofuloderma 207, 228
 scurvy 185, 196–197
 sebaceous adenoma 256, 348–349
 sebaceous carcinoma 256, 349
 sebaceous glands, ectopic 255, 348
 sebaceous nevus 258–259, 351
 seborrheic dermatitis 24, 33–34, 42, 56
 shoulder parakeratosis 1, 7–8, 42, 55–56
 seborrheic keratosis 243, 338
 inverted follicular keratosis 252, 346
 senile purpura 94, 103
 septal panniculitis 170–171, 174–175(t), 179
 see also individual conditions
 sexually transmitted infections
 chlamydia 206, 208, 227, 231
 Reiter's syndrome 25, 35
 gonorrhea 208, 231
 granuloma inguinale 207, 230
 herpes 213, 238
 HPV (bowenoid papulosis) 214, 239, 245, 339
 penile ulcers 208, 231
 syphilis 27, 39
 congenital 209, 231–232
 primary 208, 231
 secondary 208, 231
 tertiary 209, 232
 trichomoniasis 208, 231
 Sèzary's syndrome 284, 368
 shaggy fibrin bands 74, 88
 shingles (herpes zoster) 213, 238
 shoulder parakeratosis 1, 7–8, 42, 55–56
 Shulman syndrome (eosinophilic fasciitis) 129–130, 133–134
 silver deposits (argyria) 191, 203
 Sipple syndrome (MEN2A) 262, 353–354
 "skip areas" 172, 182
 SLE *see* systemic lupus erythematosus
 small plaque parapsoriasis 42, 57, 76, 92–93
 Sneddon's syndrome 95, 106
 solitary circumscribed neuroma 261, 353
 solitary fibrous tumor 267, 357
 sphingomyelinase deficiency 185, 197

Index

- spindle cell lipoma 265, 356
 spindle cell pseudotumors 206, 227
 Spitz nevus 249–250, 344
 Reed nevus 250, 344–345
 Spitz spectrum 249, 343
 spitzoid melanoma 250, 344
 spongiotic reactions
 by inflammatory infiltrate 43–46(t)
 and monoclonal gammopathy 52(t)
 pattern/focus 47–51(t)
 see also *individual conditions*
 sporotrichosis 116–117, 126–127, 211, 234
 squamous cell carcinoma (SCC)
 Bowen's disease (SCC in situ) 244, 339
 genetic mutations associated with 246, 341
 genetic syndromes predisposing to 246, 341
 high risk features 246, 340
 immunohistochemistry 246, 340
 Marjolin's ulcer 245, 340
 thyroid 274, 361
 verrucous 246, 341
 squamous epithelium-lined cysts 149, 159
 stains
 histological 3–4(t)
 immunohistochemical markers 4–7(t)
 mucopolysaccharides 137, 140(t), 145
Staphylococcus spp. 206, 227–228
 identification 206, 227
 impetigo 58, 65, 206, 227
 staphylococcal scalded skin syndrome 2, 8, 58, 65
 stasis dermatitis 42, 57
STAT6 mutations 267, 357
 steatocystoma simplex/multiplex 151, 160, 256, 348
 sterile neutrophilic folliculitis 165, 170
 stratum corneum, absent 2, 8
 strawberry mucosa 208, 231
Streptococcus spp. 206, 228
 Sturge-Weber syndrome 275, 361
 subacute cutaneous lupus erythematosus 72, 85
 subcorneal blisters/pustules 24, 31–33(t), 33, 62–63(t)
 subcorneal pustular dermatosis 58, 65
 subcutaneous panniculitis-like T-cell lymphoma 172, 183, 285, 368
 subepidermal blisters 62–63(t)
 pauci-inflammatory 11, 16, 59, 68
 subepidermal calcified nodule 188, 201
 subungual tumors
 keratoacanthoma 248, 342
 onychomatixoma 247–248, 342
 sun exposure
 actinic keratosis 244, 339
 colloid milium 190, 202–203
 desmoplastic melanoma 250–251, 345
 giant cell granuloma/AEGCG 113–114, 117, 122, 128
 photosensitive genodermatoses 192, 205
 polymorphic light eruption 193, 205
 see also porphyria cutanea tarda
 superficial acral fibromyxoma 273, 360
 superficial angiomyxoma 139, 149, 273, 360–361
 sweat glands see apocrine glands; eccrine glands
 Sweet's syndrome 99, 113
 swimmer's itch (cercarial dermatitis) 215, 241
 swimming pool granuloma 207, 229
 synovial cysts, metaplastic 153, 162
 synovial sarcoma 272, 360
 syphilis 27, 39
 congenital 209, 231–232
 primary 208, 231
 secondary 208, 231
 tertiary 209, 232
 syringocystadenoma papilliferum 258–259, 351
 syringofibroadenoma (of Mascaro) 258, 351
 syringoma 257, 350
 systemic lupus erythematosus (SLE)
 antigenic targets 72–73, 85–86
 autoantibodies 72, 85
 biopsy sites 62, 71
 bullous 60–61, 69, 71, 72, 85–86
 lupus profundus 73, 86–87, 172, 183
 neonatal 72–73, 86
 pernio 76, 91–92, 98, 111
 Rowell's syndrome 72, 84–85
 subacute cutaneous 72, 85
 systemic sclerosis 171, 180–181
 T-cell lymphoma
 ALCL 285, 368
 extranodal NK/T-cell 286, 368–369
 mycosis fungoides 284, 367
 primary cutaneous CD8+ aggressive epidermotropic cytotoxic 286, 369
 primary cutaneous gamma/delta 285, 368
 Sézary's syndrome 284, 368
 subcutaneous panniculitis-like 172, 183, 285, 368
 talon noir 192, 204
 tattoos 191, 203–204
 Monse's tattoo 1, 7
 thrombus, organizing 279–280, 363
 thyroglossal cysts 152, 161
 thyroid disease
 carcinoma 274, 361
 and pretibial myxedema 137, 146
 ticks 215, 241
 and Lyme disease 208, 231
 and *Rickettsia* 208, 230
 tinea 209, 232
 toxic epidermal necrolysis 75, 90–91, 188, 200
TP53 mutations 246, 341
 "tram-tracking" 130, 134, 138, 147
 transmission vectors
 of Lyme disease 208, 231
 of *Rickettsia* 206, 208, 227, 230–231
 traumatic neuroma 261, 353
Treponema pallidum pallidum see syphilis
Treponema pallidum pertenue (yaws) 209, 232
 trichoadenoma 253, 346
 trichodysplasia, viral-associated 163, 167
 trichoeptelioma 254, 347
 trichofolliculoma 254, 347
 trichilemmoma 253
 desmoplastic 253, 347
 trichomoniasis 208, 231
Trichophyton spp. 209, 232
 trichorrhhexis nodosa 163, 168
 tuberculids 114, 123, 207, 229
 tuberculoid leprosy 207, 229
 tuberculosis
 erythema induratum/nodular vasculitis 171–172, 181
 lupus vulgaris 207, 228
 scrofuloderma 207, 228
 tuberous sclerosis 17, 22, 265–266, 356–357
 tufted angioma 278, 363
 tumor of the follicular infundibulum 253–254, 347
 tumor suppressor genes 2, 8
 tumors
 appendageal 299–309(t)
 cutaneous manifestations 187, 199, 243, 273, 338, 361
 epidermal 289–294(t)
 fibrous/fibroblastic 313–322(t)
 histiocytic 329–331(t)
 lymphomatous 332–336(t)
 multiple endocrine neoplasias 313(t)
 neural/neuroendocrine 310–313(t)
 nevomelanocytic 295–299(t)
 syndromic associations 336–337(t)
 vascular 280, 323–329(t), 364
 xanthomatous 329–331(t)
 see also *individual tumors*
 tungiasis 216, 241
 typhoid disease 206, 227
 tyrosinase 17, 22
 uroporphyrinogen decarboxylase 59, 68, 186, 198
 urticaria pigmentosa 282, 365–366
 urticarial vasculitis 96, 107
 UV light exposure see sun exposure
 uveal melanoma 249, 344
 varicella-zoster virus 213, 237
 shingles 213, 238
 vascular tumors 323–329(t)
 grade 280, 364
 see also *individual tumors*
 vasculopathic reactions 101(t)
 biopsy 62, 71
 Chapel Hill Consensus criteria 101–102(t)
 classification based on vessel size 102(t)
 see also *individual conditions*
 vellus hair cysts 150, 159
 vemurafenib 187, 200
 venous lake 275, 362
 verruciform xanthoma 283, 366–367
 verrucous carcinoma 246, 341
 vesiculobullous diseases
 antigenic targets 63(t)
 reaction patterns 62–63(t)
 see also *individual conditions*
 viral infections
 CMV 213, 238
 Coxsackie viruses 214, 240
 EBV 213, 238–239
 fifth disease 214, 240
 Gianotti-Crosti syndrome 42, 56–57, 214, 240
 herpes simplex 213, 238
 in pregnancy 97–98, 109
 herpes zoster 213, 238
 HPV 213–214, 218(t), 239, 245, 339
 and Kaposi's sarcoma 280–281, 364
 measles 214, 240

- Merkel cell polyoma virus 264, 355–356
 poxviruses 213, 236–237
 viral-associated
 trichodysplasia 163, 167
 visceral leishmaniasis (kala-azar) 214, 240
 vitamin deficiencies 2, 8, 26, 37–38, 194(t)
 pellagra (nicotinic acid) 26, 37–38
 scurvy (vitamin C) 185, 196–197
 vitiligo 17, 22, 77, 94
 von Recklinghausen's disease (neurofibromatosis type 1) 262–263, 354
- vulva
 angiomyofibroblastoma 268, 358
 bowenoid papulosis 214, 239, 245, 339
 lichen sclerosus 76, 92, 130, 135
 Paget's disease 260, 352
- Wagenmann-Froboese syndrome 262, 353
 warfarin-induced necrosis 95, 104
 warts, plantar 213, 239
 warty dyskeratoma 11, 16
 Wegener's granulomatosis
- ACR diagnostic criteria 99, 112
 autoantibodies 72, 85, 96–98, 108, 112
 histopathology 98, 112
 Wells's syndrome (eosinophilic cellulitis) 281, 365
 Wermer syndrome (MEN1) 261–262, 353
 Woringer-Kolopp disease 284, 367–368
- X-linked ichthyosis 9, 13
 xanthogranuloma
 juvenile 282, 366
 necrobiotic 115, 125, 282–283, 366
- xanthoma
 eruptive 283, 366
 verruciform 283, 366–367
 xanthomatous tumors 329–331(t)
- yaws 209, 232
- zinc deficiency (acrodermatitis enteropathica) 27, 38–39, 185–186, 197
 zoonoses
 anthrax 207, 229–230
 Lyme disease 208, 231
 Milker's nodule 213, 237
 Zoon's balanitis 281–282, 365