

Index

- A3 form, in Lean Model, 38
 - for change management, 129
- acceptance phases, in individual change management models, 126
- ACS. *See* American College of Surgeons
- action plans, in Root Cause Analysis, 46
- adverse drug events (ADEs), 57
- adverse event reporting, 45–6.
 - See also* classification systems, for adverse events
- administrative data on, 57
 - data sources for, 57–8
- automated surveillance, 57–8
 - of adverse drug events, 57
- electronic medical records, 57
- family reported adverse events, 58–9
- national clinical registries, 55–6
 - Anesthesia Closed Claims Project, 56
 - Anesthesia Incident Reporting System, 56
 - Anesthesia Quality Institute, 55
 - National Anesthesia Clinical Outcomes Registry, 55–6
 - Wake Up Safe registry, 56
- patient-reported adverse events, 58–9
- provider-reported events, 50–2
 - clinical factors, 52
 - reporting templates, 51
 - voluntary reporting, 51–2
- retrospective chart review in, 52–3
 - Harvard Medical Practice Study, 52
 - summary of, 59
- trigger tool methodology, 53–4, 59
 - Global Trigger Tool, 53–4
- “adverse events,” in cause analysis, 40
- advocacy, for patients, nurses and, 105–6
 - organizational culture as factor for, 106
- Aggregate Root Cause Analysis, 48
- AHA. *See* American Heart Association
- American College of Surgeons (ACS), 80
- American Heart Association (AHA), 8
- Anesthesia Closed Claims Project, 56
- Anesthesia Incident Reporting System, 56
- Anesthesia Information Management Systems, 14
- anesthesia machines, 14
- Anesthesia Quality Institute, 55
- antibiotics, in Anesthesia Medication Template, 21
- Apparent Cause Analysis, 46–7
- apprenticeship model, task training in, 5
- atropine, in Anesthesia Medication Template, 21
- automated surveillance,
 - of adverse event reporting, 57–8
 - of adverse drug events, 57
 - electronic medical records, 57
- Basic Life Support (BLS) Course Completion, 7
- bloodstream infection prevention, 130–4
 - checklists for, 132–4
- BLS Course Completion. *See* Basic Life Support Course Completion
- calcium, in Anesthesia Medication Template, 21
- call-outs, as communication tools, 116
- cause analysis. *See also* Root Cause Analysis (RCA)
 - Apparent Cause Analysis, 46–7
 - Common Cause Analysis, 47–8
 - Root Cause Analysis compared to, 48
 - history of, 40–1
 - National Quality Forum, 40
 - terminology for, 40
 - “adverse events,” 40
 - “sentinel events,” 40
- cause and effect diagrams, in Root Cause Analysis, 44, 45
- challenge-response checklists, 108–9
 - patient-flow checklists, 108, 109
- Change Curve, 124–6
- change management. *See also* organizational change management models; individual change management models
 - case studies, in anesthesia practice
 - bloodstream infection prevention, 130–4
 - for medication safety, 134–5
 - for on-time starts, 134
 - LEAN-based approach to, 125–9
 - A3 forms, 129
 - steps in, 127–9
- check-backs, as communication tool, 117–18

- checklists
 for bloodstream infection prevention, 132–4
 challenge-response, 108–9
 patient-flow checklists, 108, 109
 defect rates and, improvement of, 109–10
 democratization of knowledge and, 109–10
 error reduction through, 112–13
 read-do, 108
 Regional Anesthesia Reference Dosing Table, 111
 regional timeout checklist, 110
 teams and, 110
 for transitions of care, 112, 113
 workflows, 134
 classification systems, for adverse events
 future, 75–6
 HPI Safety Event taxonomy, 66–8, 75
 structural approaches to, 67
 JCAHO Patient Safety Taxonomy, 69–75
 categories within, 69–74
 key components of, 66
 medication error taxonomies, 65
 National Coordinating Council for Medication Error Reporting Prevention, 65
 World Health Organization, 65
 primary care taxonomies, 65–6
 standardization of, 64–5
 theoretical approach to, 64
 closed-loop communication, 117–18
 Common Cause Analysis, 47–8
 Root Cause Analysis compared to, 48
 communication tools
 call-outs, 116
 check-backs, 117–18
 closed-loop communication, 117–18
 conceptual approach to, 114–15
 Crew Resource Management, 116
 in non-healthcare settings, 115–16
 read-backs, 117
 repeat-backs, 117
 Situation, Background, Assessment, and Recommendation tool, 118–19
 for standard escalation situations, 120
 TeamSTEPPS system, 116, 119–20
 training through, 8
 comparative effectiveness research, 80–1
 COVID-19 pandemic, patient safety principles during, 1–2
 Crew Resource Management (CRM)
 as communication tool, 116
 team training and, 7
 daily management system
 components of, 26
 data trends in, 31
 HROs, 26–7
 improvement strategies for, 31
 Leader Standard Work and, 26–8
 performance management, 29
 problem escalation in, responses to, 28–9
 process standard work in, 29–30
 implementation processes, 30
 Plan-Do-Check-Act cycle, 29–30
 purposes of, 29–30
 validation of, 30–1
 version control within, 32
 visual management tools, 28
 data
 on adverse event reporting, 57
 data sources for, 57–8
 for daily management system, trends in, 31
 on medication safety design, 23
 database research
 conceptual approach to, 77–8
 databases, 78–81
 American College of Surgeons, 80
 for comparative effectiveness research, 80–1
 National Anesthesia Clinical Outcomes Registry, 80
 Pediatric Perioperative Cardiac Arrest project, 78
 Society for Thoracic Surgery, 79–80
 Wake Up Safe, 78–9
 limitations of, 77–8
 randomized controlled trials compared to, 78
 utilization of, 77
 Deming, W. Edwards, 33, 36
 design of operating rooms. *See* operating rooms
 Diameter-Index Safety System, 14
 EBP. *See* evidence-based practice
 electronic medical records (EMRs), 57
 epinephrine, in Anesthesia Medication Template, 21
 errors, medical. *See also* adverse event reporting; classification systems
 identification of, 50
 latent, in Root Cause Analysis,
 medication, in anesthesia workspaces, 15
 prevention approaches, in operating rooms, 12–14
 for medication errors, 15
 mistake proofing, 12–13
 Swiss Cheese Model, 12
 reduction of, through checklists, 112–13
 evidence-based practice (EBP), 105
 failure mode and effects analysis (FMEA)
 analysis of, 89

- conceptual approach to, 83
 implementation of, 87, 90
 interventions and, 84–7
 high-risk categories of, 84–7
 literature review of, 84
 observations on, 84
 Plan-Do-Check-Act cycles, 84–7
 limitations of, 90
 outcomes from, 88–9
 process measures in, 88
 results of, 88
 family reported adverse events, 58–9
 FMEA. *See* failure mode and effects analysis
- Global Enteral Device Supplier Association, 15
 Global Trigger Tool (GTT), 53–4
- Harvard Medical Practice Study, 52
 Helmreich, Robert, 116
 HPI Safety Event taxonomy, for adverse events, 66–8, 75
 structural approaches to, 67
 HROs, daily management system and, 26–7
 Human Factors approach, to human-centered design, 11
 human-centered design, for anesthesia workspaces, 10–12
 constraints in, 12
 feedback in, 12
 Human Factors approach, 11
 intuitive elements in, 11–12
 Pin-Index Safety System, 12
 signifiers in, 11–12
- ICUs. *See* intensive care units
 individual change
 management models, 124–5
 Change Curve, 124–6
 Fisher and, 125, 126
 nudge theory, 125, 126
 heuristics of, 127
 phases of acceptance in, 126
 transition stages, 125, 126
 intensive care units (ICUs), active surveillance of
 clinical deterioration in
 clinical triggers of, 95
 conceptual approach to, 93–4
 pulseless arrests, 94
 RISK program, 94–5
 design approaches to, 96–8
 additional work in, 100–101
 dashboards as element of, 101
 teams in, 96–8
 of ICU transfers, 101
 neonatal, identification of
 latent safety threats in, 4
 outcome measurements, 101
 patient identification, 102
 through proactive hurdles, 95–6
 of rapid response
 activations, 101
 of RESCUE events, 101
 RISK nurses, 94–103
 work of, 101–2
 RISK program, 94–103
 costs of, 103
 length of stay influenced by, 102, 103
 mortality rates with, 102
 staff reception of, 102–3
 teams for, 98–100
 building of, 98
 documentation for, 98–100
 role in design approaches, 96–8
 training of, 98, 99
- JCAHO Patient Safety Taxonomy, for adverse events, 69–75
 categories within, 69–74
 Juran, Joseph, 33
- Key Driver Diagram (KDD), 36–7
 Kotter, John, 124
- latent safety threats (LST), identification of, through simulation mechanisms, 3–5
 categorization of latent safety threats, 5
 in neonatal ICU, changes as result of, 4
 in obstetric emergencies, 3–4
 Lauber, John, 116
 Leader Standard Work (LSW), 26–8
 LEAN Model
 for change management, 125–9
 A3 forms, 129
 steps in, 127–9
 for quality improvement, 33, 37–8
 A3 form, 38
 Lewin, Kurt, 123, 124
 LST. *See* latent safety threats
 LSW. *See* Leader Standard Work
- medication error
 taxonomies, 65
 National Coordinating Council for Medication Error Reporting Prevention, 65
 World Health Organization, 65
 medication errors, in anesthesia workspaces, clinical design issues for, 15
 medication safety design, in anesthesia workspaces, 15–23
 Anesthesia Medication Template, 19–23
 dedicated spaces in, for specific medications, 21–2
 design principles for, 20–1
 medication trays and, 19–20
 mental model for, 23
 prefilled syringes, 15
 use of color in, 22–3
 data on, 23
 future directions for, 23–4
 for labels, 15
 medication cycle, 15
 medication errors, 23
 medication trays, 15–19
 Anesthesia Medication Template and, 19–20
 design principles for, 18–19
 original versions of, 17
 primary trays, 16, 17
 secondary trays, 16, 18
 vulnerabilities in, 15

- MFI. *See* Model for Improvement
- Miller, George, 19
- Mistake Proofing, in
anesthesia workspace
design, 12–13
- Model for Improvement
(MFI), 33–6
assessment of
improvements, 34–5
measurement
strategies, 34–5
- Key Driver Diagram
in, 36–7
- Plan-Do-Study-Act
cycles, 35–6
purpose of, 34
SMART goals of, 34
- muscle relaxants, in
Anesthesia Medication
Template, 21
- National Anesthesia Clinical
Outcomes Registry
(NACOR), 55–6, 80
- national clinical registries,
for adverse event
reporting, 55–6
- Anesthesia Closed Claims
Project, 56
- Anesthesia Incident
Reporting System, 56
- Anesthesia Quality
Institute, 55
- National Anesthesia
Clinical Outcomes
Registry, 55–6
- Wake Up Safe registry, 56
- National Coordinating
Council for Medication
Error Reporting
Prevention (NCC
MERP), 65
- National Quality Forum
(NQF), 40
- NCC MERP. *See* National
Coordinating Council
for Medication Error
Reporting Prevention
- neonatal ICU (NICU),
identification of latent
safety threats in, 4
- Norman, Don, 10, 23–4
- NQF. *See* National Quality
Forum
- nudge theory, 125, 126
heuristics of, 127
- nurses, nursing and. *See also*
intensive care units;
RISK nurses; RISK
program
evidence-based practice
and, 105
patient advocacy and, 105–6
organizational culture as
factor for, 106
patient safety and, 105–6
- obstetric emergencies,
simulation
mechanisms for
for identification of latent
safety threats, 3–4
for shoulder dystocia, 5–7
- Ohno, Taiichi, 41–2
- on-time starts, for anesthesia,
134
- operating rooms, as anesthesia
workspace, design of.
See also medication
safety design
clinical design issues, 14–15
for Anesthesia Information
Management Systems, 14
anesthesia machines, 14
attributes of, 24
Global Enteral Device
Supplier Association,
15
for medication errors, 15
Diameter-Index Safety
System, 14
error prevention in, 12–14
for medication errors, 15
mistake proofing, 12–13
Swiss Cheese Model, 12
future directions for, 23–4
human-centered design,
10–12
constraints in, 12
feedback in, 12
Human Factors
approach, 11
intuitive elements in, 11–12
Pin-Index Safety System,
12
signifiers in, 11–12
problems in, 10–11
- opioids, in Anesthesia
Medication Template,
21
- organizational change
management models,
123–4
- Lewin and, 123–4
Thurley and, 124
unfreezing in, 123–4
- PALS Course Completion. *See*
Pediatric Advanced
Life Support Course
Completion
- patient safety, principles of
commitment to resilience, 1
during COVID-19
pandemic, 1–2
deference to expertise, 1
methodological approach
to, 1–2
preoccupation with failure, 1
reluctance to simplify, 1
sensitivity to operations, 1
- patient-flow checklists,
108, 109
- patient-reported adverse
events, 58–9
- PDCA cycle. *See* Plan-Do-
Check-Act cycle
- PDSA cycles. *See* Plan-Do-
Study-Act cycles
- Pediatric Advanced Life
Support (PALS)
Course Completion, 7
- Pediatric Perioperative Cardiac
Arrest project, 78
- phenylephrine, in Anesthesia
Medication Template, 21
- Pin-Index Safety System, 12
- Plan-Do-Check-Act cycle
(PDCA cycle), 29–30
Failure Mode and Effects
Analysis and, 84–7
- Plan-Do-Study-Act cycles
(PDSA cycles), 35–6
- primary care taxonomies, 65–6
- process maps, in Root Cause
Analysis, 44
- process standard work (PSW),
29–30
implementation
processes, 30
Plan-Do-Check-Act cycle,
29–30
purposes of, 29–30
validation of, 30–1
- provider-reported events, for
adverse events, 50–2
clinical factors, 52
reporting templates, 51
voluntary reporting, 51–2
- PSW. *See* process standard work

- quality improvement (QI)
 Lean Model, 33, 37–8
 A3 form, 38
 Model for
 Improvement, 33–6
 assessment of
 improvements, 34–5
 Key Driver Diagram
 in, 36–7
 Plan-Do-Study-Act
 cycles, 35–6
 purpose of, 34
 SMART goals of, 34
 origins of, 33
- RCA. *See* Root Cause Analysis
 RCA². *See* Root Cause Analysis
 and Action
- read-backs, as communication
 tools, 117
- read-do checklists, 108
- Reason, James, 12
- Regional Anesthesia Reference
 Dosing Table, 111
- regional timeout checklist, 110
- repeat-backs, as
 communication
 tools, 117
- RESCUE events, 101
- retrospective chart review,
 in adverse event
 reporting, 52–3
 Harvard Medical Practice
 Study, 52
- RISK nurses, 94–103
 work of, 101–2
- RISK program, 94–103
 costs of, 103
 length of stay influenced by,
 102, 103
 mortality rates with, 102
 staff reception of, 102–3
- Root Cause Analysis
 (RCA), 40–6
 action items from, 43
 Aggregate Root Cause
 Analysis, 48
 case selection for, 42
 classification systems
 for, 42
 Common Cause Analysis
 compared to, 48
 definition of, 41
 guiding principles of, 41–2
 latent errors in, 45
 steps in, 43
- teams for, 42
 tools for, 44–6
 action plans, 46
 cause and effect
 diagrams, 44, 45
 process maps, 44
- Root Cause Analysis and
 Action (RCA²), 46
- Ross, Elisabeth Kubler, 124–6
- SBAR. *See* Situation,
 Background,
 Assessment, and
 Recommendation tool
- Seattle Children’s Hospital,
 15–23, 31, 108. *See*
also medication safety
 design
- “sentinel events,” in cause
 analysis, 40
- Shewhart, Walter, 33
- shoulder dystocia, simulation
 mechanisms for, 5–7
- simulation mechanisms
 benefits and purpose of, 3
 history of, 3
 for identification of latent
 safety threats, 3–5
 categorization of, 5
 in neonatal ICU, changes
 as result of, 4
 in obstetric emergencies,
 3–4
 in obstetric emergencies
 for identification of latent
 safety threats, 3–4
 for shoulder dystocia, 5–7
 for task training, 5–7
 in apprenticeship model, 5
 for shoulder dystocia, 5–7
 for surgical training, 7
 for team training, 7–8
 for American Heart
 Association programs, 7
 for CPA events, 8
 Crew Resource
 Management, 7
 improved patient
 outcomes from, 7–8
 for improvement in
 communication, 7
 TeamSTEPPS training, 8
- Situation, Background,
 Assessment, and
 Recommendation tool
 (SBAR), 118–19
- Skiles, Jeff, 115
- Society for Thoracic Surgery
 (STS), 79–80
- succinylcholine, in Anesthesia
 Medication Template,
 21
- Sullenberger, Chesley “Sully,”
 115
- surgical training, simulation
 mechanisms for, 7
- Swiss Cheese Model, for
 anesthesia workspaces,
 12
- Systemic Cause Analysis.
See Common Cause
 Analysis
- task training, simulation
 mechanisms for, 5–7
 in apprenticeship model, 5
 for shoulder dystocia, 5–7
 for surgical training, 7
- team training, simulation
 mechanisms for, 7–8
 for American Heart
 Association programs,
 7
 for communication
 improvement, 7
 for CPA events, 8
 Crew Resource
 Management, 7
 improved patient outcomes
 from, 7–8
 TeamSTEPPS training, 8
- TeamSTEPPS system, 116,
 119–20
 training through, 8
- Thurley, Keith, 124
- transition stages, in
 individual change
 management models,
 125, 126
- trigger tool methodology,
 53–4, 59
 Global Trigger Tool, 53–4
- visual management tools, in
 daily management
 system, 28
- Wake Up Safe registry, 56
 database research from,
 78–9
- World Health Organization
 (WHO), 65