

Index

Compiled by Linda English

- Accommodation and Enabling Scale for Eating Disorders (AESED) 10
 ACSS–MH measure 9
 Activities of Daily Living (ADL) 34
 Alcohol Use Disorders Identification Test (AUDIT) 282
 analogue scales 37–39
 antidepressants 247, 316, 317, 320–321, 323, 335
 antipsychotics 6–7, 317
 anxiety disorders
 and depression 228–229, 238, 240
 quality-of-life measures 155–158
 assertive community treatment (ACT), cost
 measurement of 187–189
 assessment instruments 28–62
 adequacy 40, 58 (Appendix)
 answer codification system 37–39
 assessment defined 29
 back-translation 52
 basic concepts 29–30
 classification 30–39
 complexity 30–32
 conceptual translation 52
 consistency (structural validity/internal reliability) 41–42, 59 (Appendix)
 construction 33–39, 40, 58–59 (Appendix)
 developed by World Health Organization 281–312
 equivalence levels 51–52
 feasibility 40, 59 (Appendix)
 formal ontology 42
 generalisability 36, 61 (Appendix)
 glossary 30
 items 30, 33–39, 41, 42
 purpose 32–33
 qualitative 30, 303–306
 Quality Checklist 58–62 (Appendix)
 quality parameters 39–51
 quantitative 30
 redundancy avoidance 61 (Appendix)
 reliability (external reliability) 42–45
 selection 51
 sensitivity to change 50–51, 61 (Appendix)
 subjective and objective assessment 29
 transcultural use 51–53, 62 (Appendix)
 translation systems 52
 validity 45–50, 60–61 (Appendix)
 see also rating scales
 attenuation paradox 46
 Axis III Checklist 300
- Beck Depression Inventory (BDI) 34, 225–228, 232, 242, 247, 330
 bias 16, 19, 30, 34–35, 51
 Brief Psychiatric Rating Scale (BPRS) 72, 239
 Broad Rating Schedule (BRS) 292
 Burden Assessment Scale 121, 127, 130
 Burden Assessment Schedule (BAS) 293–294
- California Well-Being Project Client Interview (CWBPCI) 143–145
 Camberwell Assessment of Need (CAN) 72–74, 195–199
 Adult CAN 196–198
 CAN–Clinical (CAN–C) 196
 CAN–Developmental and Intellectual Disabilities (CANDID) 198
 CAN–Elderly (CANE) 198

- CAN–Forensic (CANFOR) 198
 CAN–Mothers (CAN–M) 198
 CAN–Research (CAN–R) 196, 198–199
 CANSAS–Patient (CANSAS–P) 197
 CAN Short Appraisal Schedule (CANSAS) 197
 and consultation 9
 translations 197–198
 Cardinal Assessment of Need 200
 carer burden *see* family and carer burden measurement
 Carers’ and Users’ Expectations of Services – User Version (CUES–U) 8–10, 12
 categorical analogue scales 39
 Center for Epidemiologic Studies – Depression (CES–D) 242, 324, 332
 Checklists for Quality Assurance in Mental Health Care 295–298
 Inpatient Mental Health Facility Checklist 298
 Mental Health Policy Checklist 297
 Mental Health Programme Checklist 297
 Outpatient Mental Health Facility Checklist 297–298
 Primary Health Care Facility Checklist 297
 Residential Facility for Elderly Mentally Ill Patients Checklist 298
 Child and Adolescent Mental Health Services Satisfaction Scale (CAMHSS) 12
 Choice of Outcome in CBT for psychoses (CHOICE) 10
 Chronic Disease Score (CDS) 335–336
 classical test theory (CTT) 36, 37, 42–43
 Client Quality of Life Interview (CQLI) 142–143
 Client Satisfaction Questionnaire (CSQ) 105–106
 Client Service Receipt Inventory 182
 Clinical Global Impression Scale (CGI) 247
 clinical information systems 32
 clinical practice, routine
 and data collection 15–16, 25
 and satisfaction with services 103–104
 use of outcomes to support recovery 63–79
 clinical trials 16, 17, 19–20
 clusters of patients 20–21, 22–23
 randomisation 16, 17, 21–22, 25, 26
 Collaborative Goal Technology (CGT) 70–71
 Collaborative Longitudinal Personality Disorders Study 256
 collaborative recovery model (CRM) 69–71
 Community Adjustment Form (CAF) 136–137
 community care 99, 101–102, 116, 169, 187–191
 composite assessment batteries 31
 Composite International Diagnostic Interview (CIDI) 282–284, 324, 334
 Comprehensive Assessment of History and Symptoms (CASH) 31
 confidence intervals 25
 conjoint analysis 10, 11, 13
 CONNECT measure 9
 Consumer Experiences of Stigma Questionnaire (CESQ) 209
 continuity-of-care measures 9, 11
 CONTINU–UM measure 11
 cost measurement 182–193
 of assertive community treatment 187–189
 average costs 183–184
 components of cost packages 184
 cost defined 183
 of early intervention services 190–191
 of home treatment/crisis intervention 189–190
 indirect costs 185–186
 marginal costs 183–184
 mental health service costs 184–185
 methods 183–184
 non-measured costs 184
 non-psychiatric services 184, 185
 opportunity cost 183, 186
 ‘reduced list’ of services 184
 and timescale 184
 welfare benefits 187
 costs
 of depression in primary care 322–323
 and mental healthcare 184–185, 313, 314, 316–317
 of outcome data 15
 see also cost measurement
 crisis intervention, cost measurement of 189–190
 Cronbach’s alpha coefficient 41, 44, 45, 228

INDEX

- cultural groups
 and personality disorders 255
 and service users 12
 transcultural use of assessment
 instruments 34, 51–53, 62
 (Appendix), 228, 281, 306, 307–308
- Cumulative Illness Rating Scale (CIRS)
 334–335
- Denver Community Mental Health
 Questionnaire (DCMHQ) 87
- depression 12, 121, 286–287
 and physical illness 229, 238, 239, 321,
 322, 334–336
 quality of life 157, 159, 245–246
 symptom severity outcome measures
 223–250
 and anxiety symptoms 228–229, 238,
 240
 bottom-up measures 225–228, 232
 ‘caseness’ 239
 categorical v. dimensional
 approaches 240–242, 247, 248
 collateral damage to family 237
 context of assessment 239
 distress 224
 how clinician decides on severity
 223–224
 informant ratings 248
 intensity 224
 leading measures 242–243, 247
 postnatal 242
 reasons for assessing outcomes
 237–238
 self-report v. clinician rating
 243–245, 248
 social impairment 224
 top-down measures 224–225
 what to assess 240
 who is assessed 238–239
- treatment in primary care 319–345
 costs of care 322–323
 depressive symptoms 327–334
 disability 319–320, 336–338
 functioning 336–338
 patient-level outcome measures 326
 physical symptoms 334–336
 prevalence 319
 service use 254, 321–322
 under-diagnosis and under-treatment
 320–321
- Depression, Anxiety and Stress Scales
 (DASS) 229, 232
- Depression Self-stigma Scale (DSSS) 209,
 211, 214
- Diagnostic Interview for Psychosis (DIP)
 286
- Diagnostic and Statistical Manual (DSM)
 31, 224, 240–241
 and Composite International
 Diagnostic Interview 282, 284, 334
- DSM–V 339
 and Global Assessment of Functioning
 (GAF) scale 90–91, 176, 292
 and personality disorders 252, 253,
 255, 284, 285
 and SCAN/PSE 270, 272, 273, 286
 and Social and Occupational
 Functioning Assessment Scale
 (SOFAS) 90–91, 176
 and Structured Clinical Interview for
 DSM–IV Disorders (SCID)
 Axis I Disorders 247, 333–334
 Axis II Personality Disorders
 255–256
- dialectical behaviour therapy 259
- dichotomous categorical scale 37
- Disabilities Assessment Schedule (DAS)
 87
- discrimination *see* stigma
- Discrimination and Stigma Scale (DISC)
 209–211
- Duke Severity of Illness Checklist
 (DUSOI) 336
- early intervention services, cost
 measurement of 190–191
- Edinburgh Postnatal Depression Scale
 (EPDS) 242
- employment
 and indirect costs 185–186
 measuring social disabilities in
 outcomes 169–181
- Empowerment Scale 11, 13
- Experience of Caregiving Inventory (ECI)
 121, 128, 129, 130
- Experiences of Discrimination Scale
 (EDS) 211, 214
- experiments 17–23
- Eysenck Personality Questionnaire (EPQ)
 37
- Family Burden Interview Schedule 121,
 125–126, 129, 130
- Family Burden Questionnaire 121, 125,
 130

- Family Burden Scale 126, 130
 family and carer burden measurement
 116–134
 carer burden 116–117
 conceptual issues and content 120–121
 dysfunctional patient behaviour 120
 family burden 116–117
 Family Burden Researchers’
 Questionnaire 118
 indirect costs 185
 individual instruments 125–128,
 292–294
 measuring burden 117
 method 117–118
 objective and subjective burden 120–121
 popularity and dispersion 128–130
 results 118–119
 specialised instruments 121–122
 structure and psychometrics 122–123
 Family Interview Schedule (FIS) 292–293
 Family Problems Questionnaire (FPQ)
 126, 129, 130
 Feedback of Outcomes to Users and Staff
 (FOCUS) study 74–75
 Fidelity Assessment Common Ingredients
 Tool (FACIT) 68
 fidelity scales 68
 Frequency, Intensity, and Burden of Side
 Effects Rating Scale (FIBSER) 335
 Functional Assessment for
 Comprehensive Treatment of
 Schizophrenia (FACT-Sz) 95
 General Health Questionnaire (GHQ) 33,
 34, 39
 generalisability theory (GT) 36, 37, 44–45
 Global Assessment of Functioning (GAF)
 45, 90–91, 176, 292
 Global Assessment Scale (GAS) 86, 337
 global functioning scales 83–98
 clinician/researcher ratings 85
 current scales 87–95
 direct observation 84
 early scales 86–87
 gold standard measure 85–86
 impairments 84
 informant reports 84–85
 limitations 84
 participation restrictions 84
 for patients without psychosis 95
 performance-based measures 85
 self-report 84
 GRAQoL index 39–40
 Groningen Social Disabilities Schedule
 (GSDS) 174, 178
 group-based therapies/activities 20
 Hamilton Rating Scale for Depression
 (HRSD) 72, 242, 247, 324, 327
 and bottom-up measures 225–228
 comparison with Beck Depression
 Inventory 330
 construction 33, 34, 35, 39
 and physical symptoms 239, 327
 Hawthorne effect 18, 84
 health action targets 314
 healthcare surveys 18
 healthcare trials 16–26
 Health of the Nation Outcome Scale
 (HoNOS) 92, 314–315
 health service trial 17
 Health Sickness Rating Scale (HSRS) 86
 Home Risk Card 302–303
 home treatment, cost measurement of
 189–190
 Hospital Anxiety and Depression Scale
 (HAD) 229
 Humanitarian and Emergency Settings
 Perceived Needs Scale (HESPER)
 198
 Improving Primary Care for Depression
 in Late Life (IMPACT) 324–325
 informed consent 21
 intellectual disability 31, 34–35, 198
 Internalised Stigma of Mental Illness
 (ISMI) 209, 211, 213, 214
 international approaches to outcome
 assessment 279–345
 International Classification of Disease
 (ICD)
 and Composite International
 Diagnostic Interview 282, 284
 ICD–10
 Axis III Checklist 300
 research system 31
 Symptom Checklist for Mental
 Disorders 284
 and WHODAS–S 291
 and personality disorders 252, 284, 285
 and SCAN/PSE 269, 272, 273, 286
 and severity of depression 223–224,
 240–241
 International Classification of
 Functioning, Disability and Health
 (ICF) 169–172, 174, 176, 179, 290

INDEX

- International Classification of Impairments, Disabilities and Handicaps (ICIDH) 170, 174, 176, 288, 291, 308
- International Personality Disorder Examination (IPDE) 255–256, 284–285
- interviewer-administered scales 33, 34, 35
 halo effect 35
 logical error 35
 proximity error 35
 terminology variance 35
- Interview Schedule for Children (ISC) 302
- Interview Schedule for Families and Relatives of Severely Mentally Ill Persons 120, 128, 130
- intraclass correlation 22–24
- Inventory of Depressive Symptomatology (IDS) 228, 330–331
- Inventory of Stigmatising Experiences (ISE) 209, 211, 214
- Involvement Evaluation Questionnaire (IEQ) 121, 127, 129, 130
- INVOLVE (patient involvement group) 7
- item response theory (IRT; latent trait theory) 32, 37, 41–42, 225, 228
- items 30, 33–39
 acceptability 34–35
 bias or orientation 34
 comprehension 34
 content 34
 definition 34
 formulation 34–35
 homogeneity 41, 42
 number 33
 prevention of bias in completion 35
 scoring 39
 selection, analysis and ordering 35–37
 and severity of depression 225, 228
- Joint Strategic Needs Assessment 200
- kappa coefficient 23, 44, 50
- Kendall's concordance coefficient 44
- Kuder–Richardson formula (KR-20) 41, 45
- Lancashire Quality of Life Profile (LQOLP) 146–147
- latent trait theory (item response theory) 32, 37, 41–42, 225, 228
- Lehman Quality of Life Interview (QOLI) 140–142, 160
- Life Skills Profile (LSP) 91–92
- Likert scales 38–39, 105–106
- linear analogue scale 37
- MacArthur Foundation Midlife Development in United States (MIDUS) 211
- McGill Pain Questionnaire (MPQ) 34
- McLean Study of Adult Development 257
- Manchester Short Assessment of Quality of Life (MANSA) 72, 149
- Maryland Assessment of Social Competence (MASC) 93
- Medical Outcomes Study Short Form Health Survey
 SF-12: 337–338
 SF-36: 246, 320, 337–338
- Medical Research Council's Needs for Care Assessment Schedule 195, 199, 200
- medication 6–7, 12–13, 316–317, 335
- mental healthcare
 assessment instruments for 295–300
 costs 184–185, 313, 314, 316–317
 health targets 314–315
 innovative services 18–19
 input approach 313
 and justice 317
 multicentred evaluations 26
 and needs assessment 313, 316
 policy implications of measuring outcomes in 313–318
 process measures 313–314, 315
 and utility 317
see also satisfaction with services
- Mental Health Research Network 13
- mentalisation-based therapy (MBT) 259–260
- meta-analysis 49–50
- methodological issues 1–79
- Minnesota Multiphasic Personality Inventory (MMPI) 35, 37
- Montgomery–Åsberg Depression Rating Scale (MADRS) 225–228, 232, 242, 247
- National Health Service and Community Care Act 1990: 194, 196
- needs assessment 194–203
- Maslow's hierarchy of need 194–195
 and mental healthcare 313, 316
 need defined 194–195

- need/demand/supply of services 195
 needs-led approach to mental healthcare 194
 of population 200
 taxonomy of four types of need 195
 unmet needs 102, 199
 v. service-based assessment 194
see also Camberwell Assessment of Need (CAN)
- Needs-Oriented Discharge Planning and Monitoring for High Utilisers of Psychiatric Services (NODPAM) study 72–74
- Neuroticism–Extraversion–Openness Personality Inventory (NEO-PI) 262, 334
- null hypothesis 17
- observational studies 18–19, 24
 operational diagnostic systems 31
 Oregon Quality of Life Questionnaire (OQLQ) 145–146
 ‘Our Healthier Nation’ strategy 314–315
- Parent Interview Schedule (PIS) 302
 Partners in Care Study 324
 Pathways Interview Schedule 295
 patient-based outcome measures 4
 patient care trial 17
 Patient Health Questionnaire (PHQ-9) 224–225, 232, 247, 325, 332, 339–340
 Patient Reported Outcome Measures (PROMS) 9
 Patient-Reported Outcomes Measurement Information System (PROMIS) 332–333
 Perceived Devaluation and Discrimination Scale (PDD) 208–209
 Perceived Family Burden Scale 120, 121, 128, 130
 Personality Assessment Schedule 256
 Personality Diagnostic Questionnaire – Revised (PDQ-R) 255–256
 personality disorders 251–265
 antisocial 254
 assessment 255–256
 borderline 252, 253, 255, 256, 257, 259–261
 change over time 256–259
 classification 251–253
 clusters A, B and C 252, 254, 257
 comorbidity 254–255
 definition 251–253
 diagnostic features 251
 epidemiology and public health impact 253–255
 outcome domains in research 257–259, 261–262
 and social functioning 261
 and violence 254
- Positive and Negative Affect Scales (PANAS) 229
- positive psychology 240
- power calculations 21–22, 24
- Present State Examination (PSE) 266–277
 CATEGO-4 computer program 269, 270
 computer-assisted (CAPSE) 271
 Index of Definition 269
 PSE-5: 268
 PSE-7: 268, 270
 PSE-8: 268, 270
 PSE-9: 269, 270
 PSE-10: 270, 272, 274, 285
 use as diagnostic instrument 269–270
- primary care
 personality disorders in 253–254
 Primary Health Care Facility Checklist 297
 treatment of depression 319–345
- pseudoreplication 20, 22
- Psychiatric Assessment Schedule for Adults with Developmental Disability (PAS-ADD) 31
- Psychiatric Disability Assessment Schedule (DAS) 174, 288–291
- Psychiatric Evaluation Form (PEF) 86–87
- Psychiatric Status Schedule (PSS) 86–87
- qualitative assessment 30, 303–306
- quality of life
 and depression 245–246
 and drugs 316–317
 and personality disorders 258
see also quality-of-life measures
- Quality of Life Checklist (QOLC) 137
- Quality of Life in Depression Scale (QLDS) 157
- Quality of Life Enjoyment and Satisfaction Questionnaire (Q-LES-Q) 155–157
- Quality of Life Interview Scale (QOLIS) 148
- Quality of Life Inventory (QOLI) 158

INDEX

- Quality of Life Questionnaire in
 Schizophrenia (S-QOL) 154
- Quality of Life Scale (QLS) 150–152, 160
- Quality of Life Self-Assessment Inventory
 (QLS-100) 148–149
- quality-of-life measures 8, 39–40
 and affective disorders 155–158
 and anxiety disorders 155–158
 and content validity 47
 counterintuitive results 160
 and depression 157, 245–246
 developed by World Health
 Organization 294–295
 interpretation 159–160
 research needs 160–162
 and schizophrenia 150–155, 159, 317
 selection 158–159
 and severe mental disorders 135–168,
 317
 and social disability 179
 state or trait 161
 subjective, and satisfaction with
 services 101
- quantitative assessment 30
- quasi-experiments 18
- questionnaires, descriptive 30–31
- Quick Inventory of Depressive
 Symptomatology (QIDS) 243,
 330–331
- random effects model 23, 25
- randomisation 17, 24
 allocation of patients to treatments 17
 cluster 16, 17, 21–22, 25, 26
 of experimental units 19
 randomised controlled trials 16, 17
- rating scales 30, 31
 analogue 37–39
 based on ‘wide’ or ‘restrictive’
 concept of mental disorder 32
 central tendency error 35, 38
 consistency 41–42
 cost–utility evaluation 51
 detection 33
 diagnostic 32
 dichotomous categorical scale 37
 external redundancy 50
 follow-up 33
 general and specific 32
 graphic 38
 interviewer-administered 33, 34, 35
 meta-analysis of 50
 multidimensional 34
 multi-item 33
 purpose 32–33
 self-administered 33
 sensitivity to change 50–51
 state 32–33
 symptom 32, 35–36
 target content areas and population
 groups 32
 trait 32
 transferability 42
 unidimensional 34
 unitary (global) 33, 39
- receiver operating characteristics (ROC)
 analysis 48, 49, 50
- recovery 6
 clinical 63, 64, 67
 collaborative recovery model (CRM)
 and AIMhi study 69–71
 definitions 64, 66–67
 in depression 238, 240
 -focused mental health services 67–68
 FOCUS study 74–75
 NODPAM study 72–74
 personal 63, 65–66, 67, 69
 use of outcomes to support recovery
 63–79
- Re-engineering Systems for Treatment of
 Depression in Primary Care
 (RESPECT) 325
- REHAB scale 91
- Rejection Experiences Scale (RES) 209
- reliability 5, 23–24
 coefficients for measuring 43–44
 in context of GT 44–45
 and cultures 53
 external 42–45
 inter-informant 43
 internal 41–42
 inter-observer 43
 inter-rater 23, 33
 intra-observer 43
 and validity 45–46
- Role Activity Performance Scale (RAPS)
 174
- Satisfaction with Life Domains Scale
 (SLDS) 137–140
- satisfaction with services 6, 8, 99–115
 and adherence behaviour 102
 and care-seeking behaviour 102
 and clinical routine 103–104
 methodological issues in measurement
 104–105

- and multidimensionality and multi-axiality 100
 qualitative and quantitative methods 105
 and reactive behaviour 102
 role in service evaluation 100–103
 scales for measurement 105–108
 short- and long-term dissatisfaction 104
 and subjective quality of life 101
 and unmet needs 102
- Scales for Assessment of Positive and Negative Symptoms of Schizophrenia 41
- Schedules for Clinical Assessment of Acute Psychotic States (SCAAPs) 287
- Schedules for Clinical Assessment in Neuropsychiatry (SCAN) 31, 266–277, 285–286
 aims 267
 algorithms 267, 269, 270, 271
 CATEGO computer programs 286
 Clinical History Schedule 271, 272–273, 285
 computer applications 273
 computerised version CAPSE 286
 cross-examination 266, 267
 database 267, 270
 glossary 267, 268, 271, 273, 274, 285, 286
 Item Group Checklist 271, 272, 285
 manual 271
 precursors 268–270
 preparation for 270–271
 SCAN-1: 273, 274
 SCAN-2: 271, 273–274
 structure 271–273
 training 273
 translation 52
see also Present State Examination (PSE)
- schema-focused therapy (SFT) 260
- schizophrenia 5
 and depression 238
 Epsilon Study of Schizophrenia 101, 102, 106–107, 146
 and global functioning scales 83, 92–93, 94–95
 International Pilot Study of Schizophrenia 268, 287–288
 measures of quality of life 150–155, 159, 317
 and recovery 63, 64–65, 69
- Schizophrenia Quality of Life Scale (SQLS) 153–154
- Self-esteem and Stigma Questionnaire (SESQ) 209
- self-harm 258–260
- Self-reported Rejection Experiences Scale (SRES) 209
- Self-Reporting Questionnaire (SRQ) 288
- Self-stigma of Mental Illness Scale (SSMIS) 209, 211, 213
- Sequenced Treatment Alternatives to Relieve Depression trial (STAR*D) 326
- Service Satisfaction Scale (SSS-30) 106
- Service User Research Enterprise (SURE) 11, 13
- service users
 and personality disorders 258–259
see also satisfaction with services;
 user-valued outcome measures
- severe mental illness
 measures of quality of life 135–168, 317
 measuring carer burden 116–134
 needs assessment 194–203
 personality disorders and violence 254
- Sheehan Disability Scale (SDS) 324, 336
- side-effects of medication 6–7, 12–13, 317, 335
- Significant Other Scale 126, 130
- single case study 20
- SmithKline Beecham Quality of Life Scale (SBQOL) 157
- Social Adjustment Scale (SAS) 174, 247
- Social Behaviour Assessment Schedule (SBAS) 121, 125, 130, 174
- Social Behaviour Schedule (SBS) 87–90
- Social Description (SD) 287–288
- social disabilities 169–181
 assessment and measurement of social/role disability 176–179
 classification of social dysfunction 169–172
 criteria of assessment 177
 independence of psychopathology 176
 method of measurement 178–179
 personal interview 178–179
 reference group norms 175–176
 restricted opportunities 177
 role performance 173, 174–177
 schedules assessing social functioning/role performance 174–176
 self-report 178
 social role theory 172–174
 sources of information 177–178
- Social Functioning Scale (SFS) 92–93, 174

INDEX

- Social Functioning Schedule (SFS) 95
 Social and Occupational Functioning Assessment Scale (SOFAS) 90–91, 176
 Social Role Adjustment Instrument (SRAI) 174
 Social Skills Performance Assessment (SSPA) 93
 Social Unit Rating (SUR) 293
 South-Verona Outcome Project 108
 Standardised Assessment of Depressive Disorders (SADD) 286–287
 Standardised Assessment of Personality 256
 Abbreviated Scale (SAPAS) 256
 standardised diagnostic systems 31, 32
 standardised interviews 31
 Standardised Interview to Assess Social Maladjustment 174
 statistical methods 15–27
 stigma
 definition 204–205
 and discrimination 205, 206, 209, 211, 215
 experienced 206, 209–211, 216
 felt 206
 and measurement 204–220
 method of review 207
 perceived 206, 208–209, 215, 216
 and prejudice 205, 215
 public 205, 206, 207
 results of review 207–215, 216
 self-stigma 205, 206–207, 211–215
 six dimensions 204–205
 and social interaction 205
 and stereotyping 205, 209
 three functions 205
 Stigma Scale (SS) 209, 211, 213–214
 Stigmatisation Scale (HSS) 209
 Structured Clinical Interview for DSM–IV Disorders (SCID)
 Axis I Disorders 247, 333–334
 Axis II Personality Disorders 255–256
 Structured and Scaled Interview to Assess Maladjustment (SSIAM) 174
 Subjective Quality of Life Analysis (S.QUA.L.A.) 154–155
 Subjective Well-Being Inventory (SUBI) 294–295
 Subjective Well-Being under Neuroleptics Scale (SWN) 152–153
 suicidality 223, 240, 254, 259–260, 315
 Symptom Checklist (SCL–90/SCL–90–R) 229, 242, 243, 247, 331
 symptom severity outcome measures 221–277, 317
 Test of Adaptive Behavior in Schizophrenia (TABS) 94
 Texas Medication Algorithm Project (TMAP) 325–326
 transference-focused therapy (TFP) 260
 University of California Performance Based Skills Assessment (UPSA) 93–94
 user-focused monitoring (UFM) 4, 68
 user-valued outcome measures 3–14
 acceptability of scale to service users 7
 characteristics 4–6
 consultation 8–9
 contribution 9–10
 derived without user involvement 7–8
 gaps in market 12–13
 lack of disorder-specific outcome measures 12
 partnership 10–11
 production of 7–11
 relevance to types of study 6–7
 service user researchers 11
 and Turing Test 4
 validity 5, 6, 45–50
 commensurability 47
 concurrent 47
 construct 46
 content 47
 convergent 47
 criterion 46
 and cultures 53
 discriminant 47
 external 19–20
 internal 19–20
 predictive 47–48
 and reliability 45–46
 simple (face) 46
 structural 41–42
 verbal analogue scales 38–39
 Verona Service Satisfaction Scale (VSSS) 106–108
 VOICE measure 11
 Wisconsin Quality of Life Index (W–QLI) 147–148

-
- Working Alliance Inventory (WAI) 8
- World Health Organization (WHO) 339
- assessment instruments developed by 281–312
 - for disability and burden 288–294
 - for environment and risks 300–303
 - for health services and systems 295–300
 - for psychopathology 282–288
 - for qualitative research 303–306
 - for quality of life 294–295
 - translation 308
 - WHO Assessment Instrument for Mental Health Systems (WHO-AIMS) 299–300
 - WHO Child Care Facility Schedule (WHO CCFS) 298–299
 - WHO Cross-cultural Applicability Research (CAR) study 303–306
 - Exploratory Translation and Back-translation Guidelines 303–305
 - Focus Group Interview Guide 306
 - Key Informant Interview Schedule 305
 - WHO Multiaxial Classification of Child and Adolescent Psychiatric Disorders 302
 - WHO Psychiatric Disability Assessment Schedule (WHO/DAS) 174, 288–291
 - Short Version (WHODAS-S) 291
 - WHODAS 2.0: 290–291, 325, 337
 - WHO Psychological Impairments Rating Schedule (WHO/PIRS) 291–292
 - WHO Quality of Life Assessment Instrument (WHOQOL) 294