

Index

Compiled by Liza Furnival

Page numbers in *italics* refer to figures or boxes

accommodation, assistance with 70
 activity, structured 18, 19
 acute settings *see* hospitals
 adherence, treatment 7, 69, 70
 adolescents, rapid tranquillisation 56
 adults
 at risk of violence 9
 safeguarding vulnerable 10–11
 Adults with Incapacity (Scotland) Act 2000:
 1, 4
 advance decisions, to refuse treatment 4, 40
 advance directives, acute episodes of illness 41
 African–Caribbean patients 31, 57–58
 alcohol misuse 70–71, 108
 alimemazine 56
 amylobarbitone (amobarbital) 50
 anticonvulsants 84
 antimuscarinic agents 47
 antipsychotics
 adherence 69
 children and adolescents 56
 depot 50, 69
 high doses 36
 in individuals with intellectual disability 92–93
 intramuscular 45, 47–48
 older adults 55, 83, 84, 86
 oral 44
 rapid tranquillisation 44–48
 starting, after rapid tranquillisation 57
 antisocial personality disorder 37
 approved mental health professional (AMHP) 76–78
 aripiprazole 48

audit 58, 117–118
 Barrett, John 15
 behavioural management, older adults 84
 Bennett, David ‘Rocky’ 25, 31, 32
 benzodiazepines
 children and adolescents 56
 rapid tranquillisation 45–46, 48, 49–50
 best interests 3, 41
 Black and minority ethnic (BME) patients
 non-pharmacological management 30–32
 rapid tranquillisation 57–58
 Blackwood, Orville 31
 borderline personality disorder 37
 boredom 19
 BOSS (Bodily Orifice Security Scanner) 99
 breakaway 23
British National Formulary (BNF) 36
 cannabis 100–101
 capacity, mental
 legislation 3–4
 patients lacking *see* incapacitated patients
 rapid tranquillisation and 41, 42–43
 carbamazepine 37, 84
 cardiac arrhythmias 45, 53, 54
 care homes 81–83, 85
 care programme approach 67
 Care Quality Commission 40, 83, 117
 carers, working collaboratively with 16
 caution, police 108
 cerebrovascular events 55
 children
 effects of violence on 9, 11
 rapid tranquillisation 56
 risk assessment and management 16
 safeguarding 11
 Children Act 2004: 11
 chlorpromazine 50
 cholinesterase inhibitors 84

INDEX

- clinical governance 115–118
 clonazepam 50
 clothing, community-based staff 72
 clozapine 37
Code for Crown Prosecutors 66
 coercive interventions (use of force)
 in acute settings 23–27
 legislation 2, 3–4
 in prisons 97–98
 rapid tranquillisation 43
 see also compulsory treatment; restraint
 cognitive-behavioural therapy (CBT) 92
 communication 26
 between relevant agencies 15
 during escorted leave 19
 during Mental Health Act assessments 76
 during rapid tranquillisation 73
 community 67–78
 factors associated with violence 68–71
 Mental Health Act assessments 75–78
 older adult care 85
 personal safety and lone working 71–74
 safety in out-patient settings 74–75
 supervised treatment *see* supervised
 community treatment
 community treatment orders (CTOs) 5–7
 rapid tranquillisation 42–44
 comorbid substance misuse and mental
 disorder 70–71
 compensation, for victims 65
 compulsory treatment
 admission for 5, 77–78
 human rights aspects 2–3
 legislation 5–7
 rapid tranquillisation 41–44
 confidential information, disclosure of 106,
 106–107
 conflict management 21
 conscious level, monitoring 52–53
 consent
 capacity to give *see* capacity, mental
 to disclosure of information 107
 to ECT 39–40
 to personal searches 100
 to rapid tranquillisation 41–42, 56
 containment 18
 contingency planning 25, 29
 control and restraint techniques
 in prisons 97–98
 see also restraint
 core standards, NHS organisations 115–117
 crimes *see* offences
 Criminal Injuries Compensation Authority 65
 Criminal Justice Act 2003: 7, 109
 Crown Prosecution Service (CPS) 107–109
 cultural competence and sensitivity 31, 32
 cyproterone acetate 38
 dangerousness, concept of 13
 debriefing 63–65, 78
 de-escalation 21, 28, 92
 dementia, managing challenging behaviour
 81–86
 current guidance 82–83
 evidence base 83–84
 medication 38, 82–83, 84, 86
 in practice 84–85
 rapid tranquillisation 55, 82
 see also older adults
 depot antipsychotics 50, 69
 Deprivation of Liberty Safeguards (DoLS) 4
 detained patients 5
 ECT 39
 rapid tranquillisation 41–42, 43–44
 diazepam 45, 50
 dignity 27
 disadvantage, severe multiple 68
 discharge letters 15
 disclosure of confidential information 106,
 106–107
 Domestic Violence, Crime and Victims Act
 2004: 112, 113
 droperidol 50
 drug misuse *see* substance misuse
 drug testing 20–21, 100–101
 drug therapy *see* medication
 duty of care, professional 1, 4
 dystonia, acute 54
 elderly *see* older adults
 elderly mentally infirm (EMI) units 82
 electrocardiogram (ECG) monitoring 52
 electroconvulsive therapy (ECT) 39–40
 emergency response team, medical 25–26
 engagement, positive 18
 England and Wales
 probation boards 113–114
 relevant legislation 1, 3–4, 5–7
 environmental factors
 dementia-related violence 85
 provoking or exacerbating risk 35, 37, 68,
 90
 safety in out-patient settings 74–75
 ethnic minority patients *see* Black and
 minority ethnic (BME) patients
 European Court of Human Rights (ECHR)
 1–3
 extra care area 28–29
 extrapyramidal side-effects (EPS) 46, 47
 family, during community visits 72–73

INDEX

- family life, right to 3
force, use of *see* coercive interventions
- general practitioners (GPs), discharge letters to 15
guardianship 6
- haloperidol
 children and adolescents 56
 older adults 55
 p.r.n. 58
 rapid tranquillisation 45, 46, 47
- handcuffs 30, 31
- head injury 38
- heroin 100–101
- high-risk patients
 transport between sites 29–30, 30
 visiting in community 72, 74
- high-risk visits, in community 74
- home visits
 high risk 74
 local protocols 73–74
 staff safety 71–73
- homicides, preventing 6–7
- hormonal implants 38
- hospitals
 compulsory admission 5, 77–78
 non-pharmacological interventions 21–32
 older adult facilities 85
 prevention of violence 18–21
 recall to 6, 43–44
 transfer of high-risk patients 29–30
- Human Rights Act 1998: 1–3
- hypotension 54
- Imprisonment for Public Protection 7
- incapacitated patients
 ECT 40
 rapid tranquillisation 41, 43–44, 56
 see also Mental Capacity Act 2005
- information-sharing
 with police 105–107, 106
 in prisons 97
 with victims 112–114
- intellectual disability 89–93
 aetiology of violence 90
 assessment of behaviour 90–91
 frequency of violence 89
 interventions 92–93
 legislation 93
 management 91
 prevention of violence 91
 risk assessment 91
- interpersonal relationships 20
- interview rooms, psychiatric 74–75
- intramuscular rapid tranquillisation 44, 45
 choice of agent 47–49
 older adults 55
- intravenous rapid tranquillisation 44–45
- leadership, and restraint 26–27
- learning disability *see* intellectual disability
- leave, standard operating procedures 19–20
- legislation 1–7
- liberty
 deprivation of 4
 right to 3
- life, right to 2
- link-workers 68
- local authorities, safeguarding role 10–11
- lone working
 in the community 71–74
 high-risk visits 74
 local protocols 73–74
 out-patient settings 75
- lorazepam
 children and adolescents 56
 older adults 55, 84
 pregnant women 57
 p.r.n. use 58
 rapid tranquillisation 46, 48
- loxapine 50
- management of violence
 clinical governance 115–118
 in individuals with intellectual disability 89–93
 legal aspects 3–4, 5
 non-pharmacological 21–32
 older adults 81–86
 pharmacological *see* medication; rapid tranquillisation
 post-incident 63–66
 in prisons 96–101
 use of ECT 39–40
 see also risk management
- MAPPA (Multi-Agency Public Protection Arrangements) 109–110
- Martin, Michael 31
- medical emergency response team 25–26
- medical illnesses 41, 85
- medication 35–58
 adherence 7, 69, 70
 high dose 36
 in individuals with intellectual disability 92–93
 older adults 38, 82–83, 84, 86
 principles for prescribing 35–36
 pro re nata (p.r.n.) 35, 36, 58

- rapid tranquillisation *see* rapid tranquillisation
 to reduce risk of violence 37–38
 medicines, unlicensed use 36
 memantine 84
 Mental Capacity Act 2005: 1, 3–4, 93
 rapid tranquillisation 41
 Mental Health Act 1983: 1, 5–7, 93
 assessments in community 75–78
 Code of Practice 5, 20, 22, 27, 112–113
 community treatment orders 5–7
 ECT 39–40
 medication without consent 5, 41–42, 43
 restriction orders 7
 rights of victims 112
 transport of high-risk patients 29
 Mental Health (Care and Treatment) (Scotland) Act 2003: 1, 7
 Mental Health (Amendment) (Northern Ireland) Order 2004: 1, 7
 mental health review tribunals 114
 midazolam 49
 mobile telephones 19, 99
 mood disorders 37
 mood stabilisers 37
 MUFTI (Minimum Use of Force Towards Inmates) 97
 Multi-Agency Public Protection Arrangements (MAPPA) 109–110
 multi-agency working
 Mental Health Act assessments 77
 risk assessment 15–16

National Audit of Violence 2006–2007: 81, 118
 National Health Service (NHS)
 core standards 115–117
 information-sharing with police 105–107, 106
 joint working protocols with police 107
 liaison with Crown Prosecution Service 107–109
 liaison with police 103–107, 104
 prosecution for assaults on staff 105
 Security Management Service 104, 104–105, 108, 116
 National Institute for Health and Care Excellence (NICE) guidance 116
 ECT 39
 medication 36, 37–38, 82
 non-pharmacological management 22–23, 25
 rapid tranquillisation 40, 45, 47, 55, 56–58, 82
 National Patient Safety Agency 116
 neuroleptic malignant syndrome 54

 non-adherence, treatment 7, 69
 non-pharmacological management of violence 21–32
 Black and minority ethnic patients 30–32
 coercive methods 23–27
 non-coercive methods 21–23
 older adults 82, 83–84
 seclusion 27–29
 during transfers between sites 29–30
 Northern Ireland
 liaison with victims 114
 relevant legislation 1, 4, 7

 observation 22–23
 offences
 committed by patients 103–105, 104
 information-sharing with police 106–107
 prosecution for *see* prosecution
 offenders, mentally disordered
 information-sharing with victims 112–113
 MAPPA process 109–110
 see also perpetrators; prosecution
 olanzapine
 older adults 55, 84
 rapid tranquillisation 47–48
 older adults 81–86
 evidence base 83–84
 extent of problem 81–82
 management guidance 82–83
 practical risk management 84–85
 rapid tranquillisation 55, 82, 84
 recommendations 86
 opiate misuse 100–101
 oral medication
 non-adherence 69
 rapid tranquillisation 44
 out-patient settings, safety in 74–75

 paraldehyde 50
 parenteral rapid tranquillisation 44–45
 patients *see* service users
 perpetrators
 post-incident action 65
 prosecution *see* prosecution
 perphenazine 50
 personal safety *see* staff safety
 personality disorders 37–38
 personality vulnerability 71
 person-centred care
 individuals with intellectual disability 92
 older adults 82, 83–84
 pharmacological treatment *see* medication
 physical illnesses 41, 85
 physical interventions *see* restraint

INDEX

- police
 - during community visits 72, 74
 - exchange of information with NHS 105–107, 106
 - joint working protocols 107
 - liaison with 103–107, 104
 - Mental Health Act assessments 76–78
 - reporting illicit drug use to 20
 - response to offences by patients 103–105, 104
 - transfer of high-risk patients 29–30
- positive behaviour support 92
- post-incident management 63–66
 - action 65
 - criminal proceedings 65–66
 - review 63–65
- pregnancy, rapid tranquillisation 56–57
- prevention of violence
 - individuals with intellectual disability 91
 - medication 37–38
 - non-pharmacological measures 18–21
 - older adults 82–84
- Prison Service Order PSI 64/2011: 96
- prisons 96–101
 - control and restraint 97–98
 - drug testing and detection 100–101
 - reporting, recording and information-sharing 97
 - searching in 99–100
 - transfers to or from 30
- private and family life, right to 3
- pro re nata* (p.r.n.) medication 35, 36, 58
- probation board 112, 113–114
- procyclidine 47, 56, 58
- promethazine 48–49
- proportionality 2
- prosecution 65–66, 107–109
 - for assaults on NHS staff 105
 - diversion from 108
 - possible benefits 71
- psychological interventions 71, 92
- public protection
 - indeterminate sentences for 7
 - MAPPa process 109–110
- pulse oximeters 52
- QTc interval, prolonged 45, 53
- quality improvement tools 118
- racial discrimination 31
- rapid tranquillisation 40–58
 - audit and monitoring of use 58
 - choice of agent 45–50
 - defined 40
 - ethnic differences 57–58
 - familiarity with responsibilities and processes 51
 - individuals with intellectual disability 93
 - monitoring post 51–53
 - older adults 55, 82, 84
 - patients under 18 years 56
 - pregnant women 56–57
 - preserving dignity during 27
 - principles of prescribing 40–44
 - risks and complications 53–54
 - routes of administration 44–45
 - seeking advice 51
 - starting regular antipsychotics after 57
 - v.* seclusion 28
- recall to hospital 6, 43–44
- relational security 20
- respiratory depression 45, 53, 54
- restraint 24–27
 - Black and minority ethnic patients 31
 - for forcible rapid tranquillisation 44–45
 - handcuffs during transport 30, 30
 - individuals with intellectual disability 93
 - leadership and 26–27
 - legal aspects 3–4
 - medical emergency response teams 25–26
 - older adults 83
 - preserving dignity during 27
 - in prisons 97–98
 - safety issues 24–25
 - time limits 25, 32
 - v.* seclusion 28
- restriction orders 7
- review, post-incident 63–65
- risk assessment 13–17, 18
 - approaches 14–15
 - collaborating with carers and service users 16
 - home visits 72
 - individuals with intellectual disability 91
 - at local level 15
 - Mental Health Act assessments 76
 - multi-agency working 15–16
 - principles 14
 - recommendations 16
- risk management 13–17, 18
 - approaches 14–15
 - in the community 67–78
 - older adults 84–85
 - principles 14
 - transporting high-risk patients 29–30
- risk prevention 18–21
 - see also* prevention of violence
- risperidone 38
 - children and adolescents 56
 - older adults 55, 84

- Royal College of Psychiatrists
 audit tools 118
The ECT Handbook 39
 high-dose antipsychotics 36
 risk assessment 14, 15, 16
- safeguarding 9–11
- schizophrenia
 community-based management of risk 68–71
 ECT 39
 mediators of violence 68
 medication to reduce risk 37
- Scotland
 relevant legislation 1, 4, 7
 Victim Notification Scheme 114
- searches
 in acute mental health settings 20–21
 in prisons 99–100
- seclusion 27–29
- second opinion appointed doctor (SOAD) 5
 ECT 39–40
 rapid tranquillisation 43, 44
- security
 relational 20
 right to 3
- selective serotonin reuptake inhibitors 38
- self, use of 20
- sertraline 84
- service users
 offences committed by 103–105
 post-incident review 64
 working collaboratively with 16
see also offenders, mentally disordered; perpetrators; victims
- sexual deviancy disorders 38
- social context, assistance with 70
- staff education, older adult care 84
- staff safety
 community visiting 71–74
 lone working in the community 73–74
 out-patient settings 74–75
- staffing levels 28
- stridor, laryngeal 53
- stroke 55
- structured clinical judgement 14
- substance misuse
 community approaches 70–71
 detection in acute settings 20–21
 detection in prisons 99–101
 prosecution for assault and 108
 rapid tranquillisation and 41
 supervised community treatment (SCT) 5–7
 rapid tranquillisation 42–44
 recovery approach 69
- three-month rule 42
- time-out 21–22
- Tornado response staff 98
- torture 2–3
- tranquillisation, rapid *see* rapid tranquillisation
- transport
 compulsory admission to hospital 77–78
 high-risk patients between sites 29–30, 30
- trazodone 84
- treatment
 advance decisions to refuse 4, 40
 compulsory *see* compulsory treatment
see also management of violence; medication
- trimeprazine (alimemazine) 56
- urinary tract infection 85
- vaccinations 72
- valproate 84
- venous thromboembolism 53
- victims
 Crown Prosecution Service (CPS)
 responsibilities to 109
 debriefing 63–65
 information-sharing with 112–114
 organisations to contact 120–121
 post-incident action 65
- ViSOR (Violent and Sex Offender Register) 109
- vital signs, monitoring 51–52
- vulnerable adults, safeguarding 10–11
- ward regimes 19
- Watts, Joseph 31
- Zero Tolerance 18
- ziprasidone 50
- zuclopenthixol acetate 50