

# Index

- abnormal behaviour, 50, 70  
 abuse, 51  
 acceptance, 66, 79, 97, 102  
 accommodation, 11, 13, 37,  
 39, 40, 44, 46, 47, 51, 68,  
 71, 74, 77, 83, 84  
 Acorn Villages, 11  
 adaptation, 9, 18, 24, 27  
 addiction, 15  
 adjustment disorders, 22  
 adjustments, 24, 28, 39, 59, 65  
 admissions, 2–4, 6, 68, 82  
 adolescence, 27  
 adverse effects, 57, 79, 90, 97  
 advocacy, 16, 26, 58, 64, 71,  
 81, 102  
 aggression, 87  
 aggressive behaviour, 17, 51,  
 52, 53, 86, 87  
 alcohol, 23, 78, 84  
 American Journal of  
 Psychiatry, 18  
 Andrew Carnegie, 11, 52  
 anger, 21, 46, 52, 53, 55, 63  
 animals, 10  
 Anne Cholawo, 23  
 Annual Nidotherapy  
 Conference, 65  
 antagonism, 26, 50, 53  
 Anthea, 1–6, 20–21, 41  
 antibiotics, 48  
 antidepressants, 42, 44  
 antipsychotic drugs, 1, 2, 4, 20,  
 24, 45, 55, 100  
 antipsychotic medication, 4,  
 24, 41  
 antisocial personality, 63  
 anxiety, 21, 22, 25, 28, 76, 78,  
 100  
 apathy, 2  
 appetite, 2  
 arbitrage, 40, 41, 101  
*Arbor evidentia*, 79, 81  
 art, 1, 40  
 Arun Nadarasa, 49  
 Asperger's syndrome, 41  
 assault, 37  
 assertive outreach, 82–3, 93  
 assessment, 3, 13, 15, 19–22,  
 24, 28, 30, 36, 41, 44, 53,  
 59, 65–6, 69–72, 76, 78,  
 83, 87–8, 95–7, 100, 103  
 assisted suicide, 45  
 asylum, 15  
 attitudes, 33, 45, 65, 97, 99  
 Austin Bradford Hill, 78  
 Australian Broadcasting  
 Company, 47  
 autonomy, 30–31, 36, 39,  
 52–55, 71, 83  
 awareness, 34, 48, 66, 82, 86  
 Baked Bean Theatre  
 Company, 14  
 Barbara Barrett, 90  
 barriers to progress, 60, 62  
 bed-blockers, 74  
 behaviour analysis, 55, 79  
 behavioural change, 55  
 beliefs, 14, 21, 34, 68, 69  
 Ben Spears, 45  
 Berrios, German, 22  
 bias, 76, 78, 102  
 biological aspects, 22, 101  
 bipolar disorder, 23, 68  
 blame, 26, 47, 63–4  
 body language, 53  
 borderline personality  
 disorder, 25, 43, 45  
 boundaries, 50–51, 97  
 BPRS, 82, 83  
 brain injury, 23, 53, 54  
 Brief Psychiatric Rating Scale  
 (BPRS), 82–3  
 bullying, 51  
 capacity, 37, 47, 52–54  
 care homes, 15, 50–51, 55,  
 86–88, 98  
 care package, 30  
 care programme approach  
 (CPA), 86, 87, 96  
 carers, 32, 46–7  
 case studies, 79  
 casserole therapy, 91  
 catalyst, 98  
 CBT, *See* cognitive behaviour  
 therapy (CBT)  
 challenging behaviour, 53, 55,  
 86–88  
 charm, 68, 69  
 Chesterton, GK, 29  
 children, 14, 15, 36, 76, 91  
 Children in the Community  
 Study (CICS), 27, 28  
 chlorpromazine, 1  
 chronic fatigue syndrome, 101  
 clinical behaviour analysis  
 (CBA), 55, 79, 95–6  
 clinical team, 5, 58, 60, 63, 64,  
 65, 70, 71, 81, 82, 91, 102  
 clothes, 3, 67  
 clozapine, 28  
 Cochrane review, 85  
 coercion, 53  
 cognitive behaviour therapy  
 (CBT), 2, 7–8, 47, 72, 77,  
 100  
 collaboration, 8, 17, 23, 31,  
 54–7, 61, 71–2, 95–6, 99,  
 101  
 collateral collocation, 33  
 collective nidotherapy, 77  
 commitment, 79  
 community involvement, 77  
 community mental health  
 teams, 3, 5, 17, 45, 72, 86  
 community settings, 83, 93  
 community treatment, 3  
 competition, 9  
 complex intervention, 59,  
 78, 79  
 compulsion, 3, 71  
 compulsory orders, 3, 19, 21  
 consensus, 39  
 consent, 99  
 confidence, 29, 36, 38, 40, 41,  
 43, 64, 85, 88, 93, 96, 99  
 conflict, 20, 55, 57, 58, 71  
 co-nidotherapy, 58  
 consultant psychiatrist, 3, 21, 82  
 controls, 41  
 corrections, 65  
 cost-effectiveness, 49, 85, 90–93

- course of treatment, 34, 62, 63, 64, 65, 98
- CPA, *See* care programme approach (CPA)
- credibility, 36
- crisis, 65
- criticism, 40, 48, 51, 94, 95, 96, 98, 99
- curiosity, 68, 69
- cynicism, 69
- daily living, 47, 72, 83
- Dangerous and Serious Personality Disorder Programme, 48, 87
- dangers, 16, 58, 79, 97, 100
- Darwin, 8, 9, 10, 11, 49
- David Clark, 7
- David Frost, 10
- David Veale, 79, 95
- days in hospital, 83, 92–93
- death, 45
- Deborah Rutter, 81
- decision making, 24, 39, 90
- dementia, 15, 21, 23, 34, 49–54, 56, 99
- dependence, 50, 98
- depression, 45
- deskilling, 70
- deterioration, 42, 101
- diagnosis, 2, 18, 19, 21, 25, 42, 43, 45, 79, 82, 86, 100
- diagnostic overshadowing, 98
- diathesis, 25, 27
- dignity, 52
- disability, 52, 54, 56, 70, 74, 86, 99
- disagreement, 20, 62
- discharge, 3, 4, 12, 74, 75, 98
- discussions, 5, 20, 32, 34, 37, 38, 45, 46, 47, 58, 69, 75, 82
- disease, 1, 75, 78
- disinhibition, 25
- disintegrative psychosis, 23
- disruption, 17, 65, 76
- dissociality, 25
- diversity, 71, 75
- dogma, 11
- dogs, 10, 97
- domain traits, 25
- drug treatment, 2, 3, 44, 45, 55, 100
- drugs, 1–5, 23–4, 39, 46, 49, 83, 90
- Early Intervention Service, 5
- eating disorders, 22
- ECT, 46
- education, 87
- Edward Elgar, 15
- effective treatment, 20, 68
- elderly, 74
- Eliot, TS, 29
- emotion, 24, 26, 101
- emotional dysregulation, 25
- empathy, 95, 96
- employers, 58, 76
- employment, 28, 46, 76, 77
- enabling, 47, 49, 67
- encouragement, 47, 55
- engagement and acceptance, 32, 82
- Enhanced Care Programme Approach, 86, 87
- enthusiasm, 7, 19, 29, 62, 65
- environmental analysis, 34, 35, 36, 38, 39, 49, 60, 64, 78, 96
- six stages of, 35
- environmental change, 10–15, 19, 20, 23, 26–8, 30, 33–4, 36, 38, 40–8, 54, 57, 58, 60, 67, 70, 79, 93, 95, 97, 99, 101
- environmental difficulties, 64
- environmental factors, 24, 26, 35, 42, 49, 52, 95, 96, 98
- environmental goals, 60
- environmental manipulation, 55, 95
- environmental matters, 34
- environmental needs, 8, 27, 33, 37, 47, 53, 60, 74, 76, 99, 100
- environmental options, 5, 34, 40, 45, 95, 99
- environmental recommendations, 47, 82
- environmental requirements, 30, 101
- environmental settings, 96
- environmental targets, 63
- environmental treatments, 47
- epiphany moment, 35, 45
- essentiality of community, 71
- ethical aspects, 71, 98, 99
- evidence, 2–4, 13–14, 20, 24, 27, 29, 34–5, 49, 55, 60–1, 77–80, 82, 86–90, 97
- Evidence Tree, 81
- expectations, 37, 39, 41, 71
- exploitation, 102
- facial expressions, 53
- facilitation, 33, 38, 98
- failures, 22, 37, 47, 59, 60, 74, 98, 101
- family, 11, 13, 36, 44, 45, 46, 53, 55, 68, 75
- fears, 29, 44
- feasible options, 35, 37
- feedback, 41, 47, 58, 102
- feelings, 12, 13, 46, 52, 53, 59, 63, 66, 71, 99
- fidelity, 60, 63, 64, 91
- finances, 11, 46
- financial aspects, 11–12, 23, 46, 55
- first interviews, 33
- flexibility, 31, 57, 72, 75, 79
- forensic psychiatry, 81
- forward projections, 37
- foster-parenting, 68
- freedom, 71, 82
- friends, 12, 15, 23, 32, 34, 40, 53, 58, 75, 97, 101
- frustration, 63, 64, 68, 70
- functional analysis, 55
- functioning, 23, 25, 42, 59, 64, 79, 84, 95, 96
- gardening, 48–49, 54
- generosity, 61
- George Brown, 24
- George Orwell, 24
- Gilbert, WS, 16
- George Savage, 14
- goals, 58, 60, 67, 79
- Gondoliers, 16
- group nidotherapy, 44
- group training, 44, 47
- guidance, 39, 78, 96, 101
- guidelines, 10, 72
- harassment, 83
- health economics, 90–93
- hierarchy, 33–34
- Hippocrates, 22
- health service, 12, 73, 99
- Herbert Spencer, 9, 11
- hobbies, 13, 43
- holistic treatment, 18, 55
- home, 3, 5, 11–17, 20, 29–30, 36, 40, 44–6, 50–51, 67–8, 72, 74–6, 86–8, 91, 97, 100
- hormones, 4
- hostel, 36
- hostility, 5
- housing, 12, 33, 68, 72
- housing support workers, 72
- Hugh Grant, 14, 15
- humility, 68, 69
- humour, 15, 69

- IAPT, *See* Improved Access to Psychological Treatments (IAPT)
- illicit drugs, 39
- imitation, 67
- implementation, 60, 65
- Improved Access to Psychological Treatments (IAPT), 7
- improvements, 28, 96
- inaction, 29, 69
- income, 13, 44, 91
- independence, 12, 31, 46, 54, 55, 71
- individual participation, 55
- individual therapy, 43
- individual treatment, 43, 44
- informality, 61
- inhibition, 73
- insight, 18, 23
- intellectual disability, 11, 14–15, 34, 51–5, 86, 88–9, 98, 99, 102
- intellectually disabled, 10, 52
- intelligence, 67, 68, 86, 99
- interests, 15, 40, 43, 76
- International Classification of Diseases, 25
- internet psychological treatments, 32, 47
- interpersonal aspects, 18, 26, 40, 76, 96
- interviews, 69, 76
- inventiveness, 67
- involvement of others, 35, 38
- irritability, 52, 53
- jargon, 45, 46
- job, 10, 13, 20, 23, 28, 33, 37, 46, 76
- joint agreement, 35, 38
- judgements, 24, 99
- Julian Leff, 24
- justice, 71, 75, 91
- learning disability (*see* intellectual disability)
- leisure, 4
- Leonard Woolf, 14
- levels of importance, 35  
  establishing, 36
- liberty, 70
- life style, 26, 101
- life events, 24
- listening, 20, 34
- major concerns, expression of, 35
- major mental illness, 23, 39
- Mandy Rice-Davies, 76
- mania, 2, 3, 23, 68
- manic-depression, 2
- manic symptoms, 3
- masterly inactivity, 56
- medical student, 73
- medication, 2–6, 11, 20–1, 41–2, 68, 91, 100
- memory impairment, 37
- Mental Health Act, 4, 16, 23, 24, 71
- mental health environments, 9
- mental health practitioner, 72
- mental illness, 1, 11, 14, 22, 24, 25, 30, 39, 43, 48, 67, 68, 70, 72, 77, 91, 92, 96, 97, 101
- mentors, 58
- meta-analysis, 89
- middle-class, 13
- minor mental disorder, 22
- mixed personality disorder, 45
- modelling, 67, 79
- Modified Overt Aggression Scale, 86, 87
- money, 11, 13, 17, 40, 90, 93
- monitoring, 40, 41, 60, 65, 78, 96, 101
- monitoring progress, 75
- mood disturbance, 11, 25
- motivation, 2, 58
- music, 11, 15, 53
- National Institute of Care and Clinical Excellence (NICE), 78
- nature, 8, 22, 26, 50, 68, 72, 78, 85, 97
- negative affectivity, 25
- negotiation, 37
- neuroscience, 1, 18
- Newark, 77
- New Zealand, 91
- NHS Reference Costs, 91
- niche therapy, 28
- NICE, *See* National Institute of Care and Clinical Excellence (NICE)
- nidopathway, 38, 39, 40, 57, 60, 64, 65, 78, 102
- nidotherapy  
  as an adjunct therapy, 58  
  cost-effectiveness of, 92  
  costs of delivering, 91  
  developing skills, 57  
  economic benefits of, 90  
  essential elements of, 69  
  four phases of, 32  
  fundamental principles of, 7  
  misconceptions of, 94  
  negative effects of, 97  
  for people with disability and dementia, 51  
  prerequisites before, 30  
  proxy agreements, 38, 47, 102  
  theoretical basis of, 8  
  website, 94  
  workshops, 20, 44, 46, 47, 93  
  when to stop, 50
- Nidotherapy by Internet and E-mail, 47
- Nidotherapy for Aggressive Behaviour in Intellectual Disability, 86
- nidotherapy principles, 51
- Nidotherapy Scale, 64, 65
- NIDUS-UK, 49
- Nigel Hollins, 14–15
- Nirvana, 27, 103
- normality, 21, 93
- nurses, 44, 54, 72, 73, 75
- nurture, 8
- obsessional disorders, 22, 25, 29
- obstacles, 13, 29, 35, 47, 67, 68, 100
- occupation, 23, 43, 57, 76, 92
- occupational health, 75
- occupational therapists, 44, 72
- occupations, 76
- office psychiatry, 46
- openness, 66, 67
- opposition, 53, 61
- oppositional behavior, 87
- optimism, 18, 66
- organic disorder, 32
- outcomes, 78, 79, 87
- out-patient treatment, 3, 4, 42, 61, 91
- pacing, 60, 63
- paranoid, 3, 20, 21, 24, 100
- paranoid schizophrenia, 24
- parents, 12, 13, 16, 17, 44, 45, 46, 76
- paternalism, 53, 70
- participation, 62
- pathology, 21, 23, 28, 49, 72, 85, 98

- patience, 61, 68, 69, 70  
 patient's views, 24, 60, 61, 62  
 patient's perspective, 60, 61  
 patient's wishes, 8, 18, 20,  
   24, 31, 34, 41, 50, 53, 55,  
   60, 61, 72, 75, 83, 85, 97,  
   102  
 Patricia Cohen, 27  
 patterns, 26, 41, 66, 81, 96  
 Problem Behaviour Check List  
 (PBCL), 87, 88  
 PBS, *See* positive behaviour  
   support (PBS)  
 performance, 10, 61, 65, 69, 76  
 persistence, 2, 39, 68, 69, 70  
 person centred, 96  
 personal assistant, 34  
 personal care, 74  
 personal circumstances, 40  
 personality difficulty, 25  
 personal disclosure, 63  
 personal environment, 27, 33  
 personality disorder, 24, 25,  
   26, 27, 43, 44, 48, 64, 76,  
   79, 82, 83, 86, 92  
 personality disorder  
   severity, 25  
 personality factors, 66  
 personality style, 26  
 personality traits  
   of effective nidotherapist,  
   69  
 person-centred care, 55  
 person-environment, 32  
 persuasiveness, 68, 69  
 pharmacists, 44  
 phases, 23, 32, 79  
 phobic disorders, 22  
 photographers, 44  
 physical environment, 13, 33  
 physical illness, 28, 98  
 placebo, 86  
 poem, 103  
 polydrug abuse, 37  
 positive behaviour support  
   (PBS), 55  
 poverty, 74  
 preference, 75, 82  
 preferences, 6, 10, 53  
 Prince Edward Island, 45, 46  
 principles of nidotherapy, 5,  
   12, 32, 41, 45–6, 74, 76, 99  
 prison, 48, 49  
 privacy, 36  
 proactive inhibition, 73  
 Problem Behaviour Check  
   List, 87, 88  
 problem solving, 72, 99  
 professional boundaries, 50,  
   60, 61, 65  
 Prufrock syndrome, 23, 28–9,  
   57, 63  
 psychiatrists, 1–6, 16, 33, 41,  
   45, 70, 98  
 psychiatry, 1, 3, 24, 46, 53, 78,  
   81, 82, 84, 86  
 psychoanalysis, 35, 46  
 psychological treatments, 7,  
   25, 28, 30, 45, 63, 72, 99,  
   100  
 psychologists, 45, 71, 73  
 psychopharmacological  
   revolution, 1  
 psychosis, 4, 5, 24, 36, 37  
 psychotherapy, 2, 19, 30, 32,  
   78, 91, 95, 97, 98  
 psychotic, 3, 5, 15, 16, 21, 23, 24  
  
 qualitative studies, 58, 79,  
   81, 82  
 Quantification of Aggression  
   Scale, 87  
  
 randomisation, 82, 86, 87, 89  
 randomised trials, 78, 83  
 Ranger, Maja, 26  
 rapport, 95  
 reactions, 12, 22, 96  
 recommended changes, 35, 38  
 recovery pathway, 27, 67  
 recurrent admissions, 83  
 referrals, 24, 26, 49  
 relapse, 2, 4, 6, 24, 44, 65, 75,  
   100  
 relationships, 7, 8, 10, 18, 20,  
   21, 26, 28, 29, 33, 36, 42,  
   43, 44, 46, 50, 60, 61, 71,  
   75, 95, 96, 98, 99  
 relatives, 32  
 religious, 11, 68  
 reminders, 62  
 resources, 23, 39, 40, 74, 75, 95  
 retirement, 48  
   villages, 48  
 Rex Haigh, 47  
 Richard Layard, 7  
 risk, 2, 15–16, 21, 26, 54, 61,  
   74, 86–7, 97  
 risk aversion, 54  
 risk management, 54  
 risk-benefit ratio, 2  
 Robert Burns, 40  
 Royal College of  
   Psychiatrists, 49  
 Royal Family, 53  
  
 Sadlers Wells, 14  
 safety, 13, 20, 54  
 schizoid, 25  
 schizo-affective disorder, 2, 68  
 schizo-affective psychosis, 23  
 schizophrenia, 1, 2, 3, 4, 5, 19,  
   20, 21, 23, 24, 28, 40, 70,  
   82, 99, 100, 103  
 school, 38, 46, 76  
 Secure Facilities Service  
   Schedule, 82  
 sedation, 2  
 self care, 4  
 self harm, 43, 87  
 self-confidence, 36, 76  
 self-environment, 52  
 self-esteem, 28, 29, 45, 46, 98  
 self-nidotherapy, 22, 49, 50,  
   57, 95, 101  
 sessions, 8, 30, 32, 41, 44, 65,  
   72, 78, 82, 87, 102  
 severe mental disorders, 90–2  
 sex offender, 48  
 sexual aspects, 2, 68, 87  
 Shakespeare, 8  
 Sheila Hollins, 14  
 Simon Burgon, 103  
 Simon Wessely, 101  
 skills, 67, 73  
 Skye, 23  
 Skype, 45, 47  
 Soay, 23  
 social care, 74, 75  
 social contacts, 42, 48, 76, 98  
 social environment, 33, 51, 52,  
   53, 71, 77, 83  
 social factors, 12  
 social function, 76, 82, 83, 96  
 social inclusion, 55  
 social isolation, 36, 76  
 social needs, 40  
 social prescribing, 49, 58  
 social workers, 44, 71, 72, 75  
 society, 2, 15, 58, 71, 75  
 spouses, 58  
 stages of nidotherapy, 63, 64, 101  
 Stefano Pallanti, 18  
 Stephen Fry, 68  
 stimulation, 39, 86  
 strengths, 9, 14, 15, 53, 54, 67  
 stress, 8, 14, 33, 71, 88  
 stresses, 52, 55, 76  
 substance misuse, 82, 83, 85,  
   91, 92  
 suicide, 3, 36, 45

- supervision, 8, 36, 39, 40, 57, 59, 61, 64, 65, 81, 83, 87, 101, 102  
 supportive care homes, 51  
 suspicion, 21  
 Sweden, 45, 47, 51  
 Swedish Test, 51  
 symptoms, 1, 2, 4, 5, 16, 20, 21, 25, 27, 36, 43, 46, 59, 60, 69, 76, 79, 84, 95, 96, 98, 100, 102  
 systematic planning, 9  
 systematic review, 89  
 targets, 39, 60, 65, 69  
 technology, 7, 8, 18, 32, 44, 47, 66, 90–1  
 television, 10, 52, 53  
 The Rabbit Burglar, 88  
 therapeutic alliance, 7, 8  
 therapeutic communities, 48  
 therapeutic environments, 48  
 therapeutic exercise, 23, 63  
 time-scales, 36, 38, 39, 60, 63, 65, 78  
 tolerance, 68  
 training, 8, 10, 19, 32, 42, 44–7, 51, 57–8, 65–7, 70, 72–3, 75, 82, 87, 88, 91, 98, 101  
 trauma, 23  
 transdiagnosis, 79  
 treatment plan, 5, 19, 63  
 treatment resistant, 22, 24, 28, 82, 83  
 treatment seeking, 25, 82  
 treatment sessions, 59, 62  
 trials, 78, 79, 82, 88, 90  
 trust, 18, 21, 44, 66, 95  
 Type R personality, 25, 26, 82, 83  
 understanding, 33  
 uniqueness, 71  
 United States, 11  
 values, 55, 71  
 vicars, 44, 75  
 victims, 51  
 violence, 51, 87  
 virtue, 70, 97  
 vision, 2  
 voices, 21, 29, 68, 102  
 voluntary services, 49  
 weaknesses, 14, 53  
 weight gain, 2  
 whole person treatment, 18, 99  
 William Sargant, 46  
 Winterbourne View scandal, 51  
 Worcester County Asylum, 15  
 work (*see* occupation)