

Cambridge University Press

978-0-521-00414-5 - Bayesian Methods: An Analysis for Statisticians and Interdisciplinary Researchers

Thomas Leonard and John S. J. Hsu

Index

[More information](#)*Author Index*

- Abramowitz, M., 136, 140, 157, 269
 Aitchison, J., 195, 257
 Aitken, A. C., 7, 286
 Aitken, C. G. G., 75, 96, 111, 113, 297
 Aitkin, M., 17, 246
 Akaike, H., 8
 Alanko, T., 264
 Albert, J. H., 16, 86, 91, 259
 Allais, M., 173
 Altham, P. M. E., 218, 258, 264
 Anderson, D. A., 246
 Anderson, J. A., 89, 91
 Anderson, T. W., 18, 89
 Antoniak, C. E., 216
 Aoki, M., 76
 Arjas, E., 246
 Arnold, B., 61
 Ash, R. B., 18, 106
 Astrom, K. J., 233
 Atilgan, T., 17, 26, 61, 66, 92
- Barlow, R. E., 77
 Barnard, G. A., 76
 Barndorff-Nielsen, O. E., 57, 192
 Barnett, V., 2
 Bartlett, M. S., 22, 121
 Basford, K. E., 3, 295
 Bates, D. M., 57, 230, 260
 Bayes, T., 76
 Bell, D. E., 166
 Bellman, R., 69, 121
 Bennett, J. H., 6
 Berger, J. O., 48, 75, 109, 135, 148
 Bernardo, J. M., 5, 75, 106, 135, 290
 Berry, D. A., 149
 Besag, J., 195
 Bieniarsz, P. P., 77
 Birnbaum, A., 7, 17, 47
 Bishop, C. M., 88
 Blattberg, R. C., 144, 240
 Blight, B. J. N., 233, 250, 252
- Bloch, D. A., 220
 Bock, R. D., 17
 Bonsall, C., 3
 Bowlby, S. B., 222
 Box, G. E. P., 7, 9, 62, 95, 99, 107, 110, 233, 242, 243, 264, 270, 282
 Bozdogan, H., 61
 Braithwaite, R. B., 271
 Breslow, N. E., 77, 264
 Bretthorst, G. L., 233
 Brockway, G., 204
 Brown, C. C., 259
 Brown, L. D., 155, 274
 Brown, R. L., 4
 Brown, R. V., 105
 Bull, K., 299
 Burch, C. R., 292
 Butler, R. W., 57, 62
 Byar, D. P., 29
- Carlin, B. P., 75, 195, 243, 261, 295, 301
 Carlin, J. B., 75
 Carswell, R., 192
 Casella, G., 295
 Cercignani, C., 121
 Chaloner, K. M., 63, 101
 Chamberlain, G., 246, 253
 Chan, K. P. S., 297
 Chen, C., 102, 290
 Chew, S. H., 177
 Chib, S., 278
 Chiu, T. Y. M., 34, 69
 Chow, M., 155
 Clayton, M. K., 149
 Clevenson, M. L., 237, 288, 295
 Cochran, W. G., 285
 Cohen, M., 166
 Cooke, A. J., 192
 Copas, J. M., 130
 Cowles, M. K., 195, 295
 Cox, D. D., 294

- Cox, D. R., 42, 59, 192, 260
 Craig, P. S., 103
 Cresswell, C., 294
 Crook, J. F., 163
 Cyert, R. M., 177
- Dale, A. I., 76
 Davison, A. C., 62
 Dawid, A. P., 4, 110, 124, 136, 191, 273
 Dayan, R. E., 246
 de Finetti, B., 167
 DeGroot, M. H., 18, 75, 105, 128, 147, 166, 169, 177
 Dempster, A. P., 57
 Devore, A. J., 23, 118
 Dickey, J. M., 4, 102, 107, 110, 259, 290, 291
 Doksum, K. A., 125
 Donner, A., 4
 Draper, N. R., 252, 274
 Duffy, J. C., 264
 Duncan, G. T., 101, 204
 Dunsmore, I. R., 195
- Edgeworth, F., 61
 Edwards, A. W. F., 106, 109
 Efron, B., 35, 261, 263, 274
 Ellsberg, D., 185
 Emerson, P. A., 77
 Eong, W. H., 57
 Ericson, W. A., 153
 Escobar, M. D., 295
 Espey, B., 192
 Essen-Möller, E., 80
 Evans, I. G., 290
- Faulkenberry, G. D., 62
 Ferguson, T. S., 98, 149, 216
 Fernandez, C., 61
 Fienberg, S. E., 31, 226, 274
 Fingleton, B., 222
 Fishburn, P. C., 175
 Fisher, R. A., 6, 109, 134
 Flanagan, J. C., 291
 Fong, D. K. H., 155
 Fortney, W. G., 262, 272
 Foulley, J. L., 68
 Fraser, D. A. S., 109
 Freedman, D., 96
 Friedman, M., 166
- Garrick, B. J., 77
 Garthwaite, P. H., 259, 291
 Gasbarra, D., 246
- Gaskins, R. A., 293, 294
 Gazard, T. N., 239
 Geisel, M. S., 240
 Geisser, S., 77, 195, 250
 Gelfand, A. E., 195, 243, 261, 278, 295, 301
 Gelman, A., 75
 Geman, D., 295
 Geman, S., 295
 George, E. I., 1, 62, 144, 240, 289, 295
 Geweke, J., 195, 276
 Geyer, C. J., 195, 295
 Ghosh, M., 274
 Gianola, D., 68, 246
 Gilardoni, G. L., 105
 Gilboa, I., 166, 177
 Goldstein, H., 261
 Good, I. J., 113, 163, 259, 270, 271, 293, 294
 Goodman, L. A., 219, 225, 257
 Green, P. J., 195, 250, 293, 296
 Greenberg, E., 278
 Griffiths, J. D., 294
 Gu, C., 293
 Guttman, I., 110, 264
- Hagen, O., 173
 Hald, A., 21, 238, 282
 Hammond, K., 246
 Harrison, P. J., 82, 233, 236, 239
 Heikkinen, J., 246
 Hickman, J., 286
 Highfield, R. A., 240
 Hill, B. M., 48, 83
 Hinkley, D. V., 35, 62
 Hoadley, B., 34, 244
 Hogarth, R., 102
 Holland, P. W., 274
 Hong, C., 83, 240
 Hsu, J. S. J., 29, 61–3, 69, 192–5, 203, 205, 215, 219, 230, 250, 258, 261, 262, 264, 272, 278, 279, 287, 291, 292, 300
 Hudson, H. M., 274, 289
 Hunter, J. S., 95
 Hunter, W. G., 95
 Hwang, J., 274
- Ijiri, Y., 289
 Im, S., 68
 Issos, J. N., 274
 Izenman, A. J., 95, 111
- Jaffray, J. Y., 166, 177
 James, W., 274
 Jeffreys, H., 76

- Jenkins, G. M., 233
 Johnson, B. M., 148
 Johnson, D. R., 252
 Johnson, R. A., 58, 113, 128, 244, 253
 Johnson, V. E., 301
 Johnson, W., 77
 Johnson, W. E., 271
- Kadane, J. B., 103, 186, 192, 193, 215, 279
 Kahneman, D., 102, 165, 166, 178, 186
 Kalbfleisch, J. D., 57
 Kalman, R. E., 233
 Kaplan, S., 77
 Karim, M. R., 243, 301
 Karmarkar, U. S., 177
 Kass, R. E., 192, 193, 215, 261, 279
 Katz, R. W., 26
 Kendall, D. G., 22, 121
 Kent, J., 86
 Kerr, D. R., 229
 Kim, S. H., 17
 Kimeldorf, G. S., 242, 249, 250
 Kipnis, C., 295
 Kloek, T., 195, 201
 Klotz, J., 58
 Knill-Jones, R. P., 77
 Koehler, A. B., 26
- Ladalla, J. N., 253
 Laird, N. M., 57, 226, 246, 258, 260–3, 283
 Lange, N., 261
 Laplace, P. S., 18, 260
 Larntz, G. T., 63
 Lavalle, I. H., 175
 Lavine, M., 125, 295
 Leamer, E. E., 246, 253
 Lee, P., 16, 47, 57, 76, 278
 Lehmann, E., 51
 Leitch, R. A., 289
 Lejeune, M., 62
 Lenk, P. J., 250, 292, 294
 Lennon, R., 3
 Leonard, T., 5, 17, 18, 29, 34, 41, 57, 61–3, 66, 69,
 75, 84, 86, 92, 97, 99, 124, 130, 149, 192–5,
 197, 202, 203, 215, 217, 219, 223, 224, 226,
 227, 230, 233, 236–240, 242, 249, 250, 258,
 259, 261, 262, 264, 270–3, 278, 279, 282,
 283, 286–8, 290–4, 296, 297, 299, 300
 Lesage, J. P., 240
 Levin, B., 271
 Lewis, T., 2
 Li, B., 193
 Li, H. G., 130
- Lindley, D. V., 9, 18, 41, 75, 76, 105, 106, 110,
 119, 134, 135, 173, 195, 220, 242, 257, 259,
 270, 272, 274, 290
 Lindstrom, M. J., 260
 Lo, A. Y., 125
 Longford, N. T., 261
 Lord, F. M., 17, 91, 124
 Louis, T. A., 75, 261
 Low, J. A., 90, 93, 94
- Machina, M. J., 177
 Magura, M., 240
 Makov, U. E., 62, 289, 295
 Mangasarian, O. L., 88
 Martin, B., 286
 Martz, H. F., 242, 250
 Matsumura, E., 289
 McCabe, G. P., 69
 McCullagh, P., 34, 68
 McCulloch, R. E., 83
 McLachlan, G. J., 3, 295
 McSweeney, K., 3
 Meginniss, J. R., 176
 Metropolis, N., 195, 231, 278
 Miller, R. B., 262, 272, 286
 Min, C., 83, 240
 Mitchell, T. J., 250
 Moore, D. S., 69
 Morgan, J. P., 79
 Morgenstern, O., 149
 Morris, C. N., 261, 263, 274
 Morris, M. D., 250
 Morrison, D. G., 204
 Muentz, L., 259
 Murphree, E. S., 26
 Murray, J., 284
- Nazaret, W. A., 224
 Nelder, J. A., 34
 Novick, M. R., 17, 41, 91, 124, 192, 195, 219, 223,
 259
 Nyquist, J. E., 66
- O'Hagan, A., 18, 75, 103, 130, 250, 252, 262
 O'Sullivan, F., 250, 294
 Ord, K., 269, 282
 Ott, L., 250, 252
- Parsons, I. T., 292
 Parton, R. M., 189
 Paul, S. R., 85, 264
 Pearson, K. P., 226
 Peng, J. C. M., 289

- Pepple, P. A., 86
 Pisani, R., 96
 Pitt, M. K., 240
 Plackett, R. L., 85, 264
 Poundstone, W., 79
 Press, S. J., 18, 75, 76, 102, 166, 246, 259, 290
 Pueschel, J., 273
 Purves, R., 96

 Quesenberry, C. P., 86
 Quiggin, J., 166

 Rényi, A., 166
 Racine-Poon, A., 260
 Radelet, M., 28
 Raftery, A. E., 194
 Ramon, J. M., 107
 Ratkowsky, D. A., 230
 Raynor, W. J., 250
 Reeds, J., 271
 Reid, N., 192
 Reinsel, G. C., 284
 Richardson, S., 296
 Ripley, B., 300, 301
 Ritter, C., 193, 194, 230, 231, 262
 Robbins, G. K., 261
 Roberts, H. V., 81
 Robinson, G. K., 134
 Roeder, K., 296
 Rosenkrantz, R. D., 121
 Rossi, P. E., 195, 200
 Rubin, D. B., 57, 75, 107, 216
 Rubinstein, R. Y., 195

 Savage, L. J., 166, 172
 Scales, L. E., 47
 Schoenberg, I. J., 286
 Schwarz, G., 8, 83, 242, 244
 Sedransk, J., 81
 Sen, P. K., 33, 34, 41, 195
 Setgun, I. A., 135, 140, 269
 Setiono, R., 88
 Severini, T. A., 57
 Shepherd, N., 240
 Shiau, J. J., 252
 Shun, Z. M., 68
 Silk, J., 222
 Silver, R. N., 242, 250
 Silverman, B. W., 249, 293, 297
 Simpson, E. H., 28
 Singer, J. M., 33, 34, 41, 195
 Singpurwalla, N., 77
 Slovic, P., 102

 Smith, A. F. M., 5, 62, 75, 195, 259, 270, 272, 278, 289, 290, 295
 Smith, J. Q., 75, 102, 157, 159, 164
 Smith, P. J., 81
 Snedecor, G. W., 285
 Snell, E. J., 42
 Snyder, D. L., 237, 295
 Solomon, P. J., 260
 Soofi, E. S., 63
 Spiegelhalter, D. J., 299
 Sprott, D. A., 57
 Steel, M. F., 61
 Steffey, D., 261
 Stegun, I. A., 157
 Stein, C., 215, 242, 273, 274
 Steinijans, V. W., 84, 295
 Stern, H. S., 75
 Stevens, C. F., 82, 233, 236
 Stigler, S. M., 76
 Stiratelli, R., 246
 Stone, C. J., 61, 294
 Stone, M., 8, 136, 191, 250
 Sun, L., 193, 194, 262, 270, 278, 283
 Susarla, V., 246, 299

 Tanner, M., 295
 Tavaré, S., 264
 Taylor, S. J., 240
 Tempelman, R. J., 68
 Thompson, E. A., 195, 295
 Thorburn, D., 293
 Tiao, G. C., 62, 243, 270, 282, 284
 Tierney, L., 192, 193, 215, 279, 301
 Titterton, D. M., 62, 295
 Tsui, K., 34, 61, 62, 69, 192, 193, 195, 203, 215, 219, 274, 279, 288, 289
 Tukey, J. W., 65
 Tversky, A., 102, 105, 165, 166, 178, 186

 van der Linde, A., 252
 van Dijk, H. K., 195, 201
 Van Nostrand, R. C., 252, 274
 Van Ryzin, J., 246, 261, 299
 Varadhan, S. R. S., 295
 Vaughan, A., 82
 Viscusi, W. K., 186
 von Neumann, J., 149

 Wahba, G., 242, 249, 250, 252
 Wakker, P. P., 166
 Walker, A. M., 244
 Wallstrom, T., 242, 250

Cambridge University Press

978-0-521-00414-5 - Bayesian Methods: An Analysis for Statisticians and Interdisciplinary Researchers

Thomas Leonard and John S. J. Hsu

Index

[More information](#)*Author Index*

325

- Wang, H. F., 66
Wang, M. C., 261
Ware, J. H., 246
Wasserman, L., 296
Watson, G. S., 220
Watts, D. G., 57, 230
Weber, N. C., 41
Wecker, W. E., 1
Weisberg, S., 64
Wendelberger, J., 250
West, M., 103, 233, 295, 296
Wetzer, P., 1
White, D. J., 76
Whittaker, E., 286
Wijsman, R. A., 45
Wilkinson, G. N., 109
- Williams, D. A., 206
Wolberg, W. H., 88
Wolfinger, R., 260
Wolfson, L. J., 103
Wolpert, R. L., 48
Wong, W. H., 57, 193, 295
Wu, C. F. J., 34, 57, 263
- Yandell, B. S., 250
Ylvisaker, D., 250
- Zabell, S. L., 95
Zeger, S. L., 243, 301
Zellner, A., 83, 106, 195, 200, 240
Zhang, X., 77
Zidek, J. V., 136, 191, 237, 288, 295

Subject Index

- ability, 17, 33
 absolute loss, 145, 147, 160
 accounting, 142
 actuarial graduation, 286
 adaptive utility, 177
 admissibility, 155
 admissible, 146–8, 151–3, 155, 159, 215
 AIC, *see* Akaike's information criterion
 AIDS/HIV, 77, 100, 101, 105, 116, 261
 Akaike's information criterion (AIC), 5, 8, 15,
 17, 24–7, 63, 66, 88, 92, 204, 222, 258, 259,
 263, 273
 Allais' paradox, 165, 174, 178
 analysis of covariance (ANCOVA), 71
 analysis of residuals, 201
 analysis of variance (ANOVA), 189, 281, 284
 ANCOVA, *see* analysis of covariance
 animal genetics, 242, 246
 animal sciences, 240
 ANOVA, *see* analysis of variance
 apparent risk aversion, 182
 apparently risk averse, 177, 183, 185, 187
 ARIMA model, 237
 ARIMA process, 233
 artificial intelligence, 88
 association, 28–30, 92
 astrophysics, 192
 asymptotic efficiency, 36
 audit sampling, 288, 289
 autoregressive, 240, 243, 285, 286
 auxiliary experiment, 5, 18, 100, 166, 167
 average risk, 146, 154, 163
 axiom system, 5, 18
- B*-spline, 61
 Bartlett's test, 290
 Bayes
 decision, 147, 148, 162, 164, 191
 decision rule, 147, 148, 163
 estimate, 147, 153, 154, 158, 159, 161, 285
 estimator, 143, 152–5, 157, 160, 292
 factor, 83, 112–14, 141, 271
 risk, 146, 149, 153, 154, 236
 theorem, 75
 with respect to π , 146
 Bayes–Stein
 estimation, 242
 estimator, 274
 Bayesian
 approach, 75, 98, 189, 191, 243
 forecasting, 240
 graduation, 286
 inference for a covariance matrix, 290
 information criterion (BIC), 5, 8, 15, 24–7, 37,
 38, 75, 83, 88, 204, 242, 244, 263
 interval, 98, 109, 116, 119, 124, 133, 136, 142,
 143, 189, 191, 199, 252
 marginalization, 190
p-value, 116
 paradigm, 4, 75, 99, 102, 111, 134
 significance probability, 109, 111, 119, 124,
 136, 137, 140, 215, 279
 smoothing, 243, 252
 statistics, 4
 best linear predictor, 190
 beta binomial distribution, 85, 206
 beta distribution, 27, 85, 100, 108, 135, 210, 296,
 297, 299
 bias, 150, 152
 BIC, *see* Bayesian information criterion
 binary, 15, 62, 88, 91, 296
 binomial distribution, 32, 40, 60–2, 85, 108,
 110, 131, 134, 141, 143, 152, 203, 205, 256,
 268, 283
 biological application, 202
 biology, 189
 biostatistics, 77
 Birnbaum's model, 246
 Birnbaum's theorem, 48, 59, 60
 birthweight, 1, 92–4
 bivariate normal, 52, 66, 91
 bivariate scatterplot, 1, 2, 24

Subject Index

327

- Blackwell–Rao, 51
- Boltzmann’s theorem, 61, 98, 122, 253
- Bombay gene, 14, 15
- bootstrap, 261
- Box’s model-checking criterion, 248
- Box–Tiao robustifying distribution, 62
- Bradley–Terry model for paired comparisons, 202
- calculus of variations, 121
- cardinal spline, 61, 286
- Cauchy-tail prior, 270
- central limit theorem, 41, 275
- certain component of the reward, 177, 180, 185
- certain reward, 165, 168–71, 174, 175
- Chebychev’s inequality, 41
- chemical
 - analysis, 231
 - process, 238
 - process readings, 190, 237
- chi-squared
 - distribution, 15, 22, 36, 39, 55, 58, 207, 214, 215, 234, 252, 277, 290, 296, 297, 300, 301
 - statistic, 86
 - variate, 14, 36, 140, 216, 218
- classical probability, 4, 5, 14, 20
- classical test theory, 124
- Clevenson–Zidek estimates, 288
- collapsing phenomenon, 262
- Collins case, 96
- complete class theorem, 149
- completing the square, 72, 123, 245, 247
- concave/convex utility, 168, 169, 171, 172, 175
- conditional inference, 107, 109, 134
- conditionality principle, 47, 59, 60
- confidence interval, 6, 22, 35, 36, 38, 39, 41–3, 48–50, 134, 136, 252
- confounding variable, 4, 28, 72
- conjugate analysis
 - for a normal mean and variance, 214
 - for multinomial cell probabilities, 216
 - for the linear statistical model, 243
- conjugate prior, 99, 121, 124, 290
- contingency table, 1, 28, 92, 190, 217, 219, 222, 225, 257, 274
- convergence in distribution, 33, 40
- convex utility, 168
- correlation, 2, 41, 69, 70, 92, 129, 260, 287, 291
- countable additivity property, 18, 100
- covariance kernel, 293
- covariance matrix, 15, 18, 33, 34, 40, 43, 54, 66, 68, 69, 89, 91, 193, 194, 240, 241, 247, 253, 263, 278, 287, 289–92, 296
- Cox’s proportionate hazards model, 57
- Cramer–Rao, 45, 46, 50, 52
- cross-over point, 94
- cross-validation, 250
- D*-region, 193
- dairy science, 68
- decision rule, 143, 145–9, 162, 163
- decision space, 143, 162
- defender’s fallacy, 80, 96, 97
- design, 4, 129, 217, 264
- digamma function, 45, 48, 140, 157, 161
- Dirichlet
 - distribution, 105, 216, 239, 270
 - prior, 196, 257, 258
 - process, 190, 216, 217
- Dirichlet–Dirichlet, 273
- discriminatory power, 17
- dispersion, 43
- dissimilar item, 203
- DNA testing, 19
- dominate, 146, 147, 151, 156, 215, 274
- dotplot, 1, 2
- double or quit, 21
- doubly stochastic Poisson process, 237, 295
- drug or alcohol abuse, 4
- Dutch book, 166, 173
- dynamic linear model, 239
- economic forecasting, 3
- economic policy, 149
- economics, 62, 165, 166, 240
- Edgeworth expansion, 253
- efficient, 51, 52
- electrical engineering, 237, 295
- electron spectroscopy, 231
- Ellsberg paradox, 165, 185, 186
- EM algorithm, 57, 62, 66, 71, 91, 235, 262, 263, 272, 287, 296
- empirical Bayes, 262, 265, 269, 270, 274, 284, 285
- empirical Bayes confidence interval, 261, 284
- engineering, 77
- entropy, 8, 36, 38, 63, 106, 107, 121, 125, 128, 135, 153, 177
- ϵ -adjusted linear utility, 177, 182, 184, 188
- criterion, 180
- ϵ -adjusted utility, 165, 177, 181, 186
- equally likely, 4, 5, 7, 14, 18
- equally weighted mixture, 297, 298
- error rate, 141, 142
- Essen–Möller formula, 80
- EUH, *see* expected utility hypothesis
- evidence, 5, 29, 96, 97
- evidential meaning, 59, 107

- exchangeable, 33, 41, 129, 243, 259, 268, 269, 272
exchangeable prior, 247, 253, 269, 273, 281, 287, 290–2
expected utility hypothesis (EUH), 165–7, 170–2, 176
experimental measurement
of ϵ -adjusted utility, 179
of utility, 157, 171, 172, 176, 187
procedure, 181, 182
exponential
absolute loss, 160
distribution, 12, 35, 51, 103, 116, 136, 140, 217, 254
family, 46, 47, 51, 54, 58, 61, 122, 129, 202, 203, 206, 244, 274, 294
squared error loss, 160, 161, 163

f-contribution, 193, 205, 279
F-distribution, 299
F-statistic, 90
fetal metabolic acidosis, 75, 92–5
fiducial approach, 109, 134
Fisher's exact test, 218, 258
Fisher's information, 33, 34, 38–40, 48, 50, 58, 135, 137
Fisherian statistics, 4
flexural parameter, 66
forecasting, 3, 190, 239, 240
forensic evidence, 75
forensic science, 113
Foullay–Gianola–Im model, 246
four corner effect, 222, 223
frequency coverage, 6, 36, 42, 43, 134, 136, 142, 143, 214
frequency probability, 5, 14, 20
frequency simulation, 6, 25, 26, 283
full-rank interaction model, 257, 258
fuzzy ignorance, 141

Gamma distribution, 15, 37, 45, 48, 58, 86, 105, 112, 119, 139, 154, 156, 162, 163, 197, 236, 255, 269, 298–300
Gamma function, 15, 23, 36
Gaussian prior, 250
Gaussian process, 293
general information criterion (GIC), 8, 86
generalized
Bayes, 148
derivative, 122
linear model, 69, 243, 300
multivariate t , 252, 277
multivariate t -approximation, 231
multivariate t -density, 232, 262
 t -distribution, 23
genetic
improvement of livestock, 246
potential, 230
traits, 68
variance, 68
genetics, 195
genotype frequency, 96, 117
geological
data, 225
layers, 227, 229
theory, 66
geology, 240
geometric distribution, 9
Gibbs sampler, 195, 278
GIC, *see* generalized information criterion
global and local smoothing, 261
global maximum, 12, 13
Goodman's full-rank interaction analysis, 190, 219, 223, 225
goodness-of-fit, 44, 86, 88, 226, 227, 249, 264
guessing parameter, 17

Hardy–Weinberg equilibrium, 189, 195
hierarchical
Bayes, 226, 243, 261, 269, 278, 285, 300
Bayesian, 242, 278, 289, 290
model, 190, 240, 261, 300
prior, 223
highest posterior density (HPD), 109, 116, 124, 133, 161
histogram, 1, 14, 16, 26, 126, 243, 264, 285, 286
homogeneous Poisson process, 294
HPD, *see* highest posterior density
hypergeometric, 16, 81, 116, 218
hyperparameter, 243, 259, 263, 273, 282, 290
hypothesis testing, 48

identifiability, 129
importance function, 276–8, 281, 295
importance sampling, 6, 189, 190, 195, 200, 201, 205, 243, 263, 275, 276, 278, 291, 300
improper, 134–6, 146, 148, 245, 297
imputation, 3
inadmissible, 146, 151, 152, 155, 215, 242, 274
incoherent, 5, 166
incomplete beta function, 101, 108, 110, 136
incomplete Gamma function, 115, 137, 199, 269, 271
independence assumption, 165, 172
inductive
modeling, 99

- synthesis, 7, 31, 99
 thought, 7, 99
 industrial control chart, 238
 inference, 4, 6–8, 16, 32, 48, 55, 56, 59, 60, 76, 98,
 100, 105, 111, 117, 118, 120, 121, 130, 132,
 142, 145, 189–91, 243, 250, 261, 262, 299
 influence function, 293
 information criterion, 6, 8, 26
 information theory, 63, 106
 insurance, 262, 272
 integrated likelihood, 191, 260, 261, 271–3
 intelligence quotient, 2, 14, 59
 intensity function, 83, 294
 interaction, 89–92, 94, 189, 216, 219–25, 258,
 279, 280
 intraclass form, 292
 invariance property, 9, 10, 13, 109, 135
 irrelevance of observations not actually observed, 7
 item, 17, 203
 iterative proportionate fitting, 226

 Jeffreys' prior, 118, 135–7, 141, 142, 157,
 220, 258
 Johnson's sufficientness postulate, 271
 joint modal estimation, 262

 Kalman filter, 190, 233, 234, 236, 270
 Kaplan–Meier, 299
 kernel estimator, 297
 Kolmogorov axioms, 4, 5, 18, 167

 Lagrange multiplier, 122, 193, 220, 254, 255
 Laplacian
 T-approximation, 262
 approximation, 6, 68, 189–95, 200, 205, 211,
 212, 214, 217, 220, 221, 223, 230, 231, 253,
 254, 258, 260, 261, 263, 265, 273, 279
 method, 68, 189
 large sample approximation, 40, 242
 law of total probability, 75, 76, 78, 79, 82
 laws of probability, 5, 18, 97, 100, 102
 least squares, 23, 68–70, 217, 252, 270, 284
 legal case, 1, 75
 likelihood, 3, 4, 23, 45, 106
 approximation, 35, 44, 60, 128, 131, 134, 140,
 245–7, 250–2, 260, 266, 270, 278
 contour, 21, 44
 curve, 10, 16, 19, 32, 47
 function, 4, 8, 12, 14, 19, 20, 23, 24, 47, 48, 62,
 71, 99, 101, 117, 118, 130, 197, 231, 297
 information, 33, 35, 38, 39, 58, 60, 121, 244, 291
 information matrix, 43
 kernel, 10, 11, 47
 method, 65
 principle, 5, 47, 48, 55, 56, 59, 60, 98, 107, 135
 ratio, 80, 96, 97
 ratio statistic (LRS), 221, 223
 surface, 21, 48
 Lindley's information measure, 106
 Lindley's paradox, 110, 113
 Lindley–Stein estimator, 270
 linear
 logistic model, 40, 63, 88, 200, 202, 244
 model, 42, 65, 88, 209, 243, 292, 294
 model with unequal variances, 289
 prediction, 153
 predictor, 154, 236
 regression, 69, 86, 252, 264
 statistical model, 15, 252
 utility, 169, 171, 185
 location scale curve, 14
 log-likelihood, 6, 8, 10, 24–6, 45, 49, 50, 52–4,
 60, 87, 249
 log-linear model, 58
 log-normal, 86, 87
 log-normal distribution, 205
 logistic
 density transform, 292, 294
 discrimination, 75, 88–91
 normal, 102, 105
 regression, 250
 regression function, 89, 90
 logit, 17, 40, 43, 44, 101, 105, 119, 120, 131–3,
 135, 202, 250, 257, 259, 272, 285, 287
 long-run proportion, 5
 long-term profit, 175
 loss function, 144
 lottery, 166, 170, 171, 181
 LRS, *see* likelihood ratio statistic
 lurking variable, 4, 28, 29, 31, 95, 110

M-group regression, 243, 271
 making a profit, 183
 marginal
 distribution, 19
 inference, 57, 195
 likelihood, 68
 posterior density, 189–92, 198, 217, 253, 254,
 258, 261, 265, 266, 268, 275, 279, 300
 posterior mode compromise, 262
 Markov chain, 26, 229
 Markov chain Monte Carlo (MCMC), 189, 195,
 243, 275, 278, 289, 295, 298–300
 Markov process, 233
 Markovian model, 233, 236
 Martian Bayes, 148, 161

- matrix exponential, 69
 matrix logarithm, 291
 matrix-weighted average, 245
 maximum entropy, 41, 61, 70, 98, 106, 121–3, 125, 128, 129, 260
 maximum likelihood
 estimate, 8–10, 12, 13, 16, 17, 32, 35, 38, 41, 43, 61, 62, 67, 69–71, 84, 86, 91, 129, 156, 204, 208, 235, 246, 249, 252, 253, 271, 272, 274, 290
 estimator, 6, 39, 40, 45, 49, 64, 68, 149, 152, 155, 210, 242, 262, 292
 vector, 34, 40, 45, 52, 58, 60, 71, 83, 194, 244, 246, 291
 MCMC, *see* Markov chain Monte Carlo
 mean squared error (MSE), 6, 27, 46, 64, 98, 145, 147–50, 152–7, 242, 243, 270, 273, 274, 284, 288, 289, 292
 measure of association, 217–19, 227, 258, 279, 281
 median utility paradox, 165, 175
 medical, 5, 75, 76, 92, 102, 295
 meteorology, 250
 Metropolis algorithm, 195, 231, 278
 minimal sufficient, 47
 minimax, 146, 149, 152–5, 183
 minimum variance criterion, 7
 missing observation, 3, 262
 mixed experiment, 59, 60
 mixing distribution, 283
 mixture, 130, 132, 158, 163, 197, 243, 296, 297, 299
 mixture of normal distributions, 99
 model comparison, 244
 model selection, 75, 82
 model-checking criterion, 242
 modeling, 7–9, 99, 259
 modified ϵ -adjusted utility, 186
 modified predictive likelihood, 62, 141
 modified profile likelihood, 57, 67, 189, 191, 192, 206, 207, 213, 214
 moment-generating function, 19, 40
 monetary reward, 165–7, 169, 176, 177, 181, 183
 Monte Carlo simulation, 189, 193, 195, 220, 261, 279
 mortality tables, 286
 MSE, *see* mean squared error
 multilevel modeling, 261
 multinomial
 coefficient, 31
 -Dirichlet distribution, 264
 distribution, 32, 190, 216, 217, 250, 257, 264, 272, 287
 sampling model, 195
 multiple regression, 15, 92
 multiple-choice testing, 189, 202
 multivariate
 analysis, 18, 246
 approximation, 47
 binary model, 246
 Kalman filter, 240
 mixture, 3
 normal, 259
 normal approximation, 6, 59, 120, 189, 253, 265
 normal distribution, 6, 15, 17, 18, 33, 34, 40, 41, 54, 68, 91, 129, 193, 216, 233, 241, 264, 289, 290, 292
 normal likelihood, 190, 242, 277
 normal likelihood approximation, 6
 normal prior, 190, 231, 242, 243, 291
 t-distribution, 264
 multiway contingency table, 28
 Nazi codes, 270, 271
 negative binomial, 60, 81, 210
 neural nets, 75, 88
 New York blackout, 95, 96
 Newton–Raphson, 47, 62, 253, 263, 269, 278
 Neyman–Fisher factorization theorem, 47, 48, 55, 107
 nonhomogeneous Poisson process, 237, 294, 295
 nonindependent binary response, 264
 nonlinear model, 68, 231
 nonlinear regression, 57, 65, 67, 189, 229, 230, 231, 260
 nonparametric empirical Bayes, 261, 283
 nonrandomized data, 28, 29, 263
 normal
 approximation, 38, 44, 52, 219, 220, 221, 268
 distribution, 37, 38, 55, 56, 72, 120, 123, 131, 132, 138, 152, 163, 213, 247
 likelihood, 60, 130
 likelihood approximation, 21, 99, 132
 mixture, 62
 random sampling, 23, 48, 153
 sampling model, 48, 189, 284
 normalizing transformation, 121, 242
 normative, 5, 165, 173
 nuisance parameter, 57, 189, 191
 numerical integration, 189, 218, 235, 236, 269
 objective classical probability, 4, 5
 observed information, 50
 occupational mobility, 190, 225, 283
 outlier, 2, 3, 103, 283
 outlying observation, 2, 56
 overdispersion, 85, 86, 206, 243, 264, 288

- parallel line model, 71
- parametric
- analysis, 99
 - empirical Bayes, 261
 - residuals, 259
 - statistical inference, 7
- Pareto prior, 151
- partial likelihood, 57
- Pascal distribution, 119
- penalized log-likelihood, 249, 293
- penalty per parameter, 8
- perfect match, 78, 97
- permutable, 41, 259, 270
- phenomenon of the expansion of the Bayes
- estimate of the variance, 215
- physics, 64, 69, 242
- pivotal, 39
- Poisson distribution, 10, 11, 40, 83, 118, 119, 127, 140, 156, 269
- Poisson process, 83, 84, 294
- polychoric model, 264
- polynomial regression, 15, 23, 25
- polynomial spline, 286
- population proportion, 5, 14, 16, 19, 101, 116
- portfolio, 167, 175, 177, 183, 184, 186
- posterior
- density, 105, 109, 189
 - dispersion, 263
 - distribution, 81
 - expected loss, 148, 154, 158, 160, 163, 164
 - information, 106, 108, 116, 191, 253, 266, 272
 - likelihood, 106
 - mean value function, 83, 125, 129, 199, 214, 216, 250
 - median, 110, 147, 148, 161, 191
 - mode, 110, 116, 117, 159, 160, 210, 237, 252–7, 260, 262–4, 266, 272, 278, 281, 283
 - odds ratio, 112
 - precision, 123
 - predictive, 107
 - probability, 78
 - sample size, 108, 216
 - smoothing, 242
 - support, 106
 - variance, 108
- power, 98, 162, 163
- practical significance, 98, 110, 145, 259
- prediction, 3, 6, 44, 237
- predictive
- check, 9
 - density, 119, 126, 129, 235, 237, 244
 - distribution, 111, 114, 119, 194, 195, 201–3, 237, 238, 270
 - likelihood, 62, 65, 66
 - mean, 111, 116, 141, 207, 208
 - probability, 98, 116
 - variance, 111, 119, 208, 238
- predictor, 92
- premium on certainty, 179
- principle of insufficient reason, 18, 41
- prior
- distribution, 6
 - evidence, 80, 97
 - frequency, 101
 - information, 83, 84, 97, 98, 100–4, 106, 109, 134, 148, 273, 278
 - likelihood, 105, 106, 293
 - mean, 108
 - median, 141
 - precision, 123
 - predictive, 106, 107, 129, 162, 248, 278
 - probability, 78
 - sample size, 100, 101, 108, 117, 122, 134, 152, 297
 - structure, 242, 243, 259, 263, 273
 - support, 106
 - variance, 108
- prisoner's dilemma, 75, 79
- probit, 17, 91, 101
- product multinomial model, 272
- profile likelihood, 56, 57, 61, 64, 65, 67, 69–71, 84, 85, 189, 213, 214
- profile posterior density, 191
- prosecutor's fallacy, 80, 96
- prospect reference theory, 186
- prospect theory, 165, 186
- psi function, 45
- psychological test, 91
- psychometrics, 242, 246
- psychotic patient, 75, 91
- quadratic
- discrimination, 91
 - loss, 145, 148
 - prediction, 236, 239
 - regression, 24, 25, 89
- quality control, 118, 119, 190
- quasi-independence, 225–7, 229
- quasi-likelihood, 86
- Rényi axiom system, 166
- random
- effect, 68, 71, 138, 189, 242, 243, 246, 285, 300
 - man, 78, 80
 - mixture, 48
 - reward, 168, 181

- random (*cont.*)
- sample, 1, 3, 4, 15, 17, 22, 34, 35, 38, 40, 51, 52, 56, 58, 61, 63, 72, 86, 91, 101, 118, 120, 128, 138, 140, 149, 152, 156, 196, 210, 216, 247, 268, 271, 290, 292, 294, 296–8
 - sampling, 14, 16, 22, 29, 41, 81, 97, 129, 140, 217
 - variability, 3
- randomization, 4, 29, 59, 86, 110, 217, 264
- rank-dependent utility, 166
- Rasch's model, 17, 33, 36
- Ratkowsky regression model, 230
- reach a consensus, 105
- reference prior, 107, 135
- regression
- curve, 25, 67
 - function, 88, 230, 242, 243, 250
 - functions with discontinuities, 252
 - model, 1, 6, 87, 262
 - of true score on observed score, 124, 131, 205
- regular estimation problem, 34, 50
- rejection sampling, 6, 243, 278, 300, 301
- relative frequency, 1, 7, 14, 16, 20, 25
- reliability, 77, 123
- remote sensing, 190, 225
- representative sample, 1, 97
- residual, 63, 223
- residual analysis, 6, 63
- residual sum of squares, 15, 71, 86, 92, 252, 271
- residual variance, 63
- reward space, 172, 173
- ρ -weighted preference, 182, 183
- ridge estimator, 252
- risk averse, 165, 168, 171, 176, 182, 187
- risk-aversion paradox, 165, 182
- risk function, 145, 149, 152, 153, 156, 162, 274
- risk taker, 168, 171
- robust estimates of location, 125
- robustifying distribution, 62
- roughness penalty, 293, 294
- roulette, 5, 19–21, 145
- saddle-point approximation, 192, 193, 279
- sample space, 4–7, 14, 18, 33, 76, 97, 135
- sampling
- density, 22, 33, 83, 87, 125, 129, 143, 194, 197, 295
 - distribution, 33, 38, 47, 110, 136, 140, 145, 208, 209, 259, 263, 264, 288, 294, 295
 - frame, 77
 - information, 100, 106, 109
 - model, 4, 6, 8, 47, 59, 75, 97–100, 133, 134, 149, 189, 190, 243, 246, 252, 263, 264, 288
- Savage axioms, 166, 172, 177
- Savage's principle of precise measurement, 102
- Schwarz's information criterion, 5
- scientific reporting, 107
- selective reporting, 4, 110
- semi-parametric, 66, 87, 243, 249, 250, 294, 299
- sensitivity, 83, 125, 131
- sequential design, 63
- serial correlation, 69, 70, 246, 264, 288
- several multinomial distributions, 243
- sharp null hypothesis, 111
- shrinkage estimator, 153, 240, 242, 243, 263, 269, 270, 274, 282–4, 288, 289
- shrinking towards \bar{y} , 274
- signal-to-noise ratio, 122, 233, 234, 237
- significance level, 114, 259
- significance probability, 7, 137, 140, 141, 148, 218, 248, 258
- Simpson's paradox, 28, 29, 31
- Simpson's rule, 235
- simultaneous estimation, 281
- size, 162, 163
- skewed normal, 61, 90, 93
- Slutsky's theorem, 35
- Smith's lemma, 159
- smoothing
- a logistic regression function, 249
 - estimator, 243
 - mortality tables, 286
 - probability densities, 292
 - spline, 250, 252, 293
- spatial correlation, 243, 264
- spectral analysis, 233
- spherical normal distribution, 33–6
- spinning pointer, 5, 18, 102, 166
- spline, 242, 250
- spurious association, 28
- squared error loss, 145, 147–9, 151–3, 215, 242, 274, 288
- squeeze significance test, 292
- St. Petersburg paradox, 165, 166, 169, 175, 178
- Stein estimator, 274
- Stein's integration by parts, 273
- step loss, 158–61
- Stirling's approximation, 36, 141, 212
- stochastic control theory, 76
- stochastic volatility, 240, 290
- stochastically dominated, 136
- stock prices, 233
- stopping rule, 60
- strength, 163
- strong law of large numbers, 275, 276

- strongly consistent, 33, 34
 structural approach, 109
 subjective
 assessment of prior distributions, 102
 classical probability, 4, 17
 elicitation, 103
 expected lexicographic utility, 175
 probability, 5, 18, 82
 sufficiency, 47, 48
 sufficiency principle, 47, 48, 59, 60
 sufficient, 46, 47, 54, 55, 59, 107, 123, 191
 sufficient statistic, 48, 61
 sure loser, 5, 173
 sure thing principle, 165, 172
 survival analysis, 246
 survival time, 189, 196, 281, 297
 survivor function, 199, 200, 297–9
 symmetric bounded loss, 157–61, 176
 symmetric loss, 145, 157, 191
 symmetric unbounded loss, 160
- t -density, 22, 301
 t -distribution, 41, 214
 t -statistic, 90
 tail behavior, 125
 Taylor series, 46, 52, 59, 60, 193, 232, 253, 281
 test statistic, 98, 113, 282
 theory of games, 149
 three-directional approach, 29
 three-way tables, 224
- time series, 26, 190, 233, 290
 transformation to normality, 99
 transition matrix, 229, 230
 transitions between geological layers, 190
 trigamma function, 48, 140
 true score, 204, 205
 two-way layout, 215
- UMVU, *see* uniform minimum variance unbiased
 unbiased estimates of the risk function, 263
 uncontrolled data, 4, 28, 31
 uniform distribution, 114, 149, 260, 279, 291
 uniform minimum variance unbiased (UMVU), 45, 46, 48, 51, 52, 58, 69, 155, 242, 274
 unifying approach to multiparameter problems, 242
 upper convex boundary, 24, 26
 useful limit theorem, 40
 utility function, 165
- vague prior, 110, 134–6, 140, 237
 variance component, 58, 121, 190, 235, 262
- Weibull distribution, 52, 86, 103, 196, 197, 298
 Weibull model, 87, 189
 weight of evidence, 96, 113
 weighted average, 108, 123, 154, 252
 weighted least squares vector, 68
 Wishart prior, 290, 291
- zero–one loss, 159, 162