

Index

- ° ' " (degrees, minutes, seconds), 11
- α (right ascension), 8
- β (latitude), 11
- δ (declination), 8
- λ (longitude), 11
- ΔT (time correction), 17
- 2-inch vs. 1 $\frac{1}{4}$ -inch eyepiece tubes, 80
- Abbé Orthoscopic eyepieces, 83
- Abbey, Leonard, 101
- aberration of starlight, 18
- aberrations, optical, 76
- Aberrator*, 76
- accuracy, *see* pointing accuracy
- Achromatic Ramsden eyepieces, 83, 84
- Adobe *Photoshop*, 119
- afocal coupling (astrophotography), 101–2
 - brackets and adapters, 102
 - detailed instructions, 103–5
- alignment
 - on altazimuth mount, 27–8
 - Autostar, 201–4
 - LX200, 143–6
 - NexStar, 177–81
 - on equatorial mount, 43–9
 - Autostar, 204–5
 - LX200, 146–9
 - NexStar, 181–2
 - telescope tube in cradle, 34
 - stars, 28
- Alpha Centauri, 6
- altazimuth mounts, 21–2
 - setup procedure, 27
- altitude, 10
 - formula*, 35
- ampere-hours, 37
- amperes (amps, A), 38
- Anglo-Australian Telescope, 35
- annual motion, 12–13
- aperture, 59
- apochromatic (apo) lenses, 65
- Apogee (CCD manufacturer), 110, 118
- apparent field, 80, 82, 89–90
- AR, *see* right ascension; Achromatic Ramsden
- arc-minutes, 11
- arc-seconds, 11
- astigmatism, 76
- Astromart, 77
- Astronomy-Mall, 77
- astrophotography, 5, 99–121
- autoguiders, 118, 128
- Autostar (Meade), 193–217
- azimuth, 10
 - formula*, 35
- backlash, 20
- Barlow, Peter, 92
- Barlow lenses, 92–3
- Barnard's Star, 18
- barrel size, of eyepieces, 79–80, 89–90
- batteries, 37–8

Index

- Berrevoets, Cor, 76
Best Pair II, 28
 Bob's Knobs, 72
 brightness
 of image in telescope, 61–3
 Burrows, Jim, 28
- calculations performed by telescope,
 35–6
 Caldwell catalogue, 183, 189
 catadioptric ("cat") telescopes, 65–7
 Camelopardalis, 4
 cameras, *see also* astrophotography
 35-mm SLR, 107–8
 attaching to telescopes, 100–3, 107
 CCD, 110–11, 118–19
 digital and video, 109–10
 medium-format, 109
 non-SLR, 109
 Cassegrain, Guillaume, 65
 Cassegrain telescopes, 65
 CCDSOFT, 119
 Celestron, 66; *see also* NexStar
 central obstruction, 68–9
 circumpolar region, 6
 calculating size, 10
 cleaning lenses and mirrors, 78
 CNGC (Computerized *New General*
Catalogue), 151
 coatings, on lenses, 86
 collimation
 of diagonal, 90–1
 of mount, 34
 of telescope, 70–4, 75
 compass correction, 25; *map*, 26
 compressor lenses, 93–4, 102
 computer
 external, 19, 36–7
 inside telescope, 19
 problems, 122–3
 constellations
 learning, 4
 names, *table*, 154
 coordinates, 8–12
 cord wrap limits, 21
 corrector plate, 66, 86
 current, electric, 38
- daily motion, 6–8
 dark spot in image, 129–30
 D'Auria, Tippy, 73–4
 Dawes limit, 64
 daylight saving time, 15
 decimal minutes to seconds, *table*,
 149
 declination, 8–10
 limit (southern), 55–6
 magnetic, 25
 deep-sky photography, 116–19
 degrees, minutes, and seconds, 11
 diagonal, 90–92
 diffraction, 63
 digital cameras, 109–10
 digital image processing, 119–21
 digital setting circles (DSC), 21
 direct coupling (astrophotography),
 101
 diurnal motion, *see* daily motion
 Dobson, John, 65
 Dobsonian telescopes, 4–5, 65
 double G0 T0, 34
 drift method, 49
 Duffett-Smith, Peter, 36
 dynamic range, 120
 dynamical time, 17
- eBay, 77
 ecliptic, 10
 ecliptic coordinates, 10
 EFL (effective focal length), 111–13
 electrical problems, 122
 encoders, 21
 ephemeris time, 17
 epochs, 17
 equatorial coordinates, 8
 equatorial mounts, 21–2, 39–58
 Erfle eyepieces, 84, 85
 error, periodic, 53
 ET, 17
 ETX (Meade), 193–217
 exit pupil, 87–9
 exposures, photographic, *table*, 114
 extended objects, 62–3
 eyeglasses, 96
 eyepiece projection, 102

Index

- eyepieces, 59, 79–90
 - selection table*, 81
- eye relief, 83
- EZTelescope focuser, 163
- f*-ratio, 67
 - in astrophotography, 113
- “fast” telescopes, 67–8
- field rotation, 39–43
- field of view, 80–83
 - in astrophotography, 112–13
- field stop, 89
- films, for astrophotography, 113
- filters, 94–6
- finders (finderscopes), 97–8
- firmware, 19
- focal length, 59
 - in astrophotography, 111–13
- focal reducers, 93–4, 102
- focusers, improved, 162–3
- focusing
 - cameras attached to telescopes, 115
- Fraunhofer, Joseph, 56
- galactic coordinates, 10
- GCVS (*General Catalogue of Variable Stars*), 152–3
 - numerical designations, *tables*, 154, 155
- Genet, Russell M., 36
- geometric progression, 87
- German equatorial mounts (GEMs), 56–8
- Global Positioning System (GPS), 23
 - in telescopes, 29
- Greenwich Mean Time (GMT), 14
- ground loops, 37
- guidescopes, 117–18
- guiding, in astrophotography, 116–19
- HA (hour angle), 10
- hat trick, 115
- high-precision mode, 35
 - Autostar, 206
 - LX200, 156–7
- horizontal coordinates, 10
- Horsehead Nebula, 3
- hour angle, 10
- hour angle zero, 10, 146, 147
- Huygens (Huygenian) eyepieces, 83, 84
- IC (*Index Catalogue*), 150
- image processing, 119–21
- image shift, 67
- image size, 112–13
- interpolated resolution, 120
- J2000.0 (epoch), 17
- Johnson, Tom, 66
- Kellner eyepieces, 83, 84
- keypad problems, 123–4
- kidney bean effect, 130
- King, E. S., 52
- King rate, 52
- König eyepieces, 80
- Kufeld, Steve, 97
- Lanthanum LV eyepieces, 84
- laptop computers, 37
- latitude and longitude
 - ecliptic, 10
 - galactic, 10
 - on Earth, 9–10, 23–5
 - maps*, 24
- leap seconds, 17
- LensPlus, 102
- light grasp, 61–3
- Lumicon, 107
- lunar rate, 52
- LX90 (Meade), 193–217
- LX200 (Meade), 134–68
- M (Messier) catalogue, 150, 168, 183, 189, 205, 212
- Maksutov, D. D., 66
- Maksutov–Cassegrain (“Mak”) telescopes, 65, 66
- magnetic deviation (magnetic declination), 25; *map*, 26
- magnification, *see* power
- magnitude, 62
- magnitude limits, *formulae*, 62
- MAPUG (Meade Advanced Products Users Group), 136, 195

Index

- megapixels, 119
- menu maps
 - Autostar, 212–17
 - LX200, 164–8
 - NexStar, 188–92
- meridian, 10
- Mettler, Jim (wedge maker), 51
- Milburn, Ken (wedge maker), 51
- Milky Way, photographing, 105–6
- milliamperes (mA), 38
- minutes (angular measure), 11
 - decimal, to seconds, *table*, 149
- mirror images, 59–61
- mirror lock, 108
- mirror prefire, 108
- mirror shift, 67
- Modified Achromatic eyepieces, 83, 84
- Moon, photographing, 103–5
- motors, 20
 - problems, 125–8
- multi-coated lenses, 86
- Nagler, Al, 85
- Nagler eyepieces, 84
- negative projection, 102
- Newton, Sir Isaac, 65
- Newtonian telescopes, 65
 - astrophotography limitations, 101–2
- NexStar, 169–92
- NGC (*New General Catalogue*), 150, 168, 183, 189, 205
- noisy motors, 126
- nutaton, 18
- objective, 59
- observatories, 31
- oculars, *see* eyepieces
- Olympus OM-1, *diagram*, 108
- optical problems, 129–30; *see also*
 - aberrations, star testing
- optical tube assembly (OTA), 21
- optics, 59–98
- orthoscopic eyepieces, 83
- Paramount (Software Bisque), 56–7
- parfocal eyepieces, 86
- periodic-error correction (PEC), 53
 - LX200, 157–8
- Peterson Engineering focuser, 162
- Photographic Solutions, 78
- photography, 5, 99–121
- Photoshop*, 119
- piers, permanent, 31–2, 52
- piggybacking, 100–1, 116–19
 - detailed instructions, 105–6
- pixels, 119–20
- planispheres, 13–14
- Plössl eyepieces, 85
- pointing accuracy, 32–5, 125–6
- polar alignment, 43–9
 - iterative, 48–9
 - problems, 128
- Polaris, 6, 44–7
 - map*, 46
- positive projection, 102
- power (magnifying), 4
 - formula*, 59
 - limits, 88–9
- power supplies, 37–8
- precession, 17–18
- prime focus, 101
- prism diagonals, 90–92
- proper motion, 18
- R, S, T ... RR, SS, TT ... (variable-star designations), 153–5
- R.A., *see* right ascension
- Ramsden eyepieces, 83, 84
- Rayleigh limit, 64
- reciprocity failure, 113
- reflectors, 65
- refractors, 64–5
- resampling, 119
- resolving power, 63–4
 - limits, *formulae*, 64
- Rodman, Paul, 28
- roof prisms, 91–2
- right ascension, 8–9
- RS-232, *see* serial ports
- runaway, 21, 128
- runout, 20
- SAO (*Smithsonian Astrophysical Observatory Star Catalog*), 152, 167, 184, 189, 205
- satellite tracking, 209–11

Index

- SBIG, 110, 119
- scanning film, 120
- Schmidt, Bernhard, 66
- Schmidt–Cassegrain telescopes (SCTs), 66
- Schmidt–Newtonian telescopes, 66
- Scope Saver, 31
- ScopeTronix, 102
- screws, 50
 - damaging NexStar, 50, 171
- secondhand telescopes, 77
- seconds (angular measure), 11
- serial ports
 - Autostar, 208
 - LX200, 159–61
 - NexStar, 186–7
- setting circles, 53–5
 - digital, 21
- setup, *see* alignment
- SHA, 10
- sidereal day, 52
- sidereal hour angle, 10
- sidereal rate, 52
- sidereal time, 13
 - formula*, 13
- sidereal year, 13
- SkyMap Pro*, 13, 36
- slewing, 20
- “slow” telescopes, 67–8
- SLR cameras, 107–9
- Smart Drive, *see* periodic-error correction
- Software Bisque, 35, 36, 119
- solar rate, 52
- solar time, 13
- spherical aberration, 67, 76
- STAR numbers, 152, 167, 183–4
- star diagonal, *see* diagonal
- star testing, 74–7
- Starlight Xpress, 110, 118–19
- Starry Night*, 13, 36
- stars, photographing, 105–6
- Suiter, H. R., 77
- summer time, 15
- Superwedge (Meade), 51
- T-adapters, T-mount, 102–3
- Tasco Starguide, 167
- TDB, TDT, 17
- telecompressors, 93–4, 102
- Telrad, 97
- TheSky*, 13, 36
- thrust bearings, 160–1
- thumbscrews, 51, 72
- time, 13–17
- time zones, 14–15
 - table*, 15
 - map*, 16
- TPoint*, 35
- track and accumulate, 119
- tracking, 51–3
- trigonometry, 35–6
- tripods, 29–31
- tropical year, 13
- troubleshooting, 122–30
- true field, 80, 82
- Trueblood, Mark, 36
- TT, 17
- tube currents, 75
- tube size, of eyepieces, 79–80, 89–90
- UGC (*Uppsala General Catalogue*), 150
- Universal Time (UT, UTC), 14–17
- unsharp masking, 120
- upside-down images, 59–61
- vernal equinox, 13
- vibration-reducing pads, 30
- video cameras, 109–10
- voltage, 38
- watts, *formula*, 38
- wave (as measure of optical quality), 70
- wedges, equatorial, 39, 49–51
- Willey, R., 66
- year, sidereal *vs.* tropical, 13
- zenith, 10