

Index

- aggregation (clumping, patchy, patchiness, underdispersion), 6, 25, 35, 44, 79, 100, 263
- aggregation indices, 25
- Akaike information criteria (AIC), 138
- analysis
- analysis of movement *see also* movement, 269, 274–90
- analysis of variance (ANOVA), 223, 229, 253, 324, 334, 335
- angles (angular, direction, orientation), 269–74, 284, 293
- angle class matrix, 132
- angle parallelicity, 269, 276
- angular autocorrelation, 276–82
- angular correlation graph, 269, 277
- anisotropic (anisotropy) *see also* isotropic, 10, 20, 91, 132, 135, 304
- geometric, 135, 169
- zonal, 135, 169
- area pattern methods (surface pattern methods), 111
- association of pairs of species, 87
- attractor *see* chaos
- autocorrelation, 6–9, 57, 212, 213, 222, 228, 229, 233, 239, 245, 247, 248, 269–74, 276
- false, 9
- first-order autocorrelation, 284
- induced (exogenous), 7, 214, 220, 223, 229, 243, 244, 255, 334, 335
- inherent (endogenous), 9, 31, 124, 154, 212, 214, 220, 246, 255, 334, 335
- matrix, 228, 233
- models, 224, 230, 254
- negative, 226–7, 232, 254, 334
- range, 253
- autocovariance function, 133
- autoregressive (AR), 223, 227, 228, 229, 230–1, 233–46, 247, 334
- correlation, 238
- first order, 216, 222, 223, 229, 248, 334
- structure, 238
- biased correlated random walks, 284, 293
- bilinear function, 190, 196
- binomial test, 196
- bivariate data analysis, 43–103, 147
- pattern, 46, 58, 86
- point pattern analysis, 266
- Ripley's K , 44–6, 52, 147
- spatio-temporal analysis (Ripley's K -function), 269
- block size, 33, 46, 82, 86
- block variance methods *see also* quadrat variance methods
- covariance
- paired quadrat covariance (PQC), 88
- three term local quadrat covariance (3TLQC), 88
- two term local quadrat covariance (TTLQC), 88, 89
- variance
- blocked quadrat variance (BQV), 82
- new quadrat variance (Galiano's NQV), 84–5, 262, 330
- paired quadrat variance (PQV), 55, 83–6
- three term local quadrat variance (3TLQV), 84, 89, 91, 98, 262, 330
- triplet quadrat variance (tQV), 84, 88, 91
- two term local quadrat variance (TTLQV), 55, 82, 84–5, 87–8, 89, 91, 97–8, 105, 302, 304, 334
- blocked quadrat variance (BQV), 82
- boater *see* wavelet
- Bonferroni correction, 126–7, 131, 228, 233
- progressive, 127, 131, 173
- bootstrap *see also* randomization tests, 26, 132, 138, 241
- boundary *see also* edge, 75, 89, 177, 211, 266, 272, 293–5, 328
- cohesive, 196, 199, 202, 210
- persistence, 196, 209
- width, 185
- zone, 195
- boundary detection (delineation), 186, 329, 331
- boundary statistics, 192, 196, 199–202, 211

- candidate boundary elements, 192–3, 199, 204
- Canny adaptive filter, 208
- edge detection, 36, 38, 39, 61, 98
- fuzzy boundary, 183
- match–mismatch measure, 338
- moving split-window technique, 187–9
- orientation (angle), 192
- overlap statistics, 202, 328
- scale-space analysis, 209
- singletons, 199
- superfluity statistic, 201–2
- wombling
 - categorical, 193, 197–9
 - lattice, 190–205
 - triangulation, 190, 196–9
- box size, 79
- bridge, 65
- butterfly effect, 305
- canonical correspondence analysis (CCA), 153
- caterpillar randomization *see* randomization
- causal (causality), 26, 212, 243, 256
- cellular automata models, 313
- change in spatial statistics, 261
- change of support *see also* MAUP, 146
- chaos, 305, 315
 - attractor, 305, 308, 310
 - bifurcation, 305
 - chaotic deterministic, 310
 - edge of chaos, 310, 312
 - spatial, 313–14
 - spatio-temporal, 314
 - strange attractor, 308
- chess moves *see also* connectivity, 118, 224, 228, 230, 233
- circle score maps, 103
- circumcircle analysis, 60, 98, 100, 101, 329
 - patch circles, 99
- clonal plant, 264, 269, 274, 292
- cluster analysis *see also* clustering, 266
- cluster change detection, 266, 272
- cluster size, 52
- clustering
 - fuzzy
 - c*-means, 182
 - k*-means, 184
 - spatial
 - agglomerative, 176
 - k*-means, 177–80
 - spatio-temporal
- coefficients of distances, 324
- coefficients of similarity, 324
- complete randomization, 46, 86, 155, 157, 202, 239, 254, 323
- complete spatial randomness (CSR), 29, 33, 35, 36, 41, 52, 211, 317
- conditional annealing, 29, 170
- conditional autoregressive model (CAR), 29, 160, 225, 230, 233
- Condit's analysis, 53, 329
- confidence interval (confidence envelope), 37, 41, 46, 86, 132, 241, 242
- connectivity (connectedness, connections), 57, 65, 75, 120, 154, 198, 269, 276
 - matrix, 113, 119, 124, 148
 - network, 118, 177, 180
- contiguous sampling units, 82, 94, 95, 111, 254, 319, 327
- contingency tables, 287, 292
 - 2×2 , 234, 235, 267
 - $2 \times 2 \times 2$, 235
 - multiway 2^k , 235
- continuous non-parametric spatial covariance, 132
- convex hull, 289
- convex polygon, 289
- correlation, 122, 243–4, 245
 - coefficient, 218, 227, 238, 253
 - matrix, 223, 230
- correlogram, 153, 265, 266
- counts of individual events, 94, 95
- covariance, 87, 88, 100, 122, 217, 218–19, 222, 229, 238, 243, 330
 - matrix, 166
- covariate, 253
- covariogram, 218
- Cressie's correction factor, 238
- cross correlation, 147, 301, 302
- cross-covariance function, 147
- cross-product approach, 105
- cross-variance function, 147
- cross validation, 138, 167
- cross variogram, 169
- cut-point, 65
- data *see also* sampling unit, pilot study
 - accuracy, 17
 - continuous, 111, 222, 229, 257
 - discrete, 222, 229
 - ecological, 14
 - lattice, 18
 - multivariate, 147
 - point, 33
 - population, 32–3
 - qualitative (categorical), 32, 198, 333
 - quantitative, 17, 32, 111
 - sparse (spaced), 21
 - surface, 14
- data analysis, 32–3, 43, 258
- degree of a vertex, 65
- degree of freedom, 28, 288, 325
- Delaunay triangulation (DT) *see also* network, 58, 62, 63, 67, 99, 196
- design
 - experiments, 333
 - surveys, 249–53, 321, 333
- deterministic structural function, 132, 160, 313, 314
- detrended correspondence analysis (DCA), 187
- detrending, 26, 150, 333
- diameter, 66
- Diggle's *F*-function *see also* nearest neighbour

Diggle's *G*-function *see also* empty space, 43
 directional
 correlograms, 132
 variograms, 135
 Dirichlet *see also* polygon
 polygons, 60, 160, 298
 tessellation, 81
 discriminant functions, 187
 dispersal flux, 74
 distance class connectivity matrix, 113–14
 distance interval, 22
 distance (dissimilarity) matrix, 148, 268
 distance-to-crowding, 95
 distance-to-independence, 249
 distance to regularity, 94, 95
 distance (adjacency) methods, 266, 274
 diversity
 alpha, 187
 beta, 187
 Dixon's method, 49–50, 330
 doubly autoregressive, 215, 217
 drift, 135, 137–8, 169, 284
 dummy variables, 151
 Durbin's autoregressive procedure, 131
 Dutilleul's correction, 238–9, 245

eccentricity, 66
 ecological boundaries (ecotones), 184, 187
 ecological fallacy, 146
 ecotones *see* ecological boundaries
 edge connectivity, 65
 edge detection *see also* boundary detection, 36, 38,
 39, 61, 98
 edge effects, 22, 116
 edge correction, 38–9, 81, 323
 edge enhancement *see also* boundary detection, 206,
 210
 edge *see also* edge detection, boundary, 35, 57,
 184–5, 190, 206, 208, 330
 connected, 57
 degree, 65
 node connectivity, 65
 roof edge, 184
 spike edge, 184
 step edge, 184
 vertex, 65, 74
 effective sample size *see also* sample size, 221, 222,
 325
 eigenanalysis, 89–90, 234
 eigenvector, 89–91
 empty space function, 36, 41, 43, 44
 entropy approaches, 333
 envelopes *see* confidence intervals
 environmental gradient, 75
 epidemiology, 266, 269, 274
 equidistant, 116
 ergodic covariance, 135, 137
 error
 rate, 221
 type I, 221, 253
 type II, 324

Euclidean distance, 120, 149, 188
 matrix, 151
 Euclidean space, 114, 139
 event-to-event nearest neighbour distance, 81
 event-to-nearest-event function, 36, 43, 48, 81
 exact interpolator, 160, 167
 expected value, 126, 127
 experimental design, 1, 247, 249–54, 285, 326
 extent, 5, 18–19, 32, 33, 112, 113, 186, 319, 322–3
 extrapolation, 316

Fibonacci spiral design, 249–51
 first-order
 moments, 9, 133
 statistics, 25
 footprint, 75
 Fourier series analysis, 39, 98, 206
 Fractal dimension, 139–42, 144, 186, 269, 277, 285,
 308
 divider, 139
 fragmentation, 64, 95, 261, 262, 325
 Freeman–Tukey standardized residual, 99, 235, 286,
 287
 Friedman's measure of concordance, 302, 304
 functional network, 65
 fuzzy
 boundaries, 183
 boundary zones, 183
 classification, 181
 c-means, 182
 k-means, 184
 membership, 183
 set theory, 181

Gabriel graph (GG), 59–60, 63
 Galiano's NQV, 262
 gap circles, 99
 gap size, 100
 Gaussian filter, 208
 Geary's *c* (global Geary's *c*), 126, 131, 134, 135, 154,
 157, 172, 258, 334
 geometric anisotropy, 135, 169
 geostatistics (geostatistical) *see also* kriging,
 variography, variogram, 25, 132, 142, 165,
 167, 170, 247, 325
 Getis' method, 317, 329
 G₁₂ and G₂₁, 43
 geographical information system (GIS), 207, 317, 318
 gleason, 187
 gliding box *see also* moving window, 84, 94, 95
 global
 analysis, 5, 96, 317
 conditions, 256
 directional correlograms, 132
 Geary's *c*, 157
 interpolator, 163
 Moran's *I*, 155
 outcome, 152
 pattern, 328
 spatial analysis, 122–38, 153, 154, 159, 172,
 320

- goodness-of-fit, 178–9, 235, 236, 247, 266–87
- grain, 18, 319
- graph theory *see also* network, 57, 64, 65, 269, 276
- complete, 65
 - edge, 57
 - connected, 57
 - node connectivity, 65
 - order, 65
 - vertex, 65, 74
 - network, 55, 57–64, 269, 274
 - Delaunay triangulation (DT), 62, 63, 74
 - Gabriel graph (GG), 59–60, 63
 - minimum spanning tree (MST), 59–63
 - mutual nearest neighbors (MNN), 63
 - nearest neighbors (NN), 63
 - relative neighbourhood graph (RNG), 59, 63
 - path, 33, 57
 - cycle, 57
 - planar, 65
 - polygons
 - Dirichlet, 60
 - Thiessen, 60
 - Voronoi, 60
 - subgraph, 59, 62
 - tessellation, 60
 - topology (topological), 57
 - tree, 57
- Griffith's space-time index, 258
- H*-functions, 48
- heterogeneity (spatial heterogeneity), 11, 122
- hierarchical global partitioning, 205
- homogeneity (spatially homogeneous), 5, 11, 12, 89, 256
- homogeneous regions, 206
- I*-function for multivariate point-pattern analysis, 48
- image processing, 184
- independent variables, 26
- indicator functions, 135, 137
- induced spatial autocorrelation, 214, 220, 223, 229, 243, 255, 334, 335
- induced spatial dependence, 9, 31, 124, 154, 212, 214, 334, 335, 338
- inference tests, 21, 328
- inherent spatial autocorrelation, 124, 154, 212, 214, 220, 246, 255, 334, 335
- inherent spatial structure, 204
- inherent (internal, endogenous) process, 7, 204
- inhibition (spatial), 29, 36
- inhomogeneity (heterogeneity), 321
- interpolation, 26, 57, 159–70, 172, 196, 257, 316, 331
- inverse distance weighting, 116, 154, 160, 164, 165, 167, 172
 - kriging, 57, 132, 135, 137, 138, 160, 164, 165–70, 172
 - proximity polygons, 160
 - trend surface analysis, 153, 161, 163, 164, 167, 169
 - Voronoi polygons, 60, 160, 298
- intrinsic hypothesis, 133
- inverse of distance squared, 116
- inverse distance weighting, 116, 154, 160, 164, 165, 167, 172
- isotropic (isotropy), 20, 105, 125, 127, 131, 139, 167, 209, 210, 331
- iteration process, 170, 180
- Jack-knife approach *see also* randomization tests, 241
- Join count statistics, 118, 261
- H* Moran (heterogeneous Moran), 122
 - k* categories, 120
- kernel filters, 189, 190, 199, 205, 206–9, 210
- kernel function, 55, 301
- K*-function *see also* Ripley's *K*, 41, 102
- k*-means clustering, 182, 193
- Knox's approach *see also* Mantel tests, 268
- kriging, 57, 132, 135, 137, 138, 160, 164, 165–70, 172
- blocked, 169
 - co-kriging, 147, 169
 - conditional annealing, 29, 170
 - errors, 166, 167, 172
 - indicator, 170
 - multivariate, 170
 - non-linear, 169
 - ordinary, 169
 - punctual, 169
 - stratified, 169
 - universal, 169
- lack of independence, 85, 212, 228, 233, 258, 316, 334
- lacunarity analysis, 79–81, 84, 94, 95, 261
- lag, 9, 18, 21, 227, 232
- lag (space and time), 264
- landscape
 - connectivity, 64, 66
 - ecology, 64
 - metrics (indices), 13
 - patch structure, 66, 139
- Laplacian filters, 207–9
- lattice, 18, 189, 196, 223, 227, 230, 264, 265
- lattice data, 114, 118, 122
- lattice-wombling *see also* boundary, edge detection, 190–205
- leaf, 74, 206
- lichen, 293
- linear dependence, 216, 220
- linear independence, 253
- linear model, 135, 137, 138
- equations, 169
 - interpolation, 164
- regression, 165, 220, 238, 244, 302
- local
 - Geary's *c*, 153
 - Getis *G* and *G**, 157–9, 172
 - cold spots, 158
 - hot spots, 158
 - local indicator for categorical data (LICD), 159, 172
 - local indicator of spatial association (LISA), 154
 - join count, 159
 - Moran's *I*, 154–7, 158, 159

local (*cont.*)
 spatial analysis, 5, 13, 52, 153–9, 171, 172, 317, 320, 328
 spatial pattern, 25, 96, 206
 log-likelihood ratio (*G* statistic), 234
L-transform, 39, 41, 44, 76, 81
 Lyapunov exponent, 308–10

magnitude of change (rate of change), 196
 Mahalanobis distances, 188
 Mantel tests, 148–53, 258, 268, 302, 324
 Mantel correlogram, 150, 302
 partial Mantel tests, 153, 172, 292
 mark correlation analysis, 55–7, 63, 329
 marked point analysis, 32, 57
 Markov models, 223, 229, 235, 236, 284
 process, 41
 reversible, 234
 mark–recapture method, 390
 Mexican hat *see* wavelet
 minimum spanning tree (MST), 59–75
 models, 26, 213–18, 222, 229, 254, 294, 317, 318
 autoregressive (AR), 223, 227, 228, 229, 230–1, 233–46, 247, 334
 conditional autoregressive model (CAR), 29, 160, 225, 230, 233
 dynamic, 310
 mathematical, 247
 moving average (MA), 160, 224–31, 233–46, 322, 334
 simultaneous autoregressive (SAR), 160, 224–31, 233
 spatial, 138, 139
 modifiable area unit problem (MAUP), 146
 modified correlogram, 302
 Monte Carlo model *see also* randomization tests, 26, 35, 46, 86, 105, 189, 242, 254, 324, 327, 331
 Moran's *I* (global Moran's *I*), 124, 334
 mosaic, 89, 91, 175, 266, 274
 mosaic of polygons, 105
 movements, 293, 316
 paths, 285
 subpath, 289
 through space, 261
 moving average models (MA), 160, 224–31, 233–46, 322, 334
 moving split-window technique, 187–9
 moving window, 79, 133, 189, 230, 266
 multiple linear regression, 26, 161
 multiple testing, 126
 multiscale
 analysis, 206
 ordination (MSO), 89, 90, 330
 multispecies analysis, 90, 235, 330
 multispecies point patterns, 89–91
 multivariate analysis, 103, 172, 187, 190, 241, 266
 multivariate point pattern analysis, 47, 63
 mutual nearest neighbours network (MNN), 63

nearest neighbors, 33
 distance, 203–4
 network (NN), 33–5, 43, 48, 57, 63, 103, 118
 refined nearest neighbour method, 35–7, 41, 47
 neighbourhood matrix, 153
 neighbours, 212, 223, 229, 269, 276, 291, 334
 network, 98, 113, 177, 330, 331
 weights, 225, 230
 network *see also* graph theory, tessellation, 55, 57–64, 269, 274
 Delaunay triangulation (DT), 62, 63, 74
 Gabriel graph (GG), 59–60, 63
 minimum spanning tree (MST), 59–63
 mutual nearest neighbors (MNN), 63
 nearest neighbors (NN), 63
 relative neighbourhood graph (RNG), 59, 63
 new quadrat variance (NQV), 84–5, 330
 Neyman–Scott process, 41, 52
 Neyman Type A process, 41, 320
 noise (random), 5, 146, 189, 205, 208, 210, 220, 308, 310
 non-linear trend, 7, 161
 non-parametric rank test, 288
 non-parametric spatial covariance function, 242
 non-randomness, 332
 non-stationarity, 13, 18, 85, 112, 113–14, 211, 253, 255, 317, 320
 normal distribution approximation test, 126
 normalized difference vegetation index (NDVI), 205
 nugget effect *see also* variography, 134, 144, 165
 nugget model, 135, 137
 null hypotheses, 27, 33, 36, 86, 105, 119, 120, 122, 149, 202, 219, 225, 233, 264, 277, 286, 322–3, 324, 327–8, 329, 334
 null models, 52, 264, 266

omnidirectional
 correlogram, 140–1, 155, 323
 variogram, 140–1
 one-dimensional analysis, 75–81
 optimal spatial sampling design, 24, 169
 ordination techniques *see also* partial ordination techniques, 153
 canonical correspondence analysis (CCA), 153
 multiscale ordination (MSO), 89, 90, 330
 principal components analysis (PCA), 89
 principal coordinates of neighbour matrices (PCNM), 153
 redundancy analysis (RDA), 153
 overdispersion, 263, 329
 overlap statistics, 202, 328
 oversampled data, 276

paired quadrat covariance (PQC), 88
 paired quadrat variance (PQV), 55, 83–6
 partial ordination techniques *see also* ordination techniques
 partial canonical correspondence analysis (partial CCA), 153, 172
 partial redundancy analysis (partial RDA), 153
 partial correlation, 243

- partitioning methods, *see also* boundary, edge
detection, 12, 44, 52, 53, 206, 338
- partition, 266
- partitioned variances, 91
- patch, 176, 177, 184, 193, 211, 254, 262, 288, 289,
293, 299, 329
- patch size *see also* spatial range, zone of influence, 80,
100, 131
- patchy (patchiness), 5, 127, 213, 228, 233, 249, 266,
269, 277, 325, 329, 330, 334
- path, 33, 57, 65
movement paths, 269, 276, 284, 285, 286, 289,
331
path sinuosity, 284
path tortuosity, 284
- pattern, 5, 32–3, 46, 58, 86
- peak, 82, 102, 189, 265, 266
peak (variance), 96
- Pearson's correlation coefficient, 123, 124, 126, 149,
172, 293
- Pearson's X^2 , 234, 286–7
- perimeter, 74
- phase space diagram, 308
- pilot study, 249, 255, 319, 321
- pixel, 94, 95
- planar graph, 65
- point data, 33
- point interpolators, 160
- point pattern analysis, 25, 33, 37–55, 64, 66, 75, 102,
111, 114, 269, 274, 317
- point-event distance, 81–2
- point-to-nearest-event function + $F(t)$, 48
- Poisson cluster, 29
- Poisson distribution, 25, 39
- Poisson–Poisson distribution, 41, 105, 320
- Pollard's statistic, 35
- polygon, 269, 274–90, 298
- polygon change analysis, 261, 269–74, 316, 329,
333
- polynomial regression *see also* regression, 153, 161
- population of inference, 20
- population data, 32–3
- power, 142, 253, 319
- pre-whitening, 220, 334
- principal components analysis (PCA), 89
- principal coordinates of neighbour matrices (PCNM),
153
- process, 13–14, 26, 144, 212, 256, 261, 316, 320, 328,
333
- process and pattern, 1, 2, 256, 261, 291, 316, 333
- proximity, 291
matrix, 228, 229, 233
- pseudoreplication, 285, 316
- quadrat *see* sampling unit
- quadrat variance analysis, 82–8, 96, 97, 126
covariance
paired quadrat covariance (PQC), 88
three term local quadrat covariance (3TLQC), 88
two term local quadrat covariance (TTLQC), 88,
89
- variance
blocked quadrat variance (BQV), 82
Galiano's NQV, 262
new quadrat variance (NQV), 84–5, 330
paired quadrat variance (PQV), 55, 83–6
three term local quadrat variance (3TLQV), 84,
89, 91, 98, 262, 330
triplet quadrat variance (tQV), 84, 88, 91
two term local quadrat variance (TTLQV), 55,
82, 84–5, 87–8, 89, 91, 97–8, 105, 302, 304,
334
- quadtrees, 206
- quasi-stationarity, 133
- random paired quadrat frequency, 91
- random walk, 277–84
- randomization tests, 26–9, 46, 52, 63, 81, 86, 94, 95,
126, 138, 149, 158, 204, 254, 284, 289, 302,
319, 322–8
caterpillar, 240, 241, 327
complete spatial randomness (CSR) *see* complete
spatial randomness
envelopes, 37
Monte Carlo *see* Monte Carlo
null reference distribution, 27–8
probability, 27
reference distribution, 26
relation to null hypotheses, 322–3
restricted, 24, 29, 86, 149, 151, 202, 239–41, 322,
323, 326–8, 334
sequential, 29
spatial dependence, 28–9
toroidal shift (torus shift), 23, 24, 29, 239–40,
326–8
- randomly (generated) pattern, 320
- randomness *see also* randomization tests, 263, 266,
305, 329
- range *see* spatial range
- rate of change, 199, 206, 211
- recruitment index, 74
- redundancy analysis (RDA), 153
- reference distribution, 26, 149, 234, 239, 327
- regionalized variable theory, 132–3
- Reich's method, 51–2
- relationship (spatial dependence), 21, 26
- relationship, 243, 255
- relative neighbourhood graph (RNG), 59, 63
- relative spatial arrangement, 324
- remote sensing, 207
- repetitive structures, 253
- resampling *see also* randomization tests, 241
- residuals, 26, 30, 150, 220, 244, 247, 317, 318, 334
- restricted randomization tests *see* randomization
tests
- response surface methods, 310
- Ripley's K -function, 37–43, 47, 52, 329
bivariate, 35, 266
three dimensions, 81–2
- robust, 122, 221, 242, 325
- robustness, 126, 167, 236, 326
- runs test of randomness, 236, 247, 269, 277

- SADIE *see* Spatial Analysis by Distance IndicEs
 sample data, 111–12
 sample size, 18, 112, 142–4, 222, 229, 286, 319, 321, 325
 sampling design, 5–6, 13–24, 112, 146, 184, 249, 319
 sampling units, 14, 25
 contiguous (transect, lattice), 20–32
 resolution (grain, size), 18, 19, 146, 189, 201, 235, 319, 325, 327, 328
 shape, 10, 20, 112
 scale(s), 1, 5, 18–20, 31, 33, 140, 213, 249, 292, 319, 320
 scales of pattern, 82, 206, 325
 scalogram approach, 153
 second-order moment, 37, 41, 48, 133
 second-order stationarity, 169
 segmentation *see also* boundary detection, edge detection
 segregation, 44, 100, 101, 329
 segregation index, 50
 semi-variance *see also* variogram, 133–4, 135, 147, 172, 334
 head locations, 135
 tail locations, 135, 137
 serial correlation, 241
 shortest replacement path, 67
 significance testing, 26–9
 significance tests for quadrat variance methods, 85
 simultaneous autoregressive (SAR), 160, 224–31, 233
 smooth (smoothed, smoothing), 55, 159, 172, 196, 208, 209
 space-time analysis *see also* spatio-temporal analysis, 257
 Spatial Analysis by Distance IndicEs (SADIE), 94
 spatial
 arrangement, 144
 association of categories, 118
 asynchrony, 316
 autocorrelation, 41, 85, 116, 124, 147, 176, 196, 205, 212, 220, 235, 249, 253, 334
 surrogate, 30
 autocovariance, 123
 autoregression, 160
 chaos, 313–14
 clustering, 176, 177, 199
 connectivity, 64–75
 correlogram, 127
 covariance, 133, 171, 304
 dependence, 6–9, 28–9, 30–1, 153, 159, 160, 165, 167, 218, 234, 235, 236, 242, 244, 255, 328
 direction, 192
 distance, 18
 epidemiology, 266
 heterogeneity, 25, 112, 153, 180
 homogeneity, 180, 192
 independence, 213
 lag (interval, space lag), 112, 116, 123, 133, 135, 140, 144, 288
 legacy, 4
 models, 159
 neighbourhoods, 112, 113
 overlap, 202–5, 269–74
 partitioning, 211
 pattern, 21, 120
 range, 127, 131, 134–5, 144, 166, 167
 relationship, 147
 resolution, 112
 series, 213
 significant, 21
 statistic, 9, 13, 25–6, 113, 261, 317, 324
 assumptions, 11
 synchrony, 299, 316
 spatial and temporal autocorrelation, 316
 spatially autocorrelated, 184
 spatially explicit dynamic models, 257
 spatially homogeneous areas (sub-areas, clusters), 192, 320
 spatially partitioned, 320
 spatio-temporal analysis, 2, 257, 307, 315, 316
 autocorrelation, 258, 287, 289, 299
 chaos, 314
 Griffith's space-time index, 258
 join count, 263–5
 patterns, 313
 relations, 301
 Spearman's correlation, 149, 303, 304
 species turnover, 192, 197
 spectral analysis, 95, 97
 split-moving window (SMW), 330
 spurious angular autocorrelation, 269, 276
 spurious correlation, 26
 squared Euclidean distance, 188
 standardized residuals, 101–2
 stationarity, 11, 13, 41, 95, 122, 123, 124, 132, 133, 155, 172, 277, 320, 327
 statistical analysis, 257
 statistical testing, 213, 220, 248, 254, 269, 277, 289, 324, 325, 333
 stochastic, 11–13, 308, 314
 stochastic spatial process, 29, 170, 327
 Sturge's rule, 116
 surface pattern analysis, 26, 111, 114
 survey study, 254
 symmetric matrix, 148
 synchrony, 300–4

 Tavaré's approach, 235, 236, 238
 temporal
 autocorrelation, 123, 258
 chaos, 314
 cycles, 299
 edge effects, 268
 interval, 123
 lag, 288
 temporal and spatial proximity, 268
 tessellation, *see also* graph theory, network, 60, 114, 258
 theoretical variogram, 134, 135, 137–8, 166
 Thiessen polygon, 60, 160
 three term local quadrat covariance (3TLQC), 88
 three term local quadrat variance (3TLQV), 84, 89, 91, 98, 262, 330

- three-dimensional marked point process, 81
- three-dimensional sample, 94, 95
- threshold distance, 75
- time lag, 301, 320
- time series analysis, 142, 213, 257
- time to independence, 288, 316
- Tobler's first law of geography, 112
- topology (topological space), 57, 74, 112, 113–14, 120, 180
- toroidal shift (torus shift), 23, 24, 29, 239–40, 326–8
- transforms, 95
- transition probabilities, 234
- transition zones, 185
- travelling waves, 303, 304
- traversability, 74
- tree, 57
- trend surface analysis, 153, 161, 163, 164, 167, 169
- trend, 6
- triangulation-wombling, 190, 196–9
- triplet quadrat variance (tQV), 84, 88, 91
- t*-test, 223, 229, 253
- turning angles, 269, 274, 289
- two part window, 82
- two term local quadrat covariance (TTLQC), 88, 89
- two term local quadrat variance (TTLQV), 55, 82, 84–5, 87–8, 89, 91, 97–8, 105, 302, 304, 334
- uniform pattern (regular, overdispersed), 35
- univariate point pattern analysis, 32–3, 48, 99–100, 266
- unsampled locations, 132
- variance, 86, 140, 229, 233, 238, 241, 318, 338
- variance-covariance matrix, 57, 89, 166, 217, 227, 228, 230–1, 232, 233
- variance-mean ratio, 25, 94, 95
- variography *see also* kriging, variogram, 132
 - h*-scattergrams, 135
 - Lagrangian multiplier, 166
 - Semi-variance (spatial variance), 25, 132, 140, 170
- variogram (experimental, sample), 134, 135, 139, 144, 165, 247, 317, 320, 331
 - directional, 135
 - models (theoretical), 134, 166, 318
 - bounded (variograms with sill), 137–8
 - exponential, 135, 137, 247
 - Gaussian, 138, 247
 - nugget, 135, 137
 - spherical, 137, 247
 - unbounded (variograms without sill), 137
 - nugget effect, 134, 144, 165
 - range, 10, 131
 - sill, 134–5, 137, 139
- vertex
 - connectivity, 65
 - removal, 74
- Voronoi polygons, 60, 160, 298
- voxels, 94, 95
- Walsh transform, 95
- wavelengths, 95
- wavelets
 - analysis, 96–8, 105, 110, 205–6
 - boater, 99, 101, 102
 - covariance, 330
 - French top hat (FTH), 97, 99
 - Haar, 97
 - Mexican hat, 97, 330
 - Morlet, 97
 - three-dimensional sombrero, 98
 - transform, 96, 97
 - variance, 96
 - Walsh transform, 95
 - wavelet transform, 95
- weak stationarity (quasi-stationarity), 133
- weight matrix, 124, 154, 226–7, 232
- whitening *see* pre-whitening
- window (template) approaches, 33, 57, 159, 189–90, 196
- windowing function, 97
- wombling *see* edge detection
 - categorical, 193, 197–9
 - lattice, 190–205
 - triangulation, 190, 196–9
- zonal anisotropy, 135, 169
- zone of influence (patch size, range), 10, 131