

Cambridge University Press

978-0-521-01107-5 - Elementary Geometry of Differentiable Curves: An Undergraduate Introduction

C. G. Gibson

Index

[More information](#)

## Index

- additive, 52
- Agnesi's versiera, 39
- Alabone, xvii
- algebraic, 40
- algebraic curve, 38
- amplitude, 55
- angle, 4
- angular velocity, 55
- antiorthotomic, 163
- arc, 16
- arc length, 50
- arch of cycloid, 48
- astroid, 44, 48, 51, 52, 112, 120, 142, 149, 161, 179
- asymptote, 35
- auxiliary circle, 34
- axis
  - of ellipse, 34
  - of hyperbola, 35
  - of parabola, 34
  
- Ball curve, 209
- bar, 182
- bar length, 182
- basis
  - orthogonal, 5
  - orthonormal, 5
- Bernoulli, 16, 48
- lemniscate, 158, 179
- Bézier, 26
- Bézier curve, 26
- biflexional limaçon, 98
- bilinear, 2
- brachistochrone, 48
- branch
  - of cross curve, 28, 72
  - of hyperbola, 36, 54
- bullet nose, 38
- Burmester point, 210
  
- Cardan circle, 46, 197
- cardioid, 44, 46, 48, 52, 71, 117, 132, 144, 161, 169, 197
- catenary, 16, 52, 61, 117, 131, 177
- Cauchy Inequality, 3
- caustic, 166
  - of circle, 171, 176
  - of ellipse, 172
  - of equiangular spiral, 172
  - of parabola, 176
- Cayley sextic, 21, 52, 53, 117, 119, 159
- central dilation, 79
- central reflexion, 81
- centre, 79
  - of circle, 14
  - of ellipse, 34
  - of hyperbola, 35
  - of rotation, 80
  - of trochoid, 42
- change of parameter, 54
- Chasles, 190
  - Theorem, 197
- circle, 14, 28, 110
  - arc of a, 31
  - auxiliary, 34
  - Cardan, 46
  - concentric, 15
  - fixed, 42
  - inflexion, 205
  - moving, 42
  - of curvature, 109
  - unit, 14
- cissoïd of Diocles, 39, 73, 104, 118, 155
- clover leaf, 17
- coefficients, 38
- coincident lines, 11
- complex conjugate, 6
- component, 13
  - orthogonal, 2
  - parallel, 2

- concentric circles, 15
- condition
  - tangency, 139
  - variability, 138
- congruence, 80
  - of motions, 200
- congruent
  - rotationally, 82
  - translationally, 82
- conic, 32, 39
- constant curve, 15
- contact
  - even, 92
  - function, 92, 105
  - infinite, 92
  - $k$  point, 92, 106
  - odd, 92
- control point, 26
- convex, 133
- coordinates, 1
  - standard, 2
- cosine rule, 5
- coupler plane, 182
- crank, 182
- cross curve, 28, 72
- crossed parallelogram, 195
- cubic, 39
  - of stationary curvature, 210
  - Tschirnhausen, 20
- curtate cycloid, 48
- curvature, 64
  - centre of, 109
  - circle of, 109
  - limiting, 73, 102, 104
  - of catenary, 117
  - of circle, 66
  - of cycloid, 68
  - of eight-curve, 72
  - of ellipse, 66
  - of equiangular spiral, 73
  - of graph, 66
  - of hyperbola, 130
  - of limaçon, 68
  - of line, 66
  - of orthotomic, 159
  - of parabola, 68
  - radius of, 109
- curve
  - algebraic, 38, 40
  - Ball, 209
  - Bézier, 26
  - bullet nose, 38
  - clover leaf, 17
  - constant, 15
  - convex, 133
  - cross, 28, 72
  - eight-, 20, 92, 99, 112, 129
  - equitangent, 187
  - equivalent, 84
  - orthotomic, 153, 174
  - parallel, 119, 131
  - parametrized, 13
  - Peano, 13
  - pedal, 159
  - periodic, 17, 133
  - regular, 24
  - rose, 17, 55, 85, 106
  - segment, 16
  - unit speed, 69
- cusp, 100
  - higher, 104
  - of cardioid, 132
  - of cissoid, 104
  - of cycloid, 104
  - of epicycloid, 104
  - of evolute, 131
  - of hypocycloid, 104
  - of involute, 204
  - of limaçon, 101
  - of Lissajous figure, 104
  - of orthotomic, 204
  - of parallel, 131
  - of piriform, 103
  - of semicubical parabola, 99–101
  - of tractrix, 104
  - of trajectory, 203
  - ordinary, 102
- cuspidal cycloid, 48, 68
- cuspidal parameter, 100
- cycloid, 47, 49, 60, 99, 104, 130, 188
  - curtate, 48
  - cuspidal, 48, 68
  - prolate, 48
- cycloidal pendulum, 61
- degree, 38
- degree of freedom, 181
- deltoid, 44, 161, 179
- Descartes' folium, 41, 73
- de Casteljau, 26
- Diocles, 40
- direct isometry, 80
- directrix, 32, 163
- distance, 4, 12
- dot product, 2
- double cardioid, 44
- double slider, 185, 205, 208
- eccentricity, 33
- eight-curve, 20, 92, 112, 129
- ellipse, 33, 34, 37, 38, 46, 68, 111, 127, 142, 149, 159, 172, 195, 197
  - standard, 34
  - standard parametrization, 34

- envelope, 138
- Envelope Theorem, 140
- epicycloid, 44, 114, 144
- epitrochoid, 43
- equiangular spiral, 58, 73, 82, 118, 172
- equidistant, 10
- equitangent curves, 187
- equivalent curves, 84
- Euclidean group, 77
- Euclidean structure, 2
- Euler–Savary equation, 203
- evolute, 109, 148, 149
  - of cardioid, 132
  - of catenary, 118
  - of circle, 110
  - of cycloid, 116
  - of ellipse, 111, 118
  - of epicycloid, 114, 118
  - of equiangular spiral, 118
  - of graph, 119
  - of hypocycloid, 114, 118
  - of parabola, 111, 124
  - of semicubical parabola, 112
  - of tractrix, 117
- Existence Theorem, 75
- Factor Theorem, 90, 91, 104
- family
  - one parameter, 137
- fixed
  - centrode, 194
  - circle, 42
  - inflexion circle, 205
  - instantaneous centre, 192
  - plane, 42, 186
  - point, 79
- focus, 32
- Formula
  - Serret–Frenet, 63
- four bar linkage, 182
- Four Vertex Theorem, 135
- frame, 62
  - moving, 62
- Galileo, 16
- Geminus, 40
- generic motion, 194
- generic parameter, 191
- gradient, 99
  - limiting, 99
- Grashof type, 182
- group
  - Euclidean, 77
- half line, 17
- half term, 81
- half turn, 82
- higher vertex, 126
- Huyghens, 61
- hyperbola, 33, 35, 36, 38, 57, 118, 130, 158, 195
  - rectangular, 35
  - standard, 35
- hypocycloid, 44, 114, 144
- hypotrochoid, 43, 55
- incident ray, 166
- indirect isometry, 80
- infinite contact, 92
- inflexion, 69, 95, 96
  - circle, 205
  - of cissoid of Diocles, 73
  - of cross curve, 72
  - of cycloid, 99
  - of Descartes' folium, 73
  - of eight-curve, 72, 99
  - of epicycloid, 71
  - of equiangular spiral, 73
  - of graph, 69, 96
  - of hypocycloid, 71
  - of involute, 207
  - of Kampyle, 73
  - of limaçon, 71, 98, 171, 206, 208
  - of orthotomic, 206
  - of piriform, 70
  - of right strophoid, 73
  - of Serpentine, 97
  - of trajectory, 205
  - of versiera, 70
  - ordinary, 95, 96
- inflexional parameter, 69
- initial time, 184
- Intermediate Value Theorem, 134
- inverse motion, 198
- involute, 59, 114, 207
  - as roulette, 188
  - backward, 61
  - forward, 61
  - of catenary, 61
  - of circle, 59
  - of cycloid, 60
- irregular parameter, 24
- isochronous, 61
- isometry, 77
  - linear part of, 81
  - direct, 80
  - indirect, 80
- Jacobian matrix, 140
- Kampyle of Eudoxus, 73
- length, 3

- limaçon, 46, 68, 71, 98, 101, 129, 159, 206, 208
  - biflexional, 72, 98
  - nodal, 47
  - undulational, 72, 98
  - uniflexional, 98
- line(s), 7, 39
  - coincident, 11
  - direction, 9
  - half, 17
  - intersecting, 11
  - normal, 27
  - orthogonal, 10
  - parallel, 11
  - parametrized, 8
  - segment, 17, 30, 31, 85
  - tangent, 27
- linearly independent, 1
- linkage
  - collapsible, 183
  - four bar, 182
- Lissajous figure, 55, 104
- Lockwood, xvii
- Maclaurin's trisectrix, 23
- members, 137
- mid-point, 10
- mirror, 166
- modulus, 6
- motion
  - congruent, 200
  - conjugate, 201
  - equivalent, 200
  - generic, 194
  - in normal form, 202
  - inverse, 198
  - parametrically equivalent, 200
  - planar, 184
  - smooth, 184
- moving
  - centrode, 194
  - circle, 42
  - frame, 62
  - inflexion circle, 205
  - instantaneous centre, 192
  - plane, 42, 186
- Mukhopadhyaya, 134
- nephroid, 44, 117, 119, 142, 167, 175, 176
- Newton formula, 69
- nodal limaçon, 47
- normal
  - form of a motion, 202
  - line, 27
  - unit, 62
  - vector, 23
- Norwich spiral, 60
- ordinary
  - vertex, 126
- orthogonal
  - bisector, 10, 151
  - line, 10
  - projection, 12
  - vector, 2
- orthotomic, 153, 174, 206
  - as roulette, 188
  - of astroid, 161
  - of cardioid, 159, 161
  - of circle, 154, 159, 175, 179
  - of deltoid, 161
  - of ellipse, 157, 159
  - of epicycloid, 160
  - of hyperbola, 158, 179
  - of hypocycloid, 160
  - of line, 174
  - of parabola, 155, 156, 159, 175
  - of starfish, 161
- oval, 133
- parabola, 27, 33, 37, 53, 68, 107, 111, 124, 126, 127, 148, 156, 159, 163, 175, 176
  - semicubical, 24, 52, 61
  - standard, 34
  - standard parametrization, 34
- parallel
  - curve, 119
  - lines, 11
  - of circle, 123
  - of line, 123
  - of parabola, 120, 123
- parallelogram
  - crossed, 195
- parallelogram law, 5
- parameter, 13
  - change of, 54
  - generic, 191
  - inflexional, 69
  - irregular, 24
  - regular, 24
  - starting, 59
- parametric equivalence, 119
  - of curves, 54
  - of motions, 200
- parametrized
  - curve, 13
  - line, 8
  - set, 15
- part
  - imaginary, 6
  - real, 6
- pedal curve, 159
- pencil of lines, 17, 39, 41, 89, 167, 173, 177
- period, 17
- periodic curve, 17

- phase constant, 55  
 piriform, 24, 70, 103, 130  
 planar  
   mapping, 77  
   motion, 184  
 plane  
   fixed, 42, 186  
   moving, 42, 186  
 point, 1  
   Burmester, 210  
   control, 26  
   fixed, 79  
   tracing, 43, 182, 187  
 polar form, 7  
 Polarization Identity, 6  
 positive definite, 2  
 pre-envelope, 138  
 preserves distance, 77  
 product, 6  
 prolate cycloid, 48  
 Pythagoras Theorem, 5  
  
 quartic, 39  
  
 radius  
   of circle, 14  
   of curvature, 109  
 ratio, 99  
 reflected ray, 166  
 reflective property  
   for a hyperbola, 172  
   for a parabola, 176  
   for an ellipse, 172  
 reflexion, 152  
   central, 81  
   of a curve, 153  
 regular  
   curve, 24  
   parameter, 24  
 reparametrization, 54  
 rhodonea, 17  
 right strophoid, 15, 73, 156  
 Rolle's Theorem, 128  
 rose curve, 17, 22, 24, 55, 85, 106  
 rotation, 80  
 rotational part, 184  
 roulette, 42, 187  
  
 scalar, 1  
 scalar product, 2  
 scaling factor, 79  
 self crossing, 21  
 semiaxis  
   major, 34  
   minor, 34  
 semicubical parabola, 24, 52, 61, 99–101,  
   103, 112  
  
 Serpentine, 97, 131  
 Serret–Frenet Formulas, 63  
 similarity, 79  
 simple harmonic motion, 55  
 singular set, 140  
 smooth motion, 184  
 source, 151, 153, 166  
 special Euclidean group, 80  
 speed, 50  
 spiral  
   equiangular, 73, 82, 172  
   Norwich, 60  
   pole of, 82  
 spirograph, xvii, 42  
 standard  
   basis, 1, 5  
   coordinates, 2  
   ellipse, 34  
   equiangular spiral, 83  
   hyperbola, 35  
   parabola, 34  
 starfish, 44, 161  
 starting parameter, 59  
 strophoid  
   right, 156  
 strophoid, right, 15  
 symmetry, 2  
  
 tangency condition, 139  
 tangent, 106  
   line, 27  
   cuspidal, 100  
   limiting, 99  
   unit, 62  
   vector, 23  
   cuspidal, 100  
 trace, 15  
 tracing point, 43, 182, 187  
 tractrix, 28, 61, 104, 117  
 trajectory, 182, 184  
 translation, 77  
 translational part, 184  
 Triangle Inequality, 3, 4  
 trisectrix of Maclaurin, 23  
 trochoid, 42, 49, 187  
 Tschirnhausen cubic, 20, 27  
  
 undulation, 95, 98, 181, 207  
   of limaçon, 208  
   of trajectory, 207  
 uniflexional limaçon, 98  
 Uniqueness Lemma, 66  
 Uniqueness Theorem, 87  
 unit  
   speed, 57  
   vector, 4

Cambridge University Press

978-0-521-01107-5 - Elementary Geometry of Differentiable Curves: An Undergraduate Introduction

C. G. Gibson

Index

[More information](#)

216

variability condition, 138  
vector, 1  
  normal, 23  
  orthogonal, 2  
  tangent, 23  
versiera, 39, 57, 70, 131  
vertex, 126  
  higher, 126  
  of cardioid, 132  
  of catenary, 131  
  of cycloid, 130  
  of eight-curve, 129  
  of ellipse, 34, 127  
  of graph, 128, 130  
  of hyperbola, 35, 130  
  of limaçon, 129

*Index*

  of oval, 135  
  of parabola, 34, 126, 127  
  of piriform, 130  
  of Serpentine, 131  
  of trajectory, 209  
  of versiera, 131  
  ordinary, 126  
  
Watt four bar, 181  
  
zero, 89  
  *k*-fold, 91  
  of finite multiplicity, 91  
  of infinite multiplicity, 91  
  repeated, 91  
zero set, 40