
Subject Index

- Abelian property of Laplace transform, 77
- AIDS, 154
 control by education, 176
 diagnoses in Australia, 158, 172
 forecasts
 back-projection method, 168, 173
 extrapolation method, 158, 161
 treatment dependent, 159
 incidence, vs. HIV incidence, 168
 incubation period, 168
 gamma distribution, 170
 Weibull, 169
 transfusion induced infection, 169
 WHO definition, 159
See also HIV
- Anopheles* mosquito, 46
 infestation level for endemicity of malaria, 47
- Aycock's measles dataset, 14
 model-fitting, 174
- back-calculation method, 170
- Basic Reproduction Ratio R_0 , 17, 38,
 42, 85, 87, 89
 characteristic equation root, 90
 determines vaccination level, 180
 eigenvalue, 181, 192
 epidemic in households, 192
- Berthollet, C. L., 6
- Bessel function, 63
- beta distribution, 116, 166
- binomial probabilities, 106
 Bin(\cdot) notation, 89, 106
- birth-and-death process, 42, 73, 102
 approximates S–I–R epidemic, 74
 forward Kolmogorov equations, 74
 j th-generation descendants, 102
 limit conditional behaviour, 102
- birth process, 57
- bivariate Markov chain
 in chain binomial model, 107
- branching process on finite graph,
 model for epidemic, 123, 137
See also Galton–Watson branching process
- Breslau, 6
- Britain, 1
- carrier-borne model, deterministic, 45
 compared with general epidemic, 45
 control, 45
 Law of Mass Action, 45
 modified quasi general epidemic, 55
 removal process, 45
- carrier-borne epidemic, stochastic, 94
 death process in, 94, 97, 99
 duration, 98
 first moment comparison with deterministic model, 104
 forward Kolmogorov equations, 95, 99
 p.g.f. method, 95
 ultimate size distribution, 98, 132
- chain binomial epidemic, 11, 105, 162
 definition, 107
 fitted to household data, 162
 for inference in epidemics, 107, 162

- chain binomial epidemic (*cont.*)
 non-infection rate α , 106, 115
 reason for name, 12, 105
 relation to binomial distribution, 107
 varying infection probabilities, 115, 164
 with replacement, 118
See also Greenwood model, Reed–Frost model
- Chapman–Kolmogorov equations, 81
- characteristic equation, 90
- chickenpox data, 14
- childhood mortality, 3, 6
- closed population, 9
- common cold, 20
 Heasman’s household data, 166
 fitted by chain binomial, 164
- communities, interacting, epidemic in, 90
 embedded jump technique, 104
 in m households, 91, 92
 asymptotics for large m , 93
 generation-wise evolution, 92
- comparative death risks, 2
- comparison of epidemic outbreaks, 33
- competing risks, 3
- contact, infectious, time of, 106
- contagious infection, idea of, 8
 mechanism, 15
- control of epidemic, 13, 175
 cost minimization, 176, 178
 education, 176
 immunization, 13, 179
 raising public awareness, 176
 screening and quarantine, 184
- costs of epidemic, 13, 178
- criticality condition, epidemic and branching process, 88
- cumulative hazard, 3
- death, causes of, 2
 infant mortality, 3, 6
- death process, 57
- death rate, *per capita*, 3
- death risks, comparative, 2
- deterministic model
 approximate stochastic model, 11, 85
 fitting epidemic data, 154
 from stochastic prototype, 85
 d.e.s. for first moments, 68, 104, 153
 deterministic vs. stochastic methods, 56
 modelling, 85
 stochastic lag, 101
- differential equations
 hypergeometric, 65
 Lagrange’s solution method, 75, 100
 partial, for carrier-borne p.g.f., 96
 partial, for S–I p.g.f., 65
 partial, for S–I–R p.g.f., 68
- discrete time general epidemic, 55
 deterministic model, 48
- discrete time stochastic models, 85, 105
- distribution of infectious contacts, 124
- doubly stochastic Markov process, 95
- doubly stochastic Poisson process, 95
- drug users, HIV incidence among, 177
- duration time of epidemic
 carrier-borne model, 99
 general epidemic, 83, 104
 pairs-at-parties model, 127
 phase decomposition, 63, 104
 Reed–Frost, 113
 simple epidemic variant, 130
- replacement model, 120
- simple epidemic, distribution of, 62
 asymptotic behaviour, 63
 Laplace–Stieltjes transform, 62
 mean and variance, 101
- embedded jump process, 79
 Chapman–Kolmogorov equations, 81
 intermediate states, 81
 rumour models, 141
 state probability computation, 103
 transition probabilities, 80
- embedded random walk, 125
- emigration–immigration model, 118
- endemic infection distribution, 121
- end of epidemic, 12, 20, 21

- endemic disease, deterministic model, 46
- emigration–immigration, 120
- stationary point, 47
- stable vs. unstable, 47
- vector-borne disease, 46
- epidemic,
 - control of spread, 13
 - end of, 12, 20, 21
 - generation-wise evolution, 38
 - intensity of, 33, 38, 74
 - medical costs, 13
 - overlapping, 105
 - phase of, 63
 - total size, prediction, 13
 - See also* ultimate size of epidemic
- epidemic curve, 22, 33
 - fitted by Pearson curve, 8
 - influenza mortality data, 50, 157
- epidemic duration, *See* duration time of epidemic
- epidemic in family, 56
 - chain binomial models, 107
- epidemic in prison, 185
 - costs of control policy, 190
 - endemic infection level, 187, 189
 - prison-and-city model, 187
 - quarantine policy, 189
 - single-prison model, 186
- epidemic in stratified population
 - community of households, 92, 192
 - general epidemic, deterministic, 35, 53
 - threshold phenomenon, 37
 - general epidemic, stochastic, 85
 - immunization effects, 181
 - threshold phenomenon, 89
 - interacting communities, 90
 - pairwise contact rates, 23, 36, 86
 - simple epidemic, deterministic, 23
- epidemic model with replacement, 118
 - See* emigration–immigration model
- epidemic model, stochastic,
 - See* stochastic epidemic model
- epidemic model uses
 - evaluate biological control, 51, 175
 - evaluate changing scenario, 154
 - explain data, 154
 - predictions from, 154
 - working model for prediction, 175
- epidemic modelling
 - aims, 13
 - discrete vs. continuous time, 48
 - time-grouped data, 48
- epidemic models,
 - Gart, 53
 - See also named model types:*
 - carrier-borne epidemic, stochastic
 - chain binomial epidemic
 - emigration–immigration model
 - epidemic in stratified population
 - general epidemic, deterministic
 - general epidemic, stochastic
 - pairs-at-parties
 - simple epidemic, deterministic
 - simple epidemic, stochastic
- epidemic process, 15
- epidemic with carriers, *See* carrier-borne epidemic
- epidemics in Britain, 1
- equilibrium level in endemic epidemic, 47
- Erehwemos, 177
- Euler's constant, 58
- Euler's formula, 63
- exchangeable mixing of population, 126
- extinction probability
 - general epidemic, approximation, 73
 - S–I–R epidemic, stratified population, 87
- extrapolation forecasting
 - empirical basis, 158
 - limitation, 158
 - superseded by back-calculation, 161
- extreme value distribution, 101, 169
- final size, *See* ultimate size of epidemic
- finiteness of population, effect on generation number distribution, 44
- first passage time r.v.s, 81
- fitting data
 - chain binomial model, 114
 - deterministic model, 154
 - stochastic model, 154

- forward Kolmogorov equations
 birth-and-death process, 74
 carrier epidemic, 99
 general epidemic approximation, 74
- Galton–Watson branching process, 44, 88, 125
 embedded in random walk, 125
- gamma distribution
 AIDS incubation period, 170
 gamma, Euler’s constant, 58
 gamma function, 63
 Laplace transform of duration of S–I epidemic, 101
- Gart epidemic model, 53
- general epidemic, deterministic, 9, 27
 branching process on graph, 123
 comparing several outbreaks, 33
 d.e.s. approximate first moments, 68
 discrete time, 55
 fitting influenza data, 155
 in stratified population, 35, 53
 cross-infection mechanism, 38
 differential equations, 36
 removal rate vector, 37
 solution curve (trajectory), 37
 threshold theorem, 37
 total size, 37
 transmission matrix, 37
 intensity parameter, 33, 38
- Kermack–McKendrick threshold theorem, 29, 37
- latency state, 53
 final size, 53
- realistic for measles, 105
 total size, 29, 37
- general epidemic, intensity of, 33, 38, 76
 total size, ultimate size, 79
- general epidemic, stochastic, 66
 birth-and-death process approximation, 73
 discrete time version, 155
 optimum fit to data, 157
 duration, 84
 extinction probability, 73
 final size distribution, 74
 See also ultimate size of epidemic
- in community of households, 85
 in stratified population, 85
 forward Kolmogorov equations, 86
 infection rates of product form, 103
 inhomogeneity, 86
 multi-type Markovian branching process, 87
 birth-and-death process approximation, 87
 threshold phenomenon, 86, 90
 transition matrix, primitive, 87
 ultimate extinction, 87
- infection parameter, 66
 intensity, 74
- major outbreak, size, 84
 asymptotically normal or Poisson, 84
 variance, 148
- matrix form of d.e.s. for p.g.f., 69
- minor/major outbreak dichotomy, 74, 85
 pairwise infection rates, 86
 removal rates, 86
 transition probabilities, 86
- non-overlapping generations variant, 112
- removal parameter, 66
 relative removal rate, 67
- state probabilities, 66
 transition probabilities, 66
- stochastic lag, 84
- sub- and super-critical behaviour, 82
- ultimate size distribution, 67, 77, 82
 by p.g.f. method, 77
 by embedded jump chain, 81
 Laplace transform methods, 67
- limit behaviour, 75
 geometric, or mixed geometric and normal or Poisson, 84
- variable infectious period, 123
- Whittle’s threshold theorem, 73, 76
- generation number
 average, 42
 finite population effect on, 44
 simple/general epidemic compared, 43
- generation time of disease agent, 17

- generation-wise evolution, 38
- general epidemic, 41
 - non-overlapping generations, 54
 - numbers of infectives, 38, 112, 125
 - general epidemic, 41, 125
 - Kermack–McKendrick model, 125
 - Reed–Frost model, 125
 - simple epidemic, 39, 43
 - Poisson distribution, 39
- German measles data, 14
- graph, structure for epidemic, 123
 - directed links, 123
 - homogeneous mixing, 123
- Graunt's *Bills of Mortality*, 1
- Greenwood model, 105, 111, 162
 - beta density for infection probability, 115
 - fitted to data, 162
 - variable infectivity, 162
 - p.g.f. methods, 108
 - p.g.f. for total size, 110
 - transition probability matrix, 108
- growth (spread) of infection
 - epidemic, 28
 - logistic curve, 20
 - rumour, 134
- Guldberg, 6
- haemophiliacs
 - transfusion-induced AIDS, 170
- hazard rate, 3
 - cumulative, 3
- hierarchical state space, 67
 - See also* well-ordered sample path
- HIV, 46
 - incidence in prison, 185
 - infection data fitted, 173
 - screening, 185
 - seropositives (HIV+), 178, 184, 190
- homogeneous mixing, 7
 - See also* stratification of population
- households, epidemics in, 92, 107, 162, 180
 - Heasman's common cold data, 166
 - optimum vaccination strategy, 182
 - variable infection probability, 115
- hypergeometric function, 65
- ignorants in rumour model, 134
- immunization fraction, 182
- immunization strategies
 - comparison, 182
 - heterogeneous population, 181
 - household, 180
 - optimum level of, 176
 - random, 180
- incubation period, 16
- infant deaths, 3, 6
- infection mechanisms, 46
- infection probability in epidemic model
 - with replacement, 119
- infection rate (or infection parameter), 9, 21, 23, 36
 - affected by life style, 155
 - in parasitic disease, 46
 - Kendall's approximation, 31
 - stratified population, 23, 36
 - variable, 31, 115, 164
 - beta density, 116, 164
- infectious contact, 106, 126
 - as directed link on a graph, 124
 - infection transmission, 127
 - via pair-formation, 127
- infectious path of disease, 184
- infectious period, distribution of, 125
 - effect on total size distribution, 125
 - instantaneous, 105
 - myxomatosis, 50
- infectious state, instantaneous, 4
- infectives, 105
 - distribution in endemic state, 121
 - generations of, 38, 88
- infectivity, variable, 8
 - heterogeneous, 174
 - homo- or heterogeneous spread, 180
 - inference for epidemics models
 - chain binomial models, 107, 162, 164
 - Reed–Frost, 14, 114
- influenza, 49, 156
 - death rate estimate, 156
 - fitting death rates, 156
 - graphical data, 50, 157
 - short infectious period, 156
- initial phase of epidemic, 43
- instantaneous infectious state, 4, 11
- intensity of epidemic, 33, 38, 74

- interacting communities, epidemic in, 90
- intravenous drug users (IVDUs), 179
 - model for epidemic among, 118
 - control via needle exchange, 185
 - needle sharing, 126, 185
- Jensen's inequality, 91
- Kermack–McKendrick epidemic model
 - See general epidemic
- Kermack–McKendrick theorem, 10, 29
 - discrete time deterministic model, 52
 - in control strategy, 176
 - stratified population, 37
 - stochastic analogue, 89
 - Whittle's stochastic analogue, 76
- Kolmogorov equations, forward
 - carrier epidemic, 95
 - general epidemic, 66
 - simple epidemic, 59
 - generating function, 64
- Lagrange's expansion
 - final size distribution, 76
- Lagrange's p.d.e. solution method, 75, 100
- Laplace and Laplace–Stieltjes transforms, 62
 - Abelian property, 77
 - carrier epidemic, p.g.f. method, 99
 - in p.g.f. solution, 68
 - transform ordering, 125
- latent period, 16
 - in S–I–S epidemic, 46
 - myxomatosis, 50
 - relative to infectious period, 54, 105
 - unit of time, 105
- Law of Mass Action, 6
 - deterministic carrier model, 45
 - discrete time, 7
 - deterministic epidemic, 48, 50
 - homogeneous mixing, 126
 - stochastic version, 7
 - stratified population, 36
- logistic equation, 21
 - discrete time analogue, 48
 - pairs-at-parties comparison, 128
 - population growth model, 20
- major outbreak, 29, 34, 77, 84
 - S–I–R epidemic in stratified population, 88
- malaria, 46, 184
 - threshold condition, 47
- Markov chains, 12, 56, 77, 105, 141
- Markov process
 - absorbing/non-absorbing states, 80
 - embedded jump chain, 79
 - exponential holding time, 80
 - first passage time r.v.s, 81
 - strong Markov property, 80
- martingale methods, final size, 145
- Mass Action, See Law of
- maximum likelihood, for fitting chain
 - binomial models, 118
- measles, 46
 - datasets
 - daily, St Petersburg, 18
 - generation-wise (Aycock), 14
 - generation-wise (En'ko), 113
 - monthly, Providence RI, 19
 - weekly reports, 8
 - generation number, 174
 - in households, 161
 - large-scale vaccination, 179
- method of moments, for fitting chain
 - binomial models, 118
- minor outbreak, 29, 77, 84
- mixed binomial r.v.s.
 - number of infectious contacts, 124
- model-fitting of chain binomial
 - maximum likelihood method, 118
 - method of moments, 118
- mumps, 46
- myxomatosis, 50, 52
 - data for rabbits, 52
- non-infection probability, 106
- non-overlapping generations of infectives in general epidemic, 112

- ordering of r.v.s., 125
 - via transforms, 125
- outbreak, major/minor, 29, 34, 77, 84
- overlapping epidemics, 105

- pairs-at-parties epidemic model, 126
 - duration time, 127
 - logistic curve comparison, 128
 - rescaled limits, 132
 - simple epidemic analogue, 128
- pairwise contact rate, 36
- pairwise infection rate, 21, 36
 - discrete time epidemic, 48
 - in stratified population, 23, 36
- parasitic disease spread, 46
- Pearl–Reed, logistic curve, 21
- Pearson curves, epidemic curve fit, 8
- Perron–Frobenius eigenvalue, 122
 - asymptotic behaviour, 131
- Perron–Frobenius theory, 88, 103
- p.g.f. methods
 - general epidemic, 67
 - Laplace transforms, 68
 - Greenwood model, 108
 - number of new infectives, 110
 - ordering of r.v.s., 125
 - rumour models, 149
 - simple epidemic, 63
- phases of epidemic process, 63
- Poisson distribution, mixed, size of
 - generations of infectives, 40, 41, 44
- policy for control, 175
- poliomyelitis, 45
 - large-scale vaccination, 179
- population-size dependence, 51
 - infection rate, 51
- population with immigration
 - stable regime, 186
- predator–prey model, 146
- predicting size of epidemic, 13, 158
- prevention strategy for epidemic, 175
- primitive matrix, 37, 38
- Principle of Diffusion of Arbitrary
 - Constants, 84, 145, 152
- probability generating function (p.g.f.), 63
- Providence RI measles data, 19

- quarantine of infectives, 184
- quasi-stationary distribution in epidemic with replacement, 122

- rabbits
 - calicivirus, 175
 - myxomatosis, 50, 175
- Reed–Frost chain binomial model, 11, 105, 111, 162
 - bivariate Markov chain model, 111
 - binomial transition probabilities, 111
 - transient and absorbing states, 113
 - transition probability matrix, 111
 - partitioned matrix, 112
 - branching process on nodes of a graph interpretation, 123
 - deterministic analogue, 112
 - duration, 130
 - fitted to data, 114, 162
 - χ^2 statistic, 114
 - variable infectivity, 115, 164
 - generations of infectives, 125
 - simple epidemic analogue, 129
- Registrar-General’s Annual Reports, 7
- relative infection rate, 47
- relative recovery rate, 47
- relative removal rate, 9, 28, 67
- removal rate parameter, 9
 - dependent on mode of living, 155
 - stratified population, 36
- removals, generations of, 41, 44
 - in carrier model, 45
- replacement in Greenwood and Reed–Frost models, 118
- reproductiveness, 89
 - See also Basic Reproduction Ratio R_0
- rinderpest in cattle, 7
- rumour models, 133
 - chain letter, 137
 - Daley Kendall (or [DK]), 133, 138
 - (α, p) -variant, 135, 139
 - final size, 142, 146
 - k -fold stifling variant, 135, 151, 152
 - epidemic with forgetting, 136, 152
 - history, 133

- rumour models (*cont.*)
 Maki-Thompson, 135, 151, 152
 directed contact, 135
 final size, 143, 153
 spread, 134
- rumour model analysis
 common deterministic version, 149
 deterministic analysis, 138
 embedded jump process, 141
 embedded random walk, 141
 generation number, 38
 martingale methods, 145
 mechanism interpretation, 136
 no threshold behaviour, 137, 139
 p.g.f. analysis, 149
- Rushton-Mautner simple epidemic, 23
- scarlet fever data, 13
- serial interval, 16, 48
- S-I, S-I-R, S-I-S notation, 56
- S-I epidemic, *See* simple epidemic
- S-I-R epidemic, *See* general epidemic
- simple epidemic, deterministic, 20
 continuous time, 20
 discrete time approximation, 186
 d.e. as first moment analogue, 64
 discrete time, 130
 first passage time, 100
 generations of infectives, 54
 in stratified population, 23, 53
 parametric solution, 24
 Rushton-Mautner solution, 23
 two-community example, 27
- simple epidemic, stochastic, 57
 absorbing state, 57
 termination of epidemic, 61
 discrete time, 105
 duration time, 62
 variance, 101
 pairs-at-parties analogue, 128
 state probabilities $p_i(t)$, 59, 62
 forward Kolmogorov equations, 58
 generating function, 64
 Laplace transforms, 59
 transition probabilities, 57
 transition rate matrix eigenvalues, 60
- size of epidemic, 123
See ultimate size of epidemic
- smallpox
 England epidemic of 1837–39, 7
 eradication, 1
 large-scale vaccination, 179
 population numbers (Bernoulli), 4
- spread of infection
 cessation of spread, 133, 137
 rates in different models, 130
 spreaders in rumour model, 134
- St Petersburg educational institutions,
 measles data, 18, 114
- state probabilities
 carrier epidemic, 95
 general epidemic, 66
 simple epidemic, 58
- stationary point, endemic disease, 47
- stiflers in rumour model, 134
- stochastic epidemic model, 56
 absorbing state, 57
 continuous time, 56
 pairwise infection parameter, 57
 deterministic model, analogue and
 approximation, 11, 12
 discrete time, 105
 prototype of deterministic model, 85
- stochastic lag, S-I epidemic, 101
 S-I-R epidemic, 84
- stratification of population, basis for,
 36
See also epidemic in stratified population
- strictly evolutionary Markov process, 67
 computation of distributions in, 103
 first passage time r.v.s., 103
 sample paths, well-ordered, 67
- super-criticality condition, epidemic
 and branching process, 88
- susceptibility, inhomogeneity, 168
 heterogeneous modelling, 174
- susceptibles, surviving, 11
- Switzerland, 'STOP-AIDS' campaign,
 176
- threshold immunization level
 determined by R_0 , 180
- threshold level for endemicity
 epidemic with replacement, 120
 parasitic disease, 47

- threshold theorem
 - discrete time logistic equation, 49
 - divergent/convergent dichotomy, 38
 - general epidemic, deterministic, 29
 - Kermack–McKendrick, 10, 29, 37
 - parasitic disease, 47
 - stratified population, 86
 - Whittle's, for S–I–R epidemic, 73, 76
- total size, *See* ultimate size of epidemic
- transition probability matrix
 - for chain binomial model, 107
 - Greenwood model, 108
 - lower triangular, 109
 - Reed–Frost model, 111
- transmission rate
 - in parasitic disease, 46
- tuberculosis, 45
- typhoid, 45
- ultimate size of epidemic, 77, 123
 - vs. total size, 79
 - distribution, 125
 - carrier epidemic, 132
 - general epidemic, 67, 79
 - Greenwood model, p.g.f., 110
 - infectious period dependent, 125
 - with latency state, 53
 - rumour models, 141
 - several initial infectives, 131
 - distribution, computation method
 - embedded jump process, 67, 79
 - embedded random walk, 125
 - Laplace transform, 67, 77
 - martingale for moments, 146
 - p.g.f. methods, 67
- unit matrix, 59
- vaccination, large-scale
 - measles, poliomyelitis, smallpox, 179
- variable infectivity, 8
- variolation, 3
 - advantages of, 6
- Verhulst logistic model, 20
- Waage, 6
- Weibull distribution
 - AIDS incubation period, 169
- well-ordered sample path, 67, 81
 - first-passage time r.v.s., 81, 103
 - moments, 81, 103
 - intermediate state probabilities, 81
 - rumour, 141
- Whittle's threshold theorem, 73, 76
 - S–I–R epidemic in stratified population, 87
- Wrocław, 6