

This book discusses the structure and dynamical properties of quantized vortex lines in superfluid helium-4 in the light of research on vortices in modern fluid mechanics. It is intended for researchers and graduate students in both fields, and it is the first book to give a comprehensive treatment of the problem.

Vortex motion is a huge subject which has permeated physics for centuries, and the author begins his discussion with a review of the knowledge of classical fluid dynamics which is relevant to the main topics of the book. This is followed by a presentation of basic material on helium II and quantized vortices, giving some historical background and establishing the language and principal phenomenology of the subject. The following chapters deal with different aspects of the subject including vortex dynamics and mutual friction, the structure of quantized vortices and their interaction with helium-3 atoms and ions, vortex arrays, and vortex waves, which are now a major preoccupation in superfluidity. The book concludes with substantial introductions to two currently active topics, namely superfluid turbulence and the nucleation of quantized vortices. Both quantum tunnelling and thermal activation nucleation processes are discussed, including the Kosterlitz-Thouless transition in thin films.

The comprehensive approach provided by the author will make this an invaluable book for students taking advanced undergraduate or graduate courses, and for all those involved in research on classical and quantum vortices.



CAMBRIDGE STUDIES IN LOW TEMPERATURE PHYSICS

EDITORS

A. M. Goldman

Tate Laboratory of Physics, University of Minnesota

P. V. E. McClintock

Department of Physics, University of Lancaster

M. Springford

Department of Physics, University of Bristol

Cambridge Studies in Low Temperature Physics is an international series which contains books at the graduate text level and above on all aspects of low temperature physics. This includes the study of condensed state helium and hydrogen, condensed matter physics studied at low temperatures, superconductivity and superconducting materials and their applications.


- 1 D. S. Betts An Introduction to Millikelvin Technology
- 2 A. B. Pippard Magnetoresistance in Metals
- 3 R. J. Donnelly Quantized Vortices in Helium II



CAMBRIDGE STUDIES IN LOW TEMPERATURE PHYSICS 3

Quantized vortices in helium II






Lars Onsager: 1903-76. Photo: Author.



Quantized vortices in helium II

RUSSELL J. DONNELLY

Department of Physics, University of Oregon Eugene, Or. 97403



CAMBRIDGE UNIVERSITY PRESS
CAMBRIDGE
NEW YORK PORT CHESTER MELBOURNE SYDNEY



CAMBRIDGE UNIVERSITY PRESS

Cambridge, New York, Melbourne, Madrid, Cape Town, Singapore, São Paulo

Cambridge University Press The Edinburgh Building, Cambridge CB2 2RU, UK

Published in the United States of America by Cambridge University Press, New York

www.cambridge.org

Information on this title: www.cambridge.org/9780521324007

© Cambridge University Press 1991

This book is in copyright. Subject to statutory exception and to the provisions of relevant collective licensing agreements, no reproduction of any part may take place without the written permission of Cambridge University Press.

First published 1991

This digitally printed first paperback version 2005

A catalogue record for this publication is available from the British Library

Library of Congress Cataloguing in Publication data

Donnelly, Russell J.

Quantized vortices in helium II/Russell J. Donnelly.

p. cm.—(Cambridge studies in low temperature physics)

Includes index.

ISBN 0-521-32400-9 (hardback)

1. Liquid helium. 2. Superfluidity. 3. Vortex-motion.

I. Title. II. Title: Quantized vortices in helium, two.

III. Title: Quantizes vortices in helium, 2. IV. Series.

QC175.4.D58 1990

536'.56—dc20 90-2047 CIP

ISBN-13 978-0-521-32400-7 hardback

ISBN-10 0-521-32400-9 hardback

ISBN-13 978-0-521-01814-2 paperback ISBN-10 0-521-01814-5 paperback



To the memory of Lars Onsager and Richard P. Feynman



Contents

	Pre	face	XV	
1	Background on classical hydrodynamics			
	1.1	Equations of motion, potential flow and vorticity	1	
	1.2	Creation of vorticity in classical viscous flow	8	
	1.3	Vortices	12	
	1.4	Rotating fluids	16	
		1.4.1 Equations of motion in a rotating frame,		
		Rossby and Ekman numbers	16	
		1.4.2 Spin-up	17	
	1.5	Laboratory generation of thin line vortices	19	
	1.6	Dynamics of classical vortex rings and the localized		
		induction approximation	22	
	1.7	Waves on vortex lines and rings: stability of		
		vortices	28	
		1.7.1 Helical waves of constant amplitude	28	
		1.7.2 Solitary kink waves	31	
		1.7.3 Instability of parallel vortices	33	
	1.8	Bénard convection and Taylor-Couette flow	35	
	1.9	Brownian motion and escape over barriers	38	
2	Background on liquid helium II			
	2.1	The two-fluid model	42	
	2.2	Elementary excitations in helium II	45	
	2.3	First ideas about quantized circulation and vortices	48	
		2.3.1 Onsager's quantization of circulation	48	
		2.3.2 Feynman vortices	50	
	2.4	Early experimental evidence for quantized vortices		
		and circulation	53	
		2.4.1 Minimization of free energy	53	



x Contents

		2.4.2 Second sound and quantized vortices. Mutual		
		friction	55	
		2.4.3 Experiments on quantized circulation	58	
	2.5	2.4.4 Vortex-free rotation of the superfluid	62	
	2.5	Ions and vortices: evidence for quantized vortex	(2	
		rings and lines	63	
		2.5.1 Experiments on quantized vortex rings	63 65	
	26	2.5.2 Experiments on quantized vortex lines Rotation of an annulus	66	
		Vortex waves	69	
		Quantum mechanics and superfluidity. Phase slip	72	
	2.0	2.8.1 The Bose gas	72	
		2.8.2 The Bose condensate	73	
		2.8.3 The Madelung transformation	75	
		2.8.4 Ginzburg-Pitaevskii theory	82	
		2.8.5 Phase slip	83	
3	Vortex dynamics and mutual friction			
	3.1	Vortex dynamics	86	
	3.2	Uniformly rotating helium II	91	
	3.3	Frequency and velocity dependence of B and B' .		
		Temperature dependence of the coefficients of		
		mutual friction	92	
	3.4	Microscopic form of mutual friction and the		
		Iordanskii force	93	
		The lifetime and range of vortex rings	105	
	3.6	Axial mutual friction, the vortex-free strip and		
		metastability	108	
4	The	e structure of quantized vortices	112	
	4.1	Vortex rings in helium II	112	
		Vortex rings in a Bose condensate	114	
	4.3	The bound excitation model	118	
	4.4	The Hills-Roberts theory	121	
	4.5	Interactions of ions and of vortices	127	
	4.6	The mobility of ions along vortices	132	
	4.7	³ He condensation onto vortex cores	135	
5	Vortex arrays			
		Vortex arrays in a rotating bucket	143	
	5.2	Photographs of vortex arrays	145	



	Con	tents		xi	
	5.3	Vorte	ex arrays in a rotating annulus, stability of the		
		flow		147	
			Entry of vortices	147	
			Stability of the flow	154	
			morotation effects	156	
			ex pinning	160	
			Neutron stars	160	
			Experiments on vortex pinning	164	
			Simulation studies of vortex pinning	169	
		_	up and the vortex-surface interaction	170	
			Spin-up in helium II	170	
			Experiments on the vortex-surface interaction	171	
	5./	Kemi	nant vortices in helium II	177	
6	Vortex waves				
	6.1	Wave	es on isolated vortices	179	
	•	6.1.1	Helical waves of constant amplitude	179	
	+	6.1.2	Experimental determination of the dispersion		
			for helical waves	182	
	•	6.1.3	Solitary waves; sideband instability of Kelvin		
			waves	184	
	6.2 Collective effects of Tkachenko waves on infinite				
			x arrays	187	
			Rajagopal's calculations	187	
		6.2.2	A simple calculation of motion of vortices in		
			a Tkachenko wave	189	
			Combined Tkachenko and bending waves	191	
			Macroscopic hydrodynamic equations	194	
			Equations of Baym and Chandler	196	
		6.2.6	Experimental investigation of Tkachenko		
			waves	199	
			ective effects - finite vortex arrays	204	
			rtex instability	208	
			mally induced vortex waves	211	
	6.6	Effec	t of mutual friction on vortex waves	212	
7	Superfluid turbulence				
	7.1	Back	ground	215	
	7.2	Appl	ication of vortex dynamics to superfluid		
		turbı	ılence	217	
		7.2.1	Dimensionless form of vortex dynamics	217	



xii Contents

	7.2.2 Dynamical similarity	218
	7.2.3 Anisotropy of the vortex tangle	220
	7.2.4 Applications of dynamical similarity	221
7.3	Numerical simulation of a vortex tangle	225
	7.3.1 Vortex reconnections	225
	7.3.2 Computational considerations	227
	7.3.3 Results of numerical simulations	229
7.4	Production, measurement and analysis of superfluid	
	turbulence	230
	7.4.1 Devices for producing turbulence in the	
	superfluid	230
	7.4.2 Second sound and temperature difference	
	measurements in a wide channel	231
	7.4.3 Production of turbulence in narrow channels	236
	7.4.4 Analysis of counterflow experiments	236
	7.4.5 Shock wave apparatus	238
	7.4.6 Ion measurements in a wide channel	239
	7.4.7 The normal jet	240
	7.4.8 Ultrasonically generated turbulence	242
	7.4.9 Injected turbulence	244
7.5	Observed properties of counterflow turbulence and	
	their interpretation	244
	7.5.1 Classification of turbulent superfluid flows	244
	7.5.2 Anisotropy of the vortex tangle	249
	7.5.3 Intrinsic fluctuations	252
	7.5.4 Study of more general flows	254
The	ermal activation and nucleation of quantized vortices	255
	Extrinsic and intrinsic nucleation processes	255
8.2	The nucleation energy barrier	256
8.3	Intrinsic thermal nucleation of vortex rings	260
	8.3.1 Homogeneous nucleation theory	260
	8.3.2 Decay of a superflow in a toroidal geometry	263
	8.3.3 Comparison of the homogeneous nucleation	
	theory with experiment	266
8.4	Vortex motion in porous media	269
	8.4.1 The competing barrier model	269
	8.4.2 Vortex nucleation in porous media	274
8.5	Nucleation of vorticity by tunnelling	277
	8.5.1 Motion of ions in helium II	277

8



	Coi	ntents	Xiii
		8.5.2 Calculations of critical velocities and energy barriers at $T = 0$	279
		8.5.3 Equations of motion and quantum mechanics	
		for vortices in a thin film	282
		8.5.4 The nucleation of a vortex at the edge of a	
		thin film by quantum tunnelling	285
		8.5.5 Application to nucleation of vorticity by a	
		moving ion	288
		8.5.6 The experimental situation	289
		8.5.7 Direct experiments on nucleation by	
		tunnelling	292
	8.6	The effect of dissolved ³ He on vortex nucleation	
		from ions	295
		8.6.1 Ions and ³ He	295
		8.6.2 The binding of a ³ He atom to the negative	
		ion bubble	296
		8.6.3 Binding of a ³ He atom to a vortex line	298
		8.6.4 Vortex nucleation by a negative ion	
		containing one or two adsorbed ³ He atoms	299
		8.6.5 The predicted nucleation rates and a	
		comparison with experiment	300
	8.7	Vortex arrays and vortex dynamics in thin films	302
		8.7.1 Two-dimensional superfluidity	302
		8.7.2 Kosterlitz-Thouless theory	303
		8.7.3 Linear dynamic theory	308
		8.7.4 Finite amplitude effects	310
		8.7.5 Vortex diffusivity in two dimensions	313
		8.7.6 Experiments on thin films	314
Referen	ices		323
Index			343

CAMBRIDGE



Richard P. Feynman: 1918-88. Photo: Archives of the California Institute of Technology.



Preface

Research on the properties of superfluid ⁴He has fascinated physicists ever since the discovery of superfluidity in 1939 by Allen and Misener and Kapitza. For many years the two-fluid model and its ramifications were a vigorous area of research even though a microscopic theory of the fluid was not forthcoming. The subject has always been attractive to graduate students because of the fascinating combination of skills required for its understanding: quantum mechanics, statistical mechanics and hydrodynamics. With the passage of time and with the advent of new discoveries such as the superfluidity of ³He the study of the two-fluid model and related properties has rightfully lost its place in center stage in low temperature physics, but in its place has emerged a valuable, and I think enduring, discipline: namely the study of specific issues where the unique properties of liquid helium offer a testing ground often unmatched elsewhere in nature. For example, we have the study of critical phenomena near the lambda transition of ⁴He and its influence on the whole subject of phase transition experiments and theory. We have inelastic neutron scattering and its influence on such matters as the theory of elementary excitations and the question of Bose condensation. We have the study of quantized vortex line turbulence coming along as a new branch of turbulence research. Further examples are Bénard convection experiments in liquid helium and mixtures of ³He in ⁴He, and the development and testing of rigorous theories of the hydrodynamical properties of helium II, to mention only a subset of the wide range of topics being pursued today.

In the earlier days of liquid helium research there were several attempts to summarize all the known knowledge of the subject, beginning with Keesom's *Helium*. There followed Atkins', Wilks' and Keller's books each of which included extra topics such as mixtures of ³He in ⁴He and solid helium, and my own brief lecture notes at the University of Chicago



xvi Preface

written by William Glaberson and the late Peter Parks. The next major attempt to summarize the state of knowledge was that of Benneman and Ketterson, a two volume set with chapters by a group of many authors.

This book is a reflection of the tendency we have mentioned above, namely to consider modern research in ⁴He physics as pertinent to the development of certain specialized topics. Our subject is vortices. Vortex motion is a huge subject which has permeated physics for centuries. We begin our discussion with a review of the knowledge of classical fluid dynamics relevant to the main topics of the book. Since so much of what we know about quantized vortices comes from classical fluid dynamics, we gain perspective by choosing this as a way to begin. On the other hand, the topics of Chapter 1 are a collection of disparate results which do not easily fit together as a single subject. Readers might well omit some of the specialized topics in Chapter 1 and refer back to them as needed to illustrate specific discussions of vortices in liquid helium. Chapter 2 contains basic material on helium II and quantized vortices, giving some historical background and establishing the language and principal phenomenology of the subject. Chapter 3 considers vortex dynamics and mutual friction, the force coupling the motion of the normal and superfluid components. Chapter 4 provides a discussion of the structure of quantized vortices and the interaction of ³He and ions with vortices. Chapter 5 contains a discussion of distributions of vortices in helium II and various theories of their arrangements in steady flows. Vortex waves have become a major preoccupation in superfluidity which is discussed in Chapter 6. The book concludes with brief introductions to two specialized and currently active subjects, namely superfluid turbulence and the problem of the nucleation of quantized vortices. Thermal activation processes are discussed including the Kosterlitz-Thouless transition in thin films.

The purpose of this book is to acquaint the reader with modern research in vortices in liquid helium in the context of current vortex research in classical fluids. The background assumed is a knowledge of statistical and quantum mechanics at the beginning graduate level as well as some fluid mechanics.

Acknowledgements

Subjects in physics such as superfluidity progress because of the efforts of a very sizeable community of scholars.



Preface xvii

Every one of us in indebted to the memory of Lars Onsager and Richard Feynman who almost overnight laid down the basic and enduring concepts of quantized vortices.

William F. Vinen and Henry E. Hall were the pioneering physicists who took the theoretical ideas of Onsager and Feynman designed experiments and interpreted the results in a way which has been of use to the field ever since. As Feynman once remarked to me: 'They made it real.'

I am personally indebted to my teachers and colleagues who have worked with me on vorticity over many years: Cecil T. Lane and Lars Onsager (my advisors), Joe Vinen, Subrahmanyan Chandrasekhar, Paul Roberts, Chris Jones, Ron Hills, Bill Glaberson, Klaus Schwarz, Carlo Barenghi and Tony Maxworthy. My graduate students who have worked on liquid helium with me include Howard Snyder, Brian Springett, David Tanner, Klaus Schwarz, Bill Glaberson, Peter Parks, Don Strayer, Michael Cromar, Bob Walden, Carlo Barenghi, Charles Swanson, Rabi Wang, John Pfotenhauer, Tom Wagner, Ben You, David Samuels, Paul Bunson and Greg Bauer. A number of persons mentioned were kind enough to review parts of the manuscript for me at various stages.

I am grateful to Bill Glaberson and North-Holland Publishing for permission to quote extensively from our joint article on vortices in *Progress in Low Temperature Physics*. This article formed the basis from which this book evolved. Many of the insights in that review and this book came from his ideas, research and graduate students.

I am forever indebted to Paul Roberts and Joe Vinen who have collaborated with my research group throughout my career and whose ideas and critical insight have been invaluable in preparing this account of quantized vortices.

The research in my group has been supported continuously since 1962 by the National Science Foundation Low Temperature Physics Program. NSF support has made it possible to undertake the sustained effort required to work effectively in low temperature physics.

The manuscript, in process for several years, was typed by Marirose Radostitz and Rachel Sewell. Most of the drawings were prepared by Sally Donovan. I have been fortunate in having such expert assistance.