

Index

- A23187, 139, 141
Abelson tyrosine kinase, *see Abl*
ABGP, 97
Abl tyrosine kinase, 156
aCC, 110
acetylcholine, 89, 144, 159, 163, 164, 167
acetylcholine receptor, 167–173
 aggregation, 167–172
 inducing activity, *see ARIA*
 nicotinic, 89
acetylcholinesterase, 167
actin, 52, 152, 153, 158
 α -actin, 53
 β -actin, 53
 biotinylated, 63
 F-actin, 30, 35, 48, 52, 60
 filaments (*see also* microfilaments), 122, 148, 150, 153, 154
 G-actin, 52, 59, 61, 64
 γ -actin, 53
 α -actinin, 56, 98
active zones, 170
ADF, 56
aggrecan, 102
agrin, 167, 170–172
AL-1, 122
anterior commissure, 122
anterior corner cell, 110
apCAM, 97, 148
arachidonic acid, 146
ARIA, 170
axonin-1, 83, 97, 105, 135
axonal branching, 89, 125
axonal transport, 79
 fast, 32, 151
 axonogenesis, 50, 151, 155
axons, 1, 3, 52
 cortico-spinal, 129
 guidance cues, 80, 81, 137
 regenerating, 122, 151, 169
B5 neurons, 140, 164
B19 neurons, 140, 149, 164
B50, 151
back-branching (*see also* collateral sprouting), 12, 14, 15, 129
BAPTA, 141
barrel fields, 100
basal bodies, 31
basal lamina, 65, 93, 94, 99, 102, 103, 166, 170, 171
BDNF, 126, 144, 159
BEN, 83
blueprint hypothesis, 87
branchial arches, 118
bravo, 83
Bray, 12
bristle neurons, 96
Burrows, 7
2,3-butanedione-2-monoxime, 70
C3 transferase, 158
cadherins, 83, 112
 cadherin repeats, 113
DN-cadherin, 83, 113
E-cadherin, 83, 112, 113
N-cadherin, 83, 95, 105, 107, 112, 113, 145–147
P-cadherin, 83, 112
R-cadherin, 83

256 INDEX

- cadherins (*cont.*)
 - T-cadherin, 83, 113, 119
 - calcineurin, 112, 149, 150
 - calcitonin gene-related peptide, 170
 - calcium, 90, 138, 139, 142, 149, 150–151, 165, 166
 - ATPases, 141
 - influx, 89
 - ionophores, 139
 - ligand-gated channels, 142
 - set-point hypothesis, 141
 - voltage-gated channels, 89, 142, 146, 163, 165
 - L-type, 142–145
 - N-type, 142, 145
 - T-type, 142
- caldesmon, 56, 150
- calmodulin, 138, 149, 150, 152, 155
- calmodulin-dependent protein kinase II, *see* CaM kinase II
- calspectrin, 56, 150
- CaM kinase II, 146, 149, 150
- cAMP, 135, 138, 159
- catenins, 113
- CD8 α , 72
- cell adhesion molecules, 142, 145, 146
- centrosome, 31, 38
- cerebellar granule cells, 107, 147, 162
- cerebral cortex, 77, 84, 94, 122, 123, 129, 166
- chemoaffinity hypothesis, 80
- chemoattractants, 134
- chemorepellents, 116, 121–123, 130
- chemotaxis, 123
- chemotropic, 123, 124, 127, 128
- chemotropic, 5, 127–129
- chemotropic factors, 123, 126, 129
- chloride channel, 166
- choice assay, 91, 137
- choice points, 17, 76, 79
- cholesterol, 154
- chondroitin sulphate proteoglycan, 82, 102, 103
- ciliary ganglion neurons, 171
- cis*-interaction, 105
- climbing fibres, 162
- C neurons, 109
- coated vesicles, 26
- cobalt ions, 165
- cofilin, 56
- colcemid, 33, 40
- colchicine, 33
- colchicine-tubulin, 33, 37, 39
- collagen, 82, 87, 88, 93, 95, 98, 99
 - gel cultures, 127, 129–133
- collapsing factors, 116
- collapsins, 85, 116, 135
 - collapsin-I, 85, 116, 120, 122, 157, 159
 - receptors, 119
- collateral sprouting (*see also* back-branching), 12, 90, 129
- comm*, 136
- commissural interneurons, 76, 128–131, 133, 135, 163
- commissures, 156
- commissureless*, 136
- contact inhibition, 8, 20
- contactin, 83, 97, 101, 105
- corpus callosum, 108, 109, 133
- cortical plate, 76
- corticospinal tracts, 108
- CRMP-62, 120
- CRY α , 97
- cycasin, 162
- cyclic adenosine monophosphate, *see* cAMP
- cyclosporin A, 149
- cytochalasin, 47, 58, 59, 61, 64–67, 79
- cytoplasmic dynein, 49
- cytoskeleton, 137
- 8D9, 83, 97
- Dcc receptor, 97, 133–135
- decision regions, 17, 76
- de-fasciculation, *see* fasciculation
- dendrites, 1, 3, 32, 52, 71
 - spines, 162
- diacyl glycerol, 138, 146
 - lipase, 145, 146
- dibutyryl cyclic-AMP, 138
- DiI, 79
- dilute-lethal* gene, 70
- DiO, 79
- DLAR, 97
- DM-GRASP, 83
- dMP2, 110, 111
- dorsal root entry zone, 114
- dorsal root ganglion cells, 113, 114, 116, 118, 120, 130, 141, 149, 150, 154, 155, 157
- DPTP69D, 97
- D-tubocurarine, *see* tubocurarine
- ectopic neurons, 77
- Eek, 122
- electric fields, 88, 89
- electron microscopy
 - of growth cones, 21
 - scanning, 21
- end-feet, 86, 102, 106
- end-plate, 169
- endocytosis, 7
- endoplasmic reticulum, *see* smooth endoplasmic reticulum
- Eph receptors, 120, 135
 - EphA, 97, 121
 - EphA5, 122
 - EphA8, 122
 - EphB, 97, 121
 - EphB2, 108, 121, 122
 - EphB3, 108, 122
- ephrins, 135
 - ephrin-A5, 121, 122
 - ephrin-B1, 122
- ERM proteins, 56

- extracellular matrix molecules, 90
- ezrin, 51, 52, 56
- F1, 151
- F3, 83, 97, 101, 105
- F11, 83, 97, 101, 105
- fasciclin, 83, 111
 - fasciclin I, 83, 111, 112, 156
 - fasciclin II, 83, 97, 104, 111, 112
 - fasciclin III, 83, 97, 111, 112
 - fasciclin IV, 83, 85, 111, 116
- fasciculation, 19, 81, 84, 86, 88, 96, 103, 104, 109, 113
 - de-fasciculation, 106, 111, 117, 119, 148, 149
- fascin, 56
- FGFR, 97, 105, 145–148, 157
- fibroblast growth factor receptor, *see* FGFR
- fibronectin, 82, 88, 92, 93, 95, 98, 99
 - type III domain, 97, 100, 101, 121
- filamin, 56
- filopodia, 4, 48, 51, 55, 58, 61, 63, 66, 79, 88, 90, 95, 98, 100, 104, 113, 114, 122, 134, 138, 141, 143, 144, 150, 154, 155, 158, 164, 165
 - branched, 9
 - lateral, 27, 33
- fimbrin, 56
- FK506, 149
- floating head*, 133
- floor-plate, 75, 76, 94, 104–106, 129, 131, 133, 135, 163
- focal adhesion kinase, 157
- focal adhesion sites, 98
- fodrin (*see also* calspectrin), 55, 56, 150
- forward genetics, 138
- frazzled, 97, 134
- freeze-etch, 54
- freeze-fracture, 21, 73
- freeze substitution, 21, 24
- F-spondin, 82
- fucose, 72
- fura-2, 139, 143
- Fyn tyrosine kinase, 155, 156
- G4, 83, 97
- GABA, 144, 163, 165
- GABA receptor, 144
 - GABA_A receptor, 142, 144, 165, 166
- galvanotaxis, 88
- γ-amino butyric acid, *see* GABA
- γ-amino butyric acid receptor, *see* GABA receptor
- GAP-43, 56, 149, 150, 151–152, 153, 154, 166
 - actin binding, 152–153
 - ‘knockout’ mice, 155
 - palmitoylation, 154
 - phosphorylation, 152–153
- GDP, 31
- gelsolin, 56, 151
- glossopharyngeal cranial nerve, 113
- glutamate, 141, 144, 163, 167
- glycine, 163
- glycosaminoglycans, 93, 102
- glycosphingolipids, 154
- glycosyl-phosphatidylinositol linkage, 113, 119–121, 154
- G neurons, 109
- Golgi, 4
- G proteins, 138, 153
- granule cells, 100, 108
- green fluorescent protein, 79
- growth-associated protein 43, *see* GAP-43
- growth cone, 2, 142, 161, 163, 171
 - axonal, 27, 151
 - bag cell, 48
 - branching, 12
 - C-domain, 14, 33, 48, 54, 60, 64, 67, 68, 74
 - collapse, 8, 15, 20, 114, 115, 120, 121, 122, 143, 151, 157, 158
 - cytoskeleton, 30, 137
 - dendritic, 27, 144, 152, 163
 - endocytosis, 74
 - exocytosis, 74
 - filopodia, *see* filopodia
 - fluorescent, 48
 - followers, 21
 - intracellular signalling, 137
 - isolated, 138, 144, 152, 153, 154, 165
 - lamellipodia, *see* lamellipodia
 - P-domain, 14, 47, 51, 53, 67, 68, 74
 - pioneers (*see also* pioneers), 21, 48, 109
 - retraction, 103, 114, 143
 - turning, 143–145
 - vesicles, 26
- GTP, 31
- GTP-binding proteins, 157
- GTPases, 157, 158, 159
 - Cdc42, 158
 - Rac, 158, 159
 - Rho, 158
- guidance cues, *see* axon guidance cues
- guide-post cells, 76, 95, 104
- haptotaxis, 90, 91, 126, 134
- Harrison, 5, 7, 15, 21, 84, 89, 90
- heavy meromyosin, 53, 59
- heparan sulphate proteoglycan, 82, 102, 171
- heterotrimeric GTP-binding proteins, 155, 157
 - G_o, 154
- hippocampal neurons, 107, 140, 141
- hippocampus, 94, 108, 122, 144
 - commissure, 133
- homophilic interaction, 105, 106, 111
- HPTP8, 97
- Hughes, 7, 8, 15, 114
- hypothalamic neurons, 144, 163, 166
- hypothalamus, 122
- imaginal discs, 96
- immunophilins, 150
- inferior olive, 162

258 INDEX

- inositol phosphates, 146
- inositol trisphosphate, 138, 145
- integrins, 93, 96, 98, 99, 101–103, 107
- α -internexin, 71
- IQ motif, 152
- isolated growth cones (*see also* growth cones, isolated), 138, 154
- junctional folds, 167–170
- kainic acid, 86
- keratan sulphate proteoglycan, 82, 102
- keratinocytes, 64
- kinesin, 49, 149
- Kolmer-Agduhr neurons, 163
- L1, 19, 83, 91, 95, 97, 104–108, 112, 145–148, 156, 157
- labelled pathways hypothesis, 108
- lamellipodia, 4, 30, 46, 54, 61, 66, 67, 122, 143, 150, 153, 154, 158, 165
- laminin, 19, 65, 82, 91, 92, 93, 95, 99, 100, 103, 105, 132, 158, 169, 171
- laminin-1, 93, 94
- laminin-2 (*see also* merosin), 94, 95, 96, 102, 103
- laminin-3 (*see also* α -laminin), 94, 95, 96, 169, 170
- laminin-11, 169, 170
- receptors, *see* integrins
- LAR, 97
- laser optical trap, 73
- Lerk2, 122
- Lerk7, 122
- limb bud, 118
 - chick, 76
 - grasshopper, 64, 66, 86, 95, 103, 104, 117
- lysophosphatidic acid, 114, 158
- MAG, 97
- malachite green, 112
- MAP, 31, 43, 49
 - MAP1B, 49, 56
 - MAP2, 49, 56
 - MAP2c, 61
- MARCKS, 166
- mastoparan, 157
- Mauthner neurons, 77
- Max Factor, 127
- merosin, 82, 94
- metalloproteases, 88
- micro-CALI, 69, 112, 150
- micro-chromophore-assisted laser inactivation, *see* micro-CALI
- microfilaments, 22, 26, 52, 58, 98, 122
 - barbed end, *see* plus end
 - minus end, 53, 68
 - plus end, 53, 55, 59, 61, 68
 - treadmilling, 53
- microspikes, 4
- microtubules, 26, 30, 48, 51, 60, 122, 158
- bundling, 49
- minus end, 31, 45
- organising centres, 31
- plus end, 31, 33, 38, 40, 43, 45
- microvilli, 55
- mitochondria, 23, 141, 142
- moesin, 56
- mossy fibres, 108
- motoneurons, 77, 84, 89, 96, 99, 101, 106, 111, 113, 117, 118, 129, 132–134, 164–167, 170–172
- MP1, 110, 111
- MTOC, 31, 37, 38, 44, 55
- Müller cells, 106
- MuSK, 170, 172
- mycotoxins, 55
- myoblasts, 172
- myosin, 52, 61, 68
 - myosin I, 57, 68, 69, 152
 - myosin II, 57, 68, 152
 - myosin V, 57, 69, 112
 - myosin VII, 68
 - subfragment-1, 53, 59, 70
- myotubes, 167, 171–173
- N1E-115 neuroblastoma cells, 142, 143, 158
- NCAM, 19, 83, 97, 104, 105, 107, 111, 145–147, 156, 157
- neogenin, 97
- nerve growth factor, *see* NGF
- netrin receptors, 97
- netrins, 85, 92, 108, 130, 134
 - netrin-A, 132, 133
 - netrin-B, 132, 133
 - netrin-1, 85, 99, 130–134, 159
 - netrin-1a, 133, 134
 - netrin-2, 85, 130, 131
- neural cell adhesion molecule, *see* NCAM
- neural crest cells, 118
- neural tube, 118
- neuregulin, 170
- neurite, 1, 3, 28
 - growth, 139, 146
 - initiation, 139
- neuritogenesis, 2
- neuroblastoma cells, 50, 68, 137, 142, 145, 149, 158
- neurocan, 82, 102
- neurofascin, 97
- neurofilaments, 23, 26, 30, 70
- neurogenesis, 2
- neuroglian, 83, 97, 104, 112
- neuromodulin, 151
- neuromuscular junction, 94, 96, 161, 166, 167–169, 172, 173
- neuropilins, 119
 - neuropilin-1, 119
 - neuropilin-2, 119
- neurotransmitters, 162–164
- neurotrophins, 124, 126, 144

- brain-derived neurotrophin factor, *see* BDNF
- neurotrophin-3, *see* NT-3
- neurotropism, 123
- NG108-15 cells, 98
- Ng-CAM, 83, 97, 106
- NGF, 124, 125, 127, 138, 143, 153, 156–158
- nicotine, 160
- NILE, 83, 97
- nitric oxide, 114, 138
- NMDA receptor, 142
- N-methyl D-aspartate receptor, *see* NMDA receptor
- nocodazole, 38, 42
- noisthmus*, 134
- noradrenaline, 165
- notocord, 118
- Nr-CAM, 83, 97, 135
- NT-3, 126, 144
- Nuk, *see* EphB2
- ocelli, 96
- olfactory system, 130
 - bulb, 130, 161
 - tract, lateral, 130
- oligodendrocytes, 100, 114, 152
- optic chiasm, 67, 75, 76, 155
- optic disc, 134
- optic nerve, 94, 100, 151
- optic tectum, 76, 77, 79, 80, 99, 100, 103, 118, 120, 122, 126
- optic tract, 67, 100
- osteopetrosis, 156
- palmitoylation, 154
- pathfinding, 30, 75, 76, 79, 99, 102, 143, 149
- Pax2, 134
- PC12 cells, 37, 39, 41, 50, 52, 63, 64, 98, 102, 107, 124, 145, 147, 149, 154, 156, 158
- pCC, 110
- peripherin, 71
- pertussis toxin, 157
- phallacidin, 55
- phalloidin, 55, 61, 150
- phosphacan, 82
- phosphatases, 155
- phosphatidylinositol, 68
 - 4,5-bisphosphate, 146, 154
 - 4-phosphate kinase, 153, 154
 - phosphates, 146
- phospholipase C γ , 145–147
- pinocytosis, 8
- pioneers, 21, 48, 81, 84, 86, 95, 96, 99
- plasmin, 88
- plasminogen activator, 88
- point contacts, 98
- poly-ornithine, 59, 90, 100
- poly-lysine, 65, 66, 90, 91
- poly-sialic acid, 106, 108
- posterior corner cell, 110
- postsynaptic density, 161
- vacant, 161
- pp46, 151
- pp60^{c-src}, 45
- presynaptic dense projections, 167
- presynaptic density, 161
- profilin, 57, 68
- protein kinase A, 159
- protein kinase C, 149, 150, 152, 153, 155, 166
- protein phosphatases, 149
 - 2B, *see* calcineurin
- proteoglycans, 93, 95, 102
- PTP σ , 97
- Purkinje cells, 162
- ‘push–pull’ controversy, 64
- pyramidal neurons, 77, 144
- pyramidal tract, 152
- quiver*, 71
- Rac, 158, 159
- radial glia, 106, 113
- radixin, 56
- RAGS, 121, 122
- Ramón y Cajal, 2, 4, 75, 78, 123, 129
- rapamycin, 150
- rapsyn, 172, 173
- Ras, 158
- receptor protein tyrosine kinases, 97, 172
- receptor protein tyrosine phosphatases, 97
- reeler mouse, 123
- repulsive axon guidance signal, *see* RAGS
- retina, 120, 126, 134
- retinal ganglion cells, 113, 114, 116, 120, 121, 126, 134, 147, 151, 155, 156
- retino-tectal system, 67, 76, 79, 100
- reverse genetics, 138
- Rho, 158, 159
- rhombencephalon, 77
- robo*, 136
- Rohon-Beard neurons, 86
- roof-plate, 102
- roundabout*, 136
- RP3, 111, 112
- Rsk tyrosine kinase, 156
- sarcolemma, 167, 171, 172
- SC1, 83
- SCG10, 51
- Schwann cells, 94, 105, 106, 152
- sclerotome, 84, 113, 118
- Sek4, 122
- sema I, 83, 85, 117
- sema II, 117
- sema III, 85, 116–119, 130
- sema IV, 119
- sema D, 85, 116, 118
- sema E, 119
- semaphorin domain, 116
- semaphorins, 85, 116, 135, 157
 - receptors, 119
- septum, 130

260 INDEX

- serotonin, 140, 149, 163
- SH-SY5Y cells, 98, 138
- silver chromate, 4
- s-laminin, 82, 94
- smooth endoplasmic reticulum, 21, 23, 24, 27, 79, 141
- SNAP-25, 165
- soma, 1
- somatosensory cortex, 100
- somite, 118
- Speidel, 9, 71
- Sperry, 80
- sprout, 72
- Src-homology 2 domain, 147, 157
- Src tyrosine kinase, 155, 156
- staggerer* mutant mouse, 162
- stereotropism, 87
- stress fibres, 98, 158
- stripe choice assay, 92, 120
- subgenual organ cell body neurons, 117
- submandibular ganglion, 127
- sub-plate, 84
- superior colliculus, 80
- supra-vital staining, 78
- sympathetic neurons, 114, 124, 125
- synapse, 160, 162
- synaptic cleft, 164, 166, 171
- synaptic vesicles, 161, 163, 168, 169
 - exocytosis, 167, 169
- synaptogenesis, 96, 160–162
- synaptotagmin, 171
- syntaxin, 165
- TAG-1, 83, 97, 105, 135
- talin, 69, 98
- tau, 49, 57
- Taxol, 39, 44, 48
- tectum, *see* optic tectum
- teloblasts, 2
- tenascin, 19, 92, 93, 98, 99, 100, 103
 - tenascin C, 82, 100, 101
 - tenascin R, 82, 100, 101
 - tenascin X, 100
 - tenascin Y, 100
- thalamic neurons, 86
- thalamus, 84, 123
- thrombin, 114
- thrombospondin, 82
 - type I domain, 97, 99, 116
- Til pioneer neurons, 48, 64, 86, 95, 103, 104, 117
- topographic projection (map), 80, 120
- trigeminal, 124
 - cranial nerve, 113
 - ganglion, 127
- TrkB, 144
- TrkC, 144
- trochlear nerve, 132
- tropomyosin, 57
- tubocurarine, 89, 164, 170
- tubulin, 31, 33
 - acetylated, 42
 - α -tubulin, 31, 42
 - β -tubulin, 31
 - biotinylated, 43
 - γ -tubulin, 32, 38
 - mRNA, 36
 - phosphorylation, 45, 157
 - post-translational modification, 42
 - tubulin tyrosine carboxypeptidase, 42
 - tubulin tyrosine ligase, 42
- type-2 astrocytes, 152
- tyrosine kinases, 147
 - non-receptor, 155
 - receptors, 157
- tyrosine phosphatases, 157
- U1, 110
- U2, 110
- Unc-5, 83, 97, 99, 133
- Unc-6, 82, 85, 92, 99
- Unc-40, 97, 133
- unc-6* gene, 132
- unc-33* gene, 120
- uncoordinated (*unc*) mutants, 99
- vacuole, 7, 8
- varicosity, 9, 22, 122
- VASE, 107
- veils, 4
- video microscopy, 14
- vinblastine, 39
- vinculin, 55, 57, 69, 98
- vitronectin, 82
- vMP2, 110
- weaver* mouse mutant, 162
- Yes tyrosine kinase, 155, 156