

Index

- abiotic catalysis, 49–50, 261
 acenaphthene, 126, 136, 138, 141
Achromobacter, 210, 215
 acid mine drainage, 328–9
Acinetobacter, 104, 106
 species P6 (now *Rhodococcus globerulus*), 211,
 212, 215–16, 224
 strain 4-CBA, 216–17
Acinetobacter calcoaceticus, 104, 109–10, 112, 325,
 327
Acremonium chrysogenum, 356
Actinomyces, 196
 activated sludge reactors, 21–2
 active transport, metals, 320
 adhesion, microorganism hydrocarbon, 109–10
 adsorbents
 biological, 331
 co-immobilized, 163
 aeration methods, in landfarming, 25
 air, 158
 bioventing, 5–6, 155, 172
 dichloromethane-contaminated, 307
 PAH deposits in, 130–1
 sparging, 6, 155, 172
Alcaligenes, 159–60, 210–11, 225
Alcaligenes eutrophus, 358
Alcaligenes eutrophus H850, 213, 222, 231
 algae
 hydrocarbon degradation, 105, 134, 135, 140,
 143
 hydrocarbon synthesis, 128
 AlgaSORB, 329
 alkane hydroxylase, 106, 107
 alkanes, 103–4, 106, 128
 Alternate Concentration Limits (ACLs), 149
 Alternative or Relevant and Appropriate
 Requirements (ARARs), 149
 aluminium oxides, 37
 ammonia, 6, 158, 309, 346
 anaerobic microorganisms
 BTEX degradation, 61–92
 chlorinated phenol degradation, 260, 262–4
 consortia versus pure cultures, 199–200
 nitroaromatic degradation, 198–9, 202–4
 PCB degradation, 218–21
 anaerobic processes, 7–8, 17
 chlorinated phenol bioremediation, 265, 266,
 272, 284
 groundwater bioremediation, 23–5
 PCB bioremediation, 229, 230, 231–2, 234
 predicting degradation rates, 20
 slurry reactors, 30–1
 anaerobic–aerobic processes, 23–5, 230
 analog enrichment, 17
 see also co-reagents/co-substrates
 anthracene, 126, 136, 139, 141, 142
 antibody detection methods, 372–3, 374
 aquatic systems, *see* water
 aquifers, *see* groundwater
 aromatic hydrocarbons, 104–5, 342, 343–5
 see also nitroaromatic compounds; polycyclic
 aromatic hydrocarbons
 arsenic (As), 313, 314, 319, 322
Arthrobacter, 214, 216, 222, 226, 265, 329
Arthrobacter aurescens, 198
 ATPase, 320
Azoarcus, 75, 76, 90–1
Azotobacter, 262

Bacillus, 196, 329
Bacillus brevis strain B-257, 215
Bacillus cereus, 323
Bacillus megaterium, 322
Bacillus subtilis, 320, 323

Index

- barium chloride, 331
 bark chips, 274–80
 beach, oil-contaminated, 117–18, 162
 benz[*a*]anthracene, 126, 137, 139, 141
 benzene, 62, 63–9, 99
 benzo[*a*]pyrene, 126, 141, 142
 biodegradation, 106, 137, 139, 140
 equivalence, 147
 benzoate, 77, 78, 344, 345
 benzoate 2,3-dioxygenase, 351–3
 benzoic acid, 77, 104–5
 benzylfumaric acid, 78–9
 benzylsuccinic acid, 78–9
 BIO-FIX, 329
 Bio Trol aqueous treatment system, 22, 267
 bioaugmentation, 228, 342
 with plants, 168
 see also inoculation of microorganisms
 bioavailability, 15, 46–8
 chlorinated phenols, 256–7, 264
 metals, 316–18
 PAHs, 143–4
 PCBs, 234–8
 see also sorption/desorption
 biocides, 254
 BIOCLAIM, 329
 biodegradation
 definition, 1
 pathways, 18
 rates
 constants, 18, 19
 environmental factors affecting, 16–18
 by indigenous microorganisms, 16
 prediction, 18–20
 in soil slurry reactors, 29–30
 bioemulsifiers, 110–13, 237
 metal complexation, 324–5, 327–8
 see also biosurfactants; surfactants
 biofilms, microbial, 329
 bioleaching, 321, 326
 bioluminescence, 369–70, 374
 bioreactors, 2, 20–31
 bacterial inoculation into, 160–1
 chlorinated aliphatic compound
 bioremediation, 307
 chlorinated phenol bioremediation, 267–72
 groundwater remediation, 21–5
 nitroaromatic bioremediation, 204–5
 PAH bioremediation, 152, 154–5, 168–71
 PCB bioremediation, 229, 230, 231, 234
 soil remediation, 25–31
 bioclamation, *see in situ* bioremediation
 bioremediation
 definition, 1
 design, 13–14
 intrinsic, 227–8
 methods of stimulating, 341–2
 process analysis, 13, 14–20
 process engineering, 13–31
 technologies, 2–10
 see also specific technologies
 Bioremediation Field Initiative Program, 166–7, 172, 173
 bioslurry reactors, *see* slurry reactors
 biostarging, 6, 155, 172
 biostabilization, 238
 biostimulation, 228, 342
 biosurfactants, 47, 110–13
 metal complexation, 324–5, 327–8
 PAH biodegradation and, 145–6
 PCB biodegradation and, 237
 bioventing, 5–6, 155, 172
 biphenyl, 17, 210, 216
 biphenyl dioxygenases (BPDO), 221, 223, 359–60
Bjerkandera, 141
bpbABCD genes, 221, 222, 223, 224, 360–1
 bromobiphenyls, 220, 230, 231–2
 BTEX hydrocarbons
 anaerobic degradation, 61–92
 ethylbenzene degradation, 82
 toxicity, 62
Burkholderia cepacia, *see Pseudomonas cepacia*
 2-*sec*-butyl-4,6-dinitrophenol (dinoseb), 7, 16, 31

 cadmium, 313, 319, 320, 322, 325, 327–8
 CAM-OCT plasmids, 106, 343
 Canada, PAH treatment standards, 147–8, 149
 carbon monoxide, 302
 carbon tetrachloride (CCl₄), 300, 303
 carcinogens, 126, 196, 301–2
 catechol 2,3-dioxygenase, 351–3
 catechols, 104, 135, 343, 351
 charge-coupled (CCD) microscopy, 369–70
 chelating agents, 69, 74, 316
 chlorinated aliphatic compounds, 300–9, 345
 abiotic dehalogenation, 50
 bioremediation, 305–9
 chemistry, 303–5
 distribution, 301
 environmental persistence, 302–3
 sources, 300–1
 toxicity, 301–2
 chlorinated phenols (CPs), 8, 254–86
 biodegradation, 257–66
 factors affecting, 261–6
 mechanisms, 257–61
 chemical/physical properties, 256–7
 groundwater remediation, 266–73
 sediment remediation, 284–6
 soil decontamination, 274–84
 sources of contamination, 254–6
 chloroalkanes, 300, 303–4
 chloroalkenes, 300, 305

- chloroaromatics, 354, 355–6
 chlorobenzenes, 345, 354, 356
 4-chlorobenzoate, 353
 chlorobenzoates, 345, 351–3
 chlorofluorocarbons, 300–1, 304
 chloroform (CF), 24, 300, 303–4
 chloromethane, 300, 303
 2-chlorophenol (2-CP), 261, 268, 354
 4-chlorophenol (4-CP), 268, 353
 chlorophenols, *see* chlorinated phenols
 chlorosalicylates, 345, 354
 chromate–copper–arsenate (CCA), 265
 chromium (Cr), 313, 314, 322
 chrysene, 126, 137, 167
Citrobacter, 320, 329, 332
Citrobacter freundii, 199
 clay, 38, 40, 41
 cleanup criteria, PAH, 147–50
Clostridium, 7, 199, 322
Clostridium acetobutylicum, 202
Clostridium bifementans, 199, 200
Clostridium perfringens, 201
 co-cultures, 216, 226
 co-reagents/co-substrates, 17, 158, 230, 231–2, 346
 see also cometabolism
 coal/coal products, 128, 130, 167
 cobalt, 49–50, 313
 coenzyme F₄₃₀, 50
 coking, coal, 128
 ‘cold-finger’ effect, 301
 combustion products, 128, 129, 130–1
 cometabolism, 7, 17, 200
 chlorinated phenols, 258
 PCB, 210, 216
 trichloroethylene, 7, 345–7
Comomonas acidovorans, 198
 composting, 3–4
 chlorinated phenol-contaminated soil, 274–80
 nitroaromatic-contaminated soil, 196–7, 204
 in PAH bioremediation, 152, 153, 167
 confined treatment facility (CTF), 233
 conjugal transfer, 42, 345
 consortia, microbial, 199–200, 214
 continuously stirred tank reactors (CSTR), 267–9, 270–1
 copper (Cu), 313, 314, 319, 321, 329, 330
Corynebacterium sp. strain MB1 (*Rhodococcus globerulus*; *Acinetobacter* sp. P6), 211, 212, 215–16, 224
 cosolvents, 16
 costs
 bioremediation, 1–2
 PAH cleanup, 150
 2-CP dehalogenator, 261
 CPs, *see* chlorinated phenols
 creosote, 129–30, 265
 bioremediation, 27, 30, 165–6, 167, 170, 171–2
m-cresol, 265
o-cresol, 265
p-cresol, 77, 78, 353–4
Cunninghamella elegans, 135
 Cyanamer P70 (Cyanamid), 116
 cyanobacteria, 135, 140, 143
 cytochrome P-450 monooxygenase, 104, 135, 143, 302
cyp450cam, 355, 356, 359
 dehalogenation/dechlorination
 abiotic, 50, 261
 chlorinated phenols, 284
 PCBs, 218–21, 230
 polychlorinated phenols, 258, 260–1
Deleya venustus, 330
 denitrifying microorganisms, 62, 98
 toluene degradation, 75, 76
 see also nitrate-reducing microorganisms
 desiccation, microbial, 40–2
 design, process, 13–14
 desorption, *see* sorption/desorption
Desulfobacterium dehalogens, 261
Desulfobacula toluolica, 75, 76
Desulfomonile tiedjei, 260–1, 284
Desulfovibrio, 198
Desulfovibrio desulfuricans, 322, 327
 detergents, growth-supporting, 162
 2,4-diaminotoluene (24DAT), 196
 1,2-dichloroethane, 300
 dichloroethylene (DCE), 6–7, 305, 345
 dichloromethane (CH₂Cl₂), 300, 301, 302, 303, 306–7
 dichloromethane dehalogenase, 307
 dichlorophenols (DCPs), 258, 260, 262, 268, 272
 2,4-dichlorophenoxyacetic acid (2,4-D), 46, 168, 255, 280, 342, 345, 346
 diesel engine exhaust, 130
 diffusion, in soil, 39
 dihydrodiol dehydrogenase, 211, 221
cis-dihydrodiols, 104, 134–5
trans-dihydrodiols, 104, 135
 2,3-dihydroxybiphenyl dioxygenase, 221, 223
 dimethylphenol hydroxylase, 360
 2,4-dinitrotoluene, 196
 dinoseb (2-*sec*-butyl-4,6-dinitrophenol), 7, 16, 31
 dioxygenases
 aliphatic compound, 258
 aromatic ring, 104, 134–5, 211, 214, 221, 222, 351–3
 DNA
 adducts, 196
 extraction, 371, 375
 released, transforming ability, 42–3, 367

Index

- dredging, 316
 Dutch PAH treatment standards, 147–8, 149
- E gene, ϕ X174, 367, 368
 E3 gene, colicin, 367, 368
 electron acceptors, 62, 158, 265, 266
 electron donors, 265
 emulsan, 110–12, 325, 327–8
 emulsifiers, *see* bioemulsifiers
 encapsulated microbes, 8, 163–5, 273, 283
 engineered soil cell, 152, 153, 167
 engineering, bioremediation processes, 13–31
Enterobacter cloacae, 201, 363
 enterobactin, 324
 enzymes
 hybrid, 347–58
 in microbial detection, 374
 rational redesign, 358–61
 recruitment, 351
 subunit mixing, 360–1
Erwinia carotovora, 363
Escherichia coli
 metal interactions, 320, 323
 recombinant, 9, 10, 346, 356, 362, 363, 370
 ethylbenzene, 62, 79–83, 98
 see also BTEX hydrocarbons
 ethylenediaminetetraacetic acid (EDTA), 316
 Europe, PAH treatment standards, 147–8, 149
 explosives, *see* munitions compounds
Exxon Valdez oil spill, 101, 114–16
- F-1 fertilizer, 117–18
 fertilizers, 113–16, 117–18, 162
 field application vectors (FAV), 224–5, 361
 fimbriae, hydrophobic, 109
 fire-retardant fluid, 209
 fixed film reactors, 22–3
 with plug flow, 22
 with upflow, 22–3, 269–72
Flavobacterium
 chlorinated phenol degradation, 262, 266,
 267, 280, 281, 282
 microencapsulated, 8, 273, 283
 PCP pathway genes, 9, 10
 flocculants, 316
 fluidized-bed biofilm reactors (FBBR), 269, 270,
 307
 fluoranthene, 105, 126, 137, 139, 141, 163–5
 formaldehyde, 307
 formyl chloride, 302
 fulvic acid, 37–8
 fungi
 aromatic hydrocarbon degradation, 104, 105,
 135–43
 chlorinated phenol degradation, 260, 272,
 278–9
 inoculation, 167–8
 ligninolytic, 135–43, 167–8
 metal interactions, 322, 329
 see also white-rot fungi
- gas–water interface, 44
gef gene, 365, 366, 368
 GEMs, *see* genetically engineered microorganisms
 genetic transfer, 42–3, 226, 345, 367
 genetically engineered microorganisms (GEMs),
 9, 228, 342–68
 detection in environment, 369–70, 372–3
 environmental release, 375
 genetic transfer from, 42–3, 367
 pathway construction, 342–58
 biochemical background, 342–5
 enzyme subunit mixing, 360–1
 hybrid pathways and enzymes, 347–58
 operon deregulation, 345–7
 rational enzyme redesign, 358–61
 vectors, 347, 348–50
 PCB degradation, 216–17, 224–5, 359–61
 survival, 42, 361–7
 preventing, 365–7
 promoting, 361
Geobacter metallireducens, 74, 75, 76, 77
 glutathione reductase (GR), 358–9
 groundwater
 bioreactors, 21–5
 bioremediation methods, 6–7, 8
 chlorinated aliphatic compound-contaminated,
 266–73, 309
 chlorinated phenol-contaminated, 255,
 266–73
 GEM survival, 362–4
 metal removal, 329–30
 PAH bioremediation, 155–6, 157, 172–3
 PAH cleanup standards, 149
 PAH contamination, 133
 group contribution approach, 19–20
- Haifa beach, 117–18, 162
 haloalkanes, 355
 hemoglobin, bacterial, 356–8
 Henry's Law constant, 15, 18, 19, 236
 herbicides, 255, 256
 hexachlorobenzene (HCB), 24
 hexahydro-1,3,5-trinitro-1,3,5-triazine (RDX), 7,
 195–6, 199, 200, 201
hok genes, 365–6, 368
 humic acid, 37–8
 humic materials, 37–8, 237
 chlorinated phenol complexation, 260
 metal complexation, 318
 PCR inhibition, 371
 hybridization techniques, 373–5
 hydrogen peroxide, 158, 172
 hydrophilins, 109

- 'hydrophobic effect', 109
 hydrophobicity, 15, 19
 hydrophobins, 109
 2-hydroxybenzoate, 17
- immunological techniques, 372–3
in situ bioremediation, 4–8
 chlorinated phenols, 272–3
 microbial mobility/transport and, 43–4
 nitroaromatics, 205
 PAHs, 152, 155–8, 171–3
 PCBs, 229–30, 232, 234
 incineration, 2, 254
 Inipol EAP 22, 113–16
 inoculation of microorganisms, 228
 in chlorinated phenol remediation, 266, 267, 282–4
 in nitroaromatic bioremediation, 205
 in oil pollution, 117–18
 in PAH bioremediation, 158–65, 167–8
 in PCB bioremediation, 226, 231, 234
 Ipegal CO-720, 162
 iron (Fe), 314
 ferric (Fe(III)), 62
 microbial oxidation, 321
 reduced, 49–50
 siderophores, 324, 325
 iron (Fe(III))-reducing microorganisms
 benzene degradation, 65, 66, 69
 ethylbenzene degradation, 81, 83
 toluene degradation, 71–6
 xylene degradation, 85, 86, 88, 91
 iron oxides, 37, 69
- Klebsiella aerogenes*, 41, 331
- lactone isomerase, 354
 Land Disposal Restrictions (LDR), 148–9
 landfarming, 4, 5, 25–7
 in chlorinated phenol bioremediation, 274
 in PAH bioremediation, 152, 153, 165–7
 in PCB bioremediation, 232, 234
 landfilling, 2, 315
 leaching
 microbial, of metals, 326–7
 PAHs, 132–3
 lead (Pb), 313, 314, 316, 319, 327–8, 330
Leptospirillum ferrooxidans, 321
 light-enhanced biodegradation, 134
 lignin peroxidase, 141
 liming, 331
 Lindane, 301
 luciferase genes, 369, 370
lux operon, 369, 370
 lymphoma, non-Hodgkin's, 255
- manganese (Mn), 74, 313, 314
 manganese oxides, 37
 manganese peroxidase, 141, 143
 mass transfer rate
 contaminant, 28–9
 oxygen, 29
 mats, microbial, 329–30
 Meisenheimer complex, 202, 203
 mercury (Hg), 313, 314, 319, 320, 323
 metabolites, toxic, 18
 metallothioneins, 319
 metals, 9–10, 266, 312–32
 bioremediation, 320–1, 325–32
 in aquatic systems, 328–31
 in nuclear waste, 331–2
 in soils/sediments, 326–8
 complexation by microbes, 322–3
 environmental contamination, 312–14
 microbial interactions, 321–5
 microbial toxicity/resistance mechanisms, 318–20
 physical/chemical remediation methods, 315–16
 speciation and bioavailability, 316–18
 methane, 68, 158, 346
 methane monooxygenase (MMO), 7
 particulate (membrane-bound), 309
 soluble (sMMO), 305, 308, 347
 methanogenic microorganisms
 benzene degradation, 65, 68–9, 99
 chlorinated phenol degradation, 284, 285
 ethylbenzene degradation, 81, 82–3
 toluene degradation, 71, 72, 73–5
 xylene degradation, 85, 86, 88, 90
 methanotrophic bacteria, 218, 308, 347
 N-methyl-N,2,4,6-tetranitroaniline (Tetryl), 195–6
 methylation, metal, 323, 328
 methylbenzene, *see* toluene
 methylene chloride, *see* dichloromethane
 methylmercury, 323
 2-methylnaphthalene, 106
Methylosinus trichosporium, 308, 346–7
 methylotrophic bacteria, 307
 metronidazole, 202
 microcapsules, bacteria-loaded, 8, 163–5, 273, 283
Micrococcus, 226
 microorganisms
 adhesion/desorption, 109–10, 112
 encapsulated, 8, 163–5, 273, 283
 genetically engineered, *see* genetically engineered microorganisms
 inoculation, *see* inoculation of microorganisms
 mobility/transport, 43–4, 110
 in soil, *see* soil, microorganisms in
 survival in soil, 40–3, 283
 mining effluent waters, 328–9

Index

- mixing, in slurry reactors, 30
 mobility, *see* transport/mobility
 molecular probes, 108, 225, 368–75
 bioluminescence, 369–70, 374
 hybridization techniques, 373–5
 immunological techniques, 372–3, 374
 polymerase chain reaction (PCR), 370–2, 374
 molecular techniques, 341–76
 monitoring
 GEM survival, 361
 molecular probes for, 108, 225, 368–75
 monochlorophenols (MCPs), 258, 262, 272
 monooxygenases, 258
Moraxella, 330
Morganella morganii, 199
 munitions compounds, 7, 24–5, 30–1, 195–205
 mutagenesis, site-directed, 358–60
Mycobacterium, 105, 159, 198
Mycobacterium chlorophenicum, 273, 280, 281, 283

 NAH plasmids, 106–7, 342, 343–5
nabG, 354
nabR gene, 106–7
 naphthalene, 126, 141, 265
 biodegradation, 46, 136, 138, 140, 143, 165–6
 genetics of degradation, 105, 106–7, 343–5
 naphthalene dioxygenase, 105, 135
 NAPLs, *see* nonaqueous-phase liquids
 Netherlands, PAH treatment standards, 147–8, 149
 nickel, 313, 319
 nitrate, 62, 87, 158, 171
 nitrate-reducing microorganisms
 benzene degradation, 64, 65, 66
 ethylbenzene degradation, 79, 80, 81
 toluene degradation, 69, 70, 71, 73–76
 xylene degradation, 83–7, 89, 90–1
 nitrilotriacetic acid (NTA), 316
 nitroaromatic compounds, 7, 24–5, 195–205
 aerobic/microaerophilic microorganisms degrading, 196–8
 anaerobic microorganisms degrading, 198–9
 bioremediation, 202–5
 enzymology of biodegradation, 200–2, 203
 microbial consortia degrading, 199–200
 nitrobenzene, 24
 nitrogen, 17, 25, 113–14, 158, 264
 co-immobilized, 164, 165
 nitrophenol reductase, 200–1
 nitroreductase, 201
Nocardia, 210
 nonaqueous-phase liquids (NAPLs), 29, 144–5, 146
 in groundwater, 133, 266
 in situ bioremediation and, 155–6, 158
nprII-sacR-B suicide cassette, 366–7

nuc gene, 368
 nuclear waste, 331–2
 nuclease, extracellular, 367, 368
 nutrients, 17
 chlorinated phenol degradation and, 264–5
 co-immobilized, 164, 165
 hydrocarbon degradation and, 113–14, 132, 158, 172

 octahydro-1,3,5,7-tetranitro-1,3,5,7-tetrazocine (HMX), 195–6, 199, 201, 204
 octanol/water partition coefficient, 15, 18, 19, 235, 256
 oil
 co-contaminating, 237
 crude, 128–9
 soil polluted with, 116, 117
 spills, 100, 101, 109, 114–16, 117–18
 droplets
 emulsification, 110–12, 146
 microbial adhesion/desorption, 109–10, 112
 see also nonaqueous-phase liquids;
 petroleum/petroleum-derived products
 organic materials
 biodegradation and, 235, 256–7, 280–1
 metal complexation, 315, 317–18
 pyrolysis, 128, 129
 soil, 37–8
 organo-mineral complexes, 38
 oxidation–reduction (redox) reactions, microbial, 320, 321–2
 oxygen supply, 17, 29
 chlorinated phenol degradation and, 264
 hydrocarbon degradation and, 113, 132, 158
 oxygenases, bacterial, 258, 305, 308

 PAHs, *see* polycyclic aromatic hydrocarbons
 PCBs, *see* polychlorinated biphenyls
 PCP, *see* pentachlorophenol
pcp genes, 9
 pectin, 328
Penicillium chrysogenum, 331
 pentachloroethane, 355
 pentachlorophenol (PCP), 254–5, 345
 bioremediation, 27, 265–6, 267–72, 274–80
 recombinant approaches, 9
 toxicity, 281
 pesticides, 301
 petroleum/petroleum-derived products, 6, 14, 61, 100–18, 128–9
 bioremediation, 26–7, 114–18
 microorganism/hydrocarbon interactions, 108–14
 adhesion/desorption, 109–10
 emulsifiers, 110–13
 microorganisms degrading, 101–8
 distribution, 101–3

- genetics, 106–8
- metabolic specificity, 103–5
- nutrient requirements, 113–14
- toxicity, 100–1
- see also* BTEX hydrocarbons; oil; polycyclic aromatic hydrocarbons
- pH, 17, 37
 - DNA binding to soil and, 42
 - metal immobilization in soil and, 315, 318
 - metal speciation and, 317
 - sorption/desorption and, 256
- Phanerochaete chrysosporium*
 - chlorinated phenol degradation, 260, 266, 272, 278–9, 280, 283
 - PAH degradation, 141–3, 168
 - TNT degradation, 197
- Phanerochaete sordida*, 167, 168, 265, 278–9
- phenanthrene, 126, 159–60, 265
 - biodegradation, 106, 137, 139, 140
 - degradation pathways, 141–3
- phenol, 68, 158, 258, 309, 346
- phosphate, 82, 320
- phosphorus, 17, 25, 113–14, 264
 - co-immobilized, 164, 165
- photolysis-enhanced biodegradation, 134
- phyllosilicates, 36
- plants
 - bioaugmentation with, 168
 - hydrocarbon synthesis, 128
 - metal removal, 329
 - tolerance of metals, 313–14, 320
- plasmids, 342, 347, 348–50
 - in hydrocarbon degradation, 106–8
 - in PCB degradation, 212, 214
- poly-beta-hydroxybutyrate (PHB), 358
- polychlorinated biphenyls (PCBs), 7, 17, 23, 209–39, 345
 - bioavailability, 234–8
 - biodegradation
 - aerobic bacteria, 212–18
 - anaerobic dechlorination, 218–21
 - early studies, 210–12
 - factors affecting, 234–8
 - genetically engineered microorganisms, 216–17, 224–5, 359–61
 - lower metabolic pathway, 225–6
 - microbial genetics, 212, 221–5
 - upper metabolic pathway, 211, 226
 - bioremediation, 226–38
 - development of technologies, 228–30
 - field demonstrations, 230–4
 - general applicability, 226–7
 - hierarchy of options, 227–8
 - natural attenuation, 218–21, 227–8
 - polychlorinated dibenzodioxins (PCDDs), 255, 266
 - polychlorinated dibenzofurans (PCDFs), 255, 266
 - polychlorinated phenoxyphenols (PCPPs), 255, 266
 - polycyclic aromatic hydrocarbons (PAHs), 104, 125–73
 - background concentrations, 150
 - biodegradation, 105, 106, 134–43
 - bioremediation, 30, 143–73
 - case studies, 165–73
 - factors affecting, 143–50
 - inoculants in, 158–65
 - technologies, 150–8
 - clean-up criteria, 147–50, 151
 - in environment, 127–34
 - anthropogenic sources, 127, 129–31
 - distribution/attenuation, 131–4
 - natural sources, 127–9
 - high molecular weight (HMW), 105, 126–7, 134, 170–1, 173
 - low molecular weight (LMW), 126, 173
 - metabolic pathways, 105, 107, 134–43
 - toxicity, 100–1
 - polymerase chain reaction (PCR), 370–2, 374
 - pRO101, 354
 - probes
 - molecular, *see* molecular probes
 - nucleic acid, 373
 - process analysis, 13, 14–20
 - environmental factors, 16–18
 - microbiological characterization, 16
 - predicting degradation rate, 18–20
 - site characteristics, 14–16
 - protocatechuate, 343, 344, 351
 - Providencia rettgeri*, 199
 - Pseudomonas*, 41, 342–3
 - chlorinated phenol degradation, 258, 262
 - metal interactions, 321–2
 - nitroaromatic degradation, 197, 198, 354
 - PCB degradation, 210, 211, 213–14, 217, 218, 221–5
 - petroleum degradation, 106–8
 - strain B13, 217, 226, 345, 351–4, 364
 - strain C600, 360
 - strain ENV307, 213–14, 224, 229, 234
 - strain ENV360, 229, 234
 - strain ENV391, 214
 - strain FR1, 353
 - strain K172, 75, 76, 77–8
 - strain KKS102, 223
 - strain LB400, 213, 214, 222–3, 224, 231, 359–60
 - strain MB86, 216
 - strain S2, 75, 76
 - strain S100, 75, 76
 - strain SP, 75, 76
 - strain SR3, 160, 161, 267–9
 - strain T, 75, 76, 77, 90
 - strain TA8, 108

Index

- Pseudomonas aeruginosa*, 319, 320, 323, 324, 327, 362–3
Pseudomonas (Burkholderia) cepacia, 283, 308–9, 343
 PCB degradation, 225–6
 recombinant, 346–7, 354, 355, 356–8, 363, 364
Pseudomonas fluorescens, 107, 322, 362
Pseudomonas mendocina, 343, 346–7, 360
Pseudomonas oleovorans, 106
Pseudomonas paucimobilis Q1, 221, 222, 224, 267
Pseudomonas pickettii, 343
Pseudomonas pseudoalcaligenes KF707, 108, 221–3, 359–60
Pseudomonas putida, 360, 373
 alkane degradation, 104
 chlorinated phenol degradation, 258
 metal interactions, 320, 322
 naphthalene degradation, 46, 106–7, 135
 PCB degradation, 222, 223
 recombinant, 217, 362, 363, 364, 373
 TOL plasmids, 107–8, 351
 toluene degradation, 107, 108, 222, 343
Pseudomonas testosteroni, 214, 223–4
 pSS50, 214
 pSVI150, 342
 pulp bleaching, 254, 284
 pulp mill wastewater, 25
 pump-and-treat systems
 chlorinated aliphatic compound
 bioremediation, 307
 chlorinated phenol bioremediation, 266–72
 metal removal, 315–16
 pWWO, 107, 197, 343
 pyrene, 126, 141, 142
 biodegradation, 105, 106, 137, 139, 159
 pyridoxal-5'-phosphate (PLP), 50
 pyrolysis, 128, 129, 130
- radionuclides, 331–2
 radium, 331
 reactors, *see* bioreactors
 recombinant microorganisms, *see* genetically engineered microorganisms
 'red water', 205
 redox potential, 317
relF gene, 365, 366, 368
 rhamnolipid, 111, 324, 325, 327
Rhizobium, 40–1, 163
Rhizopus arrhizus, 329, 332
Rhodobacter capsulatus, 200–1
Rhodococcus, 107, 266, 269, 282
Rhodococcus chlorophenolicus, 262, 269, 280–1, 282, 283
Rhodococcus erythropolis, 198, 224
Rhodococcus globerulus (formerly *Acinetobacter* sp. P6), 211, 212, 215–16, 224
- risk-based remedial goals, 147
sacB gene, 366–7, 368
Saccharomyces cerevisiae, 320, 329
 salicylate, 107, 354
 sand, 38
 screening protocol, 13–14
 sea
 metal removal, 330
 oil spills, 100, 101, 109, 114–16, 117–18
 sediments
 chlorinated phenol-contaminated, 284–6
 DNA extraction, 371
 metal-contaminated, 316, 326–8
 PAH-contaminated, 133–4, 169
 PCB-contaminated, 218–19, 231–2, 233
Selenastrum capricornutum, 143
 selenium, 322, 323, 328
 sequestration, metals, 319–20
 sewage
 metal removal, 330–1
 sludge, 131, 232
 treatment, 22
 siderophores, 324, 325
 silt, 38
 Simplot Anaerobic Bioremediation Ex Situ (SABRE) process, 202–4
 site-directed mutagenesis, 358–60
 sludge
 chlorinated phenol bioremediation, 267
 PAH bioremediation, 169–70
 PCB bioremediation, 232, 233
 sewage, 131, 232
 slurry reactors, 25, 27–31
 chlorinated phenol bioremediation, 274
 nitroaromatic bioremediation, 204
 PAH bioremediation, 146, 154, 169–71
 PCB bioremediation, 229, 230, 231, 234
 soil, 35–51
 bioremediation methods, 25–31
 chemical properties, 35–8
 chlorinated phenol-contaminated, 255, 264, 274–84
 DNA extraction, 371
 GEM survival, 362–4
in situ bioremediation, 6
 inorganic solid phase, 35–7
 metal-contaminated, 315–16, 323, 326–8
 microorganisms in, 40–4
 mobility/transport in, 43–4, 110
 survival in, 40–3, 283
 moisture, 282
 nitroaromatic-contaminated, 196, 202–5
 oil-polluted, 116, 117
 organic contaminants in, 44–50
 abiotic reactions, 49–50
 bioavailability, 46–8

- transport, 48–9
- organic matter, 37–8
- PAH contamination, 131–4, 144–5
 - bioremediation technologies, 153–5, 165–8, 169
 - cleanup standards, 148
 - particle size, 28, 38–9, 41–2
 - PCB-contaminated, 227, 230, 231, 234
 - physical properties, 38–40
 - profile, 39–40
 - sorption/desorption in, *see* sorption/desorption system, 35–40
 - washing, 146, 169, 315–16
- soil/water partition coefficients, 15–16
- solid-phase bioremediation, 2–4
 - PAHs, 152, 153–4, 165–8
 - PCBs, 231, 234
- solvents
 - industrial, 6–7, 300, 301, 306
 - PCB extraction, 237
- sorption/desorption
 - chlorinated phenols, 256
 - landfarming and, 27
 - measurement, 15–16
 - metals, 317–18, 323
 - microorganisms
 - to hydrocarbons, 109–10, 112
 - to soil, 43–4
 - organic contaminants, 46–8
 - PAHs, 144–5
 - PCBs, 235–7
 - in process design, 16
 - in slurry bioreactors, 28–9, 30
- speciation, metal, 316–18
- Sphingomonas paucimobilis* strain EPA505, 160, 161, 163–5, 173
- SRRz gene, 368
- standards, environmental cleanup, 147–50
- Staphylococcus aureus*, 319, 320
- strain B-206, 214–15
- strain F199, 108
- strain PRTOL1, 75–6, 91
- strain T1, 75, 76, 91
- strain T1-pUK43-10C, 75, 76
- Streptomyces viridochromogens*, 329
- substrates
 - for indigenous microorganisms, 158, 234
 - for inoculated microorganisms, 162
 - see also* co-reagents/co-substrates
- sucrose, 366–7, 368
- suicide containment systems, 365–7, 368
- sulfate, 266, 284
- sulfate-reducing microorganisms
 - benzene degradation, 64, 65, 66–7
 - chlorinated phenol degradation, 284, 285
 - ethylbenzene degradation, 80, 81, 82
 - metal removal, 328–9, 330
 - nitroaromatic degradation, 198–9
 - toluene degradation, 70–1, 72, 73, 74, 75–7
 - xylene degradation, 85, 86, 87–8, 89
- sulfides, metal, 320
- sulfur, 49, 321
- surface-active agents, *see* surfactants
- surfactants, 16, 47
 - microbial, *see* biosurfactants
 - microbial survival and, 42
 - oil bioremediation, 116, 117
 - PAH biodegradation and, 145–6
 - PCB bioremediation and, 236–7
- temperature, 17, 261–4
- tetrachloroethylene (PCE), 24, 74, 300, 301, 305, 345
- tetrachlorophenol (TeCP), 255, 262, 269
- tetrapyrroles, 49–50
- TEX compounds, 62, 67, 69–91
- Thiobacillus*, 322
- Thiobacillus ferrooxidans*, 321, 326, 327
- Thiobacillus thiooxidans*, 317, 326, 327
- tillage, 25
- tin, 313, 319
- TNT, *see* 2,4,6-trinitrotoluene
- tod* genes, 360–1
- TOL plasmids, 106, 107–8, 197, 342, 343–5, 351
- toluene, 62, 104–5
 - aerobic catabolism, 343–5
 - anaerobic biodegradation, 69–79, 98
 - cometabolism, 258, 346
 - genetics of biodegradation, 107–8
 - xylene biodegradation and, 87, 89
 - see also* BTEX hydrocarbons
- toluene dioxygenase (TDO), 351, 353, 360–1
- toluene 2,3-dioxygenase (Tod), 355, 356
- toluene monooxygenase, 308, 360
- toluene *ortho*-monooxygenase (Tom), 354
- toluic acids, 78, 79, 91
- TOM plasmids, 342, 354
- toxic metabolites, 18
- Trametes hirsuta*, 279
- Trametes versicolor*, 141
- transport/mobility
 - organic contaminants in soil, 48–9
 - soil microorganisms, 43–4, 110
- transposons
 - chloroaromatic catabolic, 355–6
 - vectors based on, 347
- trichloroethylene (TCE), 6–7, 300, 301, 305
 - bioremediation, 307–9
 - cometabolism, 7, 345–7
 - molecular strategies, 346–7, 359, 361
- 2,4,6-trichlorophenol (2,4,6-TCP), 24, 262, 269
- 2,4,5-trichlorophenoxyacetic acid (2,4,5-T), 255

Index

- trickling filter reactor, 22, 307
 2,4,6-trinitrotoluene (TNT), 195–6, 354
 biodegradation, 7, 197, 198–9, 200, 201
 bioremediation, 24–5, 30–1, 196
 tryptophane, 158
- United States, PAH cleanup criteria, 147, 148–50
- Universal Treatment Standards (UTS), 149–50
- Unterdruck-Verdampfer-Brunnen (UVB), 155–6, 157, 172–3
- upflow anaerobic sludge bed reactors (UASB), 271, 272
- uranium (U), 319–20, 325, 326–7, 329, 331–2
- vacuum-vaporized well (UVB), 155–6, 157, 172–3
- vectors, 347, 348–50
 broad-host-range, 347
 field application (FAV), 224–5, 361
 suicide, 365–7
 transposon-based, 347
- Vendor Information System for Innovative Treatment Technologies (VISITT), 151
- vgb* gene, 356–8
- vinyl chloride (VC), 24, 302, 305, 345
- vitamin B₁₂, reduced, 261
- Vitreoscilla*, 356
- volatilization, 15, 16
 metals, 320, 323, 328
 PAHs, 132
 PCBs, 236
 polychlorinated phenols, 261
- wastewater
 metal removal, 330–1
 nitroaromatic bioremediation, 204–5
 predicting degradation rates in, 18–19
 treatment systems, 21–5
- water
 chlorinated aliphatic compound-contaminated, 307–9
 chlorinated phenol contamination, 255
 content of soil, 282
 flooding, 172, 234
 GEM survival, 362–4
 hydrocarbon biodegradation and, 113
 metal removal, 316, 328–31
 nitroaromatic-contaminated, 202–5
 PAH bioremediation, 154, 155–6, 172–3
 PAH cleanup criteria, 149–50
 solubility, 15, 236, 256
 see also groundwater; sea; wastewater
- weathering, PCB, 218–19
- wet air oxidation (WAO), 205
- wetlands, 170, 328–9
- white-rot fungi, 197, 215
 chlorinated phenol degradation, 260, 272, 278–9
 PAH degradation, 135–43
- wood
 burning, 128, 130
 chips, 274–80
 preserving sites, 130, 165–6, 170, 171–2, 254–5, 256, 265
- Xanthamonas campestris*, 370
- xyl* genes, 107, 351, 353, 366
- xylene monooxygenase, 107
- xlenes, 62, 83–91, 107
 meta isomer (*m*-xylene), 83–8, 98
 ortho isomer (*o*-xylene), 87, 89–91
 para isomer (*p*-xylene), 83–8, 98
 see also BTEX hydrocarbons
- yeasts, 320, 329
- zinc (Zn), 313, 314, 319, 330