

Index

- A model, 158
 A2 model, 277
 AB model, 280
 absorbing state, 5, 144, 146, 148, 151, 153, 156, 158, 159, 177, 256, 282
 multiple, 160
 anisotropy, 6, 159
 annealed lattice system, 192, 199
 random field, 226
 spin glass, 245
 ANNNI, *see* axial next-NN Ising
 asymmetric exclusion process, 6, 16, 19, 75, 118
 atomic migration, 194
 autocatalytic reactions, 101, 164, 179
 axial next-NN Ising model, 197, 264
- BAW, *see* branching annihilation random walk
 BBC, *see* Bidaux–Boccaro–Chaté model
 Belousov–Zhabotinsky reaction, 102
 Bernoulli distribution, 107, 111
 Bethe theory, 129
 Bidaux–Boccaro–Chaté model, 281–283
 binary mixture
 with dissipative flow, 53
 biochemical process, 100
 boundary conditions
 absorbing, 144
 closed, 15
 different temperatures, 238
 free, 26
 periodic, 13
 unequal chemical potentials, 16, 47
 branching annihilating random walk, 294
 branching process, 4
 Browne–Kleban model, 287
- canonical perturbation, 74
 cascade effects, 126
 catalysis, 141–143, 159, 284, 285
 experiments, 142, 150
 cellular automata, 156, 159, 175, 182, 281, 296
 chemically reacting systems, 101
 cluster-variation approach, 63
 clusters
 anisotropic, 44, 48, 59, 88
 kinetic theory, 62, 252
 nonequilibrium, 249, 261
 properties, 261
 coherent anomaly method, 181
 competing action of heat baths, 238
 competition of spin-flip rates, 192
 conductivity coefficient, 70, 75
 conductor–isolator transition, 17, 68, 73
 conservation law, 8, 294
 contact process, 5, 158, 159, 277, 279, 291
 diffusive, 178, 181, 278
 diluted, 183, 184

- disordered, 182
- generalized, 179
- rigorous results, 165
- continuum limit, 102
- correlation length, 47, 48, 56, 58, 60, 166, 204, 226, 240, 266, 269, 273
- correlations, 40, 44, 46, 47, 72, 81, 86, 102, 109, 115, 118, 120, 138, 164, 165, 204, 216, 226, 229, 266, 274, 280
 - high-temperature expansion, 46, 49
 - long-range spatial, 45, 47, 80, 290
 - NN gap–gap, 290
- CP, *see* contact process
- critical behavior, 42
 - anomalous, 60, 123, 248
 - classical, 32, 55, 56, 113, 114, 117, 119, 122
 - impure, 217, 264
 - Ising-like, 34, 38, 40, 99, 123, 258, 260
 - nonclassical, 52
 - nonuniversal, 153, 178, 184, 220, 225, 239, 290, 291, 293, 294
 - percolative, 220, 240, 270
- critical diffusion temperature, 119
- critical domain dynamics, 297
- critical exponents, 9, 147, 153, 158, 159, 163, 166, 167, 169–171, 174–177, 181–184, 279, 285, 288–290, 293, 295, 297, 298
- critical reaction temperature, 119
- critical slowing-down, 163
- critical spreading, 290, 294
- cumulant, 249
- current, 6, 14, 19, 22, 33, 42, 67, 89, 105
 - between planes, 42
- cyclic models, 299

- DCP, *see* contact process, diffusive
- dendritic growth, 117
- density gradient, 92, 95
- detailed balance, 14, 105, 193, 205, 275
 - global, 15, 209, 212
 - local, 15
- diffusion, 105, 150, 157, 159, 178, 277–280, 283, 285
 - at finite temperature, 118
 - coefficient, 74, 92, 110
 - in FIC materials, 17
 - of disorder, 194, 197, 239
 - of impurities, 192, 273
 - of magnetic ions, 191
 - random, 111
 - single-file, 16, 32
- diffusion-limited aggregation, 159
- dilute antiferromagnets, 227
- dimer reaction, 287, 290, 293
- dimer–dimer model, 285
- dimer–trimer model, 286
- directed percolation, 158, 159, 175, 177, 281, 285, 287, 289, 295, 297
 - bond, 175
 - compact, 5
 - disordered, 183
- disorder
 - annealed, 182, 192
 - kinetic, 182, 239
 - kinetic models of, 192, 199, 239, 265
 - quenched, 182, 184
 - quenched, models of, 191, 199
- DLA, *see* diffusion-limited aggregation
- DLG, *see* driven lattice gas
- domain, 62, 90, 94, 126, 131
 - interior, 62
 - minimum, 64
 - probability, 64
 - surface, 62
- Domany-Kinzel model, 182
- DP, *see* directed percolation
- DP conjecture, 159, 177
- driven lattice gas, 6, 12, 97
 - continuum models, 46, 55
 - critical exponents, 27, 33, 47, 48, 50, 59
 - critical point, 32, 66, 73
 - FIC-like behavior, 17, 19, 20, 22, 31, 42
 - field parameter, 13, 18, 97

- jump ratio parameter, 12, 32, 61, 75, 81, 82, 90, 92
 - layered system, 38, 92
 - nature of phase transition, 21, 28, 38, 42, 89
 - one versus two planes, 97
 - one-dimensional, 19, 65
 - phase diagram, 21, 42, 50
 - quenched disorder, 35
 - repulsive interactions, 34, 66, 81, 92
 - shift of transition temperature, 21, 30, 86
 - small field, 69
 - three-dimensional, 33
 - time relaxation, 27
 - transition temperature, 30, 32, 81, 83, 92, 95
 - two connected planes, 50
 - two species, 35
 - two-dimensional, 20, 75, 84
 - with attractions and repulsions, 83
 - with broken bonds, 53
 - with spin flips, 50, 53
- driven–diffusive systems, 18
 - random field, 35, 54
- dynamic competition, 6, 103, 127, 189, 193, 238, 260, 265
- dynamics
 - spreading, 289
- ecological models, 299
- Edwards–Anderson model, 191, 193, 202, 242
- effective field, 213
- effective free energy, 233
- effective Hamiltonian, 188, 209, 211, 212, 260, 274
- effective interactions, 214, 221, 240
- effective isotropy, 56, 60
- effective NNN interaction, 272
- effective parameters, 214
- effective rate, 265, 275
- effective temperature, 211, 244, 260
- Einstein relation, 75
- energy function, 15, 192, 197, 224, 265
- entropy, 242
- epidemics, 161, 179
- exclusion process, 178
- exponentially ergodic system, 229
- external agent, 105, 193, 198, 212, 260
- fast diffusion limit, 108
- fast ionic conductor, 16
 - classification, 31
 - effective interionic potential, 17, 35, 69
 - low-dimensional effects, 18, 32, 36, 65, 69
- FIC, *see* fast ionic conductor
- field theory, 10, 55, 159, 177, 188, 280, 285, 298
- finite-size effects, 26, 28, 37, 56, 59, 60, 144, 151, 263
- finite-size scaling, 10, 56, 59, 171, 172
- flame front with convection, 117
- fluctuation–dissipation relation, 25, 44, 71, 217, 225, 242, 254
- fluctuations, 107, 115, 195, 214, 215, 217, 224, 241, 254
- fluid-like behavior, 118
- fractals, 159, 168
- free energy, 245
- frustration, 191, 242
- frustration point, 267
- Gaussian approximation, 5
- GBD, *see* detailed balance, global
- GCP, *see* contact process, generalized
- Gibbs ensemble method, 36, 37
- Gibbsian state, 14, 105
- Glauber generator, 104, 192, 198
 - effective, 201
- Glauber model, *see* Ising model, Glauber kinetics
- Green–Kubo formula, 110
- Griffiths phase, 184
- Hamiltonian, 15, 55, 111, 116, 190, 201
- Harris criterion, 183
- heat bath, 274
 - microscopic realization, 199, 275

- hydrodynamic equation, 73, 102, 103, 117
- hydrodynamic limit, 74, 106, 108
- hyperscaling, 170, 173, 291, 295
generalized, 292, 295
- hysteresis, 282, 283
- impure lattice model
bond dilution, 191, 200
nonequilibrium, 192
random couplings, 191
random fields, 191, 200
site dilution, 191
spin glass, 191, 200, 202, 245
- interacting monomer–dimer model, 297
- interacting particle systems, 2, 142
- intercalated compounds, 36
- interface, 7, 34, 40, 47, 84, 85, 97, 146, 149, 152, 160
anisotropic, 12, 22, 56, 60
anisotropy and critical behavior, 54
self-affine, 60
- interfacial energy, 91
- internal energy, 22, 70, 87, 91, 122, 195, 215, 241, 245
time evolution, 65
- invasion process, 256
- IPS, *see* interacting particle systems
- Ising model, 153, 283
Glauber kinetics, 105, 189, 193
locally competing temperatures, 197
one-dimensional, 216
quenched random-field, 195
- Kawasaki generator, 104
- Kawasaki model, *see* lattice gas, Kawasaki kinetics
- kinetic ANNNI model, 198, 266
nature of transition, 269
phase diagram, 268, 271
- kinetic cluster theory, 62, 126, 231, 248, 252
- kink cellular automaton, 296, 297
- KPZ equation, 16
- Langevin equation, 50, 55, 79, 188
- lattice coordination number, 111
- lattice gas, 13, 14
disconnected lattices, 38
Kawasaki kinetics, 105, 189
two connected planes, 36
with anisotropic bias, 7
with particle creation, 117
with random exchanges, 48, 53, 106
with shear flow, 53
with spin flips, 103
with spin flips and random exchanges, 49
- layered lattice gas, 35, 36
- local equilibrium, 107, 121, 130, 131, 138
- LRSC, *see* correlations, long-range spatial
- magnetic susceptibility, 125, 215
- magnetization, 106, 113, 122, 215, 253
- majority vote process, 249, 256
critical exponents, 258
- map
coupled map lattice, 178
discrete-time, 178
- master equation, 4, 13, 73, 76, 104, 192, 198
perturbative treatment, 185
- Mattis' model, 202
nonequilibrium, 202
- MC, *see* Monte Carlo
- mean-field approximation, 63
- mean-field theory, 61, 128, 133, 139, 148, 150, 158, 162–164, 166, 179, 181, 183, 278, 279, 282, 299
- metastability, 152, 282
- metastable states, 28, 38, 125, 129, 234, 237
- MFT, *see* mean-field theory
- microscopic reversibility, 15, 25, 193
- MKD, *see* disorder, kinetic models of model B, 55
- molecular dynamics, 55
- monomer–monomer process, 144, 185, 188

- Monte Carlo simulation, 12, 120, 138, 195, 211, 246, 257, 260
- MQD, *see* disorder, models of quenched
- multi-particle processes, 188, 277–282
- multi-species model, 187
- multiple absorbing configurations, 284, 289
- natural initial configurations, 289
- nearest neighbor, 13
- neural network, 197, 273
- NN, *see* nearest neighbor
- NNN, *see* next NN
- non-Hamiltonian agent, *see* external agent
- nonequilibrium clusters, 249, 263
- nonequilibrium dilute antiferromagnet, 227, 236
- nonequilibrium dilute magnetic model, 197, 239
- nonequilibrium effects, 192
- nonequilibrium Ising glass
 dilute, 254
 magnetization, 247
 nature of phase transition, 248
 phase diagram, 251, 252
 zero temperature limit, 256
- nonequilibrium Ising model, 297
- nonequilibrium phase transitions, 1
- nonequilibrium random-field model, 194, 205
 critical exponents, 220
 critical point, 216, 219, 224
 ergodicity, 230
 magnetization, 220
 nature of phase transition, 234
 of arbitrary dimension, 228
 one-dimensional, 211
 phase diagram, 232, 234, 235, 237
 specific heat, 220
 with frozen spins, 220
 zero-temperature limit, 260
- nonequilibrium spin-glass model, 197, 242
 critical point, 243
 ergodicity, 245
- phase diagram, 246
 with strong bonds, 244
- nonreactive desorption, 286
- nonuniform distribution of temperature, 238
- NRFM, *see* nonequilibrium random-field Ising model
- nucleation, 160
- omega expansion, 77
- Onsager solution, 36
- operator methods, 185
- optimization problem, 102
- order parameter, 5, 8, 38, 55, 57, 106, 132, 150, 235
 anisotropic, 25, 26, 42, 88
 short-range, 51, 54, 89
- pair annihilation model, 277
- pair approximation, 64, 126
- pair contact process, 284, 289, 293
- pair-creation model, 281, 282
- PAM, *see* pair annihilation model
- paper-scissors-stone game, 299
- parity conservation, 295
- pattern selection, 117
- percolation, 10, 175, 255
- phase
 anisotropic, 21
 spatially modulated, 264
 stability, 92, 93, 95
- phase coexistence, 36, 102, 139
- phase density, 41, 86, 90
- phase separation, 6
- phonon system, 275
- poisoning, 141, 143, 144, 147, 149–153, 156, 158, 159
- Poisson transform method, 188
- Pomeau's conjecture, 177
- porous media, 227
- power-law relaxation, 184
- proton glass, 197
 d-dimensional, 274
- quasicanonical system, 212, 265
- quasistationary state, 171
- quenched bond dilution, 252

- quenched random-field model, 225, 227, 231
- random sequential adsorption, 188, 289
- random walk, 5, 144, 146
- randomly dilute alloys, 273
- rate, 14, 33, 38, 65, 70, 111, 113, 114, 137, 138, 206, 256, 257, 273
- asymmetric, 7, 75, 118
 - classification, 213, 228
 - de Masi, 112, 206
 - driven lattice gas, 14
 - effective, 192, 207, 229
 - elementary, 193, 205
 - Glauber, 112, 114, 206
 - hard, 213, 224, 228, 239, 254, 259
 - Kawasaki, 14, 112, 115, 206
 - Metropolis, 14, 68, 86, 112, 113, 116, 206
 - one-dimensional, 207
 - reaction, 115
 - soft, 213, 224, 228, 240, 254
 - van Beijeren-Schulman, 14, 205
- reaction front, 103
- reaction–diffusion equation, 102, 107, 109, 111, 134, 164
- critical behavior, 103
- reaction–diffusion lattice gas, 103, 137, 279, 297
- macroscopic behavior, 111
 - nature of phase transition, 114, 116, 121, 125, 129, 134, 137, 138
 - one-dimensional, 112, 121, 130, 138
 - phase diagram, 123, 126, 134
 - repulsive interactions, 114
 - three-state model, 140
 - transition temperature, 125
 - two-dimensional, 113, 122, 133, 139
- reentrance phenomena, 234
- Reggeon field theory, 161, 176
- relaxation time, 5, 9, 151, 163, 166, 173, 200, 203
- renormalization group, 188, 293
- reptation, 35
- RFT, *see* Reggeon field theory
- roughening transition, 34
- rule K, 260
- rule M, 260
- sc lattice, *see* simple cubic lattice
- scaling, 10, 27, 33, 50, 56, 59, 118, 153, 169, 170, 184, 217, 262, 291
- corrections to, 168
 - of space and time, 102
- scaling function, 263
- scaling relations, 10, 170, 184
- Schlögl model, 164, 280
- second neighbor reaction, 293, 294
- selection principle effect, 117
- self-organized criticality, 16, 46, 178
- series analysis, 188
- simulations, 144, 151–153, 156, 158, 159, 162, 167, 171, 174, 281, 282, 299
- constant coverage, 152
 - time-dependent, 153, 158
- social sciences, 101
- specific heat, 22, 52, 70, 132, 215, 242
- spin glass, 191, 197, 242
- exposed to random field, 273
 - ground state, 243
 - one-dimensional, 243
- spin–phonon coupling, 275
- spinodal, 149, 150
- spinodal decomposition, 30, 140
- spreading, 284, 293
- of damage, 178
- stability, 65, 67, 111, 233
- strips, 28, 38, 87
- stability of, 22, 90
- strong field limit, 77
- structure factor, 25, 30, 44, 73, 80
- superposition of spin flips, 189, 238
- SURF, *see* system under random field
- surface growth, 15, 53, 65, 69
- surface magnetism, 36
- survival probability, 4, 153, 165, 167, 170, 173, 175, 184
- system under random field, 194
- TAM, *see* triplet annihilation model
- threshold transfer process, 288, 293
- time scale, 76, 200, 201, 203, 276

Index

327

- Toom model, 256
 traffic models, 16, 35
 transfer matrix method, 72, 118, 215, 266
 transport coefficients, 140
 travelling front, 117
 tricritical point, 38, 95, 136, 139, 232, 234, 248
 triplet annihilation model, 279, 280
 triplet creation model, 282
 turbulence, 177
 two-temperature systems, 238, 258
 universality, 8, 10, 54, 124, 158, 177, 182
 classes of, 9, 158, 176, 284, 294, 297, 298
 voter model, 256
 ZGB, *see* Ziff–Gulari–Barshad model
 Ziff–Gulari–Barshad model, 141, 143, 146, 148, 150–153, 156, 158–160, 277, 297