

Index

- accessory olfactory bulb, vomeronasal afferents to, 90–91
- acetylcholine
 in regulation of female sexual behavior, 184–206
 sex hormone-mediated regulation of, 120, 199
- actin, 426
- activational effects, of sex steroids, 302
- activation during mating, of retrorubal field of mid-brain tegmentum, 45
- acyltransferase, role in brain neurosteroid metabolism, 283
- adrenal glands, progesterone secretion by, 120
- adrenal steroids, effects on brain function and behavior, 117
- adrenocorticotrophic hormone, 144
- adrenodoxin, 282
- adrenodoxin reductase, 282
- aggression
 neurosteroid inhibition in male rat, 289, 290
 reproduction relation to, 303
- aging, possible neurosteroid role in, 292
- amitriptyline, effect on female sexual behavior, 186
- amphibians
 sexually dimorphic brain areas in, 259
 vasopressin-immunoreactive projections in, 260
- amygdala
 corticomedial area of, estrogen receptor mRNA in, 71, 72
 estrogen receptors in, 325
- extended
 anatomy, 10
 hormonal and chemosensory subcircuitry, 12, 20, 22–23, 31, 34
 neural circuitry through, 10
 sexual dimorphism, 29
 hormonal and chemosensory circuit projections to, 15
 olfactory and vomeronasal connections through, 10
 steroid receptors in, 14
- amygdalohippocampal zone
 activation during mating, 45
 estrogen receptors in, 14
- inputs to medial preoptic nucleus, 89
 subcircuitry of, 13
- anatomical relationships, between chemosensory and hormonal circuits, 20
- androgen(s)
 effect on brain androgen receptors, 25–26, 28
 effects on brain nuclei, 17–19
 effects on male copulatory behavior, estrogen comparison with, 6–8, 19
 stimulation of male sexual behavior by, 14
- androgen receptors (AR)
 in chemosensory pathways, 13
 in medial preoptic area, 16
 neurons containing, 97
 mating stimulation of, 20, 21
 in tyrosine hydroxylase neurons in brain, 31, 33
 in ventral lateral septum, 14
 in ventral premammillary nucleus, 13
- androstatrienedione (ATD), as testosterone-conversion blocker, 41, 284
- anterior hypothalamus
 estrogen receptors in, 325
 magnocellular neuroendocrine cells of, 413–415
- anteroventral periventricular nucleus of preoptic region (AVPv), 93–97
 estrogen receptors in, 93–94
 hormone secretion by, 89
 inputs to medial preoptic nucleus, 89
 sex differences in rats, 85
 sexual dimorphism of, 93
 steroid receptors in, 93, 98
- antidiuretic receptor, in hippocampus, 266
- antiestrogens, effects on circulating luteinizing hormone, 94
- AP-1 binding sites, in genes, 356, 358, 398
- AP-2 binding sites, in genes, 358, 385
- apomorphine, as dopamine agonist, 238
- arcuate nucleus (ARC), 16
 cholecystokinin receptors in, 170
 hormone secretion by, 89
 inputs to medial preoptic nucleus, 89
JunD expression in, 133

434 *Index*

- POMC-expressing neurons in, 150–151
 projections to, 13, 15
 steroid receptors in, 97
 tachykinin-immunoreactive cells in, 225
- arginine vasopressin (AVP)
 castration effects on, 423
 synthesis and release by magnocellular neuroendocrine cells, 413, 417
- arginine vasopressin mRNA, expression of, 262
- aromatase
 brain cell expression of, 101, 174, 313–314
 in sex steroid biosynthesis, 302, 303
 in telencephalon of songbirds, 317
- aromatization
 in androgen metabolism, 281
 of tissue, measurement, 307–313
- aromatizing enzymes, male and female levels of, 133
- astrocytes, neurosteroid effects on, 286
- atropine, effect on female sexual behavior, 186, 189
- axodendritic synapses
 fluctuation during estrous cycle, 119
 testosterone effects on density of, 134
- axon terminal fields
 role in cholinergic regulation of lordosis, 195
 steroid receptors in, 340
- axosomal synapses, testosterone effects on density of, 134
- bed nucleus of stria terminalis (BNST)
 anatomy of, 10
 cholecystokinin in, 162–165
 connections with sexually dimorphic area, 49, 50, 51, 52
 dihydrotestosterone replacement effects on, 29
 estrogen receptors in, 71
 inputs from vomeronasal pathway, 91
 medial (BNSTm), activation during mating, 45
 medial preoptic nucleus projections to, 89
 olfactory fiber projection to, 17
 as part of limbic-hypothalamic circuit, 160–178, 213
 posteromedial (BNSTpm), 13
 lesion studies, 17, 19
 neurotransmitters in, 31
 steroid receptors in, 13, 14, 19
 posterointermediate (BNSTpi), 12
 steroid receptors in, 14
 tyrosine hydroxylase neurons in, 31, 33
 posterior (BNSTp)
 neuron density increase in males, 104
 olfactory information relay by, 105
 steroid receptors in, 91, 97
 sex hormone effects on vasopressin cells in, 258
 sexual dimorphism in, 255, 258
 steroid receptors in, 14, 18, 101
 mating activation, 20–21
 steroid stimulation of, 19
 tachykinin-immunoreactive cells in, 215
 testosterone conversion to estrogen in, 61
 testosterone replacement reduction of estrogen receptor
 mRNA in, 63, 64
- vasopressin projections of, 254
 sex differences, 260–264, 267
 vomeronasal fiber projection to, 9–10, 17
- bethanechol, effect on female sexual behavior, 186
- biochemical assays, for steroid receptor binding, 57
- birds. *See also* songbirds
 hormonal control of mating behavior in, 40
 sexually dimorphic brain areas in, 259
 singing behavior in, 300, 301
- BNST. *See* bed nucleus of the stria terminalis (BNST)
- brain
 androgen receptor-containing neurons in, 7
 chemosensory pathways in, 8–14
 estrogen receptor-containing neurons in, 7
 sex differences in, 106, 254–278
 sex steroid effects on, 363–390
 steroid receptors in, autoregulation, 24–26
 steroid-responsive networks in, 8–23
- brain-derived neurotrophin factor (BDNF), distribution and function in CNS, 391, 393–404
- brain lesions, use in studies of chemosensory and hormonal circuits, 17
- bromo-2-deoxy-5-uridine, as “birth marker,” 264
- bulbocavernosus, castration-induced neuronal changes in, 29
- cAMP
 downregulation of, 425
 enhancement of pregnenolone formation by, 285–286
 regulation of preproenkephalin transcription by, 358
- carbachol, effects on female sexual behavior, 186, 187, 189, 191
- cardiovascular regulation, vasopressin effects on, 265
- castration
 effects on estrogen and interneuronal coupling, 423
 effects on mating behavior, in hamsters, 5
 effects on steroid receptors, 24, 26
- catecholaminergic terminals, near estradiol cells, 333
- caudoputamen, oxytocin receptors in, 128
- cell-cell interactions, in magnocellular hypothalamoneurohypophyseal system, 412–431
- central tegmental field (CTF), olfactory input to, 247
- c-fos* oncogene
 corticosteroid receptor and, 103
 drug-induced expression of, 247, 248
 estrogen induction of, 392, 397–398
 Fos protein expression by, 20, 332
 induction during mating, 20, 22, 245
 preproenkephalin expression and, 103
- chemosensory circuit
 in brain, 8–14
 brain lesion studies, 17
 function of, 22–23
 hormonal network connection to, 14–15
 steroid receptors in, 13–14, 16
 chemosensory signals, effects on sex steroid levels, 7–8

- cholecystokinin (CCK)
 distribution in CNS, 161
 sex differences, 166, 167, 255
 expression in limbic-hypothalamic circuit, 163–169
 in magnocellular neuroendocrine cells, 413
 in regulation of reproduction, 91
 sex hormone effects, 120, 160–183
 cholecystokinin B receptors, 91–93
 cholecystokinin octapeptide, behavioral responses to
 161–162, 177
 cholecystokinin receptors, 170–177
 subtypes of, 170
 cholesterol, conversion to pregnenolone, 282, 283, 285
 cholesterol–desmolase complex, in rat brain cells, 285
 choline, effect on lordosis, 189
 choline acetyltransferase, steroid effects on, 199, 397–400
 cholinergic agonists, facilitation of lordosis by, 185–189
 cholinergic antagonists, inhibition of lordosis by, 189–191
 cholinergic regulation, of female sexual behavior, 184–206
 cholinesterase inhibitors, effects on female sexual behavior, 186
 choline uptake inhibitor, effect on female sexual behavior, 186
 chromatin, hormone–receptor complex binding to, 24
c-jun oncogene
 estrogen induction of, 397–398
 preproenkephalin expression and, 103
 colchicine, as axonal transport blocker, 255
 co-localization
 of androgen receptors and dopamine, 31, 33
 of estrogen and progesterone receptors, 71–72
 of estrogen receptors and oxytocin, 422
 of estrogen receptors with neurotrophins and receptors, 395–397
 functional consequences, 400–402
 of progesterone receptors with serotonin, 384
 consummatory movements, in hamster mating, 4
 copulation
 androgen and estrogen stimulation of, in hamsters, 3–8, 14, 46
 brain areas essential for, in gerbils, 41
 brain lesion studies, 17, 33–34
 dopamine release effects on, 238
 effects of severance of sexually dimorphic area efferents on, 49
 in females
 brain areas affecting, 105
 role of ventromedial nucleus of hypothalamus in, 88
 in males, brain areas affecting, 105
 restoration in castrated rats, 244
 steroid hormone effects on, 3–39
 testosterone effects on, 40
 cortex of amygdala, *JunD* expression in, 133
 corticomedial amygdala
 connections of, 10
 vomeronasal fiber projection to, 9
 corticotropin-releasing factor
 gene regulation of, 169
 in magnocellular neuroendocrine cells, 413
 critical periods, effects on CNS organization, 391
 cRNA probes, use in estrogen mRNA studies, 59–60
 cross-talk, integration of sensory and hormonal information by, 335
 cycling female rats, Fos labeling of CNS in, 375, 376
 cytochrome P-450_{scc}, in mitochondria of steroidogenic endocrine cells, 282
 cytoplasm, steroid receptors in, 24, 336–338, 340–341
 cytosolic binding assays, of estrogen receptors, 77
 DAGO, binding to μ -opioid receptors, 145
 day length, effect on steroid hormone production, in hamsters, 5
 dehydration, effects on dye coupling among magnocellular neurons, 422, 425
 dehydroepiandrosterone (DHEA)
 as excitatory neurosteroid, 289
 in rat brain, 282
 dendrites
 estrogen receptors in, 339
 of mitral and tufted cells, role in chemosensory pathways, 8
 steroid effects on, 29–30
 dendritic spine density, in ovariectomized rats, 119
 deoxycorticosterone
 metabolite as sedative-anesthetic agent, 287
 modulation of GABA receptors by, 118
 diagonal band of Broca, 195
 diethylstilbestrol (DES), replacement studies using, 41–42
 5 α -dihydroprogesterone, as progesterone metabolite in brain, 281–282
 dihydrotestosterone (DHT)
 behavioral sensitivity to, following gonadectomy, 64
 downregulation of estrogen receptor mRNA by, 174, 665
 effects on brain androgen receptors, 25
 effects on male mating behavior, in hamsters, 7
 production of, 4, 6, 133
 in regulation of copulatory behavior, 221
 replacement therapy, 19, 29
 dihydroxyphenylacetic acid (DOPAC), castration effects on levels of, 244
 dihydroxyphenyltetrahydrothienopyridine (THP), as dopamine receptor-1 agonist, 239
 diurnal fluctuation, of oxytocin (OT), 125–128
 DNA, activated hormone–receptor complex binding to, 23
 dopamine, in neural control of gonadotropin secretion, 94
 dopamine β -hydroxylase, 31, 332
 double-label immunocytochemistry for Fos protein and, 383

436 *Index*

- dopamine receptors
 effects on genital reflexes, 239–241
 stimulation effects on estrogen receptors, 340
- dopaminergic neurons, in arcuate nucleus, 94
- dopaminergic systems, role in male rate sexual behavior, 234–253
- dorsal raphe nucleus, vasopressin-immunoreactive projections to, 257
- dorsal root ganglion (DRG) neurons, use in nerve growth
 factor studies, 400–401, 404
- dorsomedial nucleus, cholecystokinin receptors in, 170
- downregulation
 of estrogen receptor mRNA, 58, 405
 of tyrosine hydroxylase expression, 95
- dye coupling studies, on supraoptic and paraventricular nuclei, 420, 423
- dynorphin(s)
 AP-1 binding site in gene for, 385
 in brain neurons, 94, 97
 in hamster brain, 30–31
 in magnocellular neuroendocrine cells, 413
 as opioid peptides, 144
 prodynorphin as precursor of, 144
- efferents
 from medial preoptic area, 237
 from sexually dimorphic area, 49
- ejaculation, hormonal priming effects on, 133
- β -endorphin
 effects on lordosis, 153
 gonadal steroid hormone regulation of, 147–151
 neurons containing, 94
 proopiomelanocortin as precursor of, 144
- endorphins, as opioid peptides, 144
- engineer's model, for estrogen receptor studies, 59
- enkephalin(s), 153
 AP-1 binding site in gene for, 385
 in brain neurons, 94
 as opioid peptides, 144
- enkephalinase, ketatorphan as inhibitor of, 154
- enkephalinergic circuits, gonadal hormone alteration of, 147–148
- enzymes, steroid–receptor binding effects on, 27
- epinephrine, 31
- estradiol-17 β
 brain implants of, 19, 40
 effect on cholecystokinin release, 168
 effect on circulating luteinizing hormone, 94
 effect on female mating behavior, 117
 effect on Fos immunoreactivity, 331–332
 effect on male mating behavior, in hamsters, 7
 effect on μ -opioid receptors, 145, 147
 effect on ovariectomized rats, 423
 effect on oxytocin neuronal activity and biosynthesis, 122–128
 effect on song control circuitry, 302
 guinea pig brain regions binding of, 72–73
 induction of synapses by, excitatory amino acid role, 134
 neurochemical effects of, 120
- pulses of
 estrogen immunoreactivity and, 330–331
 progesterone immunoreactivity induction by, 329–330
 from testosterone, 6
- estrogen(s)
 alteration of gene transcription by, 57
 cholecystokinin regulation by, 169–170
 effects on brain, 86
 mechanisms, 392–393
 nuclei, 17–19
 effects on LHRH, 169, 223, 363
 effects on male copulatory behavior, androgen comparison with, 6–8
 effects on muscarinic receptors, 196–198
 effects on songbird physiology and song system, 299, 304–305
 induction of progesterin receptors in brain by, 71
 interactions with neurotrophins and their receptors, 391–406
 production in males, 4
 regulation of gene activity by, 354–358
 stimulation of male sexual behavior by, 14, 303
 androgens compared to, 6–8, 19
 tachykinin peptide regulation by, 212–213
- estrogen receptors (ER), 24–25, 73–76
 in amygdalohippocampal area, 14
 in cell nucleus, 24
 in chemosensory pathways, 13
 in CNS neurons, 392
 in cytoplasm, 336–338
 heterogeneous regulation of, 328
 in medial preoptic area, 16
 mRNA
 detection of, 58, 66
 downregulation, 64, 65
 in female guinea pig, 59, 71–76
 in medial preoptic nucleus, 66, 68
 neuroanatomical distribution of, 57–84
 regulation by steroid hormones in males, 61–65
 regulation in brain, 78–79
 neurobiological regulation of hormonal response to, 324–349
 neurons containing, 97
 noradrenergic regulation of, 333
 sexual behavior induction by, 326
 structure of, 352
 in supraoptic nucleus, 422
 ultrastructural localization of, 339–340
 in vaginal–cervical responsive neurons, 335–336
 in zebra finch song system, 316
- estrogen-response element (ERE)
 cholecystokinin gene and, 169
 sequences in, 392, 399, 405
- estrous cycle
 effects on muscarinic receptors, 198
 expression of LHRH neurons in, 364–367
 oxytocin effects on, 122–123
- excitatory amino acids
 effects on estradiol induction of synapses, 134
 use in lactation studies of CNS, 373–375

- female sexual behavior
 cholecystokinin role in, 160–178
 cholinergic regulation of, 184–206
 as model system for study of steroid hormone effects on brain, 135
 pharmacological regulation of, 185–193
 role of medial preoptic area–anterior hypothalamus in, 41
 tachykinin role in, 207–213
 fever, interleukin-1 induction of, 266
 fluorescent double-labeling method, use in neural activation by mating, 20–21
 Fluoro-Gold, as cell label, 49
cis-flupenthixol, as dopamine agonist, 238
 flutamide, as dihydrotestosterone blocker, 41
 follicle-stimulating hormone, 364
 forebrain
 chemosensory area of, 12
 estrogen receptor mRNA in, 59, 71–76
 sexually dimorphic pathways in, 49–53, 86
 Fos protein
 detection in cells following mating behavior, 20
 double-label immunocytochemistry for dopamine β -hydroxylase and, 383
 estradiol effects on, 331–332, 334, 342
 increase of transcription rate by, 385
 as marker for LHRH activity, 363–364, 365, 371
 NMA stimulation of expression of, 364
 overlap with neural androgen receptors, 20
 in oxytocin neurons, 131, 133
 GABA
 inhibitory steroid metabolites for, 288
 role in progesterone effects on membranes and receptors, 118, 120
 as transmitter in sexually dimorphic area cells, 48–49
 GABA_A receptors
 model of, 288
 neurosteroids and, 288–289
in vivo, 288
 galanin, in magnocellular neuroendocrine cells, 413
 genomic effects, of progesterone, 286, 292
 glial fibrillary acidic protein, 418, 426
 glucocorticoid receptors, zinc fingers in gene for, 351
 glucocorticoid response element, 352, 353
 glucocorticosteroids, enhancement of pregnenolone formation by, 285–286
 glutamic acid decarboxylase (GAD), effects on male sexual behavior, 49
 gonadal steroids. *See* sex steroids and individual steroids
 gonadectomy, use in estrogen receptor studies, 58
 gonadotropin-releasing hormone (GnRH). *See also* luteinizing hormone-releasing hormone
 in hamster neurons, 364
 neuroendocrine control of, 93, 94
 role in steroid hormone production, 4–5, 7
 gonadotropin secretion
 cholecystokinin effects on, 91
 medial preoptic area–anterior hypothalamus role in, 41
 neural circuitry controlling, 98, 160
 neuroendocrine control of, 93
 sexually dimorphic area role in, 88
 G-proteins, 169, 392
 heat shock proteins, 354
 hemicholinium, effect on female sexual behavior, 186, 189
 heterosexual exposure, effects on brain neurosteroids, 292
 hibernation, vasopressin effects on hypothermia in, 266–267
 higher vocal center (HVC), role in song control, 300
 hippocampus, receptors in, 266
 hormonal amygdala, steroid receptors in, 14
 hormonal circuit
 brain lesion studies, 17
 function, 15–17, 22–23
 hormonal networks
 chemosensory circuit connection to, 14–15
 steroid receptors in, 16
 hormone response elements
 palindrome structure of, 353–354
 in promoter regions of genes, 350, 352, 353
 horseradish peroxidase (HRP), use in axon studies, 49
 5 α ,3 α -hydroxydihydroprogesterone, lordosis promotion by, 118–119
 6-hydroxydopamine
 catecholamine detection by, 48
 destruction of dopamine terminals by, 238
 3 α -hydroxy-5 α -pregnan-20-one, as progesterone metabolite in brain, 281–282
 3 β -hydroxysteroid dehydrogenase isomerase
 in bird brain cultures, 315
 in brain neurosteroid metabolism, 284, 286
 3 α -hydroxysteroid oxidoreductase, in brain, 291
 hypothalamopituitary axis, response to steroid feedback, 5
 hypothalamus
 connections with pituitary gland, 104
 estrogen receptor mRNA in, 71, 72
 medial basal, estrogen receptors in, 71
 neural circuitry through, 11–12, 15
 olfactory and vomeronasal access to, 10
 sex steroid regulation of opioid function in, 143–159
 hypothermia, vasopressin effects on, 266–267
 immunocytochemistry, steroid receptor detection by, 13, 15, 16, 19, 24, 25, 57
 incertohypothalamic tract, as dopamine source, 238
 infundibular nucleus (Inf), estrogen receptors in, 71, 73, 75, 76
in situ hybridization
 cholecystokinin precursor detection by, 92, 162–165
 cholecystokinin receptor detection by, 171
 estrogen mRNA detection by, 61
 estrogen receptor mRNA detection by, 58–60, 66, 67
 oxytocin mRNA detection by, 123

438 *Index*

- oxytocin receptor mRNA resection by, 129
- POMC detection by, 148–151
- preproenkephalin detection by, 147, 148
- steroid receptor detection by, 13, 25, 58, 61
- tyrosine hydroxylase detection by, 31
- insulin-like growth factor, 393, 398
- interleukin-1, induction of “sickness behavior” by, 266
- interstitial cells (of testis), steroid production by, 4
- intromission, hormonal priming effects on, 133
- isoprotenerol, 420

- JunB*, expression in brain sections, 133
- JunD*, expression in brain sections, 133
- Jun protein, NMA stimulation of expression of, 364

- kelatorphan, as enkephalin inhibitor, 154

- lactation
 - progesterone effects on cortical activation during, 371–376
 - role of magnocellular hypothalamoneurohypophysial system in, 417–418, 426
- lateral habenular nucleus, vasopressin-ir cells in, 255
- lateral olfactory tract (LOT)
 - lesions of, effect on male sexual behavior, 17
 - olfactory fibers in, 8
 - role in neuroendocrine responses, 7–8
- lateral preoptic area
 - β -endorphin in, 148
 - estrogen receptor mRNA in, 72
- lateral septum
 - estrogen receptor mRNA in, 72
 - oxytocin receptors in, 128
 - vasopressin-ir cells in, 255, 267
- ventral (LSv)
 - activation during mating, 45, 46
 - afferents to sexually dimorphic area, 49, 50
 - androgen receptors in, 14
 - hormonal stimulation, 18, 19
 - inputs to medial preoptic nucleus, 89
 - lesion studies, 51
- learning and memory
 - limbic system importance for, 104
 - neurotrophin role in, 391
 - possible neurosteroid role in, 290
 - vasopressin effects on, 265
- leu-enkephalin, proenkephalin as precursor of, 144
- leumorphin, in brain neurons, 31, 32
- limbic–hypothalamic circuit
 - cholecystokinin expression in, 163–169
 - function and neuroanatomy of, 160
 - ontogeny of, 163–166
 - role in sexual behavior, 160–161
- limbic system
 - chemosensory area of, 12
 - hormonal regulation of, 85–114
 - steroid receptors in, 13, 14, 71, 72
- locus coeruleus, vasopressin-immunoreactive projections to, 257, 260
- lordosis
 - acetylcholine effects on, 202
 - cholecystokinin effects on, 161–162
 - cholinergic regulation of, 185–203
 - description of, 185
 - inhibition by cholinergic antagonists, 189–191
 - opioid regulation of, 153
 - regulation of, 170
 - steroid and steroid metabolite promotion of, 118–119, 122, 133, 154, 332
 - substance P and, 330
 - tachykinin role in, 207–213
- luteinizing hormone (LH)
 - gonadotropin-releasing hormone control of, 93
 - opioid effects on release of, 152
 - oxytocin effects on levels of, 127
 - role in sex steroid production, 4, 5, 7
 - tachykinin role in secretion of, 222–226, 227
- luteinizing hormone-releasing hormone (LHRH). *See* also gonadotropin-releasing hormone (GnRH)
 - effect on luteinizing hormone release, 152
 - possible estrogen effects on, 169, 225
- magnocellular hypothalamoneurohypophysial system
 - activation of, 416–418
 - estrogen effect on cell–cell interactions in, 412–431
 - neuroanatomy of, 412, 413
 - peptide release by, 418
 - structural plasticity in, 418–421
- magnocellular nucleus of neostriatum (MAN), projections to, 300
- magnocellular preoptic nucleus, 195
- male sexual behavior
 - dopaminergic influences on, 234–253
 - in Japanese quail, 302
 - medial preoptic area role in, 40–45
 - neuronal activation during, 17–22
 - steroid control of, 23
 - tachykinin role in, 213–222
- maternal behavior
 - brain regions important for expression of, 104
 - following female rat pregnancy, 65–66
 - role of medial preoptic area–anterior hypothalamus in, 41
 - vomer nasal pathway role in, 91
- mating behavior pathway, steroid hormone effects on, in hamsters, 3–39
- McN-A-343, effect on female sexual behavior, 186, 191
- medial amygdaloid nucleus
 - afferents to sexually dimorphic area, 49, 50
 - anterior
 - connections of, 10, 12
 - dendrites of, 29
 - lesion studies, 33–34
 - steroid receptors in, 14
 - tyrosine hydroxylase in, 31, 33
 - vomer nasal afferents to, 12–13
 - cholecystokinin activity in, 162, 163
 - circuits of, 10, 34
 - lesion studies on, 52–53
 - medial preoptic nucleus projections to, 89
 - neuron density increase in males, 104
 - olfactory stimuli relay to, 213
 - as part of limbic–hypothalamic circuit, 160
 - posterior (MeAp)
 - dendrites of, 29, 30

Index

439

- inputs from vomeronasal pathway, 90–91
- inputs to medial preoptic nucleus, 89
- lesion studies, 17, 19, 52
- mating activation in, 20
- neurotransmitters in, 31
- steroid receptors in, 13, 14, 91, 92
- tyrosine hydroxylase in, 31
- posterodorsal, activation during mating, 45, 46
- steroid effects on dendrites in, 29
- steroid implants in, 19
- steroid receptors in, 100, 101, 103
- tachykinin-immunoreactive cells in, 214–215
- vasopressin projections of, 254
- sex differences, 260–262, 267
- medial nucleus of lateral dorsal thalamus (DLM), innervation of, 300–301
- medial preoptic area–anterior hypothalamus (MPOA-AH)
 - lesion studies, 41
 - role in cholinergic regulation of lordosis, 195
 - role in testosterone effects on male sexual behavior, 40–45
- medial preoptic area (MPOA)
 - dihydrotestosterone replacement effects on, 29
 - dopamine release in, 237–239
 - efferent projections of, 237
 - extended amygdala projections to, 34
 - hormonal stimulation of, 19
 - lesion studies, 46
 - muscarinic receptors in, 198
 - neural circuitry through, 11–12, 13
 - olfactory and vomeronasal access to, 10
 - role in control of male sexual behavior, 40, 42, 44, 213, 235–243
 - role in opioid regulation of lordosis, 153
 - sensory input to, 235–237
 - steroid implants in, 19
 - steroid receptors in, 14
 - mating activation, 20–21
 - tachykinin-immunoreactive cells in, 213
 - tyrosine hydroxylase neurons in, 31, 33
- medial preoptic nucleus (MPN), 41
 - cholecystokinin receptors in, 161, 170–171
 - effects on sexually dimorphic functions, 89
 - estrogen receptor mRNA in, in female rat, 66–71
 - estrogen receptors in, in female guinea pig, 71, 72, 73, 75, 76
 - homology to sexually dimorphic area, 42
 - neural inputs to, 89
 - neuron activities in, 104
 - neurotransmitters in, 31
 - olfactory information relay by, 105
 - opioid receptors in, 145–147
 - as part of limbic–hypothalamic circuit, 160
 - parts of, 88–89
 - role in cholinergic regulation of lordosis, 193
 - role in male copulatory behavior, 88
 - sex differences in, 88
 - sexual dimorphism of, 88–89, 145
 - as site of rat maternal behavior, 66
 - steroid receptors in, 14, 19, 21, 97, 98
 - testosterone conversion to estrogen in, 61, 63, 64
- median eminence, POMC-expressing neurons in arcuate nucleus projection to, 150–151
- mediobasal hypothalamus, estrogen receptors in, 325, 326, 333
- melanocyte-stimulating hormone, 144
- memory. *See* learning and memory
- mesolimbic integrative system, role in male sexual behavior, 235, 236, 241–242
- met-enkephalin, proenkephalin as precursor of, 144
- 3 α -methylandrost-5-en-17-one, as aggression inhibitor, 289–290
- N*-methylaspartic acid (NMDA)
 - as excitatory amino acid, 364
 - use in lactation studies of CNS, 373–374, 379–381
 - use to produce brain lesion, 42, 43, 44, 45, 47, 48
- midbrain central gray
 - estrogen-immunoreactive cells in, 335
 - vasopressin-immunoreactive projections to, 257
- N*-monomethyl-L-arginine, as nitric oxide synthesis inhibitor, 246
- motor behaviors, vasopressin effects on, 265
- mounting behavior, hormonal priming effects on, 133
- MPOA. *See* medial preoptic area (MPOA)
- muscarinic receptors
 - agonists, effects on female sexual behavior, 186
 - antagonists, effects on female sexual behavior, 186, 189
 - estrous cycle effects on, 198
 - methyl-4-piperidyl benzilate effects on, 197, 198
 - methylscopolamine effects on, 197, 198
 - sex steroid effects on, 196–198
 - subtypes, lordosis and, 191–193
- naloxone, as opioid antagonist, 151–152
- neonates, exposure to sex steroids of, 85
- neostigmine, effect on female sexual behavior, 186
- nerve growth factor (NGF)
 - distribution and function in CNS, 391–393
 - function of, 391
- nervus terminalis fibers, role in chemosensory pathways, 8
- neural lobe (NL)
 - neuroanatomy of, 412, 415
 - projections to, 414
- neurokinin A, 220
 - preprotachykinin A mRNA coding for, 207
- neurokinin B
 - in arcuate nucleus, 225–226
 - preprotachykinin B mRNA coding for, 207
- neuromodulators, hormonal regulation of production of, 30–34
- neuronal–glial dynamics, in supraoptic nuclei, 419
- neurons
 - activation by vaginal–cervical stimulation, 334
 - estrogen-sensitive, subset, 77–78
- neuropeptides, steroid-receptor binding effects on, 27
- neuropeptide K
 - in brain neurons, 220
 - effect on male sexual behavior, 220
- preprotachykinin A mRNA coding for, 207
- neuropeptide γ (NK γ), preprotachykinin A mRNA coding for, 207
- neurophysin, estradiol effects on plasma levels of, 123–124

440 *Index*

- neurosteroids, 281–296
 effects on brain cell surface events, 291
 effects in guinea pig brain, 287
 GABA_A receptor and, 288–289
 history of, 282
 mechanism of action, 286
 membrane-receptor-mediated activities of, 286–290
 metabolism in brain, 283–286
 paracrine/autocrine functions of, 292
 physiology of, 290–292
- neurotransmitters
 hormonal regulation of production of, 30–34, 117
 neuronal production of, 10, 147, 148, 162
 receptors for, 77–78, 151, 171, 186, 239, 255
 steroid effects on production of, 23, 162, 211
- neurotrophin(s). *See also* brain-derived nerve growth factor; nerve growth
 distribution and function in CNS, 393–406
 estrogen interaction with, 391–411
 receptors, distribution in CNS, 394–395
 as regulatory switches, 404
- neurotrophin-3 (NT-3), distribution and function in CNS, 391
- neurotrophin-4/5 (NT-4/5), function of, 391
- nicotinic receptors, 186–187
- nigrostriatal integrative area, role in male sexual behavior, 235, 236, 241
- nitric oxide, effects on dopamine release and copulation, 245–246, 247
- noradrenergic regulation
 of estrogen and progesterone receptors, 333
 stimulation of, 332
- norepinephrine, 31, 152
 acetylcholine effects on turnover of, 202
 effects on female sexual behavior, 332
- Northern analysis
 estrogen receptor studies using, 25
 oxytocin mRNA detection by, 123
 of steroid receptors, 58–59
- nuclear binding assays, of estrogen receptors, 77
- nucleus of bulbocavernosus, sexual dimorphism in, 262
- nutritional status, effect on steroid hormone production, in hamsters, 5
- olfactory amygdala, 10
- olfactory mucosa, projections of, 3–13
- olfactory stimuli
 brain areas relaying, 105
 effect on goal-oriented behaviors, 90, 91
 effect on male sexual behavior, 3, 8, 17
 induction of male sexual behavior by, 213
 to medial preoptic area (MPOA), 10, 17
- oligodendrocytes, neurosteroid effects on, 286
- ontogeny, of vasopressin-immunoreactive cells of BNST and MeA, 264
- opioids
 in neural control of gonadotropin secretion, 94
 receptors, gonadal steroid effects on, 144–147
 regulation by gonadal steroid hormones, 147–151
 regulation of reproduction by, 151–154
 sex steroid regulation of, 143–159
- δ-opioid receptors, 144
 effects on lordosis, 153
- κ-opioid receptors, 144
- μ-opioid receptors, 144
 effects on lordosis, 153
- opioid systems, heterogeneity of, 144
- opossum, cytoplasmic steroid hormone receptors in, 337
- ovarian steroids, interaction with hypothalamic oxytocin circuits, 117–142
- ovariectomized rats
 cholinergic regulation of female sexual behavior in, 192
 β-endorphin fibers in, 150
 lack of sexual behavior in, 117
 μ-opioid receptors in medial preoptic nucleus of, 145
- oxotremorine, effect on female sexual behavior, 186, 188
- oxotremorine-M
 effect on female sexual behavior, 186, 191
 use in muscarinic receptor studies, 197
- oxytocin (OT)
 circuits, hypothalamic, ovarian steroid interaction with, 117–142
 diurnal regulation of, 125–128
 estradiol effects on neuronal activity and biosynthesis of, 122
 facilitation of lordosis by, 202
 receptor mRNA, in rat brain, 129
- receptors
 in anterior olfactory nuclei, 128
 in central nucleus of amygdala, 128
 coupled to hydrolysis of inositol phospholipid, 139
 in ventromedial nucleus of hypothalamus, steroid effects on, 128–130
 steroid-dependent effects on sexual behavior, 120–122
 stimulation of lordosis by, 120
 synthesis and release by magnocellular neuroendocrine cells, 413, 417, 426
- PAG. *See* periaqueductal gray (PAG)
- pair bonding, in voles, 268, 270
- paraventricular nucleus (PVN)
 cell types in, 413
 cholecystokinin receptors in, 170
 estrogen receptor mRNA in, 72
 hormone secretion, 89
JunD expression in, 133
 oxytocin neurons in, 131
 oxytocin production by, 123, 124, 127
 as part of magnocellular hypothalamoneurohypophyseal system, 412
- parental behavior, vasopressin effects on, in voles, 268, 271
- PC12 cell cultures, use in nerve growth factor studies, 400, 401–402
- penis, testosterone effects on, 40
- periaqueductal gray (PAG), TAC-immunoreactive projections from VMH to, 208

- perinatal period
 gonadal steroid effects on brain peptides during, 94–95, 164, 165
 sex steroid increases in, 100
 steroid manipulation during, 178
 peripheral hormone replacement paradigm, 7
 perivascular cells, in neural lobe, 415
 periventricular preoptic area (PePOA)
 β -endorphin in, 148
 estrogen receptor mRNA in, 71, 72, 73, 75, 76
 met-enkephalin in, 148
 phenylethanolamine-*N*-methyltransferase, 31
 phospholipase C- α , estradiol-induced isoform of, 119
 phosphoproteins, steroid hormone receptors as, 356
 photoperiod, effect on brain androgen receptors, 26, 28
 physostigmine, effect on female sexual behavior, 186, 193
 pilocarpine, effect on female sexual behavior, 186, 188
 pirenzepine, effect on female sexual behavior, 186, 191
 piriform cortex, olfactory bulb projections to, 9
 pituicytes, in neural lobe, 415, 416, 426
 pituitary gland
 connections with hypothalamus, 104
 oxytocin receptors in, 127
 plasma estrogens, in songbirds, 305
 polyadenylate tail, of arginine vasopressin, 262
 polymerase chain reaction (PCR), use in estrogen receptor studies, 77
 pontine peripeduncular nucleus, vasopressin-immunoreactive projections to, 257
 posterodorsal nucleus of preoptic area (PdPN), activation during sexual activity, 45, 46
 posterolateral cortical nuclei (PLCo)
 connections of, 12
 olfactory input to, 13
 posteromedial cortical nuclei (PMCo)
 connections of, 12
 vomeronasal afferents to, 13
 PPT. *See* preprotachykinin (PPT)
 pregnancy, regulation of estrogen receptors in female rat brain during, 65–71
 pregnenolone
 as excitatory neurosteroid, 289
 pharmacologic action of, 289
 in rat brain, 282, 283
 premaxillary nucleus (PMV), activation during mating, 45
 prenatal stress, effects on dimorphic cells, 41
 preoptic area (POA)
 estrogen receptor mRNA in, 71, 72
 Fos-IR cells in, 332
JunD expression in, 133
 preoptic periventricular nucleus, hormone secretion by, 89
 preoptic ventricular nucleus, steroid receptors in, 101
 preprocholecystokinin, 101, 161
 castration effects on, 162
 expression in limbic–hypothalamic circuit, 163–169
 mRNA level changes, 120
 preproenkephalin
 gene for, 353, 356–358
 hormone effects on, 154
 perinatal steroid effects on, 94
 as precursor of met- and leu-enkephalins, 144
 preprotachykinin (PPT), 207
 estrogen effects on, 92
 mRNA, in brain neurons, 31
 steroid regulation of, 211–212
 prodynorphin
 fluctuation during estrous cycle, 95
 perinatal steroid effects on, 94
 progesterone
 adrenal secretion of, 120
 effects on brain, 86
 effects on female mating behavior, 117
 effects on LHRH, 363, 368–371
 effects on LHRH activity, 368–369
 effects on muscarinic receptors, 196–198
 effects on prodynorphin levels, 95–96
 genomic effects of, 286, 292
 metabolism in brain, 281
 neurochemical effects of, 120
 replacement studies on, 59
 role in cortical activation during lactation, 371–376
 in suppression of cortical activation by excitatory amino acids, 376–387
 progesterone receptors
 in brain, induction by estrogen, 71
 in cytoplasm, 336–338
 heterogeneous regulation of, 328
 neurobiological regulation of hormonal response to, 324–349
 neurons containing, 97
 noradrenergic regulation of, 333
 progesterone-induced decrease of, 328–329
 sexual behavior induction by, 326
 structure of, 352
 progestin, binding in brain, 71, 73
 prolactin
 circadian rhythm of release, 127
 gene regulation of, 169
 secretion of, medial preoptic area–anterior hypothalamus
 role in, 41
 proopiomelanocortin
 effects on lordosis, 153
 genes for, 353
 as precursor of β -endorphin, 144
 regulation by gonadal hormones, 148–151
 protein biosynthesis, steroid–receptor binding effects on, 26–27
 protein kinase C, activation of, 169
 quinolorane, as dopamine-2 receptor agonist, 239, 240
 quinuclidinyl benzilate, use in muscarinic receptor studies, 196–198
 raclopride, as dopamine receptor 2 antagonist, 247
 5 α -reductase
 in brain, 303–304, 314
 sex differences in levels of, 133

442 *Index*

- 5 α -reduction, in androgen metabolism, 281, 303
 reproduction
 cholecystokinin regulation of, sex steroid effects, 160–183
 hypothalamic oxytocin circuits involved with, 117–142
 opioid regulation of, 151–154
 tachykinin regulation of, 213–222
 retrorubal field of midbrain tegmentum (RRF)
 activation during mating, 45
 sexually dimorphic area projection to, 46–48, 49
 reverse transcriptase–polymerase chain reaction, use in nerve growth factor studies, 401
 robust nucleus of archistriatum (RA), role in song control, 300
- SCH 23390, as dopamine receptor 2 antagonist, 247
 Schwann cells, pregnenolone synthesis and metabolism in, 282
 scopolamine, effect on female sexual behavior, 186, 189–191, 192, 194
 self-induction, of neurite growth, 398
 serotonin, sex hormone–mediated regulation of, 120
 sex differences. *See also* sexually dimorphic areas in brain, 254–278
 in sex hormone receptor neurons, 101
 in sexual responses after hormonal priming, 133–134
 sex steroid–responsive circuits, in reproductive behavior, 1–114
 sex steroids. *See also* individual sex steroids
 activational effects of, 303
 cellular and molecular mechanisms regulated by, 279–431
 chemosensory interactions with, 7–8
 effects on brain, 363–390
 effects on brain vasopressin cells, 258–259
 effects on cholecystokinin receptors, 171
 effects on magnocellular hypothalamoneurohypophyseal system, 412–431
 effects on male sexual behavior, 27–28
 effects on opioid receptors, 144–147
 effects on song control circuitry, 302
 interaction with neurochemical circuits, 115–278
 networks responding to, in brain, 8–23
 sexual behavior
 brain regions important for expression of, 104
 hormonal influence on neurons affecting, in hamsters, 3–39
 limbic–hypothalamic circuit role in, 160–161
 oxytocin role in, 120–122, 130–131
 sexual dimorphism, of steroid-induced LH surges, 367–368
 sexually dimorphic area(s)
 activation during sexual activity, 45–46
 γ -aminobutyric acid as transmitter in, 46–47
 bed nucleus of stria terminalis as, 254, 258, 259
 cerebral connections of, 48–49
 changes in synaptic density and morphology in, 86
 forebrain connections of, male sexual behavior role, 49–53
 homology to medial preoptic nucleus, 41
 hormonal modulation of gene expression in, 90–97
 interconnections of, 104
 lesion studies on, 50–51
 manipulation studies, 254
 medial amygdaloid nucleus as, 254, 259
 medial preoptic nucleus as, 88
 olfactory information receipt by, 105
 pars compacta of, 44–45
 of preoptic/anterior hypothalamic area, 257
 projection to retrorubal field of midbrain tegmentum, 46–48, 49
 in rat forebrain, 104
 role in male sexual behavior, 41, 42
 sexually dimorphic pathways, in forebrain, 86, 87–90
 sickness behavior, interleukin-1 induction of, 266
 singing behavior, in birds, 298
 hormonal control, 301–305
 neural control, 300–301
 social behaviors, vasopressin-immunoreactive projection role in, 270
 social displays, role of medial preoptic area–anterior hypothalamus in, 40–41
 social recognition, vasopressin-immunoreactive projection role in, 270
 somatostatin, gene regulation of, 169
 songbirds
 estrogen physiology in, 305
 estrogen synthesis and secretion in brain of, 297
 song sparrow, song system studies on, 307
 spinal neurons, testosterone effects on, 40
 steroid autoradiography, steroid receptor detection by, 13, 57
 steroid receptors
 in brain, autoregulation, 24–26
 in chemosensory pathways, 13–14
 intracellular partitioning of, 23, 337
 neurons containing, 97–101
 regulation of gene expression, 101–103
 steroid effects on, 24–26
 structure of, 338, 350–353
 two-step model of action of, 24
 steroids. *See also* individual steroids
 cellular mechanisms for action of, 23–34
 control of male sexual behavior by, 4–8
 effects on brain, 297
 effects on cholecystokinin in MeApd cells, 92
 effects on morphology of, 29–30
 effects on neural mating behavior pathway, of hamsters, 3–39
 effects on neuronal morphology, 26–34
 effects on neurotransmitters, 26–34
 effects on steroid receptors, 24–26
 estrogen receptor mRNA regulation in males, 61–65
 molecular actions of, 350–362
 neurotransmitter regulation of, 30–34
 production of, 4–5
 requirements for, in hamsters, 3–4
 stress, effects on brain neurosteroids, 292
 stria terminalis, vomeronasal fiber projection through, 9–10
 subnucleus of stria terminalis, 10
 subparafascicular nucleus of thalamus, activation during mating, 45

- substance P
 cholecystokinin co-expression with, 91–92
 possible role in lordosis induction, 330
 in progesterone and estrogen receptors, 328
 in regulation of regulation of luteinizing hormone-releasing hormone (LHRH), 207
 in rodent brain neurons, 31, 32
 as tachykinin peptide, 207
 in ventral tegmental area, 220
- substantia innominata, 195
- sulfotransferase, role in brain neurosteroid metabolism, 283
- suprachiasmatic nucleus
JunD expression in, 133
 sexually dimorphic area in, 257, 258
- supraoptic nuclei (SON)
 cell types in, 413
 cholecystokinin receptors in, 170
 estrogen receptor mRNA in, 72
 neuroanatomy of, 414–415
 neuronal–glial dynamics in, 418–419
 oxytocin and arginine vasopressin in, 418
 oxytocin production by, 123, 124, 127
 as part of magnocellular hypothalamoneurohypophysial system, 412
- tachykinin peptides (TAC), sex steroid regulation of, 207–233
 in males, 221–222
 in VMH projection to periaqueductal gray, 211–212
- TAC-immunoreactive, definition of, 207
- tamoxifen, as estradiol blocker, 41
- telencephalon
 aromatase in, 417
 estrogen in, 416
 lesion studies on, 50, 51
 tissue aromatization in, 309
- testosterone
 aggressive behavior and, 303
 behavioral sensitivity to, following gonadectomy, 64
 conversion to estrogen in brain, 61, 65, 133
 depletion effects on brain estrogen receptor mRNA, 61, 63
 dihydrotestosterone from, 6, 133
 effects on brain, 25, 40
 effects on cholecystokinin receptor binding, 174
 effects on male sexual behavior, 7, 40, 243–245, 247
 effects on tyrosine hydroxylase production, 33
 effects on vasopressin production, 262
 estradiol from, 6
 intracerebral implants of, effects on male mating behavior, 17–19
 metabolites of. *See* dihydrotestosterone; estradiol
 production of, 4
 release during mating, 21
 replacement therapy
 on brain neurons, 29–30, 59
 effects on medial preoptic area, 41
 5 α -tetrahydrodeoxycorticosterone, lordosis promotion by, 118–119
 thermoregulation, vasopressin effects on, 265
 transcription, hormonal regulation of, 353–354
 trans-synaptic site, for estrogenic induction of preprocholecystokinin, 169
 trigeminal afferents, role in chemosensory pathways, 8
- trk* proto-oncogene subfamily
 expression of, 399–402
 neurotrophin receptor relation to, 394–395, 399, 400
- tyrosine hydroxylase
 AP-1 binding site in gene for, 385
 in brain neurons, 31, 32, 94
 hormonal regulation of, 96
 testosterone effects on production of, 33
- uterus, human, oxytocin receptor structure, 129, 130
- vaginal–cervical stimulation, neuron activation by, 334–335, 342
- vasopressin
 effects on behavior, 265
 neural pathways for, 256
 projections, 254, 260
 sex differences in brain, 254–278
 sexually dimorphic projects in brain, 255–264
 vasopressin-oxytocin receptors, in hippocampus, 266
 vasopressin polyA tail length, diurnal regulation of, 124
 ventral lateral nucleus (VL), estrogen receptor mRNA in, 71, 72, 73, 75, 76
 ventral lateral septum (LSv), projections to, 13
 ventral nucleus of hypothalamus, inputs to medial preoptic nucleus, 89
 ventral premammillary nucleus (PMv), 16
 androgen binding to tachykinin-immunoreactive cells in, 226–227
 androgen receptors in, 15
 in chemosensory circuit, 14, 213
 dihydrotestosterone receptors in, 222
 inputs to medial preoptic nucleus, 89
 projections to, 13, 89, 213
 ventral tegmental area (VTA), 238
 role in male sexual behavior, 214
 tachykinins in, 220
- ventrolateral hypothalamus (VLH), estrogen and progesterone receptors in, 326–328, 330–331, 333, 341
- ventromedial nucleus of hypothalamus (VMH)
 cholecystokinin receptors in, 170, 171
 steroid regulation, 171–177
 downregulation of estrogen receptor mRNA in, 102
 estradiol-induced neuron changes in, 119
 estrogen effects on estrogen receptors in, 24–25
 estrogen and progesterone receptors in, 326–328, 332, 334, 335
 extended amygdala connections to, 13
 in mediation of lordosis, 208
 met-enkephalin in, 148
 neuron activities in, 104–105
 oxytocin effects related to, 117, 122, 133
 oxytocinergic innervation of, 131–133
 as part of limbic–hypothalamic circuit, 160

444 *Index*

- progesterone receptor mRNA induction in, 355–356
- role in cholinergic regulation of lordosis, 193, 194, 195
- role in opioid regulation of lordosis, 153, 154
- sexual dimorphism in, 89
- as site for estradiol-induced sexual behavior, 118–120
- steroid effects on dendritic length in, 29
- steroid effects on oxytocin receptors in, 128–130
- steroid receptors in, 14, 97, 98–99
- TAC-immunoreactive cells in, 212–213, 225, 226
- TAC-immunoreactive projections to PAG from, 208, 226
- testosterone effects on synaptic density in, 134
- vertebrates, hormonal control of mating behavior in, 40
- vitellogenin, 392
- vitellogenin estrogen response element, 352
- VMH. *See* ventromedial nucleus of the hypothalamus (VMH)
- vomer nasal amygdala, 10
- vomer nasal organ
 - projections of, 8–13, 90–91
 - role in copulation, in hamsters, 3, 8
 - vasopressin-immunoreactive projections to, 270
- vomer nasal pathway
 - cholecystokinin role in, 91
 - lesion effects on male sexual behavior, 17
 - to medial preoptic area, 10
 - sex differences in, 91
 - steroid hormone effects on, 90
- W chromosome, in birds, 301
- zinc finger domains, in DNA-binding region of genes, 352
- ZR-75-1 human breast cancer cells, dihydrotestosterone downregulation of estrogen receptor mRNA by, 65