

INDEX

Note: page numbers in *italics* refer to figures and tables

- abundance of parasites 144, 145, 153, 156, 168, 170–2
 - variance ratio 168
- acanthocephalans
 - cystacanth 190
 - cystacanth infection of *G. pulex* 423–30
 - hosts 424–5
 - intraspecific competition 161
 - larval infection of *G. pulex* 172
 - Acanthocephalus* 425
- accident reporting 2
- Acer pseudoplatanus* 426
- acetylcholine (ACh) 210, 215, 216, 220, 226
 - A. suum* motility 215
 - F. hepatica* motility 215–16
- acid pepsin 188, 189
- acrylamide 293–5, 299
 - handling safety 295
- actin, filamentous 238
- activation 175, 182, 183–90
- adrenaline 217
- Aedes aegypti* 344
- agarose gel electrophoresis 340, 344, 357, 363
- age
 - parasite behaviour 407–13
 - swimming rate 410, 412
- agglutination 375
 - carbohydrate inhibition 380–1
 - lectin-mediated techniques 378–80
- agglutinins, earthworm coelomic fluid 244
- aggregation 153, 168, 171–2
- aggregation pheromone 419
- alanine, cycloleucine uptake inhibition 198–200
- Alcian blue 269, 272, 274
 - allergic reactions 46, 74, 99, 110, 126, 162, 186, 211, 222
- Allolobophora* 245, 248
- γ-aminobutyric acid see GABA
- amoebae, mouse intestinal tract
 - parasites 77
- amoebic dysentery 365
- amoebocytes 12, 243, 244
- amylase 177–9, 180, 181, 206
- Anas platyrhynchos* 425
- Anguilla anguilla* 145–6
- Anopheles* 385–7, 392
 - salivary glands 385–93
- ANOVA 144
- anthelmintics 219, 321
 - nematode effects 219–29, 321–7, 329–31
 - see also* benzimidazole; levamisole; thiabendazole
- antibiotics, ionophore 305–10
- antibody, use of to detect neuroactive agents 231–9
- antibody detection
 - basic indirect ELISA 283–91
 - experimental immunisation 293–302
- anti-leishmanial antibody screening 263–4
- Apodemus sylvaticus* 123
- arecoline 217
- ascariasis 209–10
- Ascaridia* 50, 228
- Ascaris*
 - denervated muscle strips 217
 - GABA 217–18
 - neuromuscular junction 228
- Ascaris* Ringers solution 210–13, 218
- Ascaris lumbricoides* 45, 51, 209, 219
 - classical transmitter effects on motility 209–10
 - dissection 48
- Ascaris suum* 45–7, 48, 49–51, 210, 212–13
- ACh 215
- biology 45, 219
- body fluid allergenicity 46, 47, 212, 222

- classical transmitter effects on motility 209–18
- electrophysiology of body muscle 219–28
- external features 47, 48, 49
- female worms 48, 213
- GABA 215
- handling safety 46, 47, 222
- human infection 45, 222
- immunocytochemistry 238
- internal features 47, 48, 49–50
- micropipette preparation 224–5
- muscle potential recording 225–7
- muscle preparation 223–4
- neuropeptides 217
- safety precautions for handling 46, 47, 211–12
- Asellus aquaticus* 424–5
- Aspicularis tetraptera* 139
- ATP-dependent pumps 305–6
- atropine 217
- Aval site 352, 353, 355
- avermectins 321
- B cells 255, 277–81
- bacterial cell lysate extraction 335, 339–40
- bacterial cell lysis 335, 339–40
- barbel 425
- Barbus barbus* 425
- benzimidazole resistance 321
- nematodes 313–18
- bile duct 120, 273
- bilharzia 107
- biogenic amines 231
- Biomphalaria* 98
- birds, piscivorous 433, 441
- blackflies 392
- Blatta* 76
- blowfly salivary glands 393
- borax carmine 33
- Bouin's fixative 17
- Bouin's fluid, alcoholic 205
- brown bodies 12, 15, 17, 243, 247
- Bucephaloïdes gracilis* 35
- Caligida* 37
- Calliphora erythrocephala* 393
- carbachol 217
- carbohydrates

 - agglutination inhibition 380–1
 - identification of tissue surface 385–93
 - resources 161
 - salivary gland surface membranes 392
 - surface 375–84

- catechol staining technique 56, 61
- Catostomus* 442
- cell fusion, step-by-step 261–3
- Cercaria emasculans* 21, 26
- Cercaria littorina saxatilis* 21, 25
- cercariae 21–9, 54, 97, 100–1, 104, 108–10, 114
- Cerithridea californica* 29
- cercomer 118, 185
- cestodes

 - dispersion pattern 167–72
 - intraspecific competition 161–2
 - membrane transport 191–200
 - transmission dynamics 167–72
 - see also *Hymenolepis diminuta*; *Schistocephalus solidus*

- chalimus stage 37, 38
- chemicals, hazardous 2
- chemo-klinokinesis 399–400
- chemotherapy 249
- chloragogen cells 244
- chloride ion channels

 - Ascaris* muscle 226
 - GABA-gated 220

- chloride ions

 - membrane permeability 228
 - movement 217–18

- chloroform 12, 13, 74, 134, 245, 337, 338, 360
- cholinergic antagonists/agonists 217
- chromosome linear portion construction 349
- chub 425
- cilia, surface 398
- clam, Venus 231
- Clethrionomys glareolus* 123
- cloning 256, 259
- coccidial parasites 305–10
- cockles 171
- cockroach

 - abdomen 135
 - intestinal tract 135–6
 - leg 138
 - parasites 73–6, 133–40

- coelom 11–12, 243
- coelomic fluid of earthworms 243–4
- coelomocytes 243–4
- colour preferences, cercarial 413
- competition

 - intraspecific in cestodes 161–5
 - intraspecific in monogeneans 141, 145, 148, 165
 - nematodes 137

- complement 149
- condition factor 437
- confocal scanning laser microscopy (CLSM) 239
- contamination reporting 2
- copepods

 - carapace 39, 41
 - plaice/flounder parasites 37–44
 - whiting gill parasites 33, 35

- COSH xvii
- cotton blue lactophenol 109, 111
- Crithidia* 375, 376, 377
- crop parasites, potato cyst nematode 63–71

454 Index

- crowding effect 120, 161
Cryptocotyle lingua 21, 22
 life cycle 410, 411
 swimming behaviour 407–13
Cunningham's medium 383–4
^{[14]C}-cycloleucine 192, 193, 194, 195,
 196, 197, 198–200
cyst forming nematodes 63–71
cysticercoids, tapeworm 115, 116, 117,
 118, 119, 162, 167, 170, 183, 184, 185,
 186–8, 192
cytotoxic T lymphocytes 277
cytotoxicity, earthworm amoebocyte
 cells 244
Data recording/handling 144, 153,
 164, 191, 246, 299
depolarisation 226–8
Diclidophora merlangi 31–5, 218
 immunocytochemistry 235
digenean parasites 104
 identification 21
 Littorina 19–29
 sheep 53
Discocotyle sagittata
 immunocytochemistry 235
dispersion
 index 168, 170
 patterns in *H. diminuta* 167–72
distribution 141, 147, 154–5
DMSO 83, 258
DNA
 digestion 343–8
 enzyme digestion 348
 ethanol precipitation 335
 fragment sizes of restriction
 enzyme digested 356
 gel electrophoresis 343–8
 ligation 360–1
 plasmid 362
 purification 335–41
 restriction endonuclease digested
 352, 354
 spectrophotometric analysis 343–8
 spooling out 339, 340
 supercoiled pUC 363, 364
dopamine 217
earthworm
 anatomy 11–12, 14
 brown bodies 15, 17, 243, 247
 coelomic fluid 243–4
 dissection 14
 foreign matter encapsulation 243–8
 parasites 11–13, 14, 15, 16, 17
Echinostoma 97–105
 adult 102–3
 larval 101
 life cycle 98
 miracidia 97, 102, 103
Echinostoma caproni 98, 101, 105
Echinostoma paraensei 101
Echinostoma revolutum 100
Echinostoma trivolvis 101
EcoRI 345–6, 348, 355
 site 350, 352, 353
egg-hatch assay
 nematode resistance to
 benzimidazole 313–18
 thiabendazole resistance 317–18
Elmeria
 sensitivity to monensin 305–10
 sporozoites 308–9, 310
Eisenia 245
ELISA 255, 259, 263–4, 290
 basic indirect for antibody
 detection 283–91
 plate preparation 287, 288
 standard indirect 284
embryophore 176, 177–81
encapsulation, earthworm
 amoebocyte cells 244
endonuclease restriction 340
Entamoeba blattae 75
Entamoeba dispar
 detection/differentiation by PCR
 365–73
 handling safety 370
Entamoeba histolytica
 detection/differentiation by PCR
 365–73
 handling safety 370
Entamoeba muris 80
Entamoeba thomsoni 75
eosinophils 274, 280
Escherichia coli
 DNA preparation 335–41
 DNA spectrophotometric analysis
 343–8
 K12 strain 336, 337, 359–60
 transformation 360–1
erythrocytic cycle 90
ethidium bromide 343, 346, 350
 handling safety 345
ethyl acetate 74, 92
eukaryotic cells, single-cell
 suspensions 341
Evans blue 257, 264
excretory/secretory (ES) products 291
exflagellation 89
F-actin 238
Fasciola gigantica 53, 209
Fasciola hepatica 53, 54, 55–8, 59, 60–1,
 205, 209, 217, 274
 biology 53
 catechol staining 61
 cell release 405
 cellular organisation 55–6
 classical transmitter effects on
 motility 209–18
 eggs 400, 401
 epidermal shedding from
 miracidium 404

- glycogen content 201, 202–7
- glycogen deposition 202
- gut cells 57–8, 60
- handling safety 401
- hatching of miracidia 401–2
- immunocytochemistry 234–5
- larval stages 54, 400
- life cycle 54, 397–8
- miracidia behaviour 397–405
- miracidial ciliated plate/cell loss 405
- movement of miracidia 404
- pathological effects 55, 274
- response to presence of snails 403
- snail mucus effect on miracidia 403–4
- swimming by miracidia 402, 404
- tegument structure 59
- transmitter effects on motility 215–17
- transverse sections 57–8
- fascioliosis 53
- fecundity, *Hymenolepis diminuta* 161, 162, 165
- fire precautions 2
- fish
 - morphometric measurements 441
 - predation of infected/uninfected *G. pulex* 428–9
 - wild-caught 150, 151
- fish parasites
 - plaice/flounder 37–44
 - tapeworms 35
 - whiting 31–5, 218, 235
- fitness of host 17, 29
- flagella, excretory system 398–9
- flame cells 398–9
- flatworms
 - endoparasite glycogen utilisation/deposition 201–8
 - peptides 217
- flounder parasites 37–44
- flour beetle 115, 116, 118
- fluke, liver 53, 54, 55–8, 59, 60–1
 - glycogen content 201
 - miracidia 397–405
- fluorescein isothiocyanate (FITC) 387, 388, 389–90
- fluorophore 231, 238–9
- FMRFamide 231
- FMRFamide-related peptides (FaRPs) 217, 231–2
 - dual localisation with 5-HT 238
- foetal calf serum (FCS) 257–60
- food intake by *S. solidus* infected stickleback 438–9
- foraging behaviour 433
- foreign matter encapsulation by earthworms 243–8
- frequency distribution 50
- Freunds adjuvant 258, 260, 284–6, 294
- fuschin, acid 64, 65
- GABA 210, 215, 216–17, 226
 - A. suum* motility 215
 - agonist 220
 - Ascaris* 217–18
 - membrane hyperpolarisation 226
- GABAergic anthelmintics 220
- gametocytes 85, 89, 90, 91, 93
- gammarids
 - acanthocephalan infection 426–7
 - altered behaviour with infection 429, 430
 - cystacath 427
 - predation of parasite-infected 425
- Gammarus pulex* 172
 - acanthocephalan infection 423–30
 - habitat effect on
 - infected/uninfected 428
 - light effect on infected/uninfected 427–8
 - predation by fish on
 - infected/uninfected 428–9
- Gasterosteus aculeatus* 150, 425
- gastropods 19–29, 97
 - echinostome carriers 98–9
 - gel electrophoresis, DNA 343–8
 - gene mapping 349
 - gene X 350, 351, 356
 - genomic DNA restriction map 349
 - genomic library construction 357–64
 - Gentamycin 258–60
 - Giardia* 79
 - Giardia muris* 80
 - Giemsma stain 76, 79, 82, 84, 91, 93, 250, 252, 269, 272, 274
 - gill parasites of mackerel 141–6
 - gill parasites of whiting 31
 - Globodera pallida* 63–71
 - domancy 67
 - features 67–9
 - life cycle 63–4, 70
 - Glossina* 391–2
 - salivary glands 385–93
 - glucose oxidase 204
 - glutamine 259–60
 - glycogen
 - muscles 202
 - utilisation/deposition in flatworm endoparasites 201–8
 - glycoprotein 249
 - Gobio gobio* 442
 - good laboratory practice 3
 - Grillotia erinaceus* 35
 - growth suppression 161
 - Grubea cochlea* 144, 145
 - gudgeon 442
 - guppy 148, 150, 159
 - gynaecophoric canal 107, 111–12
 - Gyrodicots gallieni* 159
 - Gyrodactylus*
 - data recording/handling 153–4
 - environmental conditions 149, 154, 155–8

456 Index

- Gyrodactylus* (cont.)
 host immune response 149
 infection levels 147–8, 154–8
 pathogenic potential 147, 148–9
 population dynamics in stickleback 147–59
 reproduction 148
 working with 150–1
- Gyrodactylus salaris* 149
- Gyrodactylus turnbulli* 159
- Gyrodactylus bullatarudis* 159
- habitat, infected/uninfected *G. pulex* effects 428
- haematocrit 84, 86
- haematoxylin 17, 56, 76, 79
- haemocytometer 261, 279
- haemorrhage petechial 102
- Hammerschmidtiella diesingi* 133, 138, 139
- Hanks saline 185, 187
- health and safety 1–2
- Hedon Fleig solution 211–12, 215–16
- Heligmosomoides glareoli* 123
- Heligmosomoides polygyrus* 123–30, 274, 284–7, 293, 296–7, 299, 300
 antiserum 284
 antiserum to homogenate 293–4
 copulatory bursa 127, 129
 cross-reactivity testing 299–300
 external features 127–8
 handling safety 286
 homogenate antigen production 287
 immunisation procedure 286–7
 levamisole effects 329–31
 life cycle 123–5
- Heliosoma* 98
- helminths
 DNA extraction 336
 nervous system 231–2
 neuroactive substance
 immunocytochemical localisation 231–9
- hepatosomatic index 437
- Himasthla* 27
- Himasthla elongata* 171
- λ HindIII DNA markers 344, 346, 347, 350, 363
- HindIII site 352
- histamine/antihistamine 47
- Home Office licences xviii, 150, 151, 268, 269, 429–30
- homogenate antigen preparation 287, 291, 294, 296
- hookworm 284, 294
- horn-shell snail, California 29
- host
 appearance 415
 behaviour changes with parasite infection 415–21
 intermediate 415, 416
- population and parasite distribution 168
- host immune response 161
- Gyrodactylus* 149
- host–parasite ecology 423
- hybridisation technique 372–3
- hybridoma technology 255, 259, 263
- 5-hydroxytryptamine (5-HT) 216, 231, 238
- dual localisation with FaRP 238
- F. hepatica* motility 215–16
- Hymenolepis diminuta* 115–20, 161–5, 167–71, 175–82, 183–90, 201
- amino acid absorption *in vitro* 193–9
- amino transport system site specificity 200
- anatomy 116
- beetle infection 416
- cycloleucine absorption 194, 195, 196, 197
- cycloleucine uptake inhibition 198–200
- cycloleucine uptake/concentration relationship 198–200
- cysticercoid activation 183–90
- cysticercoid stage 116, 117, 118, 119
- cysticercoids 183–5, 187, 188, 189
- data handling 164, 170
- dispersion pattern in intermediate host 167–72
- egg capsule cracking 178
- egg hatching stages 176
- egg preparation 177–8
- eggs shed 164
- excystation 183
- fecundity 161, 162
- glycogen content 201
- glycogen deposition 202
- handling 186
- handling safety 417
- hatching *in vitro* of oncosphere/hexacanth larvae 175, 176, 177–81
- intermediate host 115, 416
- life cycle 117, 184–5, 417, 418
- membrane transport 191–200
- parasite size 162, 165
- transmission dynamics in intermediate host 167–72
- Hymenolepis microstoma* see *Rodentolepis microstoma*
- Hymenolepis nana* (= *Rodentolepis nana*) 165, 331
- hypnozoites 91
- hypopharynx 94, 95
- IFAT 255, 259, 260, 263–4
- IgG 232, 291, 300
- IgM 291, 300
- Ilyanassa obsoletus* 29
- immune response 129, 147–8, 161, 165, 243, 247–8

- immunisation 256, 260, 286–7
- immunocytochemistry
 - dual labelling procedure 238
 - helminth materials 234–5
 - media 233–4
 - neuroactive substance localisation in helminths 231–9
 - procedures 235–7
- Index of Dispersion 168, 170, 171, 172
- indirect immunofluorescence
 - method 232
- infection, chronic 267
- injuries 2
- insect Ringer 134, 168, 185
- insect vector salivary glands 385–93
- interleukin 149, 277
- ionophores 305–10
- Iscove's medium 257, 260–3
- KHEYLRFamide 217
- Krebs–Ringer 192–5
- Kuhnia scombrei* 142, 144
- Kupffer cells 250
- labrum, 94, 95
- lactic acid 38, 64
- lactophenol 109
- larval migration inhibition assay 321–7
- lectins 244, 375–84
 - activity 378
 - binding specificity 392
 - conjugated 385–93
 - FITC conjugated 387, 388, 389–90
 - handling safety 387
 - peroxidase-labelled 390–1
- Leidynema appendiculata* 133, 137, 138, 139
- Leishmania* 376, 377
 - DNA extraction 336, 348
 - ELISA antigen 260
 - handling safety 258–9
 - hybridoma colony screening 263
 - monoclonal antibody production/screening against promastigotes 255–65
 - positive hybridoma lines 264–5
 - promastigote culture 259–60
 - saccharide moiety determination 375
- Leishmania adleri* 259
- Leishmania mexicana* 350
- Lepeophtheirus pectoralis* 37–44
 - external features 39–43
- Lepeophtheirus salmonis* 37, 44
- Lernaeocera branchialis* 33, 35
- Leuciscus cephalus* 425
- leucocytes 280
- levamisole 227
 - Heligmosomoides polygyrus* effects 329–31
- nematode susceptibility
 - determination 321–7
 - resistance 321
- light
 - infected/uninfected *G. pulex* effects 427–8
 - intensity/wavelength and swimming rate 411–12, 413
 - parasitised gammarids 425
 - T. molitor* response 418–19
- Ligula intestinalis* 442
- Lineweaver and Burk plot 199
- liquid-phase preadsorption test 232
- Littorina* 19–29
 - Littorina littorea* 21, 22, 26, 27, 409
 - Littorina littoralis* 21–3
 - Littorina saxatilis* 21–6, 28
- liver rot 53
- livestock, domestic
 - pig 45–7, 48, 49–51
 - sheep 53, 54, 55–8, 59, 60–1
- LM₅₀ estimation 321, 327
- Lophomonas blattarum* 75
- Lophomonas striata* 75
- Lugol's iodine 73, 77, 79
- louse, salmon 44
- Lumbricus* 12, 245, 248
- Lymnaea* 98, 399–400
 - F. hepatica* miracidium penetration 404
 - fluke intermediate hosts 397
 - mucus effect on *Fasciola* miracidia 403–4
- Lymnaea trunculata* 53, 55
- lymph nodes 277, 278, 281
- lymphocyte population quantification 277–81
- mackerel
 - gill arches 145
 - monogenean parasites on gills 141–6
- Macrocallista nimbosa* 231
- macrophages 86, 249, 250, 252, 253, 280
- malaria 278
 - diagnosis in blood 92–3
 - life cycle 89, 90, 91
 - mosquitoes 93, 94
 - rodent 81–6, 87
 - vector transmitted parasite 89, 90, 91–3, 94, 95–6
- mallard 425
- Mallory stain 56
- Mann–Whitney U test 253
- Masson stain 56, 269, 272, 274
- mecamylamine 217
- membrane transport in cestodes 191–200
- 2-mercaptoethanol 293
 - handling safety 295
- Merlangius merlangus* 31–5

458 Index

- merozoites 81, 85, 89, 90, 91
Mesocestoides corti
 handling safety 268–9
 infected mice 269–71, 272–3
 pathological effects 267–74
 metacercaria 54, 97, 100–1, 104, 105
 methylene blue 17
 methyl green 205–6
 microhabitat preferences 141, 142
Microphallus pygmaeus 24
Microphallus similis 23
 minnow 425, 442
 miracidium 19, 54, 55, 97, 102, 103,
 108, 113–14
 molluscs
 digestive glands 19
 marine 19–29
 monensin
Eimeria sensitivity 305–10
Eimeria sporozoite sensitivity 309
 handling safety 307
Moniezia expansa 218
 immunocytochemistry 234–5
Monocercomonoides orthopterorum 75
 monoclonal antibody
 production/screening against
Leishmania promastigotes 255–65
 media 257–8
Monocystis 11–13, 14, 15, 16, 17, 246
 life cycle stages 15
 monocytes 280
 Monogenea 31–5
 mackerel gills 141–6
 mosquitoes
 head/mouthparts 94
 malaria 93, 95
 salivary glands 93, 386
 motor neurones of nematodes 226
 mouse
H. polygyrus infection 123, 329,
 330–1
 house 139
Hymenolepis infections 165
 intestinal parasites 77–9, 80
M. corti infection 269–71, 272–3
 myeloma cell line 258–9, 260–1
 peritoneal exudate cells (PECs)
 253
S. mansoni infected 109, 271–2, 273
T. spiralis infection 430
 wild field/wood 123
 mud snail 53, 397
Mus musculus 123
 muscle cell electric coupling 227
 muscle potential recording in *Ascaris*
 suum 225–7
 muscles, glycogen 202
 mussels, parasite Index of Dispersion
 171
 myeloma cell line 258–9, 260–1
Mytilicola intestinalis 171
Mytilus edulis 171
 Nagana 249
 nematodes
 anthelmintic effects 329–31
 benzimidazole resistance 313–18
 culture of third stage larvae 324–5
 egg extraction 315–17
 intraspecific competition 161
 larvae exsheathment 325
 levamisole susceptibility 321–7
 motor neurones 209, 226
 parasite of cockroach 133–40
 parasite of crops 63–71
 parasite of earthworm 11–13, 14, 15,
 16, 17
 peptides 217
see also Heligmosomoides polygyrus;
 pinworms
Nematospiroides dubius see
Heligmosomoides polygyrus
 neuromuscular junction of *Ascaris*
 228
 neuropeptides 217, 232
 neurotransmitters, classical 209–18,
 232
 neutral red 177, 180
 neutrophils 280
 niche breadth 141, 145
 niche segregation 133, 141–2, 145
 nicotinic acetylcholine channels 215,
 220, 227
Nigrosin 278–9
Nippostrongylus brasiliensis 129, 130
 non-self molecules 243, 247–8
 noradrenaline 217
Notropis 442
 nutrient status and host infection 433
Nyctotherus ovalis 75
 oocysts, malarial 90, 91, 95
 ookinetes 90, 91, 95
 oncosphere 175, 176, 177–80
 operculum 103, 143
 opsonins 244
 opsonisation of trypanosomes 249–53
 paraformaldehyde (PFA) 233, 235, 236,
 238
Parapronocephalum symmetricum 21, 28
 parasite index 437, 438, 440
 morphometric measurement of fish
 441
 parasite-homogenate antigens 291
 parasite-insect vector association 392
 pathology 267–75
Pellioditis pellio 12
 pepsin 186–8
Perca fluviatilis 425
 perch 425
 periodic acid 205–6
Periplaneta americana 73–6
 pinworms 133–7, 138, 139
Periplaneta blatta 74

- peristalsis, vermiciform 55, 398
 peritoneal exudate cells (PECs) 253
 periwinkle, common 19–29
 phagocytosis
 earthworm amoebocyte cells 244
 T. brucei by macrophages 250
 phalloidin 238
 phenol 337, 338, 360
 handling safety 359
 phosphate-buffered saline (PBS) 234, 285
Phoxinus phoxinus 425, 442
Physa 98
 pig parasites 45–7, 48, 49–51
Pimephales 442
 pinworms 133–7, 138, 139
 piperazine 219, 220, 221, 226, 228
 plaice parasites 37–44
Planorbis 98
 plasmids
 circular 349, 350
 fragment size 349
 growth of recombinant 362
 maps 355
 restriction map 349
Plasmodium 89, 90, 91–3, 94, 95–6
 DNA extraction 336
Plasmodium berghei 92
Plasmodium falciparum
 DNA extraction 348
 genomic DNA library 357–64
Plasmodium gallinaceum 92
Plasmodium vivax 90
Plasmodium yoelii 81–7, 92, 93
 morphology 85, 86, 87
 pathology 85–6
Platychthys flesus 37
 platyhelminths 148
 movement 398–9
Pleuronectes platessa 37
Poecilia reticulata 150
 polymerase chain reaction (PCR)
 365–73
Polymorphus 172
Polymorphus minutus 424–5
 gammarid infection 426–7
Pomphorhynchus laevis 172
 gammarid infection 426–7
 hosts 425
 life cycle 424
 population dynamics of *Gyrodactylus*
 in stickleback 147–59
 potassium iodide 73, 77
 potato cyst nematode 63–71
 dormancy 67
 features 67–9
 life cycle 63–4, 70
 potato root diffusate preparation 65
 practical work, writing up 4–5
 predation
 infected/uninfected *G. pulex* 428–9
 intermediate host 415
 parasite-infected gammarids 425
 prevalence 153–7, 164
 prey size, *S. solidus* infected
 stickleback 439–40
 proglottids 117–18, 163, 169
 protective clothing 1, 2
 protonephridium 398–9
 Protozoa
 cockroach intestinal parasites 73–6
 mouse intestinal tract parasites
 77–9, 80
 parasite of earthworm 11–13, 14, 15,
 16, 17
 pseudocoelomic fluid 46, 211
Pseudodactylogyurus 145–6
 PstI site 352
 PvII site 352
 pyrantel 219, 221, 220, 226–7
 rat parasites *see Hymenolepis diminuta*
 reactive oxygen metabolites 149
 reagents 445–6
 records 4
 rediae 19, 54, 97, 100, 101
Renicola roscovita 171
 reports of practical work 4–5
 assessment 5–7
 feedback form 6–7
 restriction endonuclease digestion
 genomic DNA 354
 plasmid DNA 352
 restriction enzyme mapping 349–54,
 355–6
 restriction enzymes 345–6
 restriction map of gene X 356
Retortomonas blattae 75
Rhabditis 11–13, 14, 15, 16, 17, 246
 free-living worms 16
 larvae 13, 16
 roach 442
 Robinson's medium 79
Rodentolepis 116, 120, 165, 331
Rodentolepis microstoma 116, 120, 165,
 183–90
 cysticercoids 116, 117, 184–5, 187,
 188, 189
 rodents, malaria 81–6, 87
 root knot nematode 63
 RPMI-1640 medium 212, 250, 251–2
 r-strategy 69
Rutilus rutilus 442
 RYIRFamide 217
 saccharide moiety detection 375–84
 safety glasses 1
 salivary glands
 carbohydrates on surface
 membranes 392
 insect vector 93, 385–93
Salmo trutta 145
 salmon, *Gyrodactylus* infection 149
 sandflies 392

- Schiff reagent 205–6
Schistocephalus solidus
 life cycle 434
 plerocercoids 433, 434, 435
 plerocercoids in body cavity 436
 stickleback feeding behaviour
 433–42
 stickleback food intake 438–9
Schistosoma haematobium 107, 108
Schistosoma intercalatum 107
Schistosoma japonicum 107, 108
Schistosoma mansoni 107, 108, 109–14
 adult worms 110–11, 112
 eggs 111–12, 273
 handling safety 268–9
 infected mice 271–2, 273
 miracidia 113
 mouse liver 112
 pathological effects 110, 113,
 267–74
 sources 268
Schistosoma mekongi 107
schistosome cercariae 108, 109, 110
schistosomiasis 107
schizonts 84, 85, 86, 87, 89, 90, 91, 93
scolex 116, 119, 120, 163, 184–5
Scomber scombrus 142
SDPNFLRamide 217
SDS PAGE 293–302
 acrylamide gel 296–7
 equipment 294
 immunisation procedure 295–6
 reagents 294, 300–1
shadow stimuli 413
sheep parasites 53, 54, 55–8, 59, 60–1
 m. expansa 218
shiners 442
shrimp, larval stages 427
site preferences 142
site specificity 31, 123, 128, 133, 200
Siphonostomatoida 37
sleeping sickness 249
snail, mud 53, 397
Southern blotting 349, 350–1, 353,
 354
species differentiation of parasites
 375–84
Spironucleus (Hexamita) muris 80
spleen 83, 85, 86, 89, 113, 130, 262,
 271, 273, 278–9, 281
spleen, lymphocyte population
 quantification 277–81
sporocyst
 Digenea 19, 54
 Monocystis 11, 15
sporozoites 95
 malaria 89, 90, 91, 95
sprats 146
stickleback 148, 150–4, 425, 426
 body condition 438
 condition factor 437
 feeding behaviour 433–42
 growth 440–1
 Gyrodactylus population dynamics
 147–59
 hepatosomatic index 437
 parasite index 437, 438, 440
 predation by piscivorous birds 433,
 441
 prey size of infected fish 439–40
 stomach fullness 438
 three-spined 150, 151–2, 436
stylet 67, 68, 93
suckers 442
surface carbohydrate detection
 375–84
swimming behaviour, environmental
 factor effects in *Cryptocotyle lingua*
 407–13
Syphacia obvelata 139
T cells 277–81
Taenia 61
tapeworms 61, 115
 whiting 35
 see also cestodes; Hymenolepis diminuta
tauroglycolate 187, 188, 189
tegument 57, 60
temperature, swimming rate 410–11,
 412, 413
Tenebrio 175, 181
 gut enzymes 181
 H. diminuta source 192
Tenebrio molitor 192, 416
 activity 419
 aggregation pheromone response
 419
 predation vulnerability 417, 418,
 419–20
 response to light 418–19
 sexing 417
termites 76
tetraharadamine isothiocyanate
 (TRITC) 238
tetrathyridia 269–70
Thaïs lapillus 29
T-helper cells 277
thiabendazole 313, 316–17
 egg-hatch assay for resistance
 determination 317–18
thymus, lymphocyte population
 quantification 277–81
toad, African clawed 159
toluidine blue 269, 272, 274
Toxocara 50
transmission dynamics, *H. diminuta*
 167–72
transmission of parasites 170–1, 415,
 423
transmitter substances, classical
 209–18

- trematodes
 - digenetic 19–29, 107
 - echinostomes 97–105
 - gasterostome 35
 - see also Schistosoma mansoni*
- trematodiasis, food-borne 97
- Tribolium* 162, 175, 181, 186
 - gut enzymes 181
 - H. diminuta* infection 175
- Tribolium castaneum* 169
 - behaviour changes 421
- Tribolium confusum* 115, 168, 169, 183, 192
 - behaviour changes 421
 - H. diminuta* intermediate host 168, 169, 183
 - H. diminuta* source 192
 - R. microstoma* intermediate host 183
- Trichinella spiralis* 430
- trichomonads 79
- Trichomonas muris* 80
- Trichonympha* 76
- trophozoites
 - malarial 85, 86, 87, 89
 - Monocystis* 15
- trout, *Discocotyle sagittata* infection 235
- trypanorhynch tapeworms 35
- Trypanosoma* 148, 249, 278
 - DNA extraction 336
 - saccharide moiety determination 375
- Trypanosoma brucei* 249
 - glycoprotein coat 249
 - handling safety 251
 - killing 250
 - variable antigen type (VAT)-specific antibodies 250, 252, 253
- Trypanosoma brucei brucei* 387, 391
- Trypanosoma b. gambiense* 249
- Trypanosoma b. rhodesiense* 249
- Trypanosoma congolense* 249
- Trypanosoma vivax* 249
- trypanosomatids 375
- trypanosomes
 - opsonisation 249–53
 - procyclic forms 253
 - surface membrane carbohydrates 385–93
- trypsin 177–81, 188, 189
- trypan blue 257, 261–2
- tsetse fly 386
- t-test 253
- tubocurarine 227
- Tyrode's saline 177–80, 186–9
- ultraviolet spectrophotometry 343–8
- variable antigen type (VAT)-specific antisera 250
- vermiform peristalsis 55
- vitelline glands/vitellarium 43, 56, 57, 58, 60, 61, 102, 103
- Viviparus* 99
- Western blotting 293–302
 - equipment 294
 - immunisation procedure 296
 - procedure 297–9
 - reagents 294–5, 301–2
- whiting parasites 31–5, 218, 235
- woodroaches 76
- writing up 4–5
- Xenopus laevis* 159
- YIRFamide 217
- zoonosis 53