

Cambridge University Press

978-0-521-02715-1 - Quantum Chaos: An Introduction

Hans-Jurgen Stockmann

Index

[More information](#)

Index

action, 248, 264, 272–275, 282, 292, 297–301, 304
 Anderson model, 166–169
 anisotropic Kepler problem, 324
 anticommuting variables, 122–126
 arithmetical groups, 338
 Artin's billiard, *see* billiards, Artin's
 atoms in magneto-optical traps, 159–166
 autocorrelation function,
 of propagating pulses, 269–271
 of scattering matrix elements, 237–241
 spatial, 233
 spectral, 115, 256, 314
 avoided crossings, 201–205

Berry's phases, *see* geometrical phases
 Berry–Robnik distribution, 98–103
 BGS conjecture, *see* Bohigas–Giannoni–Schmit
 conjecture
 billiard experiments,
 antidot lattices, 47–50
 Josephson junctions, 45–47
 microwave cavities, 27–45
 quantum corrals, 55–58
 quantum dots, 50–52
 quantum wells, 52–55
 vibrating blocks, 22–25
 vibrating plates, 15–19, 25
 water surface waves, 19–22
 water-filled cavities, 25–27
 billiards,
 Artin's, 338
 cardioid, 99
 circular, 17–18, 20–21, 27–28, 50–51, 55–57,
 99, 213–215, 243–244
 elbow-shaped, 240, 242
 hyperbola, 117–118, 310
 isospectral, 37–39
 lemon, 280–281
 non-Euclidean octagon, 320–322, 333–335, 338
 pseudointegrable, 17–18, 32, 38, 98
 ray-splitting, 36

rectangular, 17–18, 23–24, 34, 46–47, 50, 67, 98,
 222–224, 253–258, 311, 314, 333, 336
 Robnik, 98–103
 Sinai, 17–18, 23–25, 40, 48, 50, 88–91, 196,
 200–201, 202, 222–224, 227–229, 236,
 290–291, 298–299
 Sinai-stadium, 25–26
 singular square 340–343
 stadium, 7–8, 17, 20–22, 27–28, 31, 35–36,
 37–38, 45–46, 50–51, 57–58, 90–91, 197,
 202, 218–219, 230, 234–235, 238–239,
 242–244, 269–271, 275–276, 280–281,
 285–286, 293–295, 297, 305–306, 311
 three-dimensional, 36, 40, 90–91, 227–229,
 235–236
 triangular, 206, 208–209
 with broken time-reversal symmetry, 42–45,
 50–52, 92–93, 222–224
 Bloch states, 19–20, 95–96, 136, 167, 170
 Bohigas–Giannoni–Schmit conjecture, 88–92, 169,
 214
 boosts, 336
 bouncing-ball orbits, 20–21, 27–28, 37–38, 53–55,
 196, 200–201, 202, 227–228, 236, 282,
 293–295, 297
 break of time-reversal symmetry, *see* billiards, with
 broken time-reversal symmetry
 Breit–Wigner formula, 215–219, 230, 233, 237
 Brody distribution, 93–94

Calogero–Moser system, 186
 ‘can you hear the shape of the drum’, 38
 canonical equations, 9, 154, 162, 192, 265, 283–284
 cantori, 11, 145
 capillary waves, 20
 caustic, 269
 central limit theorem, 146, 232, 240
 Chladni figures, 15–19
 circular ensembles, 139–144, 195, 243
 conductance fluctuations, 50–52, 241–245,
 300–301, 343
 conformal mapping technique, 98, 196, 331

conjugate-complex operator, 68
 conjugated points, 268–269, 271, 285
 correlated energy distribution, *see* Gaussian ensembles, correlated energy distribution
 correlation hole, 116–118, 312
 coupled-channel Hamiltonians, 219–224, 245
 curvature distribution, 200–203

Δ_3 statistics, *see* spectral rigidity density of states, analytic bootstrap, 318
 bouncing-ball contributions, 293–295
 Gaussian ensembles, *see* Gaussian ensembles, averaged density of states
 integrable systems, 253–259
 oscillatory part, 290–293, 297, 321
 semiclassical, *see* Gutzwiller trace formula
 smooth part, 287–289, 297
 vibrating blocks, 24

diabolic points, 206
 diagonal approximation, 257, 315–317
 diffraction orbits, 295
 diffusion in phase space,
 atoms in magneto-optical traps, 163–166
 Harper equation, 181–182
 hydrogen atoms in strong microwave field, 156–159
 standard map, 11–13, 145–150
 dynamical localization, 5, 144–166, 167
 dynamical zeta function, 319–325

electron in a strong magnetic field, 53–55, 95–97, 175–178, 298–301
 entropy barrier, 321
 entropy, topological, *see* topological entropy
 equations of motion, *see* canonical equations
 Ericson fluctuations, 237–241, 242, 343
 excess, 114–115
 exponential proliferation of periodic orbits, 257, 271, 290–291, 315, 320–321, 328

Feynman path integral, 259–262
 Fibonacci numbers, 179–181
 Floquet systems, 11, 60, 88, 136–139, 141, 146, 158–159, 165–166, 167, 187–188
 Floquet theorem, 136
 focal point, 269
 form factor, *see* spectral form factor

Gauss–Bonnet theorem, 335, 340
 Gaussian curvature, 330–331, 335
 Gaussian ensembles,
 averaged density of states, 79–86, 106–108, 118–134
 correlated energy distribution, 77–79, 194
 correlated probability of matrix elements, 73–77
 definition, 73–77
 genus of compact surfaces, 335
 geometrical phases, 205–209
 ghost orbits, 295
 golden mean, 179
 graded matrices, 126–127

graded trace, 127
 Grassmann variables, *see* anticommuting variables
 gravity waves, 22
 Green function,
 non-Euclidean metrics, 335–336
 quantum mechanical, 80–81, 119–134, 211, 216–218, 220–221, 259–260
 semiclassical, 272–276, 281–285, 287–288, 294, 307–310
 Gutzwiller trace formula, 6, 259–295, 320, 337

Hadamard prime number theorem, 328
 Hamilton’s principal function, *see* principal function
 Hamilton–Jacobi equations, *see* canonical equations
 Hardy–Littlewood conjecture, 326
 harmonic oscillator, 41, 104–107, 253, 258
 Harper equation, 174–182
 Hénon–Heiles potential, 41
 Hofstadter butterfly, 177–179
 Hubbard–Stratonovich transformation, 126–130
 hydrogen atom in strong magnetic field, 72–73, 111–112, 113–115, 301–305
 hydrogen atom in strong microwave field, 151–159

information theory, 75, 193
 inside-outside duality, 215
 instability exponent of orbits, 278, 327, 338
 integrated density of states, *see* Weyl formula
 isospin, 66

Kepler map, 156
 kicked rotator, 9–13, 139, 144–150, 167, 169
 kicked top, 88, 102, 139, 142
 Kramer’s degeneracy, 71

Lagrange differential equation, 263
 Lagrange function, 262, 263–265
 Laplace–Beltrami operator, 332
 Lenz–Haake distribution, 97–99
 level dynamics, 36, 40, 183–209
 level spacing distribution, *see* nearest neighbour distance distribution
 localization length, 149–150, 157–158, 163, 171, 173–174
 localization,
 by destructive interference, 19, 37, 94, 167, 169
 dynamical, *see* dynamical localization
 weak, *see* weak localization

magnetoresistance, 48–49, 50–51, 241–245
 Maslov index, 252–253, 285–286, 292, 297
 Maxwell equations, 27–29, 43
 metric with constant negative curvature, *see* non-Euclidean metric
 Möbius transformation, 331, 336, 341
 modular group, *see* billiards, Artin’s monodromy matrix, 276–281, 284, 285, 292, 297

n -point correlation function, 103–109, 142, 327
 nearest neighbour distance distribution,
 circular ensembles, 142–144, 214–215

- coupled-channel Hamiltonian, 222–224
 Gaussian ensembles, 31–33, 63–65, 86–92
 Harper equation, 178–182
 integrable systems, 67, 255
 from the integrable to the non-integrable regime, 92–103, 214–215
 non-Euclidean billiards, 338, 339
 non-Euclidean metric, 22, 324, 330–343
 nuclear data ensemble, 63, 111–112, 113–115, 117
 number variance, 110–112, 195, 329, 338
- orbit selection function, 313
 orthogonal transformations, *see* transformations, orthogonal
 Pascal’s limaçon, *see* billiards, Robnik
 Pechukas–Yukawa model, 184–195
 periodic orbits, 36, 37–38, 55, 111, 196, 256, 275, 282, 285, 290–291, 294, 296–343
 perturbing bead method, 37, 224–229
 Poincaré disk, 331–338
 Poincaré half plane, 339
 Poincaré section, 9–10, 99–100
 Poisson distribution, 31–32, 67, 92–103, 143–144, 180, 194, 214–215, 255, 258, 339–340
 Poisson sum relation, 5–6, 255–256
 Porter–Thomas distribution, 25–26, 233–236
 principal function, 262, 264, 272–273, 293
 principle of uniformity, 316
 probability density, quantum mechanical, 259
 propagation,
 in microwave billiards, 7–9, 40, 271
 of a wavepacket, 3–6, 269–271
 on the Poincaré disk, 332–334
 propagator,
 quantum mechanical, 259–262, 270, 293
 semiclassical, 265–271, 272, 287, 294
 pruning of orbits, 290, 324, 328
 pseudo-orbits, 323, 328
 pseudosphere, 331
- Q* factor, *see* quality factor
 quality factor, 23–24, 27, 34–35
 quantum mechanical localization, *see* dynamical localization
 quantum mechanical probability density, *see* probability density, quantum mechanical
 quantum mechanical propagator, *see* propagator, quantum mechanical
- random superposition of plane waves, 21–22, 230–233
 replica trick, 121–122, 125
 Riemann conjecture, 325
 Riemann curvature tensor, 330
 Riemann zeta function, 322, 325–330, 338, 342–343
 rigidity, *see* spectral rigidity
 Robnik billiard, *see* billiards, Robnik
 rotator, kicked, *see* kicked rotator
- Σ^2 statistics, *see* number variance
 saddle point integration, 130–134, 250
 scars, 21–22, 27–28, 37–38, 159, 227–228, 230, 235, 236, 305–310, 338
 scattering matrix, 36, 211–215, 216, 220–221
 Selberg trace formula, 330–338
 semicircle law, *see* Wigner’s semi-circle law
 skewness, 113–115
 skin depth, 33
 sound figures, *see* Chladni figures
 spectral autocorrelation function, *see* autocorrelation function, spectral
 spectral form factor, 115–118, 257–259, 311–319
 spectral rigidity, 112–113, 180–181, 310–319, 338, 339
 spinor rotations, 160, 171, 206
 standard map, 9, 145, 156, 163
 stationary phase approximation, 250, 255, 258, 263, 266, 272, 282, 287, 325
 Stirling’s formula, 76, 131
 sum rule of Hannay and Ozorio de Almeida, 314–317
 supersymmetry techniques, 118–134, 200, 202, 245
 symbolic dynamics, 323–324, 335
 symplectic transformations, *see* transformations, symplectic
- tight-binding systems, 166–182
 time-evolution operator, 137, 140, 207, 259
 time-reversal operator, 68
 time-reversal symmetry, 69–73, 140–144
 topological entropy, 291, 328
 tori, invariant, 10–13, 145, 253, 259
 trace formula,
 Gutzwiller, *see* Gutzwiller trace formula
 Selberg, *see* Selberg trace formula
 transfer matrices, 169–174, 177
 transformations,
 orthogonal, 69, 141
 symplectic, 72, 141
 unitary, 69, 141
 two-level cluster function, *see* two-point correlation function
 two-point correlation function, 103–109, 115, 195, 319, 325–327
- unitary transformations, *see* transformations, unitary
 universal conductance fluctuations, *see* conductance fluctuations
 universality classes, 68–73
- wave functions,
 amplitude distributions, *see* Porter-Thomas distribution
 bouncing-ball structures, *see* bouncing-ball orbits
 localized, *see* localization, by destructive interference
 ridge structures, 21–22, 27–28, 232
 scarred, *see* scars
 spatial autocorrelation functions, *see* autocorrelation functions, spatial

368

Index

wavepacket, *see* propagation, of a wavepacket
weak localization, 51, 244–245
WKB approximation, 107, 248, 259
Weyl formula, 24, 34, 288–289, 290, 294
Wigner distribution, 33, 63–65, 66, 87–91, 92–103,
 143–144, 205, 214–215
Wigner function, 309

Wigner’s semicircle law, 85–86, 108, 142
Yukawa conjecture, 193–194, 200–205
zeta function,
 dynamical, *see* dynamical zeta function
Riemann, *see* Riemann zeta function