

Index

- accessibility, 2, 7, 9, 18
 causes of low, 12
 defined, 12
 forms of low, 18
 and site discovery probabilities, 11
- Aché (Paraguay), 173
- achira, 126, 128
- aerial photography, 7, 19, 71, 74, 75, 91
 computer enhanced, 80
 digitization, 79, 87, 93
 and Landsat imagery, 87
 limitations of reliance on, 84
 stereoscopic analysis, 75
see also, digital satellite imagery, satellite imagery, survey, topographic mapping
- agouti, 168, 169
- Aguadulce (Site), Panama, 219
- Aguatía (River), Perú, 14
- alluvial soils,
 and magnet sites, 29
see also, anthropic soil, *terra Firme*, *várzea*
- Altschuler, M., 247
- Amazonia, 7, 8, 13, 15, 17, 21, 67, 70, 153, 155, 203, 205, 244
 Bolivian, 66, 68, 73
 Colombian, 97
 Ecuadorian, 40, 127
 floodplain habitats, 8, 70
 Peruvian, 4
- anteater, 169, 171
- anthropic soil, 13, 16, 18, 22
 defined, 10
terra preta do indio, 16, 109, 133
- anthropogenic landscape, 67, 99, 103, 106, 126, 133, 140, 142, 148, 151, 153, 156, 158
 identification with microremains, 152
 and succession, 152
see also, forest clearance, raised field agriculture, slash and burn agriculture
- Apurimac Valley, Perú, 232, 236
- Archaic (Period), 214
- Ardila, G., 109
- armadillo, 169, 176, 244
- arrowroot, 126, 148
 phytoliths, 140
- artifacts,
 abundance, 10
 classification, 227, 229
 clustering, 10
 defined, 10
 obtrusiveness, 10
 preservation, 13
 and site discovery, 11, 33
 surface densities, 13
- auger test pits (ATP), 3, 48
see also, augering, shovel probes, shovel test pits
- augering, 11, 18, 22, 47, 61, 83
 by machine, 47, 48
 interval, 53
- avocado, 102, 251
 pollen, 112
- Ayalán (Site), Ecuador, 181, 184, 189, 192, 193, 196
 and skeletal representation, 187
- Barghoorn, E., 121
- Barrett, S., 245, 246, 247, 255, 258, 261
- Bartlett, A., 121
- bats, 168, 176, 179
- bean, 128
- Belize, 135
- bias,
 in archaeofaunal remains, 156, 161, 169, 177
 assessment, and test pit geometry, 31
 in biological research, 181, 185, 192, 197
 ceramic analysis, 226
 in macrobotanical remains, 124
 in phytolith production, 138
 in pollen analysis, 122
 in recovery, 116–18
 in site preservation, 9
 size, 116
 in survey, 8, 23, 31, 39
- blowguns, 171
- Bolivia, 66
- bone,
 apatite, 199, 200, 207, 208, 213, 215, 219, 222

306 *Index*

- bone, (*cont.*)
 collagen, 199, 200, 203, 206–9, 211, 212, 215, 218, 222
 cultural retention, 173
 density-mediated survivorship, 174
 diagenesis, 165–7, 207, 209, 211, 212, 223
 discard, 172, 173
 hydroxyapatite, 166
 marrow, 173
 preservation, 4, 181, 185, 189, 192, 197, 200, 212, 215
 protein degradation, 166, 167
 scavenging, 173, 177
 weathering, 174, 177
see also, faunal remains, human remains, mammals, stable isotope analysis, zooarchaeology
- bows and arrows, 171
- Brazil, 43, 147
- Bray, W., 3, 96
- Brown, J., 48
- budaes, 111
- burial, 53, 61, 210
 bundles, 215
 cemetery, 56, 61, 64, 183, 215
 ossuaries, 192
 primary and secondary, 183, 184, 215
 shaft tombs, 184
 tumulus, 111
 urn, 184, 187, 192, 235
see also, human remains
- Bush, M., 135
- Buyts, J., 183
- Cabello de Balboa, M., 245
- Calima, Colombia, 99, 103, 127, 135
- Cannon, A., 60
- Cantarana (Site), Ecuador, 258
- capybara, 168, 169
- carbon,
 particulate, 142, 146, 148, 149
 particulate, and agricultural intensification, 150, 153
 particulate, production, 152
see also, slash and burn agriculture
- carbon isotopes, 4, 129, 199, 200, 203, 204, 207, 209, 222
 in animals, 205
 and forest canopy effect, 205
 incorporation into tissue, 206, 207
see also, nitrogen isotopes, stable isotope analysis
- Carrier (Site), Haiti, 62
- Cauca (River), Colombia, 104
- Cayapas (River), Ecuador, 243, 245, 247, 254, 255, 257, 258
- ceramics, 244
 Chachi, 258
 classification, 228, 242
 clay, 230, 231, 240
 complex, 226
 decoration, 227, 231–3, 235, 237, 239, 258
 design statements, 232
 design structure, 231, 232
 durability, 4, 136, 226, 244
 factemes, 230
 firing, 230, 231, 238–40
 fragmentation, 230–2
 function, 241, 258, 262
 heavy reliance upon, 67
 history of research, 226
 modes, 4, 230, 232, 235, 238
 petrographic examination, 240
 preservation, 4, 225
 radiographic analysis, 240
 shape, 227, 230–2, 234, 235, 238, 239
 structural classification, 4, 224, 228, 229, 232, 234, 238–42
 style, 226, 232
 taphonomy, 228, 230
 temper, 227, 230, 231, 239
 trait, 226
 typological classification, 4, 226, 238
 typologies, problems with, 226, 227, 229
- Cerro Mangote (Site), Panama, 140, 214, 218, 221, 222
- Chachi (Ecuador), 4, 243, 245, 257, 261
 archaeology, 258, 261
 ethnohistoric documents, 251, 254
 oral traditions, 4, 243, 245, 246, 254, 255, 257, 262
- Chavin (Culture), Perú, 129
- Chavín de Huantar (Site), Perú, 203
- Chile, 201
- chile pepper,
 pollen, 133
- Chorrera (Culture), Ecuador, 126
- Clark, J.G., 115
- climatic change, 97, 100, 105, 108, 109, 111
- Cob-III (Site), Belize, 135
- Cogollo (Site), Colombia, 107
- Colha (Site), Belize, 135
- Colinvaux, P., 135
- Colombia, 3, 97–9, 103, 112, 113, 127, 240
- Colorado (Ecuador), 257
- community organization, 3, 64
 analysis of, 42, 62, 68
 Saladoid, 43
 community patterning, 46
- Compositae,
 pollen, 112
- Cooke, R., 222
- Copán (Site), Honduras, 134
- coprolite, 116
- Corono (Site), Panama, 139
- Cotocollao (Site), Ecuador, 183, 190, 193, 195, 196
- cotton, 128
- Cueva de los Ladrones (Site), Panama, 140, 141, 219, 222
- Cueva de los Vampiros (Site), Panama, 140
- Cuevas (Style), Puerto Rico, 61
- cultural stress, 98
- Cumancaya (Site), Perú, 8, 245
- Cumancaya (Style), Perú, 239
- Cumbaya (Site), Ecuador, 183
- curare, 171

- DeBoer, W., 4, 62, 230, 243
- deer, 161, 168, 169, 171, 208
Brocket, 176
white-tailed, 161, 176, 221
- Deetz, J., 230
- Delcourt, P., 122
- Denevan, W., 71, 73
- digital elevation model (DEM), 19
- digital satellite imagery, 19
- Dimbleby, G., 123
- dogs,
as scavengers, 174
used in hunting, 170
- Domínguez, V., 183
- Dominican Republic, 43
- Doyon, L., 184
- ecology,
paradigms, 67
- Ecuador, 4, 5, 23, 40, 116, 117, 120, 127, 128, 135, 157, 173, 179, 181, 183, 184, 189, 197, 239, 240, 243
- El Dorado (Valley), Colombia, 100
- El Paraiso (Site), Perú, 116
- El Valle (Lake), Panama, 144
- El Villar (Site), Bolivia, 73, 83, 92
- electromagnetic (EM) conductivity, 23
- Erickson, C., 3, 66
- Esmeraldas (Province), Ecuador, 243, 245, 251, 255
- ethnographic analogy, 64, 66, 70
- ethnohistoric documents, 4, 64, 66, 243, 245, 251, 255
- ethnohistory, 4, 243
- Evans, C., 39
Marajó Island, 13
- excavation,
“macroblock”, 53, 57
stratification, 50
- excavation techniques, 10
deep trenching, 10
horizontal stripping, 3, 10, 68
raised fields, 3, 87
stratification, 47
subsurface testing, 10
trench, 18, 53
see also, test pit, visibility
- experimental archaeology, 3, 66, 70, 74
raised fields, 87, 92
- faunal remains, 156, 198, 221, 230
collagen extraction, 212
density-mediated survivorship, 163, 174, 176
evenness, 161
fragmentation, 161, 164, 167, 169, 173, 174, 176
hydrodynamic sorting, 174, 177
microvertebrate, 165, 174–6
nature of samples, 156, 158, 159
numerical abundance, 158
preservation, 4, 156, 163, 166
from raised fields, 87
recovery, 4, 158, 167, 175–7
size, 161, 164, 167
- stable isotope analysis, 219
- taxonomic richness, 159, 167
- weight, 161
see also, bone, human remains, mammals, zooarchaeology
- features,
abundance and diversity, 15
defined, 10
in excavation, 55
postmold, 53
preservation, 13
structure, 57
urn burials, 15
- felines, 173
jaguars, 246
- fine sieving, 116
effect on macroremain recovery, 116
preferable to flotation, 118
- flotation, 9, 68, 116, 131
adapting to tropical lowlands, 117
IDOT system, 117, 118
in raised fields, 92
and recovery of archaeofaunas, 158, 160, 175, 176
SMAP system, 118
types of, 117
see also, macrobotanical remains
- forest clearance, 102–5, 110, 112, 127, 135, 141, 150
and agricultural intensification, 98, 150
and Heliconia, 146
and mammals, 169, 170
recent, 1, 112, 158
and seed cultivation, 135
Yotoco (Period), 100
see also, anthropogenic landscape, carbon, slash and burn agriculture
- formation processes, 8, 57, 64, 228, 244
bioturbation, 11
deposition of botanical materials, 125
fluvial forces and site destruction, 5, 7, 244
fluvial forces and site discovery, 15, 244
leaf cutting ants, 11
in raised fields, 90
see also, horizontal stratigraphy, site
- Formative Period,
Colombia, 240
Ecuador, 24, 127, 128, 136, 240
Panama, 214, 221
- Gallagher, P., 110
- Gaspar de Torres (Fr.), 251, 253–5
- Genovés, S., 190
- Geographical Information Systems (GIS), 19, 94
and Global Positioning System (GPS), 19
- Geral (Lake), Brazil, 153
- Glassie, H., 228
- Global Positioning System (GPS), 19, 80, 84
also geographical positioning system, 79
and topographic mapping, 84
- gourd, 126, 128
- Gramineae,
pollen, 112, 127

308 *Index*

- Granja de Sivia (Site), Perú, 232, 234, 238, 239
 Granja de Sivia (Style), Perú, 236
 Granulosa-Incisa pottery, 107
 Guajira (Colombia), 108, 109
 Guangala (Culture), Ecuador, 196
guanín, 61
 Guaymí (Panama), 222
- Hacienda El Dorado (Site), Colombia, 127
 Hacienda Grande (Complex), Puerto Rico, 61
 Hacienda Grande (Site), Puerto Rico, 46
 Hansell, P., 219
 Hayden, B., 60
 Herrera de Turbay, L., 112
 horizontal stratigraphy,
 river meanders, 7
 Horno (Period), Colombia, 109, 111
 Howard, G., 226
huaqueros, 186
 see also, human remains, pothunters,
 saqueadores
- human remains, 181
 age estimation, 192, 195, 197
 demographic reconstruction, 187, 191, 192
 disease, 189, 191, 193–6
 hair, 211
 and *huaqueros*, 184
 maize consumption, 196
 preservation, 185, 189, 192, 194
 recovery, 181
 sampling, 181, 187, 189, 191, 193–7, 210
 and skeletal representation, 4, 183, 187
 and stable isotope analysis, 203, 204, 208, 210,
 211, 214, 219
 stature estimation, 189, 190
 taphonomic factors, 181, 190, 192, 194, 215
 trauma, 193
 see also, bone, burial, faunal remains, maize,
 mammals, stable isotope analysis,
 zoarchaeology
- Ibarra, Ecuador, 245, 255
 IDRISI software, 79
 Incisa-Alisada (Tradition), 108
 Indian Creek (Site), Antigua, 62
 Integration Period, 24
- Jama (Valley), Ecuador, 9, 23, 117, 119, 122, 126,
 156, 158, 176
 Jama-Coaque (Culture), Ecuador, 24, 120, 126,
 196
 Jomon-Valdivia hypothesis, 240
 Jones, J., 135
- K-means cluster analysis, 58
 Kensinger, K., 243
 Kintigh, K., 33
 Kluckhohn, C., 227
 Kogi (Colombia), 110
 Koster (Site), Illinois, 46
 Kotosh (Site), Perú, 136
 Kroeber, A., 227
- La Florida (Site), Ecuador, 184
 La Libertad (Site), Ecuador, 183
 La Mula (Site), Panama, 139, 140
 La Mula-Sarigua (Site), Panama, 214
 La Pitía (Site), Venezuela, 109
 Siruma phase, 109
 La Tolita (Site), Ecuador, 183, 196
 La Yeguada (Lake), Panama, 142, 146, 148, 150,
 153, 222
- lagomorphs, 169
 Lake Ayauch, Ecuador, 128
 landscape archaeology, 3, 67, 74, 95
 Las Vegas (Tradition), Ecuador, 127, 183, 190
 Lathrap, D. W., 1, 5, 62, 68, 243
 and agricultural origins, 114, 155
 and archaeological research, 2, 5, 68
 and bioturbation, 11
 and botanical study in archaeology, 5, 131
 ethnography and archaeology, 227, 244
 and methodology of ceramic classification, 4, 5,
 225, 227, 230, 231
 and phytolith analysis, 5, 136
 and preservation bias, 2, 219, 244, 250
 site discovery, 8
 site location, 7
- Lévi-Strauss, C., 262
 Llanos de Mojos (Bolivia), 3, 67, 68, 71, 74, 95
 see also, raised field agriculture
- logistics, 67
 constraints, 1, 7, 42, 46, 185, 239
 midden depth, 47
 vegetation, 47
 see also, site, visibility
- Loma (Period), Colombia, 109
 Long Island, New York, 22
- Machalilla (Phase), Ecuador, 181
 macrobotanical remains, 3, 113, 125, 198
 blanket sampling, 119
 comparative collections, 3, 120
 fragmentation and identification, 120
 opportunistic sampling, 119
 from raised fields, 87, 91
 recovery, 3, 115
 sampling, 118
 see also, flotation, individual plants
- Magdalena (River), Colombia, 103, 104
 Magdalena (Valley), Colombia, 102, 103, 108
 magnetometry, 23
 Maisabel (Site), Puerto Rico, 3, 42, 43, 50
 maize, 102, 111, 112, 116, 126–8, 135, 141, 153, 196,
 198, 201, 210, 222, 245, 246, 251
 antiquity, 128, 133, 136, 199, 214, 221
 cultivation, 109
 dietary importance, 199, 203, 204, 209, 219,
 221
 and human remains, 196, 203, 208
 macroremains, 125
 phytoliths, 125, 127, 136, 137, 140, 141, 222
 pollen, 107, 112, 128, 133, 134, 140, 149, 222
 Malamboid (Tradition), Colombia, 111
 Malibúes (Colombia), 108

- mammals,
 abundance, 168–70, 177
 arboreal, 167–9, 171
 availability, 155, 170
 behavior, 168, 171
 biomass, 168–70
 consumption by humans, 172, 173
 density, 168, 169
 dismemberment by humans, 171–3
 diversity, 169
 herbivores, 169
 large, 156, 161, 167, 168, 170–7
 and llanos habitats, 169
 neotropical forest community, 167–9
 predation, 169
 predation by humans, 169, 170
 representation, 161
 richness, 169, 177
 size, 168, 170
 small, 161, 163, 164, 167–76
 terrestrial, 167–71
 transport by humans, 169, 171, 172
see also, bone, faunal remains, human remains,
 individual animals, zooarchaeology
- Manabí (Province), Ecuador, 23, 157, 196
- Mangelsdorf, P., 114
- manioc, 107, 111, 112, 141, 198
 antiquity, 133
 pollen, 133
- Marajó (Island), Brazil, 15, 68, 97
 anthropic soil, 16
- Marajoara, 13
- marsupials, 168
- Mason, A., 111
- McManamon, F., 10
- Meggers, B., 17, 39
 Marajó Island, 13
- Métraux, A., 71
- microremains, 3, 115, 132, 151
 analyses in tandem, 142
see also, individual plants, palynology, phytoliths,
 pollen
- middens,
 deposition rates, 9
 “mounded”, 52, 60
 shell, 140
- Mississippi,
 site discovery techniques, 7
- Modelada-Incisa (Tradition), Colombia, 107
- Mompós Depression, Colombia, 104–6, 108
- Monagrillo (Pottery), Panama, 139, 214
- Monagrillo (Site), Panama, 140, 214, 219
- monkeys, 168, 176
 blowgun hunting, 171
 callitrichid, 169
 cebid, 169
 Howler, 168
- Monsalve, J., 135
- Monserrate (Period), Puerto Rico, 61
- Monserrate (Site), Puerto Rico, 52, 62
- Monte Carlo simulation, 37, 39
- Moran, E., 21
- Moreno Navarro, I., 245, 254
- Munizaga, J., 181
- Myers, T., 13, 64
- Nahuange (Phase), Colombia, 111
- Nance, J., 20
- negative evidence, 8
- nitrogen isotopes, 4, 199, 200, 204, 205, 209, 222
 in animals, 201, 204
 incorporation into tissue, 207
 and legumes, 204
see also, carbon isotopes, stable isotope analysis
- Nordenskiöld, E., 71
- Norton, P., 184
- Norr, L., 4, 198
- OGSE-80 (Site), Ecuador, 127, 190, 193, 195
- Orinoco (River), 62, 129
- paca, 168, 169
- Paleo-Indian (Period), Panama, 213, 214
- paleoethnobotany, 113, 115, 132
 comparative collections, 120
- palimpsest assemblage, 7, 57, 261
- palm (Aracaceae), 128
 macroremains, 125
 phytoliths, 125
- Palop Martínez, J., 245, 251, 254, 255, 262
- palynology, 121, 133, 136, 137
 modern analog method, 152
 off-site sampling, 122, 123
see also, deep coring, microremains, pollen
- Panama, 4, 132, 135, 138, 140, 142, 147, 151, 200,
 213, 214, 219, 221, 222
- Pearsall, D., 3, 113, 136
- peccary, 161, 171, 176
 collared, 169
 white-lipped, 168, 169
- Pechichal (Site), Ecuador, 119, 124, 179
- pedestrian survey, 11
 and visibility, 18
- Peñón del Río (Site), Ecuador, 126
- Perú, 5, 173, 232, 239
- phosphate fractionation, 107
- phytoliths, 3, 68, 115, 132, 139, 149, 198
 analysis, 123, 126, 129, 132, 136
 comparative collections, 120, 137, 142
 deposition, 137
 identification, 137, 138
 maize, 136, 141, 222
 and multivariate statistics, 129
 preservation, 124, 126, 136, 137, 140
 production, 137, 138
 from raised fields, 88, 92
 sampling, 124
 as sole source data, 126
 squash, 141, 222
see also, individual plants, microremains
- Piperno, D., 3, 121, 122, 124, 125, 130, 222
- Plafker, G., 71
- pollen, 3, 68, 115, 132, 139, 149, 198
 analysis, 123, 126, 129, 132, 136

310 *Index*

- pollen, (*cont.*)
 Chile pepper, 133
 comparative collections, 120, 133, 142
 diagram, 99, 102, 103, 112, 133, 142
 maize, 100, 102, 134, 140, 141, 149, 222
 manioc, 133
 opportunistic sampling, 123
 paleoecological techniques, 134
 páramo, 101, 102
 preservation, 121, 123, 133, 134, 140
 production, 121, 133
 from raised fields, 88, 123
 recovery, 122, 132, 134
 squash, 133, 140, 222
see also, individual plants, microremains, palynology
- Portacelli (Style), Colombia, 109, 110
- pothunters, 3, 5, 43
see also, human remains, *huaqueros*, *saqueadores*
- preservation, 1, 3, 66, 67, 131, 225
 archaeofaunas, 4, 155, 156, 163, 176, 177, 179
 bias, 2, 5, 7, 91, 155
 ceramics, 226, 231
 macrobotanical remains, 113, 116, 118, 131, 132
 organic remains, 3, 155, 164, 166, 172, 181, 185, 244
 phytoliths, 124, 136, 140
 pollen, 121, 140
 pollen analysis, 126
 in raised fields, 88
 of raised fields, 75, 78
 site destruction, 81, 184, 244
 stable isotope analysis, 200, 211, 212, 215, 222
 stratigraphy, 3, 227, 241, 244
- Puerto Hormiga (Site), Colombia, 240
- Puerto Rico, 42, 43, 46, 55, 62
- Pulltrouser Swamp, Belize, 123
- quadrats, 2, 20, 26
 effectiveness, 26, 27
- Quimpiri (Style), Perú, 236–9
- Quito, Ecuador, 183, 184, 192–4
- raised field agriculture, 3, 66, 70, 100, 104
 abandonment, 71
 aquaculture, 73
 benefits, 70, 106
camellones, 107, 108
 causeways and canals, 73, 87, 106
 dating, 71, 90
 experimentation, 92, 108
 flood control, 87, 106
 occupation sites, 73
 radiocarbon dating, 90
 seriation, 91
 thermoluminescence dating, 90
see also, experimental archaeology, Llanos de Mojós, slash and burn agriculture, sustainable agriculture
- Ranchería (Valley), Colombia, 108, 109
- Ranere, A., 138, 222
- Raymond, J. S., 4, 224
- Real Alto (Site), Ecuador, 68, 128, 183
- refitting, 9
- Reichel-Dolmatoff, G. and A., 109, 110
- remote sensing, 3, 17, 19, 47, 64, 70, 74, 94
 digital, 79
 Landsat, 74, 80
- Rindos, D., 129
- rodents, 161, 168, 169, 175
- Roosevelt, A., 134, 161, 168, 169, 175
- Rouse, I., 64, 227, 230
- Rowe, J., 227
- Rue, D., 134, 135
- Saladero (Site), Venezuela, 43
- Saladoid (Series), Puerto Rico, 43, 46, 61
 middens, 46
- Saladoid/Ostionoid (Series), Puerto Rico, 42
- Salango (Site), Ecuador, 118, 183, 184
- sampling,
 and archaeofaunas, 177
 deep site, 46
 probabilistic, 2, 20
 and STP, 27, 31
- sampling design, 10, 21, 45, 46
 deep site, 47
 regional, 20
- San Francisco (Site), Ecuador, 184, 192
- San Isidro (Site), Ecuador, 126
- San Jacinto (Pottery), Colombia, 240
- San Jorge (River), Colombia, 104–6, 110
- San Lorenzo del Mate (Site), Ecuador, 181, 183
- Santa Maria (River), Panama, 138
- Santarém, Brazil, 15
- Santiago-Cayapas, Ecuador, 4, 243, 246, 251, 254, 257, 258
- Santo Domingo (Site), Ecuador, 184
- Sapir, E., 227
- saqueadores*, 43
see also, human remains, *huaqueros*
- satellite imagery, 17, 19, 20, 74
see also, aerial photography
- Sauer, C., 114
- scanning electron microscopy (SEM), 114
- Schiffer, M., 60
- settlement organization, 46, 73
- shamans, 246
- Shipibo (Perú), 227, 245
- shotguns, 170
- shovel probes, 2, 10, 13, 18, 22
 compared to pedestrian survey, 22
 comparison of five and eight probe, 37
 effectiveness, 26, 27, 31
 eight probe, 33
 five probe, 33
- shovel test pits (STP), 11, 18, 22
 effectiveness, 30, 47
 in Jama Valley, Ecuador, 23
- Shuar (Ecuador, Perú), 173
- Siegel, P., 2, 42
- Sierra Nevada de Santa Marta, Colombia, 110, 111
- Sinú (River), Colombia, 104, 106

- site,
 assessment, 31
 boundary definition, 42
 constituents, 10
 densities, 8, 29
 discovery, 7–9, 11, 42
 discovery and anthropic soil, 17
 discovery probability, defined, 10
 discovery with quadrats, 26
 formation, 9
 magnet, 24
 mounded, 71, 72, 81, 82
 multicomponent, 47
 nature of in forested neotropics, 8, 67
 nature of in Jama Valley, Ecuador, 24
 occupational history, 42
 preservation, 9
 scavenging from, 261
 settlement layout, 42
 size, 42, 46
 spatial structure, 42
 structure, 46
see also, accessibility, artifacts, auger test pits, augering, electromagnetic conductivity, excavation, excavation techniques, features, formation processes, logistics, magnetometry, middens, palimpsest assemblage, pedestrian survey, quadrats, remote sensing, sampling, sampling design, shovel probes, shovel test pits, subsurface testing, surface collection, survey, test pit, visibility
- Sitio Sierra (Site), Panama, 140, 141, 214, 219, 222
- Sivia (Style), Perú, 235–39
- slash and burn agriculture, 134, 151
 antiquity, 3, 149, 150, 153
see also, anthropogenic landscape, forest clearance, raised field agriculture
- cloths, 168, 169
- Smole, W., 62
- Sonso (Period), Colombia, 100
- Sorcé (Site), Puerto Rico, 46
- Spanish conquest, 106, 108, 110, 112, 214, 246
- Spaulding, A., 225, 227
- spears, 170
- Spurling, B., 27
- squash, 126, 135, 153
 phytoliths, 127, 137, 140, 141, 222
 pollen, 133, 140, 222
- stable isotope analysis, 4, 199, 200, 209
 CAM photosynthetic pathways, 201
 climatic factors, 201, 203
 fractionation factor, 208, 221
 linear mixing model, 206
 sample preparation, 211, 213, 215
see also, carbon isotopes, nitrogen isotopes
- Stahl, P. W., 4, 62, 154
- Stevenson, M., 255, 257, 261
- Stohtert, K., 183
- structural linguistics, 228
- subsurface testing, 10, 11, 18, 21, 47, 64, 68
 and bias assessment, 31, 33
 and geophysical survey, 16
 and site boundaries, 47
 and survey intensity, 12
- surface collection, 13, 46, 47, 81
- survey, 7, 8, 45, 70
 with aircraft, 3, 74, 78
 comparison of techniques, 22
 deep coring, 18
 designs in the tropics, 12, 45
 discovery model sampling, 20
 and disturbances, 80, 244
 efficiency, 20
 intensity and site discovery probabilities, 11
 intensity, defined, 12
 interviewing guides, 17, 23
 longitudinal, 17, 18
 pedestrian, 3, 11, 22, 26, 31, 74, 80
 probabilistic, 17, 23, 24
 purposive, 20, 23
 right-of-way transects, 17
 statistical inference, 20
 statistical precision sampling, 20
 strata, 21
 stratification, 24
 transects, 21, 26, 75, 82
 use of ethnographic and ethnohistoric sources, 19
see also, site, subsurface testing, surface collecting, visibility
- sustainable agriculture, 67, 95
- sweet potatoes, 102
- Taíno (Puerto Rico), 61
- Tairona (Colombia), 110, 111
- Taperinha (Site), Brazil, 15
- tapir, 168, 169, 171
 traps, 171
- Taylor, W., 228
- Tehuacán (Valley), Mexico, 136
- terra firme*, 16–18, 21
see also, alluvial soils, anthropic soil, *várzea*
- Teso do Bichos (Site), Brazil, 47
- test-pit, 13, 22
 Aguatía River, 14
- Titicaca (Lake), Perú, 74
- topographic mapping, 84
 and Landsat imagery, 87
- topographic maps, 19
- traps, 171
- tumbagua*, 111
- Tumbaviro (Complex), Ecuador, 261, 262
- Tumbibucho (River), Ecuador, 251
- Ubelaker, D., 4, 181
- Ucayali (River), Perú, 7, 11, 15, 68, 239
- Urabá (Gulf), Colombia, 103
- Valdéz, F., 183
- Valdivia (Phase), Ecuador, 24, 126–8, 181, 240
- van der Hammen, T., 121
- várzea*, 8, 16, 21, 134
see also, alluvial soils, anthropic soil, *terra firme*
- Venezuela, 43, 127

312 *Index*

- visibility, 1, 5, 9
 causes of nonexistent, 11
 defined, 11
 hindering community-oriented archaeology, 42
 and sampling design, 25
 and site discovery probabilities, 2, 11, 39, 185
 and STP subsampling, 27, 31
 surface, 7, 18, 42, 46, 185
 and survey, 22, 26
see also, accessibility, site, subsurface testing,
 surface collecting
- Waiwai (Guyana), 62
 Wapisiana (Guyana), 62
 West, R., 258
 West Indies, 43
 White, T., 177
- Wiseman, F., 123
 Wolf, T., 257, 261
 Wright, H., 121
- Yanoama (Brazil), 62
 Yotoco (Period), Colombia, 100
 Yumes (Site), Ecuador, 126
- Zapallo Grande (River), Ecuador, 247, 261
 Zeidler, J., 2, 7, 119
 Zenúes (Colombia), 107
 Zimmerman, L., 122
 Zipacón I (Rockshelter), Colombia, 102
 zooarchaeology, 155, 177
 MNI, 161, 163
 NISP, 161
see also, bone, faunal remains, mammals