

Cambridge University Press

978-0-521-03133-2 - Language, Learning, and Behavior Disorders: Developmental, Biological, and Clinical Perspectives

Edited by Joseph H. Beitchman, Nancy J. Cohen, M. Mary Konstantareas and Rosemary Tannock

Index

[More information](#)

Index

- ability-achievement discrepancy, 209
- academic achievement deficits in ADHD, 315–37
- academic achievement tests, 112
- academic functioning, 117
- academic performance
 - clinic based studies, 518–22
 - community studies, 522–5
 - in speech/language impairment, 515–29
- academic skills training, 406–9
- activation studies, 306–7
- acute lymphoblastic leukemia (ALL), 349
- ADHD, 24, 42, 45, 47, 51, 55, 81, 82, 86, 87, 89, 91, 94, 108, 111, 128–55, 247–71, 299
- academic achievement assessment, 252
- academic achievement deficits in, 315–37
- adolescents with, 310
- aggressive and nonaggressive subgroups, 319, 325
- aggressive behavior in, 315–37
- aggressive versus nonaggressive boys, 327–9
- anatomical studies, 299–301
- ascertainment procedure, 249
- behavioral and cognitive subtypes, 248
- clinical heterogeneity, 247
- cognitive and behavioral subtypes, 318, 319
- cognitive functioning in probands, 262–4
- cognitive functioning in relatives of probands, 257–9
- and communication disorders, 129, 132–44
- comorbidity in, 131–2, 247–8, 316
- and conduct disorder, 318
- corpus callosum and caudate in, 299–300
- diagnoses, 249–51
- dissociation of subtypes, 316–20
- executive dysfunction in, 130–1, 145–7
- functional studies, 308–10
- fundamental deficits in, 129–32
- future directions, 311–12
- genetic factors in, 248
- and 5-HT, 323–6, 328–30
- impulsive/aggressive subgroups, 319
- and language disorders, 128–55
- and learning disability, 248, 259–62, 264–5, 395–417
- literature review, 395–7
- method of study, 249–53
- MHPG in, 322–3
- neurobiological dissociation of subtypes, 324–9
- neurobiological model subtypes, 320–4
- neurochemical dissociation, 325–6
- neurochemical model of subtypes, 325
- noradrenergic (NA) hypothesis, 321
- and otitis media, 143
- pathophysiology, 322
- pharmacological dissociation, 324–5
- and pragmatic disorder, 138–9, 140–1
- probands, 249
- psychiatric assessments, 250
- and reading disability, 88
- reading disabled versus non-reading disabled boys, 326–7
- and reading disorder, 131–2
- and school failure, 253–7
 - in probands, 262–4
 - in relatives of probands, 257–9
- speech disorders in, 135–6
- and speech/language impairment, 132–5, 143–5, 307
- structural assessment, 312
- subjects studied, 249–50
- subtypes, 322
- treatment modalities, 398–401
- twin studies, 248, 283
- adjacency pairs, 28
- adolescence, 92
 - and ADHD, 310
 - balanced speech, 72
 - case examples, 114–17
 - deafness and communicative competence, 360–1
 - deafness and psychosocial measures, 562–4
 - defensive and coercive patterns, 72–4

Cambridge University Press

978-0-521-03133-2 - Language, Learning, and Behavior Disorders: Developmental, Biological, and Clinical Perspectives

Edited by Joseph H. Beitchman, Nancy J. Cohen, M. Mary Konstantareas and Rosemary Tannock
Index[More information](#)572 *Index*

- adolescence (*cont.*)
 developmental transitions, 114–17
 distancing, 71
 humor, 71–2
 integration, 71
 severe disturbances, 74–5
- affect, 60
 hiding, 63–4
- Affective-Behavioral-Cognitive-Dynamic Model (ABCD model), 9
- affective functioning, 7
- affective logic, 70
- affective resonance, 66
- aggressive behavior, 81, 113, 114, 116
 in ADHD, 315–37
 early history of, 319
 and interpersonal problem-solving deficits, 499–500
- AIDS, 348–9
- ambiguous reference, 158, 167–9
- American Sign Language (ASL), 475, 556
- amnesia, 341
 post-ECT, 357
 syndromes, 347
- amphetamine, 321
- antecedent events, 424
- antidepressants, 322
- antiepileptic drugs, 350
- antisocial behavior, 82, 85, 317
 and learning disabilities, 502
- anxiety disorder, 52, 251–2
 diagnostic criterion, 81
- aphasia in adults, 192
- aplysia, 342
- arithmetic skills, 515
- Arithmetic Subtest of the Wide Range Achievement Test, 252
- arousal regulation, 45
- Asperger's syndrome, 181
- assessment protocols, 188
- attachment, 59–61
 Type A (anxious-avoidant) infants, 61
 Type B (secure) infants, 60–1
 Type C (ambivalent) infants, 61, 62
- attachment security and language performance, 17
- attention deficit hyperactivity disorder, *see* ADHD
- attention-habituation, 45
- atypical development, 52–3
 versus delayed development, 53
- atypical ontogeny, 38–41
 characterization, 46
 concept of, 52
 developmental schema, 44
- etiology of neurodevelopmental disorders, 47–52
 innate signs of, 48–9
- signs of, 42–6
 study of, 46–7
 treatment of neurodevelopmental disorders, 50–2
 versus developmental psychopathology, 39–41
- auditory continuous performance test (CPT), 311
- auditory memory, 410
- auditory processing, 49–50
- augmentative communication strategies, 479–82
- Austin, J.L., 26
- Autism Rating Scale, 188
- autistic disorder, 16, 17, 45, 50, 75, 85
 communication training in, 467–88
 and developmental dysphasia, 179–81
 diagnostic criteria, 56
 dimensions of, 181
 and language disorder, 178–96, 467
 assessment issues, 187–8
 commonalities and differences in, 179–81
 etiologic factors, 188–92
 presenting characteristics, 178–84
 research findings, 182–4
- autistic probands, 49
- autobiographical memory, 344
- AZT treatment, 349
- balanced speech, 72
- Bankson Language Screening Test (BLST), 504–6
- behavior, semantic rules for, 69–70
- Behavior Assessment System for Children (BASC), 444, 461
- behavior change in children, 41–2
- behavior disorders, 78–99
 changes with age, 84–5
 in children, 41
 etiology, 86
 and language delay, 84
 and language disability, 85–94
 and language disorder, 18
 single syndrome, 85–6
- behavior problems, 18, 90
 in ADHD, 128–55
 and language development, 91–4
 and language/speech disorder, 80
 long-term outcome, 81–2
 and reading disability, 531–2
 sex differences, 82
- behavior regulation, 65–8, 90
- Behavior Screening Questionnaire, 82
- behavior therapy, 398
- behavioral functionalism, 468–73

- behavioral rating scales, 444
 behavioral titration, 403
 bidirectional model, 147
Bliss Symbol Systems, 480
Block Design subtest, 376
Bloom, L., 7
 brain, 59
 transformation of sensory information, 59–60
 volumetric analysis, 298
 brain dysfunctions, 24
 brain function
 electro/magnetic analysis of, 312
 measures of, 385–7
 studies, 192
 brain infections, 348
 brain injury, 346
 and memory loss, 342
 brain insults, 48
 brain mechanisms, 191–2
 brain plasticity, 48
 brain tumors, 349
British National Development Study, 522
Burt Word Reading Test, 534
- carbamazepine, 350
 caregiver-child relationships, 59
 caretaker, impact of child's behavior, 91
 case presentation, 411
 categorization, 5–6, 9
 causal utterances, 165
 cerebral blood flow (CBF), 304–5, 309,
 311
 cerebral palsy, 480
 cerebrospinal fluid (CSF), 323
Child Assessment Schedule, 111–12, 114–15
Child Behavior Checklist (CBCL), 83, 107,
 112, 115, 116, 495
 child–caretaker interactions, 91
 childhood maltreatment, 16–18
Children's Self-Report Questionnaire
 (CSRQ), 495
Christchurch Child Development Study, 83
 chromosomal abnormalities, 190
 cipher reading, 224
Classification of Autism Rating Scale
 (CARS), 188, 189
 clausal ellipsis, 164
Cleveland Hearing and Speech Center, 519
Cochran–Mantel–Haenszel General
 Association statistic, 253
 coercive adolescents, 73
 coercive-aggressive children, 66, 68, 69
 cognition, 60
 and language, 367–92
 cognitive behavior therapy (CBT), 398
 cognitive confusion, 70
- cognitive development, 16, 446, 449–50
 and language development, 14
 cognitive dysfunction, 317
 cognitive functioning, 6, 7, 473–4
 in ADHD, 253–7, 262–4
 in relatives of ADHD probands, 257–9
 cognitive information about future events,
 62–3
 cognitive logic, 70
 cognitive problems, 24
 cognitive processing, 120, 163
 and social-emotional processes, 110
 cognitive skills, 164, 167
 cognitive titration, 402
 cognitive training/cognitive behavior therapy
 (CBT), 398
 cohesion, 31, 158–64, 167, 169
 associated skills, 159–60
 in childhood onset schizophrenia, 167–9
 and formal thought disorder in
 schizophrenic children, 170–2
 and information systems, 32, 33
 semantic categories, 160
 cohesive references, 31
 cohesive skills, development of, 160–2
Colorado Reading Project, 275–6, 281, 283,
 289
 communication, key dimensions, 184–7
 communication demands, 89
 communication disorders, 17, 23, 24, 79, 81,
 121
 and ADHD, 129, 132–44
 and psychiatric disorders, 101
 in schizophrenic children, 170
 symptoms of, 467
 communication failure, 88–9
 communication goals, 420–1
 communication intervention
 modalities, 474–82
 pilot data, 425–7
 plans, 420–4
 procedures, 421–2
 role of peers in, 427–30
 communication linguistics, clinical uses, 34
 communication profile, 443
 communication training
 appraisal of recent trends, 482–4
 in autistic disorder, 467–88
 communicative alternatives to socially
 penalizing behaviors, 422–3
 communicative functions, 444
 communicative intents, 448–9
 comorbidity
 in ADHD, 131–2
 of autistic disorder and specific
 developmental language disorder,
 178–96
 common etiology in, 145

- comorbidity (*cont.*)
 commonalities and differences in, 179–81
 mechanisms underlying, 144–7
- comparative reference, 164
- Computer Analysis of Phonological Deviations (CAPD), 444
- computerized tomography (CT), 297–8
- concentration, 410
- conceptual developmental difficulties, 440–1
- conduct disorder and ADHD, 318
- conduct problems/aggression, 316–17
- conjunction(s), 31, 32, 158, 161, 164, 167–9, 172
- Connecticut Longitudinal Study (CLS), 199–223
 differences between Isle of Wight and Connecticut studies, 206
 maintenance of sample, 206
 measures, 205
 normal distribution model, 206
 procedures, 204–6
 purpose of, 204
 results of study, 206–12
 sample selection, 204–5
 target population, 204–5
- connectives, 160–2
- Conners' Parent Rating Scale, 444, 461
- Conners' Teacher Rating Scale, 444, 461, 495, 505
- consequent events, 424
- consonant/vowel/consonant (CVC) spellings, 228, 230
- context in linguistics, 24
- continuous performance test (CPT), 318, 319, 325
- conversational analysis, 27–9
- conversational co-operation, 25, 27
- conversations, maxims of, 25
- co-operative principles, 29
- Coulthard, M., 27
- creativity, 6
- criminality, 318
- cytoarchitectural abnormalities, 191
- deafness
 communicative competence in adolescence, 560–1
 communicative competence in early childhood, 558–9
- IQ measures, 561–2
- language and educational issues, 555–6
- psychosocial development in early childhood, 559–60
- psychosocial issues, 556–7
- psychosocial measures in adolescence, 562–4
- study of children and adolescents, 557–64
- decalage
 clinical interventions, 55–6
 compensation, 56
 concept of, 53–6
 negative, 55, 56
 positive, 54, 56
 use of term, 52
- declarative memory, 340
- declarative performance, 439
- decontextualized speech, 18
- defended children, 66, 68, 69
- defensive adolescents, 72
- delayed development, 52–3
 versus atypical development, 53
- delinquency, 114
- depression, 113
- desipramine, 322
- developmental changes, 78–99
- developmental dyslexia, 224–5
- developmental dysphasia (DD), 178, 467
 comorbid with autistic disorder, 179–81
 dimensions of, 181
- developmental progression
 in letter naming, letter sounding and recognizing letter–phoneme correspondences, 236
 orthographic complexity in, 228–30
 phonetic cue reading in, 230–3
 and reciprocal development, 238–9
- developmental psychopathology versus atypical ontogeny, 39–41
- developmental receptive aphasia, 183
- developmental transitions
 adolescence, 114–17
 middle childhood, 113
- diachronic language features, 33–4
- Diagnostic and Statistical Manual, 56
- Diagnostic Interview for Children and Adolescents (DICA) – Parent Interview, 283
- Diagnostic Interview Schedule (DIS version III – revised), 535
- Diagnostic Interview Schedule for Children (DISC-C), 534
- diagnostic labeling, 118
- dialects, 33–4
- discourse deficits
 in childhood schizophrenia, 156–77
 in childhood schizophrenia spectrum disorders, 167–72
- discourse development in childhood, 158–67
- discourse dialect, 35
- discourse register, 34–5
- discourse skills, 17–18
- discursive speech, 170
- disorganized speech, 165
- displacement, 6

Cambridge University Press

978-0-521-03133-2 - Language, Learning, and Behavior Disorders: Developmental, Biological, and Clinical Perspectives

Edited by Joseph H. Beitchman, Nancy J. Cohen, M. Mary Konstantareas and Rosemary Tannock
Index[More information](#)*Index*

575

- disruptive behavior, 82–3, 317
dissociation, 352–4
distractibility, 172
distributed memory systems, 341–2
Down syndrome (DNS), 17, 108, 184,
368–80, 383, 384
Dunedin Multidisciplinary Health and
Development Study (DMHDS), 83,
530, 532–4, 545, 548, 549, 550
dyslexia, 131, 199–223
anatomical studies, 299–301
categorical model, 202
classification models, 202
cognitive profiles of discrepant compared
to low achieving readers, 212
conceptualization, 203
converging evidence from other lines of
investigation, 212–13
dimensional models, 201–3
functional studies, 310–11
future directions, 311–12
gender differences in, 215–17
Isle of Wight survey, 201, 206–7
models, 200–4
and phonological recoding deficits, 224–46
structural assessment, 312
traditional or categorical model, 200–1
- echolalia, 49, 51, 182
ecological validity, 356–7
ECT, 350
EEG, 302, 303, 307
EEG videotelemetry, 351
electro/magnetic analysis of brain function,
312
electro/magnetic potentials, 302–4
ellipsis, 158, 167, 168, 169
ellipsis/substitution, 31
emotion
decoding task, 112
functional theories of, 7–9
emotional disorders, 16
emotional displays during free play, 14
emotional disturbances, 5, 16–20
emotional problems, 81, 111
and reading disability, 531–2
emotional understanding, 90
emotions, language of, 9–12
endophoric reference, 164
epilepsy, 350–1
epiphenomenal manifestation, 49
epiphenomenal signs, 51–2
of atypical ontogeny, 42–6
episodic memory, 65, 67–8, 340, 344
event based learning and scripts, 423–4
event knowledge, 446–7
event memory, 343
- event related potentials (ERP), 303, 308–10,
379
signal morphology in Williams syndrome,
386–7
evoked potential (EP), 303
executive control deficits, 120
executive function/dysfunction, 128–55, 129
in ADHD, 130–1, 145–7
as shared risk factor, 145–7
exophora, 158, 168, 169, 170
exophoric reference, 164
Expressive One Word Picture Vocabulary
Test, 444
expressive vocabularies, 16
- facilitated communication (FC), 480
False Belief Task, 15, 17
family dysfunction, 111
family instability, 318
family interventions, 121
family therapy, 116, 117
fenfluramine (FEN), 323, 326, 328–30
field of discourse, 34
figure ground auditory and visual processing,
410
focusing, 410
form of behaviors, 42
fragile-X syndrome, 190
frequency of behaviors, 42
frontal lobe lesions, 342
frontal lobe maturation and development,
130–1
frustration, 19, 81, 88–9
Full Scale IQ (FSIQ), 326
function of behaviors, 42
functional brain analysis, 302–13
functional grammars, 30
functional linguistics, 24, 30
functionalist theories of emotion, 7–9
- gallows humor, 74
Gardner Expressive One Word Vocabulary
Test (EOWPVT), 378–9
gender differences in dyslexia, 215–17
general event representation (GER), 345
general letter (grapheme) to phoneme
conversion (GPC) rules, 226
general reading backwardness (GRB), 200–1,
209–10
generalizations, 64
genetic defects, 49
genetic factors, 188–91
in ADHD, 248
in internalizing disorders, 92
in phonological ability, 92

Cambridge University Press

978-0-521-03133-2 - Language, Learning, and Behavior Disorders: Developmental, Biological, and Clinical Perspectives

Edited by Joseph H. Beitchman, Nancy J. Cohen, M. Mary Konstantareas and Rosemary Tannock
Index[More information](#)576 *Index*

- genetic linkage analyses in twin studies of reading disability, 284–8
- geographic dialect features, 33–4
- gestural communication, 50
- Gilmore Oral Reading Test, 252
- Global Assessment Scale (GAS), 503
- Gray Oral Reading Test, 310
- Gregory, Michael, 33, 34
- Grice, H.P., 25
- group comparison design, 107
- habituation, 343
- Halliday, M.A.K., 30
- Hasan, Ruqaiya, 29
- head trauma, 347–8
- hearing-impaired children, 19
- heritability, 190–1
- herpes simplex viral encephalitis, 348
- HIV, 348–9
- homonyms, studies involving, 382–4
- 5-hydroxyindoleacetic acid (5-HIAA), 323, 324
- 5-hydroxytryptamine (5-HT) and ADHD, 323–4, 325, 326, 328–30
- hyperactivity, 79, 90
 - changing child's perception, 405
 - literature review, 395–7
 - promoting better understanding, 405
 - treatment modalities, 398–401
- hyperacusis, 385
- hypoplasia of neocerebellar structures, 191
- idiosyncratic language qualities, 34
- ilocutionary act, 26–7
- illogical thinking, 165–72
- imipramine, 322
- immediate self-interest, 11
- imperative performance, 439
- implicit memory, 341
- inattention and language development, 91
- inattention/hyperactivity, 316–17
- incoherence, 165, 166
- individual differences in use of language, 66–7
- individual education plan (IEP), 409–10
- infancy, mental processes in, 60–1
- infantile autism, 183
- infections during pre-, peri- and neonatal periods, 191
- infectious dementing disorders of gray matter, 348
- information
 - depersonalization of, 64
 - evolved structure of, 59–60
 - innate defects, 50
- innate signs, 46–7, 51–2
- of atypical ontogeny, 42–6, 48–9
- insecurity in children, 13
- interactive relationship, 33
- internal state language, 9, 10, 15, 18
 - and attachment classification, 13
 - development of, 12–16
 - in linguistically precocious toddlers, 15
 - measures of, 15
 - sophisticated use, 11
- internal state words, 14, 18
 - subcategories of, 10
- interpersonal function, 6
- Interpersonal Negotiating Strategies Task, 112
- interpersonal problem-solving deficits and aggression, 499–500
- interpersonal problem-solving skills (ICPS), 399
- intervention
 - activities, 450–6
 - case study, 461
 - goals, 448–50
 - materials, 460
 - multimodal, 400–1
 - presentation, 458–60
 - procedures, 456–8
 - social skills, 422–3
 - see also* language intervention
- intrapersonal function, 6
- introversion/internalizing problems, 82
- IQ
 - deaf adolescents, 563–4
 - deaf children, 561–2
 - Freedom From Distractibility, 252
 - and language impairment, 78
 - nonverbal, 87, 187
 - and psychopathology, 83
 - and reading achievement, 201, 211–12
 - and reading disability, 539–40
 - relevance in twin studies of reading disability, 279–80
 - and speech/language impairment, 506
 - verbal, 187
 - and visual-motor integration, 79
- Isle of Wight surveys, 201, 206–7
- Jacob-Creutzfeld disease, 348
- Kiddie Formal Thought Disorder Rating Scale (K-FTDS), 165, 166
- Kiddie SADS-E Epidemiologic Version, 250
- Kindergarten Early Learning Profile (KELP), 205, 210
- Kopp, C.B., 8, 9

- language
 assessment, 117, 355
 characteristics, 5
 and cognition, 367–92
 key dimensions, 184–7
 and learning disabilities, 16
 and learning impaired children, 300–1
 public and private faces, 5–7
 Language Acquisition Preschool Program (LAP), 442
 language delay, 79–81, 90
 and behavior disorders, 84
 and later behavior problems, 82
 and later psychopathology, 81
 and maternal depression, 88
 language development, 7–8
 and behavior problems, 91–4
 and inattention, 91
 late onset, 92
 and memory, 344, 358
 procedures to facilitate, 457–8
 language disorder, 24, 50, 78–99, 113
 and ADHD, 128–55
 and autistic disorder, 178–96, 467
 assessment issues, 187–8
 commonalities and differences in, 179–81
 etiologic factors, 188–92
 presenting characteristics, 178–84
 research findings, 182–4
 and behavior disorders, 18, 85–94
 changes with age, 84–5
 developmental perspective, 23–37
 etiology, 86
 long-term outcome, 81–2
 and psychiatric disorder, 101–3, 105
 in psychiatrically disturbed children, 105–27
 single syndrome, 85–6
 and social-emotional disorder, 106–17
see also specific language impairment; speech/language impairment
 language of emotions, 9–12
 language functioning of psychiatric samples, 106
 Language Interaction Intervention Program (LIIP), 441
 language intervention
 programming, 436–66
 in psychiatric disorders, 120
 social-interactional approaches, 418–35
 language-learning style, 16
 language processing problems, 112
 Langue des Signes Québécoises (LSQ), 556
 learning disability, 88, 89, 119, 316, 317
 and ADHD, 248, 259–62, 264–5, 395–417
 and antisocial behavior, 502
 hyperactivity with and without, 395–417
 and memory, 351–2
 learning problems, 116
 letter naming, 236
 letter–phoneme correspondences, 236
 letter sounding, 236
 Levinson, S., 26, 29
 lexical cohesion, 31, 32, 158, 163, 164, 167–9
 limbic system, 60
 linguistic encoding, 163
 linguistic impairment, outcome studies, 493
 linguistic information, 24
 linguistic profile, 444–5
 linguistic skills, 164
 linguistic theory, 29
 linguistics, context in, 24
 locus coeruleus (LC), 320–1
 locutionary act, 26–7
 loose associations, 165–9, 172
- magnetic resonance imaging (MRI), 191, 298–300, 305, 307, 312, 341, 368
 magnetoencephalography (MEG), 303–4
 mastery, 352–4
 Matching Familiar Figures Test, 163
 maternal depression and language delay, 88
 maternal speech, 12, 13
 mathematical disabilities, 515
 maturation, 41
 maxims of conversation, 25–6
 m-chlorophenylpiperazine (m-CPP), 329
 mean length of utterance, *see* MLU
 memory
 distortions of, 68
 episodic, 65, 67–8, 340, 344
 and language development, 344, 358
 procedural, 61, 65, 67–8, 340, 341, 344–5
 semantic, 64–5, 67–70, 340
 memory assessment, 354–8
 cognitive (clinical) psychology
 investigations, 356
 ecological validity, 356–7
 measuring attention, state and motivation in, 357–8
 test conditions, 356–7
 memory development, 342–7
 encoding constraints, 345–6
 importance of language, 343–5
 role of language and narrative, 344, 346–7
 memory disorders, 347–52
 in childhood, 338–66
 memory functions, neuroanatomic siting, 340–1
 memory loss, 341
 memory systems, 61, 64–5
 dual, 344

- memory systems (*cont.*)
 more-cognitive and less-cognitive theories, 339–40
 neurobiology, 342–3
 mental functioning, risks to, 61
 mental handicaps, 86
 mental health
 interventions, 117
 and reading disability, 532–3, 538
 categorical models, 545–7
 dimensional models, 538–45
 mental processes in infancy, 60–1
 mental state words, 10, 14
 mental states, 17
 metabolic-genetic disorders affecting gray matter, 350
 metabolism, 305–6
 metabolism disorders and memory, 349–50
 metafunctions, 30
 metaphorical language, 182
 metarepresentational deficit, 17
 3-methoxy-4-hydroxyphenylglycol, *see* MHPG
 methylphenidate (MPH), 321, 324–5
 MHPG, 322, 330
 in ADHD, 322–3
 and noradrenergic (NA) function, 323
 plasma assays, 325
 middle childhood
 case example, 111–13
 developmental transitions of, 113
 MLU (mean length of utterance), 15, 17, 444
 mode of discourse, 34
 monoamine oxidase (MAO), 323
 mood disturbance, 52
 moral reasoning, 69
 mother–child relationship, 13, 88
 Multigrade Inventory for Teachers (MIT), 205, 217
 multimodal intervention, 400–1
 multimodal treatments, 402–6
 autism, 181
- National Cholesterol Education Program, 202
- negative affect, 63
- negative decalage, 55, 56
- negative emotional regulation, 8, 18
- negative interactions, 120
- neoplasms and memory, 349
- neural networks, 345
- neuroanatomical markers, 50
- neurochemical correlates of academic achievement deficits and aggressive behavior in ADHD, 315–37
- neurochemical dissociation, 325–6
- neurochemical markers, 50
- neurodevelopmental disorders, 39
- in children, innate signs of, 44–6
- diagnosis, 57
- etiology of, 47–52
- natural history of, 46, 56–7
- treatment of, 50–2
- neurodevelopmental immaturity/deficits and speech/language impairment, 506–9
- neurodevelopmental precursor, 86–8
- neurodevelopmental symptoms, 41
- neuroimaging, 297–314, 356
- neuropsychiatric disorders, 39
- genetics of, 48
- neurotic disturbance, 82
- neurotic problems, 81
- neurotransmitter systems, 320
- noncatecholamine, 325
- neutral affect expression, 7–8
- nominal ellipsis, 164
- nominal-pronominal dimension of individual differences, 16
- noncausal utterances, 165
- nondiscursive speech, 170
- nonverbal learning disabilities, 83
- noradrenergic mechanisms, 320–3
- noradrenergic system, 320
- function and MHPG, 323
- post-synaptic release, 321
- one-word speech, 52
- Oppositional Defiant Disorder, 111–12
- ordering, 410–11
- otitis media and ADHD, 143
- Ottawa Longitudinal Study, 495–510
- outcome studies, 489–570
- overactive behavior, 79
- overall organization, 28, 29
- parent–child relationship, 91, 108
- parent information and intervention models, 441
- parent stress, 118
- parent training and counseling, 399, 404
- parental criticism, 91
- parental speech to young children, 13
- PATHS program, 19–20, 121
- Peabody Individual Achievement Test (PIAT), 275, 282–3
- Peabody Picture Vocabulary Test – Revised (PPVT-R), 15, 378–9, 444
- peer confederates, 429–30
- peer interactions, 182, 430, 458
- peer mentoring, 442–3
- peer models, 428–9
- peer rejection, 121
- peer relationships, 55, 117

- peer role in communication intervention, 427–30
 pemoline, 321
 perlocutionary act, 26–7
 Personality Inventory for Children, 83
 pervasive developmental disorders (PDDs), 179, 183
 pervasive hyperactive children, 317
 PGARD (Professional Group for Attention Deficit Disorder and Related Disorders), 406
 pharmacological dissociation, 324–5
 phenobarbital, 350
 phenocopy hypothesis, 89
 phenotypic expression, 48–9
 phenytoin, 350
 phoneme awareness, 236–9
 phoneme categorization, 237
 phonetic cue reading in developmental progression, 230–3
 phonics, teaching, 56
 phonologic-syntactic subtype, 178
 phonological processing, 516
 component, 233–40
 conceptualization, 214–15
 core deficit in discrepant and low achieving readers, 212–13
 deficits, 213–14, 218
 genetic influences on, 92
 use of term, 224
 phonological recoding
 developmental progression, 227
 and dyslexia, 224–46
 early measures of, 233
 in lexical access, 224
 number of syllables in, 230
 in reading, 225–33
 recognition and retrieval in, 231
 PIAT Reading Recognition (REC), 281
 Pine, F., 8
 planal knowledge, 33
 positive affect, 63
 positive decalage, 54, 56
 positive peer relations, 19
 positron emission tomography (PET), 191, 305–7, 309–11, 341
 posterior parietal lobe, 321
 post-traumatic amnesia (PTA), 347–8
 poverty of content of speech, 165, 166, 170
 pragmatic disorder and ADHD, 138–9
 pragmatic theories, 23–37
 pragmatics, 24
 deficits and ADHD, 140
 development, 185–7
 linguistic approach, 29–35
 philosophy's approach to, 25–9
 skills, 164
 systems, 438
 pre-lexical phonological recoding, 224
 preoperational children, 62
 preschool years, 62–7, 92
 individual differences in use of language, 66–7
 language intervention programming, 436–66
 previously identified language impairment (PILI), 107–10
 problem-solving, 6
 procedural information, 62
 procedural memory, 61, 65, 67–8, 340, 341, 344–5
 processing speed, 46
 productivity, 6
 progressive rubella encephalopathy, 348
 prolactin (PRL), 323, 326–8, 330
 pronouns, 164
 reversal, 182
 psychiatric disorders, 81, 86, 114
 and associated variables, 503–6
 language impairments in, 101–3, 105–27
 language interventions in, 120
 and language/speech disorder, 80
 outcome studies, 493
 and reading disabilities, 500–2
 and social relationships, 496–7
 and speech/language impairment, 493–4
 and verbal deficits, 500–2
 psychiatric samples, language functioning of, 106
 psychopathology, 16, 39–77
 and IQ, 83
 psychopharmacological treatments, 51
 psychosocial stress, 86
 psychotherapy, 121, 400
 quantitative neuroimaging techniques, 297–314
 rapid eye movement (REM), 321
 reading, developmental trajectory, 207
 reading ability, ontogeny of, 207
 reading comprehension, 82
 reading disability, 82–3, 89, 92, 128, 326–7, 515, 516
 and ADHD, 88, 131–2
 and behavior in childhood, 531–2
 comorbidity, 139–43
 and development, 530–1
 importance of history in diagnosis, 214–15
 and IQ, 539–40
 and mental health, 538
 categorical models, 545–7
 dimensional models, 538–45

Cambridge University Press

978-0-521-03133-2 - Language, Learning, and Behavior Disorders: Developmental, Biological, and Clinical Perspectives

Edited by Joseph H. Beitchman, Nancy J. Cohen, M. Mary Konstantareas and Rosemary Tannock
Index[More information](#)

- reading disability (*cont.*)
 in late adolescence and early adulthood, 532–3
 nature and definition of, 213–14
 and psychiatric disorders, 500–2
 sex differences in, 535
 symptom complex, 217–18
 twin studies, 272–92
 and ADHD, 283–4
 Colorado Reading Project, 275–6, 281, 283, 289
 concordance rates, 272–5
 genetic linkage analysis, 284–8
 multiple regression analysis, 276–8
 orthographic coding (ORTH), 282
 Peabody Individual Achievement Test (PIAT), 282–3
 phonological coding (PHON), 282
 reading and language processes, 281–3
 relevance of IQ, 279–80
 zygosity diagnoses, 276
- Reading Recognition (REC), 282–3
- reading retardation, 85
- Rebus system, 480
- receptive language disorder (RLD), 182, 183
- reciprocal development and developmental progression, 238–9
- reciprocal friendships, 113
- recognition memory, 345
- reference, 31, 162–3
- reference theory, 25
- referential cohesion, 158, 164, 167–9
- referential errors, 164
- referential-expressive dimension, 16
- referential strategies, 164–5
- referential vocabularies, 16
- register, 34
- reinforcer saliency, 45
- Reitan Indiana Category Test, 371
- remedial education and tutoring, 400
- repression, 352–4
- reproductive casualty continuum, 47–8
- response inhibition, 131
- response to novelty, 45
- retention processes, 340
- Rett syndrome, 480
- revision, 352–4
- Reynell Developmental Language Scales, 82
- Rutter Teaching Scale, 82
- scaffolding, 6, 447
- schizophrenia, 32, 42
 childhood onset, 167–9
 cohesion and thought disorder in children, 170–2
- discourse deficits in childhood, 156–77
- discourse deficits in children with spectrum disorders, 167–9
- school failure
 and ADHD, 253–7
 in ADHD probands, 262–4
 in relatives of ADHD probands, 257–9
- school years, 67–70
 double meanings, 69
 linguistic communications, 68–9
 semantic rule for behavior, 69–70
- script acquisition, 458
- Searle, John, 27
- secure/balanced children, 66, 69
- seizures and memory, 350–1
- self-concepts, 11
- self-confidence, 81
- self-effectiveness, 405–6
- self-esteem, 81, 89–90, 92, 112, 114, 115, 117, 118, 121, 404
- self-regulation, 18
- semantic development, 184
- semantic generalizations, 73
- semantic memory, 64–5, 67–70, 340
- sensorimotor functioning in infancy, 60–1
- sequencing, 410–11
- serotonergic system, 320, 323–4
- serotonin, *see* 5-hydroxytryptamine (5-HT)
- sex differences in reading disability, 535
- sexual abuse, 114
- siblings and sibling relationships, role played by, 14
- sign languages, 475–7, 556
- Signed English, 475
- simultaneous communication training, 475–9
- single photon emission computed tomography (SPECT), 305, 307, 312
- skill acquisition, 207
- slave systems, 342
- social cognitive characteristics, 119
- social cognitive deficits, 90, 92
- social cognitive development, 113
- social cognitive skills, 113
- social cognitive tasks, 116
- social communication skills, 119
- social competence, 18, 19
- social-conversational skills, 449
- social dialects, 34
- social disadvantage, 78
- social-emotional development, 5
- social-emotional disorder, 105, 117, 119, 120, 182
 and language impairment, 106–17
- social-emotional rating scales, 444
- social impairments, 50
- social interaction, 6, 18–19
- social knowledge development, 449–50
- social problems, 111, 116

Cambridge University Press

978-0-521-03133-2 - Language, Learning, and Behavior Disorders: Developmental, Biological, and Clinical Perspectives

Edited by Joseph H. Beitchman, Nancy J. Cohen, M. Mary Konstantareas and Rosemary Tannock
Index[More information](#)*Index*

581

- social relationships, 16–18, 81, 113, 117
 and psychiatric disorder, 496–7
 and speech/language impairment, 496–7
- social skills
 intervention, 422–3
 training, 398–9, 403
- Social Skills Rating System – Parent Scale
 and Teacher Scale, 444
- social stress, 86
- social withdrawal, 81
- socially penalizing behaviors, communicative alternatives to, 422–3
- socio-economic status (SES), 316, 504, 506, 533–4
- solid-state actigraphs, 319
- sophisticated utterances concerning desire, feeling or mental state, 11
- special education, 19
- specific language impairment (SLI)
 definition, 436–43
 group intervention models, 441–3
 intervention programming, 436–66
 linguistic form difficulties, 438
 pragmatic perspective, 438
- specific reading retardation (SRR), 200–1, 209–10
- Speech Act Theory, 26–7
- speech acts, 29
- speech delay, 79–80
- speech disorders, 24
 in ADHD, 135–6
- Speech Foundation of Ontario, 443, 448
- speech/language impairment
 academic performance in, 515–29
 and ADHD, 132–5, 143–5, 507
 and associated variables, 503–6
 and IQ, 506
 and neurodevelopmental immaturity/deficits, 506–9
 pilot data, 425
 and psychiatric disorder, 493–4
 and social relationships, 496–7
 subtypes, 497–500
- speech samples, eliciting, 164–5
- spelling disability, 87, 515
- stimulant medication, 322
- Story Game, 167
- story retelling, 440
- Strange Situation, 13, 62
- stratal knowledge, 33
- strategic contextualization, 474, 481
- Structured Clinical Interview for DSM-III-R (SCID), 250, 251
- Structured Photographic Expressive Language Test – II (SPELT-II), 444, 461
- Sturge-Weber syndromes, 350
- subacute sclerosing panencephalitis, 348
- substance abuse, 318
- substitution, 31–2, 158, 164
- supravalvular aortic stenosis (SVAS), 368
- symptoms, 42
- Tay-Sachs disease, 350
- Teacher Report Form (TRF), 107, 112, 115, 499, 503
- tenor of discourse, 34
- Test for Auditory Comprehension of Language – Revised (TACL-R), 444, 461
- theory of mind, 15, 17
- thinking and language, 59
- thought disorder, 165
 in childhood schizophrenia, 169–70
 and cohesion in schizophrenic children, 170–2
- Thought Disorder Index (TDI), 165, 166
- thought processing, 165–6
 associated skills, 166–7
- three-mountain task, 17
- Total Communication, 480, 555
- total communications programs, 564–5
- trauma and recall, 352–4
- turnabouts, 28
- turn-taking, 28, 439
- twin studies, *see* ADHD, reading disability
- Type A (anxious-avoidant) infants, 61
- Type B (secure) infants, 60–1
- Type C (ambivalent) infants, 61, 62
- unclear reference, 158, 167–9
- unelaborated speech, 170
- universal grammars, 30
- universal theory, 29
- unsuspected language impairment (USLI), 107–10, 117, 118
- valporic acid, 350
- vascular insults and memory function, 348
- verbal abuse, 114
- verbal coding, 234–6
- verbal deficits and psychiatric disorders, 500–2
- verbal expression, 121
- violence, 70
- virtual disability, 49
 mechanisms affecting variable expression of, 49–50
- virtual signs, 46–7, 49, 51–2
 of atypical ontogeny, 42–6
- visual-based cognition, 375–6
- visual memory, 410
- visual-motor integration, 79

Cambridge University Press

978-0-521-03133-2 - Language, Learning, and Behavior Disorders: Developmental, Biological, and Clinical Perspectives

Edited by Joseph H. Beitchman, Nancy J. Cohen, M. Mary Konstantareas and Rosemary Tannock

Index

[More information](#)§82 *Index*

visual-spatial information, 24
Vygotskian theory, 447
Vygotsky, Lev, 6

Wechsler Adult Intelligence Scale – Revised (WAIS-R), 252, 259, 275, 561
Wechsler Intelligence Scale for Children – III (WISC-III), 561
Wechsler Intelligence Scale for Children – Revised (WISC-R), 170–2, 205, 207, 252, 256, 262, 265, 275, 283, 371, 376, 378
Wide Range Achievement Test, 310–11
Wide Range Achievement Test – Revised (WRAT-R), 326, 371
Williams syndrome (WMS), 367–92
anomalous semantic organization, 383
category production, 380
equivalent global delay, 375
ERP signal morphology in, 386–7
face processing, 376–7
general cognitive impairment, 371–2
homonyms, 382–4
lack of specificity in word knowledge, 379
lexical ambiguity, 382–4

lexical semantics, 377
linguistic affect and narrative, 373–5
preserved grammar, 372–3
preserved production within elementary categories, 379–82
profile of dissociations, 372–87
semantics and measures of brain function, 385–7
subjects studied, 368
visual based processing, 375–6
word knowledge, 377–9
word usage in spontaneous speech, 384–5
Wilson's disease, 350
Wittgenstein, 25
Woodcock–Johnson Psycho-educational Battery, 205, 216

Yale Children's Inventory (YCI), 205, 210–11, 217
Young Autism Project, 469
Youth Self Report (YSR), 562

zone of proximal development, 6, 447–8