

Cambridge University Press

978-0-521-03172-1 - Nuclear Magnetic Resonance in Solid Polymers

Vincent J. McBrierty and Kenneth J. Packer

Index

[More information](#)

Author index

- Abragam, A. 26, 39, 48, 55, 56, 62
 Ahmad, S. 169
 Ailion, D. 49, 71
 Albert, B. 193, 217, 224
 Alla, M. 75
 Alonso-Amigo, M.G. 286
 Anavi, S. 192
 Anderson, E.W. 63
 Anderson, J.E. 230
 Anderson, P.W. 64, 76
 Anderson, R.A. 291
 Andrew, E.R. 38, 64, 65, 71, 126
 Assink, R.A. 201, 231, 233
 Atalla, R.H. 133–7
 Aujla, R.S. 118, 135, 146, 147, 148
 Axelson, D.E. 180, 211
- Bacon, G.E. 258
 Balimann, G.E. 129
 Bank, M. 218
 Basescu, N. 288
 Baughman, R.H. 289
 Baum, J. 84
 Beatty, C.L. 192
 Becker, E.D. 39, 93, 100, 266
 Beckmann, P.A. 69, 72
 Begum, A. 229
 Belfiore, L.A. 131, 195, 235, 236, 237
 Berger, A.E. 66, 314, 315
 Bergmann, K. 203, 207
 Bersohn, R. 56
 Beshah, K. 145
 Bishop, E.T. 229
 Blinc, R. 295
 Bloembergen, N.C. 40, 57, 69, 70, 81, 313
 Blumberg, W.E. 48, 79
 Blümich, B. 66, 118, 165, 171, 251, 266, 267
 Bonart, R. 232
 Booth, A.D. 209
 Bovey, F.A. 127, 207, 299
- Boyd, R.H. 15
 Boyle, N.G. 281, 284, 285
 Bradley, D.D.C. 289
 Brandolini, A.J. 250, 258, 260
 Breerton, M.G. 10, 270
 Brode, G.L. 223
 Broekaert, P. 99, 101, 169
 Bueche, F. 192, 214, 224
 Bunn, A. 129, 130, 131, 132
 Burum, D.R. 301
- Caldwell, J.R. 233
 Caravatti, P. 76, 202, 220, 221, 222
 Carlson, B.C. 63
 Carr, H.Y. 64, 94, 100
 Carrington, A. 39
 Charlseby, A. 269
 Cheng, H.N. 207
 Cheung, T.T.P. 74, 201, 207, 212
 Chiang, C.K. 289
 Chirlian, L.E. 153
 Clark, W.G. 291
 Clarke, T.C. 288, 289
 Cohen-Addad, J.-P. 10, 270
 Coleman, M.M. 224
 Colombo, M.G. 75, 76
 Colquhoun, I.J. 180, 207, 208, 211
 Connolly, J.J. 177
 Connor, C. 74, 75
 Connor, T.M. 13, 69, 72, 174
 Coombes, A. 228
 Cory, D.G. 194
 Cosgrove, T. 202
 Couchman, P.R. 192
 Crofton, D.J. 282, 283
 Cruz, C.A. 223
 Cudby, M.E.A. 113, 114, 180, 201, 207, 208, 210
 Cunningham, A. 243
 Custodero, E. 273

- Dabbagh, G. 5, 66, 151, 262
 Davidson, E.T. 229
 Davis, D. 234
 de Gennes, P.-G. 10, 81, 270
 Degré, P. 214
 Deloche, B. 267
 Demco, D. 104
 Di Paola-Baranyi, G. 214
 Dixon, W.T. 66, 117, 138
 Doddrell, D. 42, 45
 Doi, M. 10
 Donnet, J.B. 273
 Doolittle, A.K. 14
 Doskocilova, D. 207
 Douglass, D.C. 10, 47, 48, 60, 63, 68, 69,
 70, 71, 72, 73, 74, 75, 77, 81, 180, 199,
 201, 202, 204, 205, 225, 226, 227, 228,
 230, 234, 235, 247, 292, 293
 Doyle, S. 134, 138
 Drey-Aharon, H. 294
 Dumais, J.J. 232, 233
 Duncan, T.M. 29, 57, 127, 300
 Duplessix, R. 13
 Dybowski, C.R. 57

 Earl, W.L. 116, 129, 207
 Edmonds, A.R. 303
 Edwards, S.F. 10
 Edzes, H.T. 300
 Eisenberg, A. 214, 281, 285
 English, A.D. 156, 157, 159, 160, 161, 212,
 249, 301
 Ernst, R.R. 3, 74, 92, 118, 202
 Etemad, S. 289

 Farrar, T.C. 39, 93
 Feast, W.J. 289
 Ferry, J.D. 15, 174
 Fleming, W.W. 300, 301
 Flory, P.J. 14
 Folland, R. 269
 Fox, T.G. 14, 192, 224
 Frank, C.W. 193
 Frank, F.C. 254
 Frey, M.H. 114
 Friend, R.H. 289
 Froix, M.F. 174, 175
 Frye, J.S. 111
 Fujimoto, K. 203, 207
 Fukushima, E. 86
 Fulcher, G.S. 14
 Furukawa, T. 295
 Fyfe, C.A. 113, 144

 Gabrys, B. 200
 Gade, S. 74
 Garroway, A.N. 46, 111, 115, 117, 145,
 180, 188, 189, 258, 301

 Gashgari, M.A. 193
 Gerstein, B.C. 29, 207
 Gevert, T.U. 234
 Gill, D. 94, 100
 Glarum, S.H. 10
 Glover, K. 290
 Gobbi, G.C. 195, 219
 Goldman, M. 26, 99, 101, 201, 207, 234
 Gordon, M. 192, 214, 224
 Grabowski, M. 289
 Grant, D.M. 45
 Granville, M. 286
 Griffin, R.G. 3, 152, 153
 Gronski, W. 268, 272
 Groombridge, C.J. 114, 184
 Grün, F. 243
 Guillermo, J. 10
 Gullion, T. 153
 Gunther, E. 194
 Gupta, M.K. 233
 Gupta, V.B. 258

 Hadziioanou, G. 192
 Haeberlen, U. 38, 57, 106, 309
 Hagemeyer, A. 66, 117, 171, 172
 Hahn, E.L. 75, 101, 104, 117, 126, 170,
 194, 284
 Hamming, R.W. 244
 Hanack, M. 288
 Harbison, G.S. 66, 245, 251, 257, 262, 263,
 313, 315
 Harris, R.K. 39, 106, 114, 115, 116, 189
 Hartmann, S.R. 75, 76, 99, 101, 104, 117,
 126
 Havens, J.R. 74, 144, 201, 211, 212
 Heatley, F. 42, 45, 72, 229
 Heeger, A.J. 290
 Helfand, E. 202
 Hellman, G.P. 214, 229
 Henrichs, P.M. 74, 76
 Hentschel, R. 55, 58, 183, 185, 186, 243,
 255, 257, 309, 312, 313
 Hermans, J.J. 241
 Herzfeld, J. 66, 314, 315
 Hesse, W. 14
 Hikichi, K. 222
 Hirsch, J.A. 289
 Hirschinger, J. 10, 187, 188, 239
 Hofer, K. 279

 Illers, K.H. 224
 Ishii, F. 292
 Ito, M. 212, 254

 Jackson, W.J. 233
 Jeener, J. 99, 101, 169
 Jelinski, L. 163, 164, 165, 202, 229, 232
 Jenks, G.J. 64

- Jones, A.A. 175
 Jones, G.P. 42, 70, 71, 81, 98, 101

 Kaplan, S. 202
 Karasz, F.E. 289
 Kasuboski, L.A. 258, 260, 261
 Kaufman, S. 273
 Kaufmann, S. 171, 172, 173
 Keller, A. 230
 Kelley, F.N. 192, 214, 224
 Kenny, J.C. 274, 275, 277
 Kentgens, A.P.M. 49, 273
 Kenwright, A.M. 208
 Kepler, R.G. 291
 Khetrupal, C.L. 266
 Khoury, S. 254, 255, 256, 300
 Khutsishvili, G.R. 81
 Kim, H.-G. 192
 Kimmich, R. 269
 Kinjo, N.J. 234
 Kitamaru, R. 180, 183, 207, 208
 Klesper, E. 229
 Koberstein, J.T. 231, 233
 Koenig, J.L. 194
 Kolbert, A.C. 153
 Koleske, J.V. 223
 Komoroski, R.A. 115, 179, 286
 Kratky, O. 243
 Kraus, G. 273
 Krause, S. 192, 203, 229
 Kretz, M. 238
 Krigbaum, W.R. 241
 Kubo, A. 76
 Kubo, R. 40, 69
 Kuhlmann, K.F. 45
 Kuhn, W. 243
 Kume, K. 290
 Kuntz, I.D. 279
 Kurosu, H. 300
 Kwei, T.K. 218, 219

 Lacher, R.C. 202
 Landel, R.F. 15, 174
 Laupretre, F. 139, 142, 143, 144, 150
 Leung, L.M. 231
 Levy, G.C. 45
 Lind, A.C. 230
 Linder, M. 76, 201, 213, 223
 Lipofsky, J. 71
 Lippmaa, E. 66
 Litvinov, V.M. 270, 271, 272, 301
 Liu, K.-J. 230
 Liu, Y. 178
 Lovinger, A.J. 288, 295
 Lowe, I.J. 38, 64, 74, 100, 126
 Löwenhaupt, B. 214, 229
 Lu, F.J. 193, 220
 Lyster, J.R. 45

 Maas, W.E.J.R. 300
 Maciel, G.E. 111, 138, 140, 141, 144, 238
 Maier, W. 241
 Makaruk, L. 233
 Manenschijn, A. 300
 Mansfield, M.L. 5
 Mansfield, P. 62, 100, 101, 194, 284, 301
 Maricq, M.M. 66
 Mark, J.E. 271
 Masin, F. 291
 Mathais, L.J. 301
 Mathur, S.C. 295
 Mauritz, K.A. 286
 Maxwell, J.C. 193
 McBrierty, V.J. 7, 10, 47, 48, 50, 60, 61, 62, 63, 69, 70, 72, 73, 75, 77, 187, 195, 198, 199, 200, 201, 202, 203, 207, 211, 214, 215, 216, 225, 226, 227, 228, 230, 234, 238, 239, 241, 245, 246, 247, 248, 251, 252, 253, 258, 259, 282, 283, 286, 294, 295, 308, 309, 312
 McCall, D.W. 10, 63, 71, 73, 180, 226, 244, 269
 McConnell, J. 49
 McDonald, I.R. 61, 246, 248
 McDowell, C.A. 76, 111
 McLachlan, A.D. 39
 Mehring, M. 38, 95, 104, 111, 117, 300, 301
 Meiboom, S. 94, 100
 Meinecke, E. 271
 Mikeš, F. 193
 Mirau, P.A. 202, 220, 224
 Miyamoto, Y. 188
 Miyata, S. 295
 Moore, J.S. 265, 266
 Morèse-Séguéla, B. 203
 Muller, E.H. 232
 Munowitz, M.G. 3, 152
 Murphy, P.B. 300
 Murthy, N.S. 212, 245

 Naarman, H. 289
 Naegele, D. 292
 Nakagawa, T. 234
 Naito, N. 214, 215
 Nakai, T. 3, 254, 300
 Nassar, T.R. 223
 Natansohn, A. 214
 Natarajan, K.M. 204
 Nechtschein, M. 290
 Newing, R.A. 64
 Nieminen, A.K. 194
 Nishi, T. 192, 203, 226, 227, 229, 230
 Nomura, S. 7
 Norberg, R.E. 100

 O'Brien, J. 203, 258, 259, 273, 277
 O'Gara, J.F. 177, 300

- Ohigashi, H. 292
 Olabisi, O. 192, 224
 Olejniczak, E.T. 66
 Olf, H.G. 180, 245
 O'Malley, J.J. 203
 Opella, S.J. 3, 114, 152, 153, 254, 300
 Orler, E.B. 192
- Packer, K.J. 37, 74, 101, 169, 180, 207, 208, 209, 210, 211
 Pake, G.E. 5, 30, 36, 57, 167, 175
 Parmer, J.F. 195, 201, 216, 217, 219, 220
 Patterson, G.D. 193
 Patterson, P.M. 134
 Pearce, E.M. 214
 Pembleton, R.G. 207
 Pennings, A.J. 228
 Peo, M. 290
 Pérez, E. 142, 145, 146, 150, 207
 Peterlin, A. 180, 245
 Pietralla, M. 238, 251
 Pineri, M. 281, 285
 Pines, A. 102, 104, 126
 Pliskin, I. 276–8
 Pochan, D.F. 192
 Pochan, J.M. 192
 Polanska, H. 233
 Pouchly, J. 279
 Pound, R.V. 40, 69
 Powell, D.G. 301
 Powles, J.G. 61, 62, 100
 Prabhu, P. 228
 Provotorov, B.N. 46, 69
 Purcell, E.M. 40, 69, 94, 100
- Queslel, J.-P. 271
 Quinn, F.X. 280–2
- Raleigh, D.P. 5, 66
 Razinskaya, I.N. 216
 Register, R.A. 285
 Rehner Jr, J.R. 272
 Resing, H.A. 190, 282, 291, 300
 Rhim, W.-K. 101, 301
 Rice, M.J. 289
 Richardson, I.D. 243
 Rim, P.B. 192
 Robard, A. 218
 Roe, R.-J. 229, 240, 241, 273
 Roeder, S.B.W. 86
 Rose, M.E. 303
 Rossler, E. 234, 235
 Rothwell, W.P. 113
 Rowland, J.A. 57
 Rowland, S.P. 278, 279, 313
 Roy, A.K. 176, 177, 300
 Rupley, J.A. 279
- Rushbrooke, G.S. 63
- Samulski, E.T. 267
 Saupe, A. 241
 Schaefer, J. 3, 45, 46, 72, 83, 120, 125, 126, 128, 152, 153, 161, 162, 165, 166, 167, 174, 176, 178, 195, 203
 Schajor, W. 75
 Schilling, F.C. 204
 Schlick, S. 285
 Schmidt-Rohr, K. 5, 72, 123, 180, 181, 182, 195, 202, 211
 Schnauss, W. 72
 Schultz, A.R. 214
 Schurer, J.W. 216
 Scott, J.C. 291
 Sefcik, M.D. 144, 161, 234
 Semerak, S.N. 193
 Shen, L. 101, 201, 207, 230, 234
 Sidles, J.A. 194
 Sillars, R.W. 193
 Sillescu, H. 69, 72, 165, 202
 Skotheim, T.J. 288
 Slichter, C.P. 18, 39, 49, 71, 93, 95, 104
 Slichter, W.P. 234
 Smit, P.P.A. 272
 Smith, D.A. 207
 Smith, J.B. 211, 254
 Smith, P.W.R. 149
 Smyth, G. 192, 279
 Solomon, I. 44, 46, 47, 48, 69, 201
 Spiess, H.W. 3, 5, 10, 67, 69, 72, 99, 118, 122, 123, 155, 156, 165, 167, 168, 169, 171, 176, 180, 181, 182, 183, 185, 186, 195, 202, 206, 211, 245, 251, 256, 257, 262, 266, 271, 272, 315
 Springer Jr, C.S. 301
 Stein, R.S. 192, 233
 Stejskal, E.O. 105, 125, 126
 Stillinger, F.H. 278
 Strange, J.H. 61, 62, 100
 Street, G.B. 289
 Stupp, S.I. 265, 266
 Su, W.P. 289
 Suter, D. 74
 Suwelack, D. 113
 Svanson, S.E. 234
- Takayama, H. 289
 Takegoshi, K. 111, 222
 Tamman, G. 14
 Tanaka, H. 193, 203, 229, 230
 Tasaka, S. 295
 Taylor, J.S. 192, 214, 224
 Taylor, P.C. 56
 Tegenfeldt, J. 106
 Tékkély, P. 226

Cambridge University Press

978-0-521-03172-1 - Nuclear Magnetic Resonance in Solid Polymers

Vincent J. McBrierty and Kenneth J. Packer

Index

[More information](#)*Author index*

341

- Terao, T. 136, 139, 300
 Tokita, N. 276–8
 Tomita, K. 40, 69
 Tomkiewicz, Y. 289, 291
 Tonelli, A.E. 130, 135
 Torchia, D.A. 109
 Toriumi, H. 268
 Tse, D.S. 76, 99
 Turner, D.T. 279
 Tycko, R. 5, 66, 151, 262

 Urbina, J. 300

 Van Bogart, J.W.C. 232, 233
 VanderHart, D.L. 48, 61, 74, 116, 129, 133,
 134, 135, 136, 137, 142, 145, 146, 150,
 180, 195, 201, 207, 211, 212, 254, 255,
 256, 300
 Vanderschueren, J. 193, 216, 224
 Van Vleck, J.H. 57, 60, 61, 71
 Vardeny, Z. 289
 Veeman, W.S. 194, 300
 Vega, A.J. 249, 301
 Veregin, B.P. 131
 Voelkel, R. 202
 Vogel, H. 14
 Vogt, V.-D. 262, 315
 Volkoff, G.M. 56
 Vorenkamp, E.J. 216

 Wagner, K.W. 193
 Wang, T.T. 192, 226
 Ward, I.M. 7, 238, 239, 243, 251, 258, 262
 Wardell, G.E. 203, 230, 277
 Ware, D. 101
 Warner, M. 192

 Warrick, E.L. 270
 Wassermann, Z.R. 202
 Watts, S.B. 176, 189
 Waugh, J.S. 3, 66, 101, 114, 126, 152, 254,
 300
 Wecker, S.M. 258, 259
 Wefing, S. 171, 172
 Wehrle, M. 174, 176–9
 Weiss, G.H. 100
 Wetton, R.E. 193
 Wilkes, C.E. 229
 Wilkes, G.L. 231, 233
 Williams, E.A. 229
 Williams, G. 176, 189
 Williams, M.L. 15, 174
 Wilson, C.W. 5
 Wilson, T.W. 279
 Windle, A.H. 238
 Wokaun, A. 92
 Wolf, A.A. 303
 Wolf, D. 26, 71
 Wong, A.C. 144
 Woodward, A.E. 192

 Xu, Y. 301

 Yang, H. 219
 Yang, Y. 123, 238, 239
 Yoon, D.Y. 292
 Young, A.L. 214

 Zarian, J. 224
 Zhang, C. 233
 Zhang, X. 199, 215, 217, 234
 Zumer, S. 295
 Zwijnenberg, A. 228

Subject index

- activation energy, 14
 effect of ν_c distribution, 73
- additives
 effect on motion, 178
 water, 277–84
- adiabatic demagnetisation, 28
 in the rotating frame (ADRF), 83, 99,
 102, 162
- affine deformation, 243
- analogue-to-digital converter (ADC), 86
- antiplasticisers, 179, 233, 279
- Arrhenius processes, 14, 276
- asymmetry, parameter, 55, 310
- axial symmetry, 52, 60, 241
- bisphenol A polycarbonate
 ^{13}C enriched spectra, 177
 ^2H relaxation, 177, 178
- blends
 amorphous–amorphous, 213–23
 amorphous–crystalline, 223–7
 crystalline–crystalline, 227, 228
- block copolymers, 228–33
- Boltzman populations, 17, 23
- bound water, 279
 diffusion, 283, 284
 glass transition, 279–83
- BPP theory of relaxation, 40–2
 in solids, 70
- ^{13}C NMR, 4, 126
 T_1 , 45, 46
 $T_{1\rho}$, 46, 47
 NOE(F), 45, 46
- ^{13}C enrichment
 in PC, 176
 as a structural probe, 201, 213, 223
- Carr–Purcell–Meiboom–Gill sequence, 94,
 100
- cellulose and derivatives, 133, 299
 ^{13}C spectra, 133–8
 nitration and acetylation, 134, 135
- cellulose acetate, 299
- chemical shift: 33, 34, 54, 127, 300–2
 anisotropy in PC, 176, 177
 axial symmetry, 33, 34
 for oriented polymers, 247, 249, 254,
 257
 lineshape, 57, 58
- conducting polymers, 288–91
 dopants, 288–91
 models, 289–290
 one-dimensional conduction, 288–90
 conformational effects on spectra, 127–31
- continuous wave excitation, 82
- cooperative motion
 in SBS triblock polymers, 203, 229–31
 in PVC/PCL blends, 225
- coordinate frames, 52
- correlation frequency ν_c
 definition, 11
 distributions, 1, 12, 13, 71, 72
 range, 13
 Williams–Watts distribution, 176, 189
- correlation function, 40
- correlation of order and dynamics
 (CORD), 123
- CPMAS, 104
- CRAMPS, 155
- cross polarisation, 2, 47, 88, 102, 103, 126
 contact time, 144, 162
 dependence on spatial heterogeneity, 118
 flip-back pulses, 106
 in polymer–diluent blends, 235–7
 role in ^{13}C quantitation, 117
- cross relaxation
 ^1H – ^{19}F , 47, 48, 226, 227
 curing, 137–44

- defect diffusion, 10
- delayed contact experiments, 108
- deuterium NMR
 - selective deuteration, 165, 167, 172, 219, 232
 - spectra for specific motions, 156, 168
 - spin alignment, 99
- DGEBA, 188–90
- dielectric relaxation
 - as a structural probe, 193
 - correlation with NMR, 5, 14, 187
 - in PS, 174
- differential scanning calorimetry (DSC)
 - as a structural probe, 192
 - correlation with NMR, 5, 275
 - digital image analysis, 193
- dilute spin systems
 - relaxation, 45, 109
 - spin diffusion, 76
 - T_1 (^{13}C), 109
 - $T_{1\rho}$ (^{13}C), 110
- dimensional scales of structure, 194
- dipolar interactions
 - coupling, 2, 56
 - decoupling, 102, 112
 - dephasing, 106
 - order, 29
- dipolar relaxation
 - like spins, 39, 99
 - unlike spins, 44
- dipole reorientation, 291
- discrimination procedures
 - based on CP, 127
 - based on T_1 , $T_{1\rho}$, 180, 207, 259, 293
 - delayed contact, 108, 135, 150
 - in PET, 146, 147
 - in PE/PP copolymers, 147–9
 - NQS, 106, 107
- distributions
 - fibre symmetry, 52, 58
 - Gaussian, 243, 256
 - of correlation frequencies, 72, 73, 172, 177, 178, 189
 - of structural units, 5–8, 238–45
 - in poled polymers, 291–3
 - isotropic, 60, 67
 - moments, 59–61
 - Williams–Watts function, 176, 189
- double resonance experiments, 102
 - single pulse excitation, 102
- dynamic mechanical thermal analysis (DMTA)
 - correlation with NMR, 5, 275
 - in PET, 157
- dwelt time, 86, 90–2
- elastomers
 - carbon black-filled systems, 203, 272–7
 - cross link density, 271, 272
- electric field gradient, 35
- electrically active polymers, 288–96
- electron spin resonance
 - as a structure probe, 285
- energy eigenstates
 - spin- $\frac{1}{2}$, 19
- epoxy polymers, 188–90
 - linewidths, 115
 - ^{13}C spectra of DGEBA + PIP, 189
 - ring motion in cured DGEBA, 189, 190
- EXAFS
 - in structure determination, 285
- excimer fluorescence
 - as a structure probe, 286
- experimental methods, 82
- ferroelectric polymers, 295, 296
 - Curie transition, 295
 - switching, 295
- fibre symmetry, 52, 58
- filled polymers
 - effect of filler on T_g , 274, 275
 - oriented systems, 271
 - siloxane–silica systems, 270–2
 - structure, 270–7
- Fourier transform infrared spectroscopy
 - as a probe of structure, 193, 219
- free induction decay (FID), 3, 23, 24
 - moments expansion, 62
- Gaussian distribution, 243, 256
- gel fraction
 - in irradiated PE, 142
- glass transition
 - of bound water, 279–83
 - of ionomers, 285
- Goldman–Shen experiment, 201, 207, 231, 234
- Hamiltonians, 37, 51
 - chemical shift, 33
 - dipolar, 31
 - external, 52
 - for rotating samples, 64
 - internal, 52, 54, 309
 - off-resonance dipolar, 76
 - quadrupolar, 35
 - spin and coupling tensors, 310
 - Zeeman, 16
- Hartmann–Hahn matching, 47, 104
- Hermans' order parameter, 241
- heterogeneity
 - experimental probes, 191–4

- motional, 166, 167, 176
 - structural, 145, 191
- high temperature approximation, 18
- hydrogels, 277
 - poly(NVP/MMA), 280–3
 - PHEMA, 279
- ionomers, 284
 - carboxy terminated polybutadiene, 285–8
 - clustering, 285
 - structure, 284–8
- isotope labelling, 5
- interface between phases
 - chain dynamics, 202–6
 - model calculations, 204–6
 - structure, 5, 202, 203
- inversion recovery, 27, 96
- irradiation effects, 142–4

- J*-coupling, 2, 29, 51
- Jenner–Broekaert sequence, 99, 100
 - applied to PS, 169

- Larmor precession, 20, 23
- lineshapes, 29, 57, 154, 312, 313
 - as a structural probe, 245–51
 - chemical shift, 34, 57, 247
 - dipolar, 2, 3, 57
 - effects of motion, 63, 154
 - fibre symmetry, 58
 - moments of rigid spectra, 59–61
 - quadrupolar, 35, 36, 56
 - quadrupolar contribution to dipolar line, 61
 - simulation, 141
 - smoothing, 59
 - sub-spectra, 58, 312, 313
- linewidths, 29, 30
- liquid crystals
 - orientation effects, 265–7
- local dipolar field, 28, 39
- longitudinal relaxation, *see* T_1 and spin–lattice relaxation

- macroscopic magnetisation, 19
- magic angle spinning (MAS), 3, 37, 111, 126
- magnetic shielding, *see* chemical shift
- magnetisation transfer, *see* spin diffusion
- metallic drop model for conductivity, 289
- modified poly(styrene–methyl methacrylate) blends
 - miscibility, 214–16
- molecular motion, 2, 8–11, 153
 - activation energies, 9
 - averaging, 36–8
 - comparison of models, 10
 - defect activated, 10
 - ideal, 67
 - rotation about and axis and MAS, 64–7
- molecular transport, 5, 183, 195
- moments, 59, 93
 - describing structural distributions, 240, 308
 - expansion of FID, 62, 93
 - for oriented polymers, 58–62
 - of rigid spectra, 59–62
- morphology, 1
- motional narrowing, 36–9
- multidimensional NMR, 3, 118
 - ν_c distributions, 73, 74
 - as a structural probe, 202
- multiple contact experiment, 105
- multiple quantum effects, 84
- multipole expansion, 63

- Nafion membranes
 - perfluorosulphonate resins, 284
- network systems, 269, 270
- NMR crystallography, 3, 262
- NOE(F), 45
 - in PE, 181
- non-quaternary suppression, 106–8
- non-radiative energy transfer
 - as a structural probe, 193
- nuclear magnetisation, 16
 - energy states, 16
- nuclear spin interactions, 51
 - Hamiltonians, 51
- nylon-6, 298
 - chemical shifts, 300
- nylon-66, 299
- nylon-11, 299
- nylon-12, 299

- one-dimensional conducting polymers, 288–91
- oriented polymers, 7, 238–40
 - fibre symmetry, 58
 - moments of distributions, 245–9
 - PE, 251–7
 - PET, 262–5
 - PTFE, 258–61
 - PVF₂, 291–4
 - secondary probes of orientation, 267, 268
 - structural distribution functions, 240
- Overhauser ratio, 47, 48

- Pake doublet, 31, 167
 - in PC, 175
- perfluorosulphonate resins, 284
- phase cycling, 92

Subject index

345

- phase transitions
 apparent, 190
 phonon-assisted spin diffusion, 201, 226
 piezoelectric polymers, 239, 291–4
 plasticisers, 179, 225, 233–7, 279
 poling
 corona discharge, 291
 electric field, 291
 polyacetylene, 289–91
 chemical shifts, 300
 doping, 289, 290, 291
 polyacrylonitrile, 298
 polybutadiene, 298
 C_6H_5 terminated, 2, 3
 carboxy terminated, 286–8
 chemical shifts, 300
 deuterated network, 268
 poly(but-1-ene), 131, 298
 polycarbonates, 174–9, 298
 chemical shifts, 300
 ^{13}C shift anisotropy, 177
 2H spectra, 176, 177
 effect of additives on motion, 178
 ν_c distribution, 178
 plasticisation and antiplasticisation, 178, 179
 phenylene ring motion, 174–8
 polychloroprene, 299
 polychlorotrifluoroethylene, 299
 oriented, 203, 204
 poly(diethyl siloxane)
 chemical shifts, 301
 poly(dimethylsiloxane), 267, 299
 silica-filled systems, 270–2
 polyethylene, 179–86, 207–11, 297
 α -relaxation, 71, 183
 chain diffusion between phases, 181, 183
 chemical shifts, 300, 301
 ^{13}C spectra, 129, 181, 207, 208
 ^{13}C spectra for γ -irradiated sample
 γ -irradiated, 142–4
 1H spectra, 37
 2H solid echo spectra, 183–6
 morphology, 208–11
 oriented, 241, 247, 251–7
 two-dimensional NMR, 257
 poly(ethylene-1-butene) copolymer, 146
 $T_{1\rho}(^{13}C)$, 180
 $T_1(^{13}C)$, 180
 poly(ethylene oxide), 297
 chemical shifts, 300
 polyethylene/polypropene blends
 miscibility, 228
 shish-kebab structure, 228
 poly(ethylene-propene) block copolymers
 ^{13}C spectra, 147–50
 poly(ethylene terephthalate) and related polymers
 chemical shifts, 300
 ^{13}C spectra, 146, 147, 156–65
 deuterated PBT, 165
 DMTA, 157
 2H NMR, 157, 163–5
 mechanical properties, 161
 motional spectrum, 163
 NOEF, 164
 ν_c distribution, 164
 oriented, 262–5
 phenylene ring motion, 158, 164
 spatial averaging, 158
 structure and morphology, 5–8, 211–13, 296
 poly(ethylene terephthalate)/bisphenol A polycarbonate blends:
 miscibility, 223
 poly(ethyl acrylate), 297
 poly(isobutene)
 transition map, 14
 polyisoprene, 298
 oriented, 267, 268
 poly(methyl acrylate), 297
 poly(methyl methacrylate), 297
 chemical shifts, 300
 deuterated PMMA-2,2'-dinitrophenyl system, 235–7
 spin diffusion, 196
 poly(methyl methacrylate-co-4-vinylpyridine), 214, 215
 poly(methyl methacrylate-vinyl chloride) blends
 miscibility, 196, 197
 polyprivalolactone, 131
 polymers, 1
 structures, 297–9
 polymer blends
 compatibility, 191–4
 polymer-diluent systems, 233–7
 plasticisers and antiplasticisers, 233, 234
 in PS/PPO + diluent, 233, 234
 poly(hydroxyethyl methacrylate), 279
 polyoxymethylene, 297
 chemical shifts, 300
 oriented, 247
 poly(N-vinyl-2-pyrrolidone)/methyl methacrylate)
 ^{23}Na spectra of saline-hydrated system, 282
 role of water, 280
 polypropene: 297
 ^{13}C spectra, 113, 114, 129
 1H spectra, 37
 structure, 130, 132
 poly(propene oxide), 297

- polystyrene, 165–74, 297
 deuterated PS, 167
 dielectric relaxation, 174
 effect of O₂ on relaxation, 174
 v_c distributions, 172
 $T_1(^{13}\text{C})$, 165; phenyl ring motion, 166,
 168; spin alignment, 169–71
 $T_{1\rho}(^{13}\text{C})$, 165
 T_g , 173, 174
 two-dimensional spectra, 171–3
 poly(styrene oxide), 298
 poly(styrene–sulphonic acid), 214
 polystyrene–poly(vinyl methyl ether) blends
 miscibility, 218–22
 selective deuteration, 219
 polystyrylpyridine, 139–42
 ¹³C spectra, 142
 polysulphone, 298
 ¹³C spectra, 125
 poly(phenylene sulphide), 298
 polytetrafluoroethylene, 299
 chemical shifts, 301
 cross relaxation, 47
 oriented, 241, 258–61
 polyurethane
 ²H spectra, 232
 structure, 231–3
 poly(vinyl acetate), 298
 poly(vinyl alcohol), 135, 136, 298
 ¹³C spectra, 139
 poly(vinyl chloride), 298
 effect of plasticiser, 234, 235
 poly(vinyl chloride)/poly(ϵ -caprolactone)
 blends
 miscibility, 223–5
 poly(vinyl chloride)/poly(methyl
 methacrylate) blends
 miscibility, 216–18
 poly(vinyl fluoride), 299
 poly(vinylidene chloride), 298
 polyvinylidene fluoride, 299
 α -relaxation, 123, 187, 188
 chemical shifts, 301
 ¹H–¹⁹F cross relaxation, 47, 201, 202
 piezoelectric response, 239, 291–4
 poled polymer, 291–4
 two-dimensional exchange NMR, 187,
 188
 poly(vinylidene fluoride)/
 poly(methylmethacrylate) blends
 ¹H–¹⁹F cross relaxation, 201, 226, 227
 miscibility, 226
 poly(vinylidene fluoride/trifluoroethylene)
 copolymers, 228
 Curie transition, 295
 ferroelectric response, 295–6
 piezoelectric response, 291
 poly(vinyl pyrrolidone), 299
 populations of levels
 Boltzmann populations, 17, 23
 rotating frame, 28
 power spectrum, 41
 precession
 nuclear Larmor, 18,
 probe design, 86–90
 Q -factor, 87
 pulses
 90°, 180° pulses, 22
 sequences, 38, 100, 101
 Q -factor, 87
 quadrupole echo sequence, 94
 quadrupole interactions, 55
 coupling constant, 35, 56
 in oriented polymers, 249
 splitting, 56
 quadrupole resonance spectroscopy, 35
 quantitative analysis of spectra, 115
 MAS and spinning sidebands, 115–7
 radiofrequency field, $\mathbf{B}_1(t)$, 19, 84, 85
 Raman scattering
 as a structural probe, 192
 recovery time, 85, 87, 90, 92
 recycle time, 90
 relaxation, 22, 23
 dipolar–lattice and spin alignment, 99
 electric quadrupolar, T_{1Q} , T_{2Q} , 48
 in solids, 69
 NOE(F), 45
 Slichter–Ailion conditions, 71
 T_1 for like spins, 39–44
 T_1^H , T_1^{IS} , T_2^1 for unlike spins, 44–48
 $T_1(^{13}\text{C})$, 45
 $T_{1\rho}$ for like spins, 42, 43
 T_2 , 41–3
 to paramagnetic centres, 78, 79
 reorientational angular distribution
 functions (RADs)
 for PS, 172, 173
 for PVF₂, 187
 reptation, 10, 11, 186
 resins, 137–42
 resolution
 instrumental factors, 111–12
 in presence of quadrupolar nuclei, 114
 sample related factors, 112–15
 resonant nuclei, 17
 resonance condition, 18, 21
 rotating frame of reference, 21
 rotation
 about an axis, 66, 67
 effect on chemical shifts, 67
 rotation of tensors, 53, 239, 307

- rotation matrices, 302
- rotational spin echoes, 3, 65, 66, 152
 - in PS, 166
- rotating frame relaxation, 42, 43, 97
 - off-resonance, 98
 - $T_{1\rho}(^{13}\text{C})$, 46
- sample-spinning devices, 88–90
- Saupe order parameter, 241
- small angle X-ray scattering SAXS, 192, 229
- separated local field spectroscopy, 3, 152
 - in oriented PE, 151
- shish-kebab structure
 - in PE/PP blends, 228
- ^{29}Si NMR, 145
- sideband analysis, 66, 314, 315
 - sideband suppression, 66, 117
- single resonance experiments, 100, 101
- single pulse spectra, 90
- Slichter–Ailion conditions, 49, 71
- small angle neutron scattering (SANS)
 - as a structural probe, 192
- small angle X-ray scattering (SAXS)
 - as a structural probe, 192, 193
- sodium NMR spectra, 282, 283
- sol fraction
 - in irradiated PE, 142
- solids
 - NMR definition, 125, 184
- solid echo sequence, 94, 100
- soliton model of conductivity, 289, 290
- spectra
 - chemical shift, 34
 - crystallographic effects, 131–3
 - deuterium, 68, 156, 168
 - high resolution, 24
 - motional averaging, 36, 63–9.
 - single coherence and symmetrised, 68
 - two-line, 25
- spectrometer characteristics, 83–6
- spherical harmonics, 304
- spin couplings
 - chemical shift, 33
 - dipolar, 28, 29, 30–32
 - effects of motion, 36–38
 - heteronuclear dipolar, 38
 - quadrupolar, 29, 35
 - scalar, 2, 4
- spin diffusion, 5, 32, 73–81, 109, 179
 - as a structural probe, 193, 195–202
 - diffusion limited, 77, 230
 - dilute spin systems, 76, 201
 - geometric considerations, 78, 79
 - in PET, 147, 212, 213
 - in PS/PVME blends, 221, 222
 - in two-dimensional NMR, 122
- off-resonance, 76
 - phonon and photon assisted, 75, 201
 - suppression of spin diffusion, 199, 200
- structural investigation of PE, 209–11
 - to paramagnetic centres, 78, 79, 174
 - to end-groups in PS, 174
 - to methyl groups, 197–9
- spin-alignment echo, 169–71
- spin echo experiments, 38, 93, 155
- spin–lattice relaxation: 38, 49, 154
 - and motion, 38, 154
 - dipolar, 41–43
 - dipolar–lattice and spin alignment, 99
 - inversion recovery, 95, 96, 100
 - off-resonance, 97, 98
 - rotating frame, 29, 97, 100
 - saturation recovery, 96, 97, 100
 - spin locking, 27, 97, 98
 - T_1 for like spins, 41–3
 - $T_1(^{13}\text{C})$, 45, 109
 - $T_{1\rho}$ for like spins, 42, 43
 - T_1^1 , T_1^{IS} , T_1^2 , for unlike spins, 44
- spin locking, see spin–lattice relaxation
- spin operator, 16
- spin–spin relaxation, 42, 49
- spin temperature, 26
- spinodal decomposition in PS/PVME, 219
- structure, 2, 5–8, 124, 133
 - crystallographic effects on ^{13}C spectra, 131
 - experimental probes of heterogeneity, 191–5
 - dimensional scales, 194
 - discrimination and site specificity, 150, 208
 - heterogeneity, 145–50, 191
 - models, 5–8
 - statistical distributions of structural units, 308, 239–44
 - symmetry, 240–3
- structural probes, 191–5
 - spin diffusion, 195–202
- styrene–butadiene–styrene triblock polymer
 - molecular motion, 203
 - structure, 229–31
- symmetry
 - crystallographic, 240–3
 - structural, 240–3
- tacticity, 1, 135
 - in PVA, 135–7
- telechelics, 286–8
- tensors
 - rotation of, 53, 307
- three-dimensional NMR, 122, 123
- 3-*j* symbols, 305, 306

Cambridge University Press

978-0-521-03172-1 - Nuclear Magnetic Resonance in Solid Polymers

Vincent J. McBrierty and Kenneth J. Packer

Index

[More information](#)*Subject index*

- transitions
 - magnetic dipole, 21
- transverse magnetisation, *see* T_2
- transition, maps, 11–15
 - for PIB, 14
 - for P(VF₂/TrFE), 296
- two-dimensional NMR, 118–22
 - miscibility in PS/PVME blends, 221
 - oriented polymers, 251
 - oriented PET, 262–5
 - PET, 213
 - probe of chain diffusion in PE, 180–3
 - role of mixing time, 120–1
 - sideband intensities, 66, 314, 315
 - spectra for PS, 173
 - structure in PET, 212, 213
 - two-dimensional exchange in PVF₂, 187, 188
- urea–formaldehyde resins, 138, 139
 - ¹³C spectra, 140
- water in polymers, 277–84
 - anomalous behaviour, 278–82
 - water sites and states, 280–3
- Williams–Watts function, 176, 189
- WLF expression, 15, 295
- Zeeman interaction, 16, 30