

Cambridge University Press

978-0-521-03606-1 - Neural Networks and Psychopathology: Connectionist Models in Practice and Research

Dan J. Stein and Jacques Ludik

Index

[More information](#)

Index

Note: **bold** page numbers indicate illustrations

- acetylcholine
 - Alzheimer's disease 28
 - and associative memory 329–32
 - dynamics of cortical activation 279
 - nucleus basalis Meynert 27
 - transmission, fast/slow 148
 - ventral tegmentum, control of activity 157
- activation (input–output) functions 59–61
- adaptive resonance theory (ART) 140–1, 144–6
 - model 155–6
- after-hyperpolarizing potential (AHP) 330
- AI *see* artificial intelligence 251, 359–60
- algorithmic approaches, parallel processing 38
- alien hand syndrome 202
- alpha-amino-3-hydroxy-5-methyl-4-isoxazole propionic acid (AMPA) receptor 58, 318–19
 - cholinergic modulation 331–2
- Alzheimer's disease 65, 316–17
 - acetylcholine 28
 - brain region localization 317
 - computational theory 317–38
 - hippocampus 323–5
 - neuronal loss 28
 - neuropathology 333–4
 - NMDA receptor activation 321–2
 - progression, runaway synaptic modification 333–4
 - theories of progression 322–3
- amnesia, dissociative 248
- amphetamines
 - comparison with attentional effects in schizophrenia 70
 - psychotic symptoms 153
- anhedonic behaviour 152
- animal models, behavioural pharmacology 63–4
- anorexia nervosa 200
- anosognosia 201
- antidepressants
 - serotonergic activity 76
 - simulated activity 77
- anxiety, and depression 108–9
- Aplysia* model of learning 22
- ART *see* adaptive resonance theory
- artificial intelligence (AI) 251, 359–60
 - models, decision-making 38
- artificial life 350
- artificial neural networks *see* neural network models
- Asperger's disorder 275, 308–10
- assimilation/accommodation model, Piaget 111
- association psychology 18
- associative learning recall 137–9
 - modulatory mechanisms 137
- associative memory
 - acetylcholine effects 329–32
 - function **326**
 - and Hebbian learning 21, 147, 326–9
- attended repetition (AR) 238
- attended semantic (AS) 238
- attention
 - control 115
 - disorders and short-term memory 146–7
 - neuromodulation effects 70–1
- attentional control variables **142**
- attractor network model, Ruppín et al.'s 218–19
- attractors
 - autoassociative network **43**
 - defined 25

Cambridge University Press

978-0-521-03606-1 - Neural Networks and Psychopathology: Connectionist Models in Practice and Research

Dan J. Stein and Jacques Ludik

Index

[More information](#)

364

Index

- autism 274–310
 - affective meaning of facial expressions, lack of awareness 299–301
- alternative pathogenetic mechanisms 302–7
- back-propagation analogues of learning 278–81
- brain size 289
- cognitive and social emotional functioning **309**
- facial cues 283
 - genetics, neural development and ‘broader phenotype’ 307
- learning 276, 284–98
 - function of training trials 288
 - fuzzy nonlinear classification problems 290–98
 - generalization rate 276, **285**, 286–8, 303
 - linear classification problem **282**
 - speed/extraneous inputs **284**
 - vowel discrimination 307
 - well-defined nonlinear classification problems 289–90
- neuropathology 276–8
- onset 274
- savant skills 275, 289
- self-stimulatory behaviours 201
- treatment 304–6
- vowel recognition 292–8
- word recognition 292
- autoassociative networks **42**, 43–5, 176
- automatisms 202
- axonal pruning, schizophrenia 211–12, 304, 358

- back-propagation network 278, 280–81, 291
- basal ganglia
 - involvement in disease 233–4
 - role in learning 69–70
- basin of attraction 176
- behaviour control system (BCS) **151**, 154, 158
 - and bipolar disorder 150–4
- behaviour therapy 112
- belief model of delusions 170, 171
- bicuculine, GABA-A receptor agonist 320
- bipolar disorder 144
 - and behaviour control 150–4
 - described 150
 - gain control breakdown 158
 - primary symptom 150
- Bleuler, E. 14
- Bose–Einstein condensates 357–8
- brain modulatory mechanisms in mental disorders 132–64
 - activity pattern **135**
 - instar connectivity **139**
 - lateral interactions pattern 136
 - outstar connectivity **138**
 - pattern registration and storage 136–7
 - temporal order encoded as spatial order 139
- brain stem, ascending diffuse inputs 68, 148

- CA1, CA3 neurons *see* hippocampus
- Capgras delusion 199
- catecholamines, vs amphetamines, schizophrenia 70
- cathartic technique 263
- central brain state control system 132, 147–9
 - output component 148
- Chen’s model of delusional thinking 217–18
- chlorpromazine 354
- clinical psychopharmacology, attention and neuromodulation effects 72–81
- clomipramine 232
- cognition, vs emotion 93
- cognitive-behaviour therapy 88, 107, 112
- cognitive bias 196–8
- cognitive information processing
 - delusional thinking approach 192–8
 - delusions 167–88
 - hierarchical network model 174–7
 - inflexibility 181–2, 185
 - priming (top-down) effects 177–8
 - relationship with network states 179
- cognitive models of delusions 173
- cognitive slippage 193
- Cohen and Servan-Schreiber’s model of delusional thinking 212–13, 350
- communication, patient and colleagues 116–18
- comorbidity, psychopathology 108
- compulsion repetition **107**
 - simplified 117
- computer-simulated network models 27
- computerized tomography (CT), OCD patients 233
- computers 22–5
 - processing power 350
- computing *see* neurocomputing
- connectionism 3–4
 - defined 14, 24
 - therapy 105
 - view of psychotherapy 109–13
- connectionist models 4, 249 252
 - degrees of freedom 123
 - distributed representation and interconnectedness 91–9
 - learning rate 254
 - multilevel modelling tool 270
 - person–environment interaction 101
 - problems and possible solutions 122–4
 - repetition compulsion 105–6

Index

365

- theory 134
- consciousness, functioning, unconscious aspects 100–1
- constraint networks 5
- content, analysis 167
- context effect, modelling issues 45–8
- control condition (CO) 237–8
- cooperative–competitive networks 136–7
- cortex
 - association areas 202, 204
 - dorsal raphe nuclei, serotonergic innervation 75
 - dysfunctional hippocampal–cortical communication 217–18
 - frontal/prefrontal cortex 154–7
 - hyperconnectivity 215
 - macroscopic mapping 184
 - neurons, integrators or coincidence detectors 30
 - nonlinear synaptic integration 348–9
 - prefrontal 201–2
 - time coding 29
- cortical activation
 - ACh function 27–8
 - MRI and EEG 68
- cortical associative memory function models
 - Hebbian synaptic modification 326–7
 - runaway synaptic modification 317, 328–9
- cortical information processing, schizophrenia, models of delusional thinking, Chen's 217–18
- Cotard delusion 199
- Darwinian animals 349
- delusional thinking
 - acute-onset syndromes 199–201
 - adult syndromes 200
 - anxious arousal 195
 - cognitive bias 196–8
 - cognitive information processing 192–8
 - Cotard 199
 - disconnection of reciprocally innervated brain systems 198–203
 - neural network information processing approach 189–222
 - neural network models 210–20
 - Chen's, schizophrenia 217
 - Cohen and Servan-Schreiber's, schizophrenia 210–12
 - Hoffman's 210–12
 - integration 219–20
 - paranoid process 214–15
 - Vinogradov's model 214–15
 - neuropsychology 199–203
 - neuropsychological model 204–10
 - properties 190–2
 - see also* schizophrenia
- delusions 142, 167–88
 - bizarreness 167–8, 179
 - clinical examples 168, 179
 - conceptual analysis 168–72, 191
 - content and form 169–71
 - etymology 169
 - formation 171–2
 - global factors 181–3
 - of imperfection 199–201
 - informational value and loci 171
 - modelling 177–81
 - mood-congruent 168, 179, 181
 - network model, mechanisms 178
 - parallel models 172–4
 - early models 172–3
 - existing models 172
 - recent cognitive models 173
 - raw datum 169
 - reduplicative 200
 - of reference 173
 - secondary 168, 179, 181
 - sequential models 173–4
 - spurious attractors and bizarre delusions 177–80
 - structural characteristics 177
 - types 168
- depression
 - and anxiety 108–9
 - dopamine depletion 161
 - as hypercholinergic state 79
 - long-term depression (LTD) 22, 62, 69
 - serotonergic function, experimentally manipulated 78
 - and serotonin 74–9
 - tyrosine 161
- desipramine 232
- destabilization 111
- developmental disorder, pervasive 275
- diagnosis *see* psychiatric diagnosis
- disorganization states 111
- dissipative structures 102, 111
- dissociative disorders 267
- disturbance models, schizophrenia, Cohen and Servan-Schreiber's 212–13
- dopamine (DA) 148, 158
 - Cohen and Servan-Schreiber's model of disturbance 212–13
- depletion, and depression 161
- effects on LTP 69
- gain parameter, neuromodulation 213
- and learning 68–70
- motor output regulation 150
- obsessive–compulsive disorder link 233
- and Parkinson's disease 72–3
- and schizophrenia 73–4

- dopamine gain control 142–5
 - central brain state 147–58
 - input–output function
 - increased gain **60**
 - and OCD 147
 - sensitivity 70–1
 - malfunction 145–7, 212–13
 - onset of mania 158–9
 - signals (bias nodes) 146–7
 - variables, classified 142
- dopamine neurons, lesioning 240
- doppelganger delusion 199
- dorsal raphé nuclei, serotonergic
 - innervation to simplified archicortex 75, 153–4
- dynamic animation 354
- education, neurocomputing 347–8
- Ekbom delusion 199
- electroencephalogram (EEG) 66, 68
- emotions 99–100
 - vs cognition 93
- energy landscape 47, **48**
- entropy
 - reduction of all uncertainty 50
 - and retrieval **52–3**
- environment, schema theory 101
- eosinophilia–myalgia syndrome, L-tryptophan 160
- epilepsy
 - and Alzheimer's disease, common neural mechanisms for learning? 316–38
 - interictal manifestations 203
 - and learning, transition between states 323–6
 - models 323–5
 - NMDA receptor activation 320–21
 - sensory–limbic hyperconnectiveness 197
 - temporal lobe 202–3
- ethylene glycol-bis N, N, N, N,-tetraacetic acid (EGTA) 319
- evolution, and neurocomputing 349, 352, 353
- evolution of states 44
- excitatory postsynaptic potentials (EPSPs) 318
- Exner, S. 14, 16–17, 31
- experiential therapy *see* Gestalt psychology
- facial cues, autism **282**
- facial expressions, conceptual space of child
 - with 'too few/too many' connections 300–301
- feed-forward neural network 279
- focusing therapy 112
- four-tract control system 148–9
- frequency/adequacy of intuitive processing
 - model 114
- Freud, S. 14, 16–18, 31
 - case study of Lucy R. 249–72
- frontal cortex
 - functions 154
 - Levine model 155–7
 - neurons, integrators or coincidence detectors 30
 - time coding 29
- frontal eye fields 145–6
- frontal-basal ganglia-limbic-thalamic (FBGLT) circuits 205
- G-proteins, mediated conductances, serotonin receptor 67
- GABA-A, synaptic currents 325
- GABA-A blocker, picrotoxin 65
- GABA-A receptor 58
 - bicuculine (agonist) 320
- GABA-B IPSPs, hippocampal oscillations
 - model 65
- GABA-B receptor, active/desensitized 67
- gain *see* dopamine gain control
- Galton, F. 18
- 'ganglia-globules' 15
- Gestalt psychology 112, 141
- Gilles de la Tourette's syndrome 152
- glutamate receptors
 - three classes 318
 - see also* AMPA; N-methyl-D-aspartate
- glutamatergic neurons, excitotoxicity 28
- Golgi, C. 15
- goodness-of-fit landscape 5, 6, 7
- Gregorian animals 349
- Grossberg, S. 134, 139, 348
 - arousal effects in ART 1 model 297
 - instar network configuration 139
 - outstar connectivity **138**
 - stability–plasticity dilemma 301
- grounding problem 8–10
- hallucinations 142, 144, 182, 262
 - auditory 144
 - in schizophrenia 25–6
- Hasselmo, M. 26, 28
- Hebb, D. 21, 318
- Hebbian learning and associative memory
 - 21, 147, 326–9
- Hebbian synaptic modification 336
- Hebb's law, long-term memory (LTM) 5, 42, 137, 147
- heuristic rules of therapy 118–19
- hippocampus
 - Alzheimer's disease 317
 - and autism 277
 - CA1 neurons 216–17

Cambridge University Press

978-0-521-03606-1 - Neural Networks and Psychopathology: Connectionist Models in Practice and Research

Dan J. Stein and Jacques Ludik

Index

[More information](#)

Index

367

- CA3 neurons, population oscillations 329–32
- cortical communication, dysfunction 217–18
- network model **335**
- nonlinear synaptic integration 348–9
- oscillations model 65–6
- serotonergic innervation 75
- His, W. 15
- historical background to neural network research 14–31
 - Lucy R. case study 249–72
- Hoffman, R. 25–6, 31, 143, 350
 - model of autism 304
 - model of delusional thinking 210–12
- Hopfield neural network **5**, 143
- Huntington's disease 152, 233
- 5-hydroxyindoleacetic acid (5-HIAA), OCD 232
- 5-hydroxytryptamine (5-HT) *see* serotonin
- hysteria 249
- 'ideal types' 35
- ignored repetition (IR) 237–8
- ignored semantic (IS) 238
- image pyramid 351
- information, human body, mathematical limits in neurocomputing 356–8
- information flow, tracking 50
- information processing
 - hierarchical network model 174–7
 - sequential model 173–4
- informational value and loci of delusions 171
- input–output function, increased gain effects **60**
- instar, defined 139–42
- integrated models, via a neural network model 236–7
- intelligence, artificial 359–60
- intuitive processing model 114
- invertebrate networks 63–4
- James, W. 19, 21
 - learning rule 21
 - organizing principle of neural networks 21
- Jung, C-G. 19
- Kandel, E., learning and synaptic modification 22
- Kintsch construction–integration model 120
- Kluyver–Bucy syndrome 305
- Kohonen-networks 30
- Korsakoff's disease 149–50
- Kraepelin, E. 14, 19
- lamprey, locomotion 64
- landscape
 - defined 5, 7
 - energy landscape 47, **48**
 - goodness-of-fit 5, 6, 7
- language complexity, and brain activity 349
- learning
 - acquisition rate, function of trials/hidden layer size **295**
 - associative 137–9
 - autism 275, 284–98
 - and epilepsy, transition between states 323–6
 - generalization rate **296**
 - top-down expectancy learning 138
 - traumatic 262
- learning rate coefficient 254
- Levine model 155–7
- lexical disambiguation 213
- life processes, modelling 354
- lithium therapy, case study 160–2
- locus coeruleus/noradrenalin tract, function 149
- long-term depression (LTD) 22, 62, 69
- long-term memory (LTM), Hebb's law 137, 147
- long-term potentiation (LTP) 22, 28, 62, 69, 316
 - NMDA-dependent LTP, molecular mechanisms 318–19
- Lucy R.
 - case history 249–72
 - turning points 257–8
- Lucynet
 - architecture 254
 - 'stream of consciousness' **265**
- lysergic acid (LSD), psychotic symptoms 153
- McCulloch, W.S. 20, 31
- magnetic resonance imaging (MRI)
 - abnormalities in autism 276–7
 - and EEG, cortical activity 68
 - OCD patients 233–4
- mania
 - acute
 - neuroleptic treatment 160
 - thought disorder 143
 - 'behaviour unrelated in context' 145
- causes 158–62
 - as hyponoradrenergic state 72
 - mixed 158–9
 - subtypes 159
 - symptoms 159
 - thought disorder 143–4, 158–62
- manic depression *see* bipolar disorder
- matching familiar figures test (MFFT) 235

Cambridge University Press

978-0-521-03606-1 - Neural Networks and Psychopathology: Connectionist Models in Practice and Research

Dan J. Stein and Jacques Ludik

Index

[More information](#)

368

Index

- mathematical limits in neurocomputing 356–8
- memory
 - cortical associative memory function models, synaptic modification 317, 326–9
 - disorders, reversibility 267–9
 - long-term memory (LTM) 137, 147
 - associative learning recall 137–9
 - schizophrenia 194–5
 - short-term memory (STM) 137, 146–7
 - and attention disorders 146–7
 - storage 5
- memory overload, spurious attractors 177, 180
- mental disorders
 - control malfunctions 132
 - modulatory mechanisms 132–63
- mental symptoms *see* individual symptoms
- MFFT *see* matching familiar figures test
- microgyria 277
- microtubules, quantum effects 357–8
- modelling methods
 - issues 42–8
 - order of presentation 52–3
 - top-down influence 51
- modulatory mechanisms 132–63
 - activity pattern 135
 - associative learning recall 137
 - pattern registration and storage 136–7
- motor learning and control 138–9
- motor vigilance 150
- MPTP models of parkinsonism 73
- MRI *see* magnetic resonance imaging
- multilayer neural network 6
- multiple constraint satisfaction, parallel processing 94

- negative priming tasks 237–8
- von Neumann, J., neuronal precision 23
- neural information, speed 29
- neural network models 210–18, 303
 - activation (input–output) functions 59–61, 214–16
 - architecture 63, 70
 - back-propagation of error 62–3
 - baseline firing rate 61
 - delusional thinking 210–20
 - integration 219–20
 - pharmacology 58–9
 - psychiatric diagnosis, symptom recognition 34–54
 - psychopharmacological simulations 64–71
 - sigmoid input–output function, effect of increased gain 60
 - see also* delusional thinking
- neural networks
 - activity pattern 135
 - analysis of learning in autism 274–310
 - anatomy and problem type 281
 - association and dissociation, fables of Lucy R. 248–72
 - basin of attraction and spurious attractors 176–7, 180
 - components 176
 - constraint-satisfaction processes 175
 - cooperative–competitive 136
 - design, stability–plasticity dilemma 140
 - early reception of highly informative codes 52
 - evolution of states 44
 - features 4
 - Hopfield network 5, 143
 - hyperconnectivity 215
 - input–output function, decreasing input 60, 61
 - late reception, highly informative codes 53
 - lesions 10
 - linear classification problems 281–9
 - macroscopic mapping onto cortex 184
 - multilayer 6
 - multilayer feedforward 279
 - neurobiological approach 10–12
 - noise parameter 181–2
 - nonlinear classification problems 289–98
 - perceptual network 182–3
 - priming 177
 - priming tasks, negative 237–8
 - processing across different networks 177
 - processing within networks 175
 - and psychopharmacology 57–81
 - research 14–31
 - simulation results 241
 - theory 92, 132–62
 - neurobiological approach 10–12
 - topology 4
 - vowel classification 298
 - see also* connectionism
- neural pruning, schizophrenia 304, 358
- neurocomputational unit 43
- neurocomputing 347–61
 - biological verisimilitude 348–9
 - challenges from nonbiology 351–2
 - complexity and decipherment 355–6
 - education 347–8
 - environmental input 349
 - and evolution 353
 - fast progress of computing 350
 - mathematical limits 356–8
- neurolitics 158–9
- neuromodulators
 - cortical behaviour, general effects 72

Index

369

- mechanisms in mental disorders 132–64
- neuron
 - origin 15
 - schematic diagram **280**
- neuropsychology
 - cardinal principles 132
 - pattern processing, principles and mechanisms 133–6
- N-methyl-D-aspartate (NMDA)
 - antagonist, AP5 320
 - fast synaptic transmission 58–9
 - NMDA-dependent potentiation 316–38
 - molecular mechanisms 318–19
- N-methyl-D-aspartate (NMDA) receptor
 - 62, 64
 - activation and Alzheimer's disease 321–2
 - activation and epilepsy 320–21
 - properties 62
- 'noise parameter', neural networks 181–2
- noradrenalin/locus coeruleus tract, function 149
- normality, modelling 353–4
- nucleus accumbens, bipolar disorders 150–2, **151**, 154
- nucleus basalis Meynert, acetylcholine production 27–8, 148
- obsessive–compulsive disorder (OCD) 147, 206–7, 355
 - defective communication 158
 - disinhibition and neurotransmitter dysfunction 231–44
 - link with dopamine 233
 - neuroanatomy 233–4
 - neurochemistry 232–3
 - neuropsychology 234–6
 - neural network analysis 11
 - pattern-selection mechanism malfunction 145
 - repetition compulsion 104–5
 - simulations **241**
- olfactory hallucinations, Lucynet 249–72
- outstar, defined 137–9
- owl, auditory system 29
- pallidum, behaviour control and bipolar disorder **151**
- parallel processing 94–5
 - algorithmic approaches 38
- paranoid process 196–8
 - thought processes 9
 - Vinogradov's model of delusional thinking 214–15
- parasitic attractors 26
- parasitic foci, schizophrenia 211–12, 218
- parietal region, anterior 200
- parieto-temporo-occipital (PTO) region 216
- parieto-temporo-occipital-limbic (TOPL) circuits 204–6
- Parkinson's disease 70, 152
 - and dopamine 72–3
 - MPTP models 73
- PARRY program 8–9
- pathological beliefs 167, 169
- pathological priming 180–1
- pattern-recognition
 - and code protection 139–42
 - instar connectivity 139
 - modules, context dependence 41
- perception
 - expectations, impact of past on present functioning 95–7
 - unaware 349
- perceptual network, sequential model of information processing 173–4
- pervasive developmental disorder 275
- phobia 98
- Pitts, W. 20, 31
- Platonic assumption 34
- Popperian animals 349
- post-traumatic stress disorder (PTSD), symptoms 256, 259, 262
- prefrontal cortex, function 154
- Prigogine's dissipative structures 102, 111
- priming 177
 - perceptual network 182–3
- privileged features method 45
- processing within networks 175
- protein kinase C, and calcium 319
- psychiatric diagnosis
 - basic modelling 42–5
 - diagnostic classification, privileged features 45
 - symptom recognition 36–8
- psychomotor retardation, anhedonic 152
- psychopathology, comorbidity 108
- psychopharmacology
 - clinical 72–81
 - neural network models 58–9
 - simulations 64–5
- psychoses, parallel models 172–4
- psychotherapists
 - functioning and development 113–15
 - views and types of intervention 121
- psychotherapy
 - change, system compensation and resistance to 97–9
 - connectionist view 88–131
 - dynamic approach 109–13
 - construction-integration model 120
 - defined 88
 - diverse orders 103
 - heuristic rules 118–19
 - limits of traditional concepts 90–1

- psychotherapy (*contd.*)
 patient's problem, therapist view **121**
 patient's psychopathology 103–9
 planned intervention, simulating effects 120–2
 psychoanalysis 112
 specific and non-specific factors 102–3
 success rates 89
 psychotic symptoms 142, 153
 Ruppín et al.'s network model for 218–19
 PTSD *see* post-traumatic stress disorder
 Purkinje cells, imitation 351
 pyramidal cells
 somatic current injection **325**
 synaptic current 330–31
 synaptic integration 348–9
 Traub models 324
 pyramidal neural networks 351–2
- quantum effects, microtubules 357–8
- Ramón y Cajal, S. 15
 raphe dorsalis, bipolar disorders 75, 153–4
 rational-analytic and intuitive processing model 114
 raw datum of delusions 169
 reality check 144–6
 recurrent neural networks, lesioning 240–42
 Remak, R. 15
 repetition compulsion 103–4
 aspects and possible treatments 104–9, **107**
 repetition compulsions 104–7
 aspects and possible treatment **107**
 simplified version **117**
 repetition negative printing (RNP) 241
 repression, causes 260
 Rogerian therapy 112
 Rosenblatt, F., Mark I Perceptron 22
 runaway synaptic modification *see* synaptic modification
 Ruppín et al.'s model of delusional thinking 218–19
- schema, defined 6
 schema theory 11, 101
 vs neural networks 6
 schizophrenia
 axonal pruning 211–12, 304, 358
 'behaviour unrelated to context' 145
 catecholamines vs amphetamines 70
 cognitive analysis
 memory 194–5, 209
 perceptual accuracy 209–10
 cognitive defects 193–5
 cognitive slippage 193
 and dopamine 73–4
 dopamine gain, and dysfunction 10–12
 hallucinations 25–6
 information processing 60
 models of delusional thinking
 Chen's 217–18
 Cohen and Servan-Schreiber's 212–13
 Ruppín et al.'s 218–19
 neural network models 210–20
 neurocognitive impairment 207–10
 neuroleptic treatment 160
 paranoia 196–8
 parasitic foci 211–12
 positive symptoms 146
 regulatory failure 207, 208
 sejunktion 14
 simulated symptoms 304
 thought disorder 143–4, 158
- script, defined 251
 segmental codes, series processing **49**
 sejunktion, defined 14
 semantic negative priming (SNP) 241
 sensory gating, P50 auditory event-related potential 207
 sequential model of information processing 173–4
 series processing, segmental codes **49**
 serotonergic function
 and depression 74–9
 dysfunction 237
 experimentally manipulated 78
 extrasynaptic 79
 innervation to simplified archicortex **75**
 psychotic symptoms in mania 153–4, 160–2
 serotonin
 precursors (5-HTP and L-tryptophan) 159
 regulation of contextual set 157
 serotonin receptor, G-protein mediated conductances 67
 serotonin reuptake inhibitors (SRIs), OCD 232–3
 serotonin selective reuptake inhibitors (SSRIs) 76, 232
 Shanks, theory of scripts 251
 Sherrington, C.S. 16
 short-term memory (STM) 137
 and attention disorders 146–7
 Skinnerian brains 349
 sleep
 REM sleep 68, 154
 dreams 156
 and thalamic oscillation model 66–8
 vigilance control network 149
 SNP (semantic negative priming) 241
 social-emotional functioning **309**

Index

371

- speech
 - vowel recognition
 - acquisition and generalization rates **294**
 - first and second formant values **292**
 - formant values 292
 - function of trials/hidden layer size 296
 - generalization, means/standard deviations 298
 - hidden neurons for each vowel type 294
- spurious attractors
 - memory overload 177, 180
 - and primed patterns 181
- stability–plasticity dilemma, neural network design 140
- striatum, behaviour control and bipolar disorder **151**, 155
- Stroop task 237
 - presented stimuli 238
 - recurrent network simulation 238–9
 - recurrent neural network model **239**
 - schizophrenia 73
- subliminal activity 349
- suspiciousness 196
- Sydenham's chorea 233
- symbol-grounding problem 8
- symbolic models of the mind 8
- symptom recognition 36–9
 - construction process **48**
 - descriptive problems 39–41
 - and diagnosis processing **46**
 - multidimensional representation 41, 48–9
- synapse, historical aspects 21
- synaptic connectivity, matrix 327
- synaptic modification
 - computer simulation 21
 - cortical associative memory function
 - models 317, 326
 - Hebbian synaptic modification 137, 326–9
 - maximal, during cholinergic suppression 328–9
 - runaway (RSM)
 - and Alzheimer's disease progression 317, **327**, 333–5, **336**
 - mechanisms **327**
 - prevention by ACh 27, 28
 - spread 336
 - threshold 329
- synaptic transmission
 - cholinergic suppression **329**
 - fast 58–9
- temporal lobe epilepsy 202–3
- temporo-limbic system 203
- temporo-parietal region, left 201
- temporo-occipito-parietal (PTO) cortex 216
- temporo-occipito-parietal-limbic (TOPL)
 - circuits 204–6
- thalamic oscillations and sleep 66–8
- thought disorder
 - acute mania 143–4, 158–62
 - schizophrenia 143–4
- top-down expectancy learning 138
- top-down influence **51**
- Tourette's syndrome 152
- Traub model 66, 324
- L-tryptophan
 - eosinophilia–myalgia syndrome 160–1
 - treatment for depression 159–60
 - treatment for mania 152, 159–62
- Turing computer 8
- Turing Test 9–10
- tyrosine, in depression 161
- ventral tegmentum, control of ACh activity 157
- vertebrates, locomotion in lamprey 64
- vigilance control network 149
- Vinogradov, model of delusional thinking 214–15
- Virchow, R. 15
- Waddington's 'epigenetic landscape' 111
- Wagner, R. 15
- Waldeyer, H.W. 15
- Wegman, C. 249–50
- Wernicke, C. 14, 19
- Wernicke's aphasia 201
- Wisconsin Card Sorting Task (WCST) 155–6
 - dopamine deficit 70
- Wundt, W. 18–19