

Cambridge University Press

978-0-521-04211-6 - *Biology and Violence: From Brith to Adulthood*

Deborah W. Denno

Index

[More information](#)

Author index

- Andrew, M. M., 14
- Bakan, P., 13–14
Bayley, N., 88
- Carmines, E. G., 159
Chen, T., 16
Clark, J. P., 21
Cloward, R. A., 19
Cohen, A., 19
Cortés, J. B., 16
Cronbach, L. J., 158
- Danziger, S., 21
Dibb, G., 14
Dishion, T., 64, 89
- Epstein, H. T., 49
- Farrington, D., 11
Ferracuti, F., 20
Flor-Henry, P., 14
Friedes, D., 167
- Gatti, F. M., 16
Glueck, E., 17, 38
Glueck, S., 17, 38
Graham, F. K., 166
Greenhill, J. P., 150
- Harris, D. B., 170, 171
Herrnstein, R., 3
Hersh, S. P., 150
Hindelang, M. J., 11, 94
Hirschi, T., 11, 21–2, 25, 94
- Jastak J., 169
- Kirkegaard-Sorenson, L., 11
Koppitz, E. M., 169
Kvaraceus, W. C., 20
- Lewis, D. O., 9, 23
Lezak, M. D., 169
- Loeber, R., 64, 89
Lombroso, Cesare, 1, 8, 14, 18
- McCabe, K. D., 150
McKay, H. D., 21
McNeil, T. F., 150
McTamney, J. F., 23
Mednick, S. A., 11
Merton, R. K., 19
Miller, W. B., 20
- Needleman, H., 107
Nichols, P. L., 16
Nisiwander, K. R., 133
- Ohlin, L. E., 19
- Pollak, O., 18
- Reed, P., 14
Roberts, C. J., 150
- Sameroff, A. J., 10
Schaefer, E. S., 88
Schweinhart, L. J., 124
Shaw, C. R., 21
Silverstein, A. B., 166, 167
Sellin, T., 20, 39
Spellacy, F., 23
- Thomas, W. I., 18
Torrey, E. F., 150
- Waber, D. P., 13
Wechsler, D., 11, 168
Weikart, D. P., 124
Wenniger, E. P., 21
West, D. J., 11
Wilson, Edward O., 1, 2, 3
Wolfgang, M. E., 11, 20, 39
- Yeudall, L. T., 14
- Zeller, R. A., 159

Subject index

- abnormal movements (females), 87, 92, 93
 abortion, 155, 161; spontaneous, 146; uterine bleeding as precursor of, 150
 abruptio placentae, 135–6, 137, 157
 academic achievement, 125;
 Biosocial Project on, 31–2, 37, 38;
 case study on, 116; predictors and, 10, 12, 71–6, 85, 88, 93, 94
 academic impairment, 8
 achievement levels, 123–4
 achievement test levels, 109, 118
 adolescence, 25; CNS dysfunction recurrence in, 8, 10
 adoptive parents, 182; *see also* parents
 age: birth weight and maternal, 155; criminality variable and, 174; intelligence and moral development and, 49; mother's (as variable in study), 177; number of siblings and maternal, 156; offender group differences in intelligence and, 50, 52–9*t*; of offenders, 44–5; research and, 24; test score differences and, 71; test scores and, 64
 aggregation of birth-related variables, 158–65
 alcoholism, 143, 144
 ambitions and aspirations (socially conforming), 37
 analysis of variance (ANOVA), 50
 anemia, 84, 114, 160; as prenatal condition variable, 150–1
 anesthetic shock, 145–6
 anoxia, 133, 135, 148, 157
 Apgar score, 65, 152–4, 165, 178
 arrest histories, 32–3; criminality variable analysis and, 174–5; female offenders', 117, 119, 121; gender and, 97; male offenders', 109, 114–15; violent and chronic males and, 102
 asphyxiation, 157
 attachment (social control analysis), 21–2
 attention-deficit disorder (ADD), 9; Biosocial Project and, 37, 38; case study (criminal male) and, 110; as predictor, 15–16; predictor analysis, 76, 89, 93
 autistic children, 105

 bacterial infections, 145
 bed wetting, 105
 behavioral problems, 32
 behavior theory, 4
 belief (social control analysis), 22
 Bender Gestalt Test, 15, 38, 62, 119, 169–170
 bioenvironmental predictors, *see* biological and environmental predictors
 bioenvironmental theory of behavior, 4
 biological and environmental predictors: ADD and, 15–16; biological theories and, 7–8; Biosocial Project and, 3–4, 5–6, 31, 34–6, 121–2; cerebral lateralization and, 12–15; controversy and, 2, 4, 5, 6; female offenders and strong, 86–9; gender (sex) and, 17–18; hyperactivity and, 15–16; integration with sociological theory and, 24–8; intellectual functioning and, 10–12; interaction between, 19; male offenders and strong, 84–6; mean group differences among adult offender groups and, 71–7; physical growth, 16–17; policy

Subject index

213

- and, 123–6; prenatal and perinatal events and, 8–10; research critique and, 23–4; research evidence and, 2; school achievement and, 10, 12; screening of, 70–1; structural equation models and effects of, 77–89; study outcome of analysis of, 92–5; theory of behavior and, 4; total impact of (using reduced form of structural equation models), 89–92; types of, 4–5; *see also specific predictors and variables*
- Biosocial Project: abnormal behavior observed, 107–8; behavior observed, 98–101, 105–7; bioenvironmental factors and, 3–4, 5–6; case studies and, 109–21; case study overview and, 121–2; controversy over predictors and, 2, 4, 5, 6; data sources and, 30–3; home interviews and, 96–7, 98–101, 105, 107, 113, 115–16, 117, 118; juvenile delinquency and, 40–6; policy and, 123–6; study measures and, 33–9; study subjects and, 29–30; young adult crime and, 46–7
- birth event theoretical context, 156–8
- birth-related variable aggregation analysis, 158–65
- birth-related variables: analytic methodology and, 127–8; continuous pregnancy and delivery variables, 151–6; dichotomous pregnancy and delivery variables, 128–40; dichotomous prenatal condition variables, 140–51
- birth stress, 9; laterization and, 14
- birth trauma, CNS dysfunction and, 13–14
- birth weight, 13, 19, 165; Apgar score and, 153; diabetes and high, 141; labor and, 152; mother's neurological or psychiatric condition and, 144; prematurity and, 147, 157; as variable, 155–6, 178
- blacks, *see race*
- bleeding: cesarean section and, 157; during pregnancy, 155; placental, 137; uterine, 149–50, 161–2, 164
- blood pressure, 179
- body rocking, 105–6, 107, 108, 110, 119
- brain damage, 8, 9, 106; diabetes and, 154; forceps use and, 132, 157; hypoxia and, 157; neonatal death and, 149; prenatal period and, 156
- brain disease (organic), 143
- brain dysfunction, 37, 38, 87
- breech presentation (delivery), 129–30
- Brooklyn Family Court, 125
- California Achievement Test (CAT), 31–2, 37, 38, 171–3
- case studies (control female): body rocking and, 119; disobedience and, 120; head banging and, 120; nightmares, 119; pica, 119; stuttering, 119
- case studies (control male): anemia and, 114; epilepsy and, 117; family and, 112, 114; foster parents and, 117; head banging and, 114; intelligence and, 111–12; parents and, 112, 114; speech problems and, 114
- case studies (criminal female): achievement test levels and, 118; arrest histories and, 117, 119, 121; eye disorder and, 120; family and, 118, 120; fighting and, 118; hand preference and, 118; head injury and, 118, 120; hearing disability and, 118–19; home interviews and, 118; intelligence and, 117–18; lead intoxication and, 118, 119; parents and, 118, 119, 121; pica, 119; sexual abuse and, 121; spelling reversals and, 119; temper tantrums and, 118, 119–20
- case studies (criminal male): achievement test levels and, 109; ADD and, 110; arrest histories and, 109, 114–15; body rocking and, 110; cognitive disorders and, 110; discipline and, 116; echolalia and, 113; family and, 110, 113, 116; fighting and, 116, 117; head banging and, 110; head injury and, 110; home interviews and, 109, 113, 115–16, 117; household moves and, 110; intelligence and, 109, 113, 115, 117; neurological disorders and, 110; parents and, 110–11, 113, 114, 116; school achievement and, 116; speech problems and, 109, 111, 113; vocabulary problems and, 117
- Centers for Disease Control, 106
- cerebral dominance, 37, 38
- cerebral dominance (pathological), 9
- cerebral lateralization, 12–15, 38
- cerebral palsy, 157
- cesarean section (delivery), 129, 130–1; hemorrhagic damage and, 157; previous, 142
- Chicago, 21

- Children's Drawings as Measures of Intellectual Maturity* (Harris), 170
- Children's Hospital of the University of Pennsylvania, 29
- chronic offenders, *see* offender classification
- cigarette smoking, 155; complications caused by, 176
- CNS development, 37, 38
- CNS dysfunction, 8, 16, 19; biological and environmental predictors and, 84, 87, 88, 93, 94; birth trauma and, 156, 158; delinquency and crime and, 27; fetal heart rate and, 138; lateralization and, 13; lateralization and birth trauma and, 13–14; placenta previa and, 135; recurrence in adolescence, 8, 10
- cognition disorders, 110
- Collaborative Perinatal Project (CPP), 3, 15, 29, 30, 31, 32, 33, 41, 85, 87, 94, 96, 97, 106, 107, 114; birth-related variables and, 127, 128, 131, 133, 137, 138, 140, 141, 143, 144, 145, 147, 150, 151, 153, 154, 155, 156, 158, 159, 166, 167, 173–4, 179, 180, 181, 182
- commitment (social control analysis), 22
- community (neighborhood): as predictor, 21; study measures and social structure and, 33, 36
- comprehension, 57
- convulsive disorders, 143, 144
- crime prevention strategies, 124–5
- criminality dependent variable, 174–5
- The Criminality of Women* (Pollak), 18
- data sources, 30–3
- delinquency: Biosocial Project and, 32, 40–6; birth events and, 10; CNS dysfunction and, 27; developmental and biopsychological theories of, 37–9; early development and, 64–5; intelligence impairment and, 10–12; measuring, 39; mental retardation and, 93; pregnancy complications and, 9
- delivery type(s): aggregation analysis and, 158–60; breech presentation, 129–30, 155, 157; cesarean section, 129, 130–1; characterizations in, 128–9; forceps use and, 9, 131–2, 157; sincipital presentation, 130
- delivery variables, *see* pregnancy and delivery variables
- dependent variables: criminality, 174–5; intelligence tests (four-year), 166–67; intelligence tests (seven-year), 167–73; methodology and, 165; test score biases, 173–4; *see also* independent variables
- developmental variables (early), 64–5
- Deviant Children Grown Up* (Robins), 9
- diabetes: brain damage in child and, 154; as prenatal condition variable, 140–1
- discipline, 116
- discipline problems in school: females and, 76, 87, 93; males and, 84, 85, 86; as predictive factor, 92, 93, 94; repeat offenders and, 71
- disobedience, 107, 120
- drug addiction: female offenders and, 18; sedative use and, 141, 160, 162; variable analysis and, 143, 144
- Duncan's Multiple Range test, 50
- eating disorders, 106
- echolalia, 105, 113
- eclampsia, 144
- education, 19; birth weight and, 156; crime prevention school programs and, 124; of father, 84, 87, 92; female offenders and parents', 87, 88, 92; of head of household, 183; male offenders and parents', 84, 92; of mother, 76, 84, 88, 92, 179; special school programs and intelligence measures and, 62–4; *see also* discipline problems in school
- employment, 19
- employment success, 125
- encephalitis, 157
- environmental predictors; *see* biological and environmental predictors
- epilepsy, 107, 117
- eye disorder, 120
- eyedness, 38, 93, 180
- facilitating variables (predictor type), 4–5
- family: case studies and, 110, 112, 113, 114, 116, 118, 120; father in household and, 181; female delinquents and, 87; foster home, 87, 92, 93, 117, 182; gender and variables relating to, 65; home interviews and, 96, 107; instability and delinquency and, 94; male delinquents and, 86; number of persons in household supported, 182; Perinatal Project and, 31; as predictor, 22–3; repeat offenders and, 71, 76; *see also* parents
- family size, 77, 181
- females, *see* sex (gender)
- fighting (in childhood), 116, 117, 118
- footedness, 14, 38, 93, 181
- forceps use (at delivery), 9, 131–2, 157, 164
- foster homes, 87, 92, 93, 117, 182
- Foundation for Children with Learning Disabilities, 125

Subject index

215

- fungal infections, 145
- gender, *see* sex (gender)
- gestational age, 147, 154–5, 165, 178
- gonorrhoea, 143
- Goodenough–Harris drawing test, 15, 38, 62, 170–1
- Graham–Ernhart Block Sort Test, 166–7
- guardians, 182
- handedness, 13, 14, 38, 76, 84, 92, 118, 180
- head banging, 105, 106, 110, 114, 120
- head injury, 107, 108, 110, 118, 120
- hearing examination, 70
- heart rate (fetal), 137–8, 160, 164, 176
- height, 16; as variable, 180
- hemispheric specialization; *see* cerebral lateralization
- home interviews, 96; behavior observed and, 98–101*t*, 105, 107; family and, 107; female offenders and, 118; male offenders and, 109, 113, 115–16, 117; project sample and, 96–7, 105
- homosexuality, 18
- household moves, 76, 92, 110
- housing, 33
- hyperactivity, 15–16, 37, 38, 84, 93, 124
- hyperopia, 87
- hypertension, 176, 177
- hypotension, 146
- hypoxia, 8, 130, 138; anesthetic shock and, 145–6; factors contributing to, 157; prenatal period and, 148
- Illinois Test for Psycholinguistic Abilities, 112
- income, 77, 86, 88, 97; individuals dependent on total family, 182; SES and, 179, 182
- independent variables: family constellation, 181–2; lateral preference, 180–1; maternal prenatal conditions, 176–7; parity and birth order, 178–9; physical development, 179–80; pregnancy and birth complications, 177–8; SES, 179, 182–3; *see also* dependent variables
- infectious diseases, 144–5
- infertility, 146
- inhibiting variables, predictor type, 4–5
- insulin therapy, 140
- intellectual achievement, *see* academic achievement
- intellectual functioning as predictor, 10–12
- intelligence: age and, 49; Apgar score and, 153–4; Biosocial Project and, 37, 38, 47; birth weight and, 155, 156; case studies and, 105, 109, 111–12, 113, 115, 117–18; crime link with, 48, 49; early development and delinquency and, 64–5; forceps marks at delivery and, 132; physical development and, 49; predictor analysis and, 71–6, 85, 88, 93, 94; repeat offender group, 56–7, 62; research on, 48; special school programs and, 62–4; standard deviation of selected variables and, 183; test measures and, 48; violent offender group, 50–60
- intelligence impairment: birth complications and, 8, 9, 10; delinquency and, 10–12; lateralization and, 13
- intelligence tests: Bender Gestalt, 15, 38, 62, 119, 169–70; California Achievement Test (CAT), 31–2, 37, 38, 171–3; as dependent variable (four-year), 166–7; as dependent variable (seven-year), 167–73; Goodenough–Harris drawing test, 15, 38, 62, 170–1; Graham–Ernhart Block Sort Test, 166–7; Illinois Test for Psycholinguistic Abilities, 112; Sanford–Binet Intelligence Scale, 50, 56, 62, 71, 85, 88, 109, 112, 115, 166; test score biases and, 173–4; WAIS test, 11; Wechsler Intelligence Scale for Children, 11, 12, 15, 38, 50, 51, 56, 57, 62, 71, 85, 97, 109, 115, 118, 119, 167–8; Wide Range Achievement Test (WRAT), 15, 38, 50, 51, 57, 168–9
- involvement (social control analysis), 22
- Johns Hopkins University, 154
- juvenile delinquency, *see* delinquency
- labor, 165; anesthetic use and, 145; duration of, 151–2, 178; use of oxytocic during, 139–40
- language ability, 51, 56, 57, 62, 63–4, 71, 84, 85, 86, 87, 88, 92, 93, 97, 102
- language function, handedness and, 13
- lateralization (cerebral), *see* cerebral lateralization
- lateral preference, *see* eyedness; footedness; handedness
- lead poisoning, 106–7, 124; behavioral effects of, 4; case study and, 118, 119; female offenders and, 88; male offenders and, 84, 85, 89, 92; repeat offenders and, 76
- learning disabilities, 124, 125
- learning problems, 32
- males, *see* sex (gender)
- marginal sinus rupture, 136–7

marijuana, 141
 marital status, 176
 mathematics, 51, 56, 57, 63
 means and standard deviations, 183–7
 medical treatment (early in life), 36
 mental retardation, 105; delinquency and, 93; female CNS dysfunction and, 88; female offenders and, 88–9; mother with, 143–4; prolapsed cord and, 133; sex and, 63
 minimal brain dysfunction, 37, 38, 87
 moral development, 49
 multiple births, 164

National Child Development Study, 16
 National Crime Severity Study, 39
 National Institute of Neurological Diseases and Stroke (NINDS), 29
 nature–nurture controversy, 2
 neurological abnormalities, 92, 93, 135, 144, 153
 neurological disorders, 110; mother and, 143–4
 neurological factors, 37, 38
 neuropsychiatric disturbances, 8
 neuropsychiatric functioning: deficit in, 88; hemisphericity and, 13
 neurosis, 143, 144
 nightmares, 119
 night terrors, 108
 nonindex offenders, *see* offender classification
 nursery school attendance, 124; *see also* school programs

obstetrical history, 149, 164; poor, 177
 occupation (of head of household), 183
 offender classification: age and, 44–5; chronic, 40, 42, 43–4, 45, 46, 56–7, 96, 102, 105, 108; criminality variable analysis and, 174–5; damage and, 175; injuries and, 157; nonchronic, 65; nonindex, 39, 41, 43, 45, 50, 51, 56, 63, 65, 175; property, 39, 41, 44, 45, 50, 51; repeat, 43, 56–7, 62, 63, 65, 71, 76; seriousness of offenses and, 43, 71, 76, 87, 92, 105; by sex, 40, 41–3, 44, 45, 46; structural equation models and female, 76, 87–8, 92, 93; structural equation models and male, 76, 84, 85, 86, 87, 92, 93; theft and, 175; violent, 39, 41–3, 44, 45, 50–6, 58–61, 63, 96, 97, 102, 105, 108, 175
 organic brain disease, 143
 otoscopic examination, 70

parasitic infections, 145

parental role models, 22, 23
 parents: adoptive, 182; case studies and, 110–11, 112, 113, 114, 116, 118, 119, 121; education of, 84, 87, 88, 92, 179; father in household, 181; foster, 87, 92, 93, 117, 182; home interviews and, 96, 107; neurological and psychiatric conditions of mother, 143–4; number of children and mother's age, 156; venereal disease of mother, 143; *see also* family
 parity (of mother), 165, 178–9
 pathological stereotypic behaviors, 105, 106
 pediatric examinations, 97
 Pennsylvania Hospital, 3, 29
 performance IQ (WISC), 50, 59, 85, 87–8, 109, 112, 115, 118, 119
 perinatal events, biological and environmental predictors and, 8–10
 Perinatal Project, *see* Collaborative Perinatal Project (CPP)
 phenobarbital use, 142
 Philadelphia Collaborative Perinatal Project, *see* Collaborative Perinatal Project (CPP)
 physical development, 49
 physical examination, 105
 physical growth: Biosocial Project analysis and, 37, 38; as predictor, 16–17
 physical health, Biosocial Project analysis and, 37, 39
 physical maturation, lateralization and, 13
 pica, 106, 119
 placental bleeding, 137
 placental previa, 134–5, 137, 155, 157
 play behavior, 107
 police records, *see* arrest histories
 policy, 5; Biosocial Project results and, 123–6
 Porteus Maze Test, 109
 predisposing variables (predictor type), 4–5
 pregnancy complications: case study and, 115; delinquency and, 9; as variable, 128–34, 177–8
 pregnancy and delivery variables: aggregating, 158–65; Apgar scoring, 152–4; birth weight and, 155–6; duration of labor, 151–2; forceps marks at delivery, 131–2; gestational age, 154–5; number of liveborn older siblings, 156; prolapsed umbilical cord, 132–3, 164; types of deliveries, 128–31; umbilical cord around the neck, 133–4, 160
 prematurity, 9; birth weight and, 147, 157; gestational age and, 147, 154–5; of sibling, 147–8, 161
 prenatal condition variables: anemia and,

Subject index

217

- 150–1; anesthetic shock, 145–6; diabetic mother, 140–1; fetal death of sibling, 146–7; infectious diseases, 144–5; neonatal death of sibling, 148–9; neurological and psychiatric condition of mother, 143–4; obstetrical history and, 149; premature sibling, 147–8; previous cesarian section, 142; sedative use, 141, 160, 162; uterine bleeding, 149–50; venereal diseases, 143, 162
- prenatal events, biological and environmental predictors and, 8–10
- property offenders, *see* offender classification
- prostitution, female offenders and, 18
- psychiatric conditions of mother, 143–4
- psychological examination, 97, 105
- psychosis, 143, 144
- race: aggregation analysis and, 159; anemia and, 151; Apgar score and, 153; Biosocial Project and, 5, 30, 36; birth weight and, 155; community and crime and, 21; crime research and, 3; delinquency and, 11, 19; gestational age and, 154; lead intoxication and, 106–7; social structure and residential segregation and, 33; verbal–spatial imbalance and, 11–12
- reading: failure in, 9; female offenders and, 18; intelligence–delinquency relationship and, 12; intelligence measures and, 50, 51, 56, 57, 62; lateralization and, 14
- repeat offenders, *see* offender classification
- repetitive behaviors, 106
- residential segregations, 33
- retardation, *see* mental retardation
- Rorschach test, 62
- sample: Biosocial Project, 29–30; research and size of, 24
- Sanford–Binet Intelligence Scale, 50, 56, 62, 71, 85, 88, 109, 112, 115, 166
- school achievement, *see* academic achievement
- school programs, 62–4, 124; *see also* education
- school records, 31–32
- sedative use, 141, 160, 162
- segregation, 33
- Sellin Center for Studies in Criminology and Criminal Law, 29
- seriousness of offenses, *see* offender classification
- sex (gender): chronic and violent offenders and, 59, 62, 96; differences among offender groups and, 71; differences in behavior and, 27; discipline problems in school and, 76, 84, 85, 86, 87, 93; disorder manifestation and, 107–8; family and, 65; gestational age and, 154; home interviews and, 97; importance of biological factors in female offenders, 92; language and, 63–4; language achievement and, 102; lateralization and, 13, 14; lead poisoning and, 84, 85, 88, 89, 92; mathematics and, 63; mean differences in independent variables and, 66–9r; mental retardation and, 63; Perinatal Project and, 30; physical growth and, 16; police record and, 97; predicting criminality (percentages) and, 125; repeat offenders and, 76; rocking and males, 106; SES and, 95; screening of predictors and, 70, 95; violent offenders and, 51, 56, 62; *see also* case studies
- sex hormones, 13, 17
- sexual abuse, 121
- siblings: child's birth order and, 178–9; fetal death of, 146–7; maternal age and, 156; neonatal death of, 148–9; number of older liveborn, 156; premature, 147–8, 161
- sincipital presentation (delivery), 130
- sinus rupture, 164
- sleeping disorders, 105
- social bonding, 37, 94
- social bonds, 21–2, 25
- social class: delinquency and, 11, 19; female offenders and, 88; strain theories and, 19; subculture theories and, 20
- social control, analysis of, 21–2
- socially conforming ambitions and aspirations, 37
- social policy, 5; Biosocial Project results and, 123–6
- social structure, 33–7
- socioeconomic status (SES), 19; anemia and, 151; Biosocial Project analysis and, 30, 31, 36; birth weight and, 155; gender and, 65; as independent variable, 179, 182–3; as predictor, 20–1; prematurity and, 147
- sociological and environmental predictors: community (neighborhood) and, 21; integration of biological theory and, 24–8; SES and, 20–1; strain theories and, 19–20; subculture theories and, 20
- speech, 85–6; *see also* language ability
- speech problems, 109, 111, 113, 114
- spelling, 50, 51, 59, 62
- spelling reversals, 119
- stillbirths, 147, 155, 161
- strain theories, 19–20
- structural equation models, 77–89; reduced

Cambridge University Press

978-0-521-04211-6 - Biology and Violence: From Brith to Adulthood

Deborah W. Denno

Index

[More information](#)

218

form and total prediction impact and, 89–92

Studies of Troublesome Children (Stott), 9

stuttering, 119

subculture theories, 20

syphilis, 143

Tactile Finger Recognition Test, 114

temperament, 17

temper tantrums, 118, 119–20

theory: bioenvironmental theory of

- behavior, 4; biological and environmental predictors, 7–8; biopsychological, 37–9;
- birth events and, 156–8; developmental, 37–9; development of criminological, 2;
- strain (between culturally induced goals and socially structured means), 19–20;
- subculture theories, 20

toxemia, 139, 157

umbilical cord: around the neck, 133–4, 160; prolapsed, 132–3, 164

unemployment, 76, 86, 92, 93

Uniform Crime Report, 39

University of Pennsylvania, 29

Subject index

urban areas, 21, 33

uterine bleeding, 149–50, 161–2, 164

venereal disease, 143, 162

verbal ability, 107; intelligence measures and, 51, 56, 57, 62; lateralization and, 12

verbal IQ (WISC), 50, 56, 57, 85, 87–8, 97, 102, 112, 115, 118, 119

verbal–spatial imbalance, 11–12

violent offenders; *see* offender classification

viral infections, 145

visual acuity, 87, 92

vocabulary, 61

vocabulary problems, 117

WAIS test, 11

Wechsler Intelligence Scale for Children (WISC), 11, 12, 15, 38, 50, 51, 56, 57, 62, 71, 85, 97, 109, 115, 118, 119, 167–8

weight, 16; as variable, 180

Wide Range Achievement Test (WRAT), 15, 38, 50, 51, 57, 168–9

young adult crime, 46–7