

# Index

absorption collisionally induced deexcitation or excitation and emission of photons by atoms and 18, 22, 23, 29, 37, 63-4, 96, 117, 150 molecules 17, 20, 22-3 collisionally induced dissociation 35, 150; see optical observations of atoms and molecules also shocks, dissociation behind 2, 51-3, 56 collisionally induced excitation in maser of radiation as a heating process 29 regions 133-5 abundances, standard relative of the elements collisionally induced ionization 36, 42, 128-9, 150 collisions active galaxies xiv, 39, 42, 154-60, 163 AGB stars 115, 118-22 - see also giant stars between clouds 62, 156, 158  $\alpha$  Centauri 11 between galaxies 156-7 ambipolar diffusion 65, 68, 72, 100-2 comets xv, 106-10 angular momentum, role of in the proto-Solar complex of atoms 25, 59 Nebula and protostellar disk formation continuum energy states as unbound states 15–16 100-3 arrays of telescopes 6, 163 convection as a heat transport mechanism in the atmospheres of planets - see Earth - the Sun 111 atmosphere of; planetary atmospheres coolants and cooling 13, 29, 33, 36-9, 42-3, 45, 63-5, 122, 136, 141 bar-like galaxies 156 Copernicus satellite 6 Barnard 5 (B5) 85-6, 88-9, 95 core clusters 85-9, 92, 95 barriers to cores chemical reactions 27-8, 62 destruction of by stellar winds 85-9 nuclear reactions 114, 145 in molecular clouds, dark 85-95, 109, 116 Big Bang xii, 9, 13, 32, 45, 74-6, 159 cosmic background radiation 32, 76 black body background radiation - see cosmic cosmic ray induced ionization 26, 29, 45, 57-9, background radiation 65, 69, 70-4, 81, 105-6 black holes at the centres of galaxies 39, 154-8, cosmic ray propagation 71 cosmic rays as a source of heat 26, 29 boundary layers and interfaces 85-7, 89, 163 cyclic molecular structure 121 C 26, 28, 59, 69-70, 81, 89, 120 change transfer reactions 60, 71  $C^{-}$  149–50 C<sup>+</sup> 26, 58–9, 68–70, 89, 92–3, 120–1, 126, 129 chondrules 103, 108 <sup>56</sup>Co 150–1 clusters of galaxies 12, 160 collapse due to gravity 32-3, 36-9, 45, 67-8, 70, C<sub>2</sub> 120 72, 79-93, 99-103, 109, 145 CH 2, 3, 28, 52, 58-9, 90-3, 117-18, 126 CH<sup>+</sup> 2, 3, 52, 59-60, 126, 129 collisional pumps in masers 133-134, 139, 141-2 collisionally induced deexcitation of radiatively CN 2, 3, 52, 58, 59, 76, 83, 120 CO 3, 5, 58-9, 61, 63, 68-9, 73-5, 85, 88-9, 92, pumped molecules as a heating process 136 107-10, 117-18, 121, 128-30, 144, 147, 149-51



### Index

as a diagnostic of interstellar clouds 57 heating of: 48, 95-6, 124, 138; surrounding gas rotational energy levels of 22 by photoelectrons from 48, 65, 136-7 self shielding of against destructive photons in spiral galaxies 45, 47 infrared emission of 48, 79, 95-6, 135, 140 81, 89 vibrational energy levels of 23 loss of atoms and molecules from the gas CO emission as a tracer of molecular gas phase onto 49, 60-1, 83-5, 88-9, 91-3, 109, in the Galaxy and its clouds 53, 78-9, 81 138 in other galaxies 46, 155-8 obscuration of stars by 48, 50-1 percentage of interstellar mass in 48 CO emission from quasars 160 radiation pressure on xiii, 122 Seyfert galaxies 156-7 recombination of ions onto 69-70 CO<sup>+</sup>129 reddening of background stars by 48, 51 CS 93 role of in stellar winds vii-viii, 122 C<sub>2</sub>H 120-1 shielding of molecules from destructive C<sub>2</sub>H<sup>+</sup> 121 photons by 48, 55-6, 59, 92, 126, 137 CH<sub>2</sub> 58, 126 sizes of grains of: 48; in the proto-Solar CH<sub>2</sub><sup>+</sup> 59, 126 Nebula 106 CO2 107-8, 118 temperature of 49, 60-1  $C_3H3$ DCN 75 DCO+ 73-5  $C_3H^+$  121 C<sub>2</sub>H<sub>2</sub> 120-1 CH<sub>3</sub> 126 Early Universe 32-44, 55, 117, 151-2 CH<sub>3</sub><sup>+</sup> 58, 126 Earth 8, 9 C₄H 121 atmosphere of xv, 10, 12, 24-5, 110 C<sub>3</sub>H<sub>2</sub> 121 density of its atmosphere 12 CH<sub>4</sub> 60, 107-10, 126, 138 distance from: the Galactic Centre 11; the Sun C<sub>4</sub>H<sub>2</sub> 121 11, 155 C<sub>3</sub>H<sub>3</sub><sup>+</sup> 121 formation of 109-11 CH<sub>3</sub>OH 61 radius of 11 CH<sub>3</sub>OH masers 138-40 water content of xv, 99, 110-11 CH<sub>3</sub>SH 5 Eddington, AS 2-3 Einstein, A 2 electromagnetic spectrum 30-1 dark lanes in spiral galaxies 45 electronic energy of a molecule 20, 23-4 densities of astronomical objects 10, 12-13 electronic excited state of a molecule 20 deuterium 3, 32, 35, 71, 73-5 electronic transitions in molecules 30, 31 diagnosis, general comments on xiii, 162-3 emission of discrete energy states as bound states 15-16 photons, quantum aspects 17; see also stimulated emission around black holes in active galaxies 154-6, radiation as a cooling process 29 163 emission profiles as diagnostics of dynamics around stars, formation of 100-3 89-93, 96-7 in nova progenitor binary star systems 127 endothermic reactions 28, 62, 124 protostellar 139, 163; see also proto-Solar Nebula energy of a molecule, total 23-4 dissociation, collisionally induced - see collisionally induced dissociation; shocks, dissociation behind fragmentation during collapse 38-9, 43, 85 free-fall timescale - see timescale, free-fall dissociative recombination 26, 58, 59 friction in turbulent gas and transfer of angular distances between astronomical objects 11-12 Dunham, T 2 momentum 103, 163 dust 2, 46-51; see also ices absorption and scattering of light by 48, 50, 78 The Galactic Centre 154-5 composition and structure of 48, 126 distance from the Sun of 11 galaxies - see active galaxies; CO emission as a distribution in the Galaxy 48, 51 electric charges on 70, 104-6 tracer of molecular gas in other galaxies; formation of: xii, 47-8, 118-19, 122, 127-8, 130, protogalaxies; spiral galaxies; 21 cm 149; H<sub>2</sub> on 28, 49, 55-6, 60, 140-1; molecules emission of a tracer of atomic gas in on and their return to the gas phase from galaxies 28, 48-9, 60-1, 88-9, 108, 124, 126-7, 138 galaxies, clusters of - see clusters of galaxies



# Index

age of 77 average density in its disk 38 mass of 38 the intial step of all gas phase interstellar chemistry 25, 49, 54-6, 60; in novae 129; in stellar winds and outflows 117, in the Early Universe 34-5 in the diagnosis and construction of models of diffuse interstellar clones 55, 59, 70 infrared emission from: active galaxies 155-6; the Orion Kleinmann—Low region 95-7, the Orion Kleinmann—Low region 95-7, the Orion Kleinmann—Low region 95-7, 151-2 Hold 155-6 interatomic interaction in 18-20 on the Sun 111 photodissociation mechanism of 35-6, 55-6 rotational levels of 22 ## NON 5, 118, 120-1 HOC† 58, 69-70, 73-5, 163 ## HDO 110 ## 10 ## Orion Kleinmann—Low region of the tour of a diffuse interact		
average density in its disk 38 mass of 38 number of stars in 45 rotation of 9, 101–2 size of 11, 45 thickness of its disk 11, 45 galaxy formation xiv, 32–44, 160 gamma rays 150 giant molecular clouds, definition and characteristics of 53–4 giant stars 115, 118–22, 127 gigamasers 158–60 globular clusters xiv, 43 grains – see dust  Halley's Comet 107–10 heat conduction on the Sun 111 heating 29, 48, 65: see also dust, heating of surrounding gas by photoelectrons from by collisional deexcitation of radiatively pumped molecules 138 by photoionization 29, 123 by X-rays 156 due to collapse 36, 38, 103, 145 in supernova ejecta 151 eleisn Nebula (NCC 7293) 123, 162 elerzberg, G 76 elerzberg, G 76 elerzberg, G 76 energy to ionize a coolant in the Early Universe and during galaxy formation 32 energy levels of 15–16 energy to ionize 30–1 red line of 17 21 cm line of – see 21 cm radiation wavelength of light that ionizes 30–1 Ht 59, 60, 70–1, 85, 88–9, 117 el line of 17 21 cm line of – see 21 cm radiation wavelength of light that ionizes 30–1 Ht 79, 60, 70–1, 85, 88–9, 117 el line of 17 21 cm line of in the Early Universe and during galaxy formation 37 formation of in the Early Universe and during galaxy formation 37 formation of in the Early Universe and during galaxy formation 37 formation of in the Early Universe and during galaxy formation 37 formation of in the Early Universe and during galaxy formation 37 formation of in the Early Universe and during galaxy formation 37 formation of in the Early Universe and during galaxy formation 37 formation of in the Early Universe and during galaxy formation 37 formation of in the Early Universe and during galaxy formation 37 formation of in the Early Universe and during galaxy formation 37 formation of in the Early Universe and during galaxy formation 37 formation of in the Early Universe and during galaxy formation 37 formation of in the Early Universe and during galaxy formation 37 formation of in the Early Universe and during galaxy formation 37 formation of in the Early Uni	The Galaxy	early detections of outside the Solar System 6
interstellar chemistry 25, 49, 54-6, 60, 25, 70 interstellar chemistry 25, 49, 54-6, 60, 25, 70 interstellar chemistry 25, 49, 54-6, 60, 20, 70 interstellar chemistry 25, 49, 54-6, 60, 20, 70 interstellar chemistry 25, 49, 54-6, 60, 20, 70 interstellar chourts 3 in novae 129; in stellar winds and outflows 117; in the Early Universe 34-5 in an historical context 3 in the diagnosis and construction of models of diffuse interstellar clouds 56, 59, 70 infrared emission from: active galaxies 155-6; the Orion Kleinmann-Low region 95-7, 140, 155-6 interaction in 18-20 on the Sun 111 heating 29, 48, 65: see also dust, heating of; dust, heating 69 surrounding gas by photoelectrons from by collisional deexcitation of radiatively pumped molecules 138 by X-rays 156 due to collapse 36, 38, 103, 145 in supernova ejecta 151 Heisenberg, W 15 Heik Nebula (NGC 7293) 123, 162 Herzberg, G 76 HL Tauri 100-1 H absorption and emission of photons by 17-18 absorption and emission of photons by 17-18 abundance as a measure of ionization rate in dark interstellar clouds 72 as a coolant in the Early Universe and during galaxy formation 32 cenergy levels of 15-16 energy to ionize 30-1 red line of 17 21 cm line of - see 21 cm radiation wavelength of light that ionizes 30-1 red line of 17 21 cm line of - see 21 cm radiation wavelength of light that ionizes 30-1 red line of 17 21 cm line of - see 21 cm radiation wavelength of light that ionizes 30-1 red line of 17 21 cm line of - see 21 cm radiation wavelength of light that ionizes 30-1 red line of 17 21 cm line of - see 21 cm radiation wavelength of light that ionizes 30-1 red line of 17 21 cm line of - see 21 cm radiation savelength of light that ionizes 30-1 red line of 17 21 cm line of - see 21 cm radiation savelength of light that ionizes 30-1 red line of 17 2 sa a coolant in the Early Universe and during galaxy formation 37 townstion of: in the Early Universe and cooling; in the Early Universe and during galaxy formation 37 townstion of: in the Early Universe and cooling; in the Early U	· ·	
number of stars in 45 rotation of 9, 101–2 size of 11, 45 thickness of its disk 11, 45 galaxy formation xiv, 32-44, 160 gamma rays 150 giant molecular clouds, definition and characteristics of 53–4 giant stars 115, 118–22, 127 gigamasers 158–60 globular clusters xiv, 43 grains – see dust	average density in its disk 38	on; as the initial step of all gas phase
rotation of 9, 101–2 size of 11, 45 thickness of its disk 11, 45 galaxy formation xiv, 32–44, 160 galaxy formation xiv, 32–44, 160 gant are say 150 giant molecular clouds, definition and characteristics of 53–4 giant stars 115, 118–22, 127 gigamasers 158–60 globular clusters xiv, 43 grains – see dust  Halley's Comet 107–10 heat conduction on the Sun 111 heating 29, 48, 65: see also dust, heating of; dust, heating of surrounding gas by photoelectrons from by collisional deexcitation of radiatively pumped molecules 138 by X-rays 156 due to collapse 36, 38, 103, 145 in supernova ejecta 151 Heisenberg, W 15 Helix Nebula (NGC 7293) 123, 162 Herzberg, G 76 HL Tauri 100–1 H absorption and emission of photons by 17–18 abundance as a measure of ionization rate in dark interstellar clouds 72 as a coolant in the Early Universe and during galaxy formation 32 .2 energy levels of 15–16 energy to ionize 30–1 red line of 17 21 cm line of – see 21 cm radiation wavelength of light that ionizes 30–1 H 7 59, 60, 70–1, 85, 88–9, 91, 150–1 H 7 35, 117; in the Early Universe 34–5 in an historical context 3 in the diagnosis and construction of models of diffuse interstellar clouds 55, 97, 70 interest definition and the the diagnosis and construction of models of diffuse interstellar clouds 55, 97, 70 interestics of five galaxies 155–6; the Orion Kleinmann–Low region 95–7, 140, 155–6 interatomic interaction in 18–20 on the Sun 111 photodissociation mechanism of 35–6, 55–6 rotational levels of 22 hellow 19, 25, 68, 69, 70, 73–5, 163 hypothodissociation for the 22 hellow 19, 25, 68, 69, 70, 73–5, 163 hypothodissociation for the care with photodissociation mechanism of 35–6, 55–6 rotational levels of 22 hellow 19, 25, 68, 69, 70, 73–5, 163 hypothodissociation for the care with photodissociation for the sun 111 photodissociation for the care with photodissociation for the sun 111 photodissociation of the contained for the photodissociation of the contained for the phot	mass of 38	•
size of 11, 45 thickness of its disk 11, 45 galaxy formation xiv, 32-44, 160 gamma rays 150 gamma rays 150 gamma rays 150 giant molecular clouds, definition and characteristics of 53-4 gigamasers 158-60 globular clusters xiv, 43 grains – see dust  Halley's Comet 107–10 heat conduction on the Sun 111 heating 29, 48, 65: see also dust, heating of; dust, heating of surrounding gas by photoelectrons from by collisional deexcitation of radiatively pumped molecules 138 by photoionization 29, 123 by X-rays 156 due to collapse 36, 38, 103, 145 in supermova ejecta 151 Heissenberg, W 15 Helix Nebula (NGC 7293) 123, 162 Herzberg, G 76 HL Tauri 100–1 H    absorption and emission of photons by 17–18    absorption and emission of photons by 17–18    absundance as a measure of ionization rate in dark interstellar clouds 72    as a coolant in the Early Universe and during galaxy formation 32 energy levels of 15–16 energy to ionize 30–1 red line of 17 21 cm line of - see 21 cm radiation wavelength of light that ionizes 30–1 red line of 17 12 cm line of - see 21 cm radiation wavelength of light that ionizes 30–1 red line of 17 12 cm line of - see 21 cm radiation wavelength of light that ionizes 30–1 red line of 17 12 cm line of - see 21 cm radiation wavelength of light that ionizes 30–1 red line of 17 21 cm line of - see 21 cm radiation wavelength of light that ionizes 30–1 red line of 17 21 cm line of - see 21 cm radiation from a ctive galaxies 159 infrared atministent on in 18–20 on the Sun 111 photodissociation mechanism of 35–6, 55–6 rotational levels of 22 High 35, 69, 72, 151–2 HCN 75, 118, 120–1 HCO+ 58, 69–70, 73–4, 147, 151–2 key importance of reactions with neutral atoms for the initiation of chemical formation sequences in hydrogen rich environments 57–8 H20 58, 60–4, 69, 85, 88–9, 92, 109–11, 118, 138–9; see also Earth, water content of; ices; Venus, water content of fices; Venus, water content of; lices xv, 49, 60–1, 88–9, 106–11, 138 absorption of infrared radiation 30–1, 95–7, 140, see also dust, infrared demissio		
thickness of its disk 11, 45 galaxy formation xiv, 32–44, 160 gamma rays 150 giant molecular clouds, definition and characteristics of 53–4 giant stars 115, 118–22, 127 gigamasers 158–60 globular clusters xiv, 43 grains – see dust  Halley's Comet 107–10 heat conduction on the Sun 111 heating 29, 48, 65: see also dust, heating of surrounding gas by photoelectrons from by collisional deexcitation of radiatively pumped molecules 138 by X-rays 156 due to collapse 36, 38, 103, 145 in supernova ejecta 151  Heisenberg, W 15  Heix Nebula (NGC 7293) 123, 162  Herzberg, G 76  HI. Tauri 100–1  H absorption and emission of photons by 17–18 absorption and emission of photons by 17–18 abundance as a measure of ionization rate in dark interstellar clouds 72 as a coolant in the Early Universe and during galaxy formation 32 energy levels of 15–16 energy to ionize 30–1 red line of 17 21 cm line of – see 21 cm radiation wavelength of light that ionizes 30–1 Hr 7 53, 117  He, far ultraviolet spectral lines of 18  He' 58, 85, 88–9, 92, 150–1  Hr 95, 60, 70–1, 85, 88–9, 117  Hr 73, 117  He, far ultraviolet spectral lines of 18  He' 58, 88, 88–9, 92, 150–1  Hording and construction of models of diffuse interstellar clouds 56, 59, 70, infrared emission from active galaxies 155–6, the Orion Kleinmann—Low region 95–7, 140, 155–6  interatomic interaction in 18–20 on the Sun 111  photodissociation mechanism of 35–6, 55–6 rotational levels of 22  self-screening of, against photodissociation 56, 81, 137  vibrational levels of 23  self-screening of, against photodissociation 56, 81, 137  vibrational levels of 23  self-screening of, against photodissociation 56, 81, 137  vibrational levels of 23  self-screening of, against photodissociation 56, 81, 137  vibrational levels of 23  self-screening of, against photodissociation of chemism of 59–6, 71–14  HCO 75, 86–9–70, 73–4, 147, 151–2  key importance of reactions with neutral atoms for the initiation of chemism formation sequences in hydrogen rich environments 57–8  H <sub>2</sub> 0, 85, 88–9, 92, 109–11,	rotation of 9, 101–2	117; in the Early Universe 34–5
galaxy formation xiv, 32–44, 160 gamma rays 150 gamma rays 150 gamt molecular clouds, definition and characteristics of 53–4 giant stars 115, 118–22, 127 gigamasers 158–60 globular clusters xiv, 43 grains – see dust grains – see	•	in an historical context 3
gamma rays 150 giant molecular clouds, definition and characteristics of 53-4 giant stars 115, 118-22, 127 gigamasers 158-60 globular clusters xiv, 43 grains – see dust  Halley's Comet 107-10 heat conduction on the Sun 111 heating 29, 48, 65: see also dust, heating of; dust, heating of surrounding gas by photoelectrons from by collisional deexcitation of radiatively pumped molecules 138 by photoionization 29, 123 by X-rays 156 due to collapse 36, 38, 103, 145 in supernova ejecta 151 Helix Nebula (NGC 7293) 123, 162 Herzberg, G 76 HL Tauri 100-1 H absorption and emission of photons by 17-18 abundance as a measure of ionization rate in dark interstellar clouds 72 as a coolant: the Early Universe and during galaxy formation 32 terd line of 17 21 cm line of – see 21 cm radiation wavelength of light that ionizes 30-1 H <sup>1</sup> 59, 69, 70-1, 85, 88-9, 92, 150-1 HD 71, 73-4 as a coolant in the Early Universe and during galaxy formation 37 tormation of: in the Early Universe and during galaxy formation 37 tormation of: in the Early Universe and during galaxy formation 37 tormation of: in the Early Universe and during galaxy formation 37 tormation of: in the Early Universe and cooling; in the Early Universe and during galaxy formation 37 tormation of: in the Early Universe and during galaxy formation 37 tormation of: in the Early Universe and during galaxy formation 37 tormation of: in the Early Universe and during galaxy formation 37 tormation of: in the Early Universe and during galaxy formation 37 tormation of: in the Early Universe and during galaxy formation 37 tormation of: in the Early Universe and during galaxy formation 37 tormation of: in the Early Universe and during galaxy formation of: in the Early Universe and during galaxy formation 32 tormation of: in the Early Universe and during galaxy formation 32 tormation of: in the Early Universe and during galaxy formation 37 tormation of: in the Early Universe and during galaxy formation 37 tormation of: in the Early Universe and during galaxy formation 37 tormation o	thickness of its disk 11, 45	in the diagnosis and construction of models
giant stars 115, 118–22, 127 gigamasers 158–60 globular clusters xiv, 43 grains – see dust  Halley's Comet 107–10 heat conduction on the Sun 111 heating 29, 48, 65: see also dust, heating of; dust, heating 29, 48, 65: see also dust, heating of; dust, heating 29, 48, 65: see also dust, heating of; dust, heating 29, 48, 65: see also dust, heating of; dust, heating 29, 48, 65: see also dust, heating of; dust, heating 29, 48, 65: see also dust, heating of; dust, heating 29, 48, 65: see also dust, heating of; dust, heating 29, 48, 65: see also dust, infared astronomic of see also formation of rediatively pumped molecules 138 by photoionization 29, 123 by X-rays 156 due to collapse 36, 38, 103, 145 in supernova ejecta 151 Heisenberg, W 15 Helix Nebula (NGC 7293) 123, 162 Herzberg, G 76 HI. Tauri 100–1 H  absorption and emission of photons by 17–18  abundance as a measure of ionization rate in dark interstellar clouds 72 as a coolant in the Early Universe and during galaxy formation 32 energy levels of 15–16 energy to ionize 30–1 red line of 17 21 cm line of – see 21 cm radiation wavelength of light that ionizes 30–1 HF ' 59, 60, 70–1, 85, 88–9, 917 He, far ultraviolet spectral lines of 18 He' 58, 85, 88–9, 92, 150–1 HD 71, 73–4 as a coolant in the Early Universe and during galaxy formation 37 tormation of: in the Early Universe and during galaxy formation 37 tormation of: in the Early Universe and during galaxy formation 37 tormation of: in the Early Universe and during galaxy formation 37 tormation of: in the Early Universe and during galaxy formation 37 tormation of: in the Early Universe and during galaxy formation 37 tormation of: in the Early Universe and during galaxy formation 37 tormation of: in the Early Universe and during galaxy formation 37 tormation of: in the Early Universe and during galaxy formation 37 tormation of: in the Early Universe and during galaxy formation 37 tormation of: in the Early Universe and during galaxy formation 37 tormation of: in the Early Universe and during galaxy formation 37 t	galaxy formation xiv, 32-44, 160	of diffuse interstellar clouds 56, 59, 70
characteristics of 53-4 gigant stars 115, 118-22, 127 gigamasers 158-60 globular clusters xiv, 43 grains – see dust grains – see fiscreening of, against photodissociation 56, 81, 137 vibrational levels of 22 HcN 75, 118, 120–1 HCCO † 58, 69, 12, 51–2 HCN 75, 118, 120–1 HCCO † 58, 69–70, 73–5, 163 H <sub>2</sub> D † 73–4 HDO 110 H <sub>2</sub> 9, 69–90, 73–4, 147, 151–2 key importance of reactions with neutral atoms for the initiation of chemical formation sequences in hydrogen rich environments 57–8 Hz <sub>2</sub> O 58, 60–4, 69, 85, 88–9, 92, 109–11, 118, 138–9, see also Earth, water content of fi see; Venus, water content of Hz <sub>2</sub> O † 57 Hz <sub>2</sub> O † 59, 69–1, 33, 118, 121, 126 HC <sub>2</sub> N 3, 118, 121, 126 HC <sub>3</sub> N 3, 118, 121, 126 H	gamma rays 150	infrared emission from: active galaxies 155-6;
giams stars 115, 118–22, 127 gigamasers 158–60 globular clusters xiv, 43 grains – see dust  Halley's Comet 107–10 heat conduction on the Sun 111 heating 29, 48, 65: see also dust, heating of; dust, heating of surrounding gas by photoionization 29, 123 by Collisional deexcitation of radiatively pumped molecules 138 by photoionization 29, 123 by X-rays 156 due to collapse 36, 38, 103, 145 in supernova ejecta 151 Heisenberg, W 15 Heiix Nebula (NGC 7293) 123, 162 Herzberg, G 76 HL Tauri 100–1 H absorption and emission of photons by 17–18 abundance as a measure of ionization rate in dark interstellar clouds 72 as a coolant in the Early Universe and during galaxy formation 32 energy levels of 15–16 energy to ionize 30–1 red line of 17 21 cm line of – see 21 cm radiation wavelength of light that ionizes 30–1 H 7–59, 60, 70–1, 85, 88–9, 117 H 7–35, 117 He, far ultraviolet spectral lines of 18 He 5–88, 85, 88–9, 92, 150–1 HD 71, 73–4 as a coolant in the Early Universe and during galaxy formation 37 formation of: in the Early Universe and during galaxy formation 37 formation of: in the Early Universe and during galaxy formation 37 formation of: in the Early Universe and during galaxy formation 37 formation of: in the Early Universe and cooling in the Early Universe and during galaxy formation 37 formation (12 evels of 23 selfscreening of, against photodissociation 95–6, 55–6 rotational levels of 23 selfscreening of, against photodissociation 95–6, 87–9, 72–117 HCO+58, 69–70, 73–5, 163 H2-35, 69–69–70, 73–5, 163 H2-35, 69–69–70, 73–5, 163 H2-35, 69–69–70, 73–5, 163 H2-35, 69–69–70, 73–6, 147, 151–2	giant molecular clouds, definition and	the Orion Kleinmann–Low region 95–7,
gigamasers 158-60 globular clusters xiv, 43 grains – see dust  Halley's Comet 107-10 heat conduction on the Sun 111 heating 29, 48, 65: see also dust, heating of, dust, heating of surrounding gas by photoelectrons from by collisional deexcitation of radiatively pumped molecules 138 by photoionization 29, 123 by X-rays 156 due to collapse 36, 38, 103, 145 in supernova ejecta 151 Heisenberg, W 15 Helix Nebula (NGC 7293) 123, 162 Herzberg, G 76 HI. Tauri 100-1 H absorption and emission of photons by 17-18 absorption and emission of photons by 17-18 abundance as a measure of ionization rate in dark interstellar clouds 72 as a coolant in the Early Universe and during galaxy formation 32 energy levels of 15-16 energy to ionize 30-1 red line of 17 21 cm line of - see 21 cm radiation wavelength of light that ionizes 30-1 HD 71, 73-4 as a coolant in the Early Universe and during galaxy formation 37 formation of: in the Early Universe and during galaxy formation 37 formation of: in the Early Universe and during galaxy formation 37 formation of: in the Early Universe and cooling; in the Early Universe and cooling; in the Early Universe and during galaxy formation 37 formation of: in the Early Universe and cooling; in the Early Universe and during galaxy formation 37 formation of: in the Early Universe and cooling; in the Early Universe and during galaxy formation 37 formation of: in the Early Universe and cooling; in the Early Universe and during galaxy formation 37 formation of: in the Early Universe and cooling; in the Early Universe and during galaxy formation 37 formation of: in the Early Universe and during galaxy formation 37 formation of: in the Early Universe and during galaxy formation 37 formation of: in the Early Universe and during galaxy formation 30 formation end the Early Universe and during galaxy formation 30 formation end the Early Universe and during galaxy formation 30 formation end the Early Universe and during galaxy formation 30 formation end the Early Universe and during galaxy formation 30 formati	characteristics of 53-4	140, 155–6
globular clusters xiv, 43 grains – see dust  Halley's Comet 107–10 heat conduction on the Sun 111 heating 29, 48, 65: see also dust, heating of, dust, heating of surrounding gas by photoelectrons from by collisional deexcitation of radiatively pumped molecules 138 by photoionization 29, 123 by X-rays 156 due to collapse 36, 38, 103, 145 in supernova ejecta 151 Helix Nebula (NGC 7293) 123, 162 Herzberg, G 76 HL Tauri 100–1 H absorption and emission of photons by 17–18 abundance as a measure of ionization rate in dark interstellar clouds 72 as a coolant in the Early Universe and during galaxy formation 32 energy levels of 15–16 energy to ionize 30–1 red line of 17 21 cm line of – see 21 cm radiation wavelength of light that ionizes 30–1 HC 75, 85, 88–9, 92, 150–1 HD 71, 73–4 as a coolant in the Early Universe and during galaxy formation 37 formation of: in the Early Universe and during galaxy formation 37 formation of: in the Early Universe and during galaxy formation 37 formation of: in the Early Universe and cooling; in the Early Universe and during galaxy formation 37 formation of: in the Early Universe and cooling; in the Early Universe and during galaxy formation 37 formation of: in the Early Universe and cooling; in the Early Universe and during galaxy formation 37 formation of: in the Early Universe and cooling; in the Early Universe and during galaxy formation 37 formation of: in the Early Universe and cooling; in the Early Universe and during galaxy formation 37 formation of: in the Early Universe and cooling; in the Early Universe and during galaxy formation 37 formation of: in the Early Universe and during galaxy formation 39 formation of: the Cool of the Cool	giant stars 115, 118-22, 127	interatomic interaction in 18–20
grains – see dust  Halley's Comet 107–10 heat conduction on the Sun 111 heating 29, 48, 65: see also dust, heating of; dust, heating of surrounding gas by photoelectrons from by collisional deexcitation of radiatively pumped molecules 138 by photoinization 29, 123 by X-rays 156 due to collapse 36, 38, 103, 145 in supernova ejecta 151 Heisenberg, W 15 Helix Nebula (NGC 7293) 123, 162 Herzberg, G 76 HL Tauri 100–1 H absorption and emission of photons by 17–18 abundance as a measure of ionization rate in dark interstellar clouds 72 as a coolant in the Early Universe and during galaxy formation 32 energy levels of 15–16 energy to ionize 30–1 red line of 17 21 cm line of – see 21 cm radiation wavelength of light that ionizes 30–1 Hr 59, 60, 70–1, 85, 88–9, 117 HT 35, 117 HT 35, 117 HT 35, 117 heating 29, 48, 65: see also dust, heating of; dust, heating of; dust, heating of; dust, heating of; dust, heating 29, 48, 61-22 HZ 35, 69, 72, 151–2 HCO <sup>+</sup> 58, 69–70, 73–5, 163 HZDO <sup>+</sup> 73–4, 147, 151–2 key importance of reactions with neutral atoms for the initiation of chemical formation sequences in hydrogen rich environments 57–8 H2-0 58, 89–89, 98, 88–9, 92, 109–11, 118, 138–9; see also Earth, water content of; ices; Venus, water content of H2-0 masers 12–13, 139–42, 160 H2-0 TS, 69–70, 73–5, 163 H2DO 110 H3 to 9, 69–70, 73–5, 163 H2DO 110 H3 to 9, 69–70, 73–4, 147, 151–2 key importance of reactions with neutral atoms for the initiation of chemical formation sequences in hydrogen rich environments 57–8 H2-0 58, 69–70, 73–4, 147, 151–2 key importance of reactions with neutral atoms for the initiation of chemical formation sequences in hydrogen rich environments 57–8 H2-0 58, 69–70, 73–5, 163	gigamasers 158–60	on the Sun 111
selfscreening of, against photodissociation 56, 81, 137 vibrational levels of 22 Hz 53, 69, 72, 151-2 HCN 75, 118, 120-1 HCO+58, 69-70, 73-5, 163 Hz D+ 73-4 HDO 110 H	globular clusters xiv, 43	photodissociation mechanism of 35-6, 55-6
Halley's Comet 107–10 heat conduction on the Sun 111 heating 29, 48, 65: see also dust, heating of; dust, heating of surrounding gas by photoelectrons from by collisional deexcitation of radiatively pumped molecules 138 by photoionization 29, 123 by X-rays 156 due to collapse 36, 38, 103, 145 in supernova ejecta 151 Heisenberg, W 15 Helix Nebula (NGC 7293) 123, 162 Herzberg, G 76 HL Tauri 100–1  H absorption and emission of photons by 17–18 abundance as a measure of ionization rate in dark interstellar clouds 72 as a coolant in the Early Universe and during galaxy formation 32 energy levels of 15–16 energy to ionize 30–1 red line of 17 21 cm line of – see 21 cm radiation wavelength of light that ionizes 30–1 H' 59, 60, 70–1, 85, 88–9, 117 HF 35, 117 HD 71, 73–4 as a coolant in the Early Universe and during galaxy formation 37 formation of: in the Early Universe 35 H <sub>2</sub> absorption in quasar spectra 160 abundances in interstellar clouds 55 as a coolant: 29, 63–4; see also coolants and cooling; in the Early Universe and during galaxies interestellar clouds 55 instractory and levels of 22 HCN 75, 118, 120–1 HCO† 58, 69–70, 73–5, 163 H <sub>2</sub> D 4, 59, 69–70, 73–4, 147, 151–2 key importance of reactions with neutral atoms for the initiation of chemical formation sequences in hydrogen rich environments 57–8 H <sub>2</sub> 058, 60–4, 69, 85, 88–9, 92, 109–11, 118, 138–9; see also Earth, water content of; ices; Venus, or also for the initiation of chemical formation sequences in hydrogen rich environments 57–8 H <sub>2</sub> O 58, 60–4, 69, 85, 88–9, 92, 109–11, 118, 138–9; see also Earth, water content of; ices; Venus, variety of the provided in the formation of a see a coolant i	grains – see dust	rotational levels of 23
heat conduction on the Sun 111 heating 29, 48, 63: see also dust, heating of, dust, heating of surrounding gas by photoelectrons from by collisional deexcitation of radiatively pumped molecules 138 by photoionization 29, 123 by X-rays 156 due to collapse 36, 38, 103, 145 in supernova ejecta 151 Heisenberg, W 15 Helix Nebula (NGC 7293) 123, 162 Hr. Tauri 100-1 H absorption and emission of photons by 17-18 abundance as a measure of ionization rate in dark interstellar clouds 72 as a coolant in the Early Universe and during galaxy formation 32 energy levels of 15-16 energy to ionize 30-1 red line of 17 21 cm line of - see 21 cm radiation wavelength of light that ionizes 30-1 Hr 59, 60, 70-1, 85, 88-9, 117 Hr 59, 60, 70-1, 85, 88-9, 21, 15-2 Hr 50, 118, 121, 126 Hr 50, 118,		selfscreening of, against photodissociation
heat conduction on the Sun 111 heating 29, 48, 65: $\sec$ also dust, heating of; dust, heating of surrounding gas by photoelectrons from by collisional deexcitation of radiatively pumped molecules 138 by photoionization 29, 123 by X-rays 156 due to collapse 36, 38, 103, 145 in supernova ejecta 151 Heisenberg, W 15 Helik Nebula (NGC 7293) 123, 162 Herzberg, G 76 HL Tauri 100–1 H absorption and emission of photons by 17–18 abundance as a measure of ionization rate in dark interstellar clouds 72 as a coolant in the Early Universe and during galaxy formation 32 energy levels of 15–16 energy to ionize 30–1 red line of 17 21 cm line of $-\sec$ 21 cm radiation wavelength of light that ionizes 30–1 H $^+$ 59, 60, 70–1, 85, 88–9, 21, 150–1 H $^-$ 35, 117 He, far ultraviolet spectral lines of 18 H $^-$ 58, 85, 88–9, 92, 150–1 H $^-$ 35 a a coolant in the Early Universe and during galaxy formation 37 formation of: in the Early Universe 35 interclump gas in interstellar clouds 55 as a coolant: 29, 63–4; see also coolants and cooling; in the Early Universe and during galaxy formation 37 interstellar clouds 55 as a coolant: 29, 63–4; see also coolants and cooling; in the Early Universe and during galaxy formation 37 interstellar clouds 55 as a coolant: 29, 63–4; see also coolants and cooling; in the Early Universe and during galaxy formation 37 interstellar clouds 55 interclump gas in interstellar clouds 79 intercore medium in a core cluster 85–9 interferometers — see arrays of telescopes intergalactic medium 39–43	Halley's Comet 107–10	56, 81, 137
heating 29, 48, 65: see also dust, heating of; dust, heating of surrounding gas by photoelectrons from by collisional deexcitation of radiatively pumped molecules 138 by photoionization 29, 123 by X-rays 156 due to collapse 36, 38, 103, 145 in supernova ejecta 151 Hebo 110 His population 29, 123 by X-rays 156 due to collapse 36, 38, 103, 145 in supernova ejecta 151 Helix Nebula (NGC 7293) 123, 162 Herzberg, G 76 HL Tauri 100-1 H absorption and emission of photons by 17-18 abundance as a measure of ionization rate in dark interstellar clouds 72 as a coolant in the Early Universe and during galaxy formation 32 energy levels of 15-16 energy to ionize 30-1 red line of 17 21 cm line of - see 21 cm radiation wavelength of light that ionizes 30-1 HD 71, 73-4 as a coolant in the Early Universe and during galaxy formation 37 formation of: in the Early Universe 35 H2 absorption in quasar spectra 160 abundances in interstellar clouds 55 as a coolant: 29, 63-4; see also coolants and cooling; in the Early Universe and during galaxy formation 37 intercloud medium 53 intercloud medium 53 intercloud medium 53 intercloud medium 39-43	•	vibrational levels of 22
heating of surrounding gas by photoelectrons from by collisional deexcitation of radiatively pumped molecules 138 by photoionization 29, 123 by X-rays 156 due to collapse 36, 38, 103, 145 in supernova ejecta 151 Heisenberg, W 15 Helix Nebula (NGC 7293) 123, 162 Herzberg, G 76 HL Tauri 100–1 H absorption and emission of photons by 17–18 abundance as a measure of ionization rate in dark interstellar clouds 72 as a coolant in the Early Universe and during galaxy formation 32 energy levels of 15–16 energy to ionize 30–1 red line of 17 21 cm line of – see 21 cm radiation wavelength of light that ionizes 30–1 red line of 17 21 cm line of – see 21 cm radiation wavelength of light that ionizes 30–1 H + 59, 60, 70–1, 85, 88–9, 92, 150–1 HD 71, 73–4 as a coolant in the Early Universe and during galaxy formation 37 formation of: in the Early Universe and during galaxy formation 37 formation of: in the Early Universe and cooling; in the Early Universe and during absorption in quasar spectra 160 abundances in interstellar clouds 55 as a coolant: 29, 63–4; see also coolants and cooling; in the Early Universe and during galaxy formation 37 formation of: in the Early Universe and during absorption in quasar spectra 160 abundances in interstellar clouds 55 interactions 39–43		H <sub>2</sub> <sup>+</sup> 35, 69, 72, 151–2
photoelectrons from by collisional deexcitation of radiatively pumped molecules 138 by photoionization 29, 123 by X-rays 156 due to collapse 36, 38, 103, 145 in supernova ejecta 151  Heisenberg, W 15  Helix Nebula (NGC 7293) 123, 162  Herzberg, G 76  HL Tauri 100-1  H  absorption and emission of photons by 17-18  abundance as a measure of ionization rate in dark interstellar clouds 72  as a coolant in the Early Universe and during galaxy formation 32  energy levels of 15-16  energy to ionize 30-1  red line of 17 21 cm line of - see 21 cm radiation wavelength of light that ionizes 30-1  H* 59, 60, 70-1, 85, 88-9, 117  He, far ultraviolet spectral lines of 18  He 58, 85, 88-9, 92, 150-1  HD 71, 73-4  as a coolant in the Early Universe and during galaxy formation 37  formation of: in the Early Universe and during galaxy formation of: in the Early Universe and during galaxy formation of: in the Early Universe and cooling; in the Early Universe and during absorption in quasar spectra 160  abundances in interstellar clouds 55  as a coolant: 29, 63-4; see also coolants and cooling; in the Early Universe and during intercore medium in a core cluster 85-9 intercfrometers  - see arrays of the eactions with neutral atoms for the initiation of chemical formation sequences in hydrogen rich environments 57-8  Hg 058, 60-70, 73-4, 147, 151-2  key importance of reactions with neutral atoms for the initiation of chemical formation sequences in hydrogen rich environments 57-8  Hg 058, 60-4, 69, 85, 88-9, 92, 109-11, 118, 138-9; see also Earth, water content of; ices; Venus, water content of H20 masers 12-13, 139-42, 160  Hg 20 + 57  Hg 59 -1, 93  HG 0+ 25, 57-8, 63  HC 3N 18, 121, 126  HC 3N		HCN 75, 118, 120–1
by collisional deexcitation of radiatively pumped molecules 138 by photoionization 29, 123 by X-rays 156 due to collapse 36, 38, 103, 145 in supernova ejecta 151 Heisenberg, W 15 Helix Nebula (NGC 7293) 123, 162 Herzberg, G 76 HL Tauri 100–1 H absorption and emission of photons by 17–18 abundance as a measure of ionization rate in dark interstellar clouds 72 as a coolant in the Early Universe and during galaxy formation 32 energy levels of 15–16 energy to ionize 30–1 red line of 17 21 cm line of – see 21 cm radiation wavelength of light that ionizes 30–1 H' 59, 60, 70–1, 85, 88–9, 117 H= 35, 137 As a coolant in the Early Universe and during galaxy formation 37 formation of: in the Early Universe and during galaxy formation 37 formation of: in the Early Universe and during galaxy formation 37 formation of: in the Early Universe 35 H <sub>2</sub> absorption in quasar spectra 160 abundances in interstellar clouds 55 as a coolant: 29, 63–4, see also coolants and cooling; in the Early Universe and during galaxy formation 37 or method for the initiation of chemical formation sequences in hydrogen rich environments 57–8 H <sub>2</sub> O 58, 60–4, 69, 85, 88–9, 92, 109–11, 118, 138–9, see also Earth, water content of; ices; Venus, water content of; ices; Venus, water content of H <sub>2</sub> O 55, 57–8, 63 HC <sub>3</sub> N 3, 118, 121, 126 HC <sub>3</sub> N 118, 121,		HCO <sup>+</sup> 58, 69–70, 73–5, 163
by photoionization 29, 123 by X-rays 156 due to collapse 36, 38, 103, 145 in supernova ejecta 151 Heisenberg, W 15 Helix Nebula (NGC 7293) 123, 162 Herzberg, G 76 HL Tauri 100–1 H absorption and emission of photons by 17–18 abundance as a measure of ionization rate in dark interstellar clouds 72 as a coolant in the Early Universe and during galaxy formation 32 energy levels of 15–16 energy to ionize 30–1 red line of 17 21 cm line of – see 21 cm radiation wavelength of light that ionizes 30–1 He, far ultraviolet spectral lines of 18 He, 58, 85, 88–9, 92, 150–1 HD 71, 73–4 as a coolant in the Early Universe and during galaxy formation 37 formation of: in the Early Universe and during galaxy formation of: in the Early Universe and during galax		$H_2D^+$ 73–4
by photoionization 29, 123 by X-rays 156 due to collapse 36, 38, 103, 145 in supernova ejecta 151  Heisenberg, W 15 Helix Nebula (NGC 7293) 123, 162 Herzberg, G 76 HL Tauri 100–1 H    absorption and emission of photons by 17–18    abundance as a measure of ionization rate in dark interstellar clouds 72    as a coolant in the Early Universe and during galaxy formation 32    energy tevels of 15–16    energy to ionize 30–1    red line of 17    21 cm line of – see 21 cm radiation wavelength of light that ionizes 30–1    H' 59, 60, 70–1, 85, 88–9, 117    H- 35, 117    He, far ultraviolet spectral lines of 18    He 58, 85, 88–9, 92, 150–1    HD 71, 73–4    as a coolant in the Early Universe and during galaxy formation 37    formation of: in the Early Universe 35    H <sub>2</sub> absorption in quasar spectra 160    abundances in interstellar clouds 55    as a coolant: 29, 63–4; see also coolants and cooling; in the Early Universe and during		HDO 110
key importance of reactions with neutral atoms for the initiation of chemical formation sequences in hydrogen rich environments 57–8 Helix Nebula (NGC 7293) 123, 162 Herzberg, G 76 HL Tauri 100–1 H  absorption and emission of photons by 17–18 abundance as a measure of ionization rate in dark interstellar clouds 72 as a coolant in the Early Universe and during galaxy formation 32 energy levels of 15–16 energy to ionize 30–1 red line of 17 21 cm line of – see 21 cm radiation wavelength of light that ionizes 30–1 H <sup>+</sup> 59, 60, 70–1, 85, 88–9, 117 He, far ultraviolet spectral lines of 18 He is 8, 85, 88–9, 92, 150–1 HD 71, 73–4 as a coolant in the Early Universe and during galaxy formation 37 formation of: in the Early Universe and during galaxy formation of: in the Early Universe and during galaxy formation 37 formation of: in the Early Universe and during galaxy formation 37 formation of: in the Early Universe and during galaxy formation 37 formation sequences in hydrogen rich environments 57–8 H2 <sub>2</sub> O 58, 60–4, 69, 85, 88–9, 92, 109–11, 118, 138–9; see also Earth, water content of; ices; Venus, water content of H2 <sub>2</sub> O masers 12–13, 139–42, 160 HC <sub>2</sub> O <sup>+</sup> 57 H <sub>2</sub> 5 90–1, 93 H <sub>3</sub> O <sup>+</sup> 25, 57–8, 63 HC <sub>3</sub> N 3, 118, 121, 126 HC <sub>5</sub> N 118, 121, 126 HC <sub>5</sub> N 118, 121, 126 HC <sub>1</sub> N 5, 118, 121 InfraRed Astronomical Satellite (IRAS) 155 infrared astronomy 6, 162 infrared luminosities of active galaxies 159 infrared radiation 30–1, 95–7, 140; see also dust, infrared emission of H2 infrared emission of infrared radiation by 60–1 Infrared astronomy 6, 162 infrared astronomical Satellite (IRAS) 155 infrared amission of infrared radiation by 60–1 Infrared astronomical Satellite (IRAS) 155 infrared amission of H2, 3, infrared emission of H2, 3, in		H <sub>3</sub> <sup>+</sup> 59, 69–70, 73–4, 147, 151–2
due to collapse 36, 38, 103, 145 in supernova ejecta 151  Heisenberg, W 15  Helix Nebula (NGC 7293) 123, 162  Herzberg, G 76  HL Tauri 100–1  H  absorption and emission of photons by 17–18 abundance as a measure of ionization rate in dark interstellar clouds 72 as a coolant in the Early Universe and during galaxy formation 32 energy levels of 15–16 energy to ionize 30–1 red line of 17 21 cm line of - see 21 cm radiation wavelength of light that ionizes 30–1 H <sup>+</sup> 59, 60, 70–1, 85, 88–9, 117 He, far ultraviolet spectral lines of 18 He <sup>-</sup> 58, 85, 88–9, 92, 150–1 HD 71, 73–4 as a coolant in the Early Universe and during galaxy formation 37 formation of: in the Early Universe and during galaxy formation of: in the Early Universe and during absorption in quasar spectra 160 abundances in interstellar clouds 55 as a coolant: 29, 63–4; see also coolants and cooling; in the Early Universe and during		key importance of reactions with neutral
in supernova ejecta 151 Heisenberg, W 15 Helix Nebula (NGC 7293) 123, 162 Herzberg, G 76 HL Tauri 100–1 H  absorption and emission of photons by 17–18 abundance as a measure of ionization rate in dark interstellar clouds 72 as a coolant in the Early Universe and during galaxy formation 32 energy levels of 15–16 energy to ionize 30–1 red line of 17 21 cm line of – see 21 cm radiation wavelength of light that ionizes 30–1 H+ 59, 60, 70–1, 85, 88–9, 117 H- 35, 117 He, far ultraviolet spectral lines of 18 He 58, 85, 88–9, 92, 150–1 HD 71, 73–4 as a coolant in the Early Universe and during galaxy formation 37 formation of: in the Early Universe and during galaxy formation 37 formation in quasar spectra 160 abundances in interstellar clouds 55 as a coolant: 29, 63–4; see also coolants and cooling; in the Early Universe and during a coolant: 29, 63–4; see also coolants and cooling; in the Early Universe and during galactic medium 39–43  formation of: interactions 18–20, 27–8 intercore medium in a core cluster 85–9 intergalactic medium 39–43		atoms for the initiation of chemical
Heisenberg, W 15 Helix Nebula (NGC 7293) 123, 162 Herzberg, G 76 HL Tauri 100-1 H absorption and emission of photons by 17-18 abundance as a measure of ionization rate in dark interstellar clouds 72 as a coolant in the Early Universe and during galaxy formation 32 energy levels of 15-16 energy to ionize 30-1 red line of 17 21 cm line of - see 21 cm radiation wavelength of light that ionizes 30-1 H- 59, 60, 70-1, 85, 88-9, 117 H- 35, 117 H- 35, 117 HD 71, 73-4 as a coolant in the Early Universe and during galaxy formation 37 formation of: in the Early Universe and during galaxy formation 37 formation of: in the Early Universe and cooling; in the Early Universe and during aboundances in interstellar clouds 55 as a coolant: 29, 63-4; see also coolants and cooling; in the Early Universe and during intergalactic medium 39-43		formation sequences in hydrogen rich
Helix Nebula (NGC 7293) 123, 162 Herzberg, G 76 HL Tauri 100–1 H  absorption and emission of photons by 17–18 abundance as a measure of ionization rate in dark interstellar clouds 72 as a coolant in the Early Universe and during galaxy formation 32 energy tevels of 15–16 energy to ionize 30–1 red line of 17 21 cm line of – see 21 cm radiation wavelength of light that ionizes 30–1 H¹ 59, 60, 70–1, 85, 88–9, 117 Ha as a coolant in the Early Universe and during galaxy formation 37 formation of: in the Early Universe and during galaxy formation 37 formation of: in the Early Universe 35  H2 absorption in quasar spectra 160 abundances in interstellar clouds 55 as a coolant: 29, 63–4; see also coolants and cooling; in the Early Universe and during intergalactic medium 39–43  H2 58, 60–4, 69, 85, 88–9, 92, 109–11, 118, 138–9; see also Earth, water content of: ices; Venus, water content of H2 O masers 12–13, 139–42, 160 H2 O ** H		environments 57–8
Herzberg, G 76 HL Tauri 100–1 H  absorption and emission of photons by 17–18 abundance as a measure of ionization rate in dark interstellar clouds 72 as a coolant in the Early Universe and during galaxy formation 32 energy levels of 15–16 energy to ionize 30–1 red line of 17 21 cm line of – see 21 cm radiation wavelength of light that ionizes 30–1 H- 59, 60, 70–1, 85, 88–9, 117 H- 35, 117 He, far ultraviolet spectral lines of 18 He 58, 85, 88–9, 92, 150–1 HD 71, 73–4 as a coolant in the Early Universe and during galaxy formation 37 formation of: in the Early Universe 35 H2 absorption in quasar spectra 160 abundances in interstellar clouds 55 as a coolant: 29, 63–4; see also coolants and cooling; in the Early Universe and during intergalactic medium 39–43  138–9; see also Earth, water content of; ices; Venus, water content of H2 O masers 12–13, 139–42, 160 H2,0 masers 12–13, 139–42, 160 HC <sub>3</sub> N 3, 118, 121, 126 HC <sub>5</sub> N 118, 121, 126 HC <sub>11</sub> N 5, 118, 121, 126 HC <sub>5</sub> N 118, 121, 126 HC <sub>11</sub> N 5, 118, 12		H <sub>2</sub> O 58, 60–4, 69, 85, 88–9, 92, 109–11, 118,
HL Tauri 100–1  H  absorption and emission of photons by 17–18 abundance as a measure of ionization rate in dark interstellar clouds 72 as a coolant in the Early Universe and during galaxy formation 32 energy levels of 15–16 energy to ionize 30–1 red line of 17 21 cm line of - see 21 cm radiation wavelength of light that ionizes 30–1 multiple for as a coolant in the Early Universe and during agalaxy formation 37 He, far ultraviolet spectral lines of 18 He 58, 85, 88–9, 92, 150–1 HD 71, 73–4 as a coolant in the Early Universe and during galaxy formation 37 formation of: in the Early Universe 35  H <sub>2</sub> absorption in quasar spectra 160 abundances in interstellar clouds 55 as a coolant: 29, 63–4; see also coolants and cooling; in the Early Universe and during intergalactic medium 39–43  Venus, water content of H <sub>2</sub> O masers 12–13, 139–42, 160 H <sub>2</sub> O masers 12–13, 139–42, 160 H <sub>2</sub> S 90–1, 93 H <sub>2</sub> S 90–1, 93 HC <sub>3</sub> N 3, 118, 121, 126 HC <sub>11</sub> N 5, 118, 121  ices xv, 49, 60–1, 88–9, 106–11, 138 absorption of infrared radiation by 60–1 Infrared Astronomical Satellite (IRAS) 155 infrared astronomy 6, 162 infrared arminosities of active galaxies 159 infrared emission of; H <sub>2</sub> , infrared emission from active galaxies; H <sub>2</sub> , infrared emission initial state clumps 78–85 interatomic interactions 18–20, 27–8 intercloud medium 53 interclump gas in interstellar clouds 79 intercore medium in a core cluster 85–9 interferometers  - see arrays of telescopes intergalactic medium 39–43		138-9; see also Earth, water content of; ices;
H absorption and emission of photons by 17–18 abundance as a measure of ionization rate in dark interstellar clouds 72 as a coolant in the Early Universe and during galaxy formation 32 energy levels of 15–16 energy to ionize 30–1 21 cm line of - see 21 cm radiation wavelength of light that ionizes 30–1 H <sup>+</sup> 59, 60, 70–1, 85, 88–9, 117 H <sup>-</sup> 35, 117 He, far ultraviolet spectral lines of 18 He 58, 85, 88–9, 92, 150–1 HD 71, 73–4 as a coolant in the Early Universe and during galaxy formation 37 formation of: in the Early Universe 35 H <sub>2</sub> absorption in quasar spectra 160 abundances in interstellar clouds 55 as a coolant: 29, 63–4; see also coolants and cooling; in the Early Universe and during interaction interspectation in quasar spectra 160 abundances in interstellar clouds 55 as a coolant: 29, 63–4; see also coolants and cooling; in the Early Universe and during interaction interaction in quasar spectra 160 abundances in interstellar clouds 55 as a coolant: 29, 63–4; see also coolants and cooling; in the Early Universe and during interaction interaction interaction interspectation interaction interaction interaction interspectation interaction interaction interaction interspectation interaction interaction interspectation interaction interaction interaction interspectation interaction interactio	•	Venus, water content of
absorption and emission of photons by 17–18 abundance as a measure of ionization rate in dark interstellar clouds 72 as a coolant in the Early Universe and during galaxy formation 32 energy levels of 15–16 energy to ionize 30–1 21 cm line of 17 21 cm line of - see 21 cm radiation wavelength of light that ionizes 30–1 H <sup>+</sup> 59, 60, 70–1, 85, 88–9, 117 He, far ultraviolet spectral lines of 18 He <sup>-</sup> 58, 85, 88–9, 92, 150–1 HD 71, 73–4 as a coolant in the Early Universe and during galaxy formation of: in the Early Universe 35 H <sub>2</sub> absorption in quasar spectra 160 abundances in interstellar clouds 55 as a coolant: 29, 63–4; see also coolants and cooling; in the Early Universe and during intered and during intergalactic medium 39–43  H <sub>2</sub> O <sup>+</sup> 57 H <sub>2</sub> S 90–1, 93 H <sub>3</sub> O <sup>+</sup> 25, 57–8, 63 HC <sub>3</sub> N 3, 118, 121, 126 HC <sub>5</sub> N 118, 121 (126 HC <sub>5</sub> N 118, 121, 126 HC <sub>5</sub> N 118, 121 (126 HC <sub>5</sub> N 118, 121, 126 HC <sub>1</sub> N 5, 118, 121 ices xv, 49, 60–1, 88–9, 106–11, 138 absorption of infrared radiation by 60–1 Infrared astronomical Satellite (IRAS) 155 infrared astronomy 6, 162 infrared luminosities of active galaxies 159 infrared emission of; H <sub>2</sub> , infrared emission from the Orion Kleinmann–Low region initial state clumps 78–85 intercloud medium 53 intercloud medium 53 intercloud medium in a core cluster 85–9 interferometers  - see arrays of telescopes intergalactic medium 39–43		H <sub>2</sub> O masers 12–13, 139–42, 160
abundance as a measure of ionization rate in dark interstellar clouds 72 as a coolant in the Early Universe and during galaxy formation 32 energy levels of 15–16 energy to ionize 30–1 21 cm line of 17 21 cm line of - see 21 cm radiation wavelength of light that ionizes 30–1 H <sup>+</sup> 59, 60, 70–1, 85, 88–9, 117 He, far ultraviolet spectral lines of 18 He of 18, 85, 88, 88, 89, 92, 150–1 HD 71, 73–4 as a coolant in the Early Universe and during galaxy formation 37 formation of: in the Early Universe 35  H <sub>2</sub> absorption in quasar spectra 160 abundances in interstellar clouds 55 as a coolant: 29, 63–4; see also coolants and cooling; in the Early Universe and during intergalactic medium 39–43  H <sub>2</sub> S 90–1, 93 H <sub>3</sub> O <sup>+</sup> 25, 57–8, 63 HC <sub>3</sub> N 3, 118, 121, 126 HC <sub>5</sub> N 18, 89-9, 106–11, 138 absorption of infrared radiation by 60–1 InfraRed Astronomical Satellite (IRAS) 155 infrared astronomy 6, 162 infrared emission of; H <sub>2</sub> , infrared em		$H_2O^+$ 57
abundance as a measure of ionization rate in dark interstellar clouds 72 as a coolant in the Early Universe and during galaxy formation 32 energy levels of 15–16 energy to ionize 30–1 red line of 17 21 cm line of – see 21 cm radiation wavelength of light that ionizes 30–1 H <sup>+</sup> 59, 60, 70–1, 85, 88–9, 117 He, far ultraviolet spectral lines of 18 He S 8, 85, 88–9, 92, 150–1 HD 71, 73–4 as a coolant in the Early Universe and during galaxy formation 37 formation of: in the Early Universe 35 H <sub>2</sub> absorption in quasar spectra 160 abundances in interstellar clouds 55 as a coolant: 29, 63–4; see also coolants and cooling; in the Early Universe and during intergalactic medium 39–43  H <sub>3</sub> O <sup>+</sup> 25, 57–8, 63 HC <sub>3</sub> N 3, 118, 121, 126 HC <sub>5</sub> N 118, 121  ices xv, 49, 60–1, 88–9, 106–11, 138 absorption of infrared radiation by 60–1 InfraRed Astronomical Satellite (IRAS) 155 infrared aution 30–1, 95–7, 140; see also dust, infrared emission of; H <sub>2</sub> , infrared emission from the Orion Kleinmann–Low region initial state clumps 78–85 intercloud medium 53 intercloud medium 53 intercrometers  – see arrays of telescopes intergalactic medium 39–43		
dark interstellar clouds 72 as a coolant in the Early Universe and during galaxy formation 32 energy levels of 15–16 energy to ionize 30–1 red line of 17 21 cm line of – see 21 cm radiation wavelength of light that ionizes 30–1 H <sup>+</sup> 59, 60, 70–1, 85, 88–9, 117 He, far ultraviolet spectral lines of 18 He 58, 85, 88–9, 92, 150–1 HD 71, 73–4 as a coolant in the Early Universe and during galaxy formation of: in the Early Universe and during absorption in quasar spectra 160 abundances in interstellar clouds 55 as a coolant: 29, 63–4; see also coolants and cooling; in the Early Universe and during intergalactic medium 39–43  HC <sub>3</sub> N 3, 118, 121, 126 HC <sub>5</sub> N 118, 121 HC <sub>3</sub> N 3, 118, 121, 126 HC <sub>5</sub> N 118, 121, 126 HC <sub>1</sub> IN 5, 118, 121 HC <sub>3</sub> N 3, 118, 121, 126 HC <sub>5</sub> N 118, 121, 126 HC <sub>1</sub> IN 5, 118, 121 HC <sub>3</sub> N 3, 118, 121, 126 HC <sub>1</sub> IN 5, 118, 121 HC <sub>3</sub> N 3, 118, 121, 126 HC <sub>1</sub> IN 5, 118, 121 HC <sub>3</sub> N 3, 118, 121, 126 HC <sub>1</sub> IN 5, 118, 121 HC <sub>3</sub> N 3, 118, 121, 126 HC <sub>1</sub> IN 5, 118, 121 HC <sub>3</sub> N 3, 118, 121, 126 HC <sub>1</sub> IN 5, 118, 121 HC <sub>3</sub> N 3, 118, 121, 126 HC <sub>1</sub> IN 5, 118, 121 HC <sub>3</sub> N 3, 118, 121, 126 HC <sub>1</sub> IN 5, 118, 121 HC <sub>3</sub> N 3, 118, 121, 126 HC <sub>1</sub> IN 5, 118, 121 HC <sub>1</sub> IN 5, 128 HC <sub>1</sub> IN 18, 121 HC <sub>1</sub> IN 5, 118, 121 HC <sub>1</sub> IN 18 HC <sub>1</sub> IN 19 HC <sub>1</sub> IN	abundance as a measure of ionization rate in	H <sub>3</sub> O <sup>+</sup> 25, 57–8, 63
as a coolant in the Early Universe and during galaxy formation 32 energy levels of 15–16 energy to ionize 30–1 red line of 17 21 cm line of – see 21 cm radiation wavelength of light that ionizes 30–1 H <sup>+</sup> 59, 60, 70–1, 85, 88–9, 117 He, far ultraviolet spectral lines of 18 He 58, 85, 88–9, 92, 150–1 HD 71, 73–4 as a coolant in the Early Universe and during galaxy formation of: in the Early Universe and during absorption in quasar spectra 160 abundances in interstellar clouds 55 as a coolant: 29, 63–4; see also coolants and cooling; in the Early Universe and during intergalactic medium 39–43  HC <sub>5</sub> N 118, 121 HC <sub>1</sub> N 5, 148 HC <sub>1</sub> N 6, 0–1, 85 H <sub>2</sub>		HC <sub>3</sub> N 3, 118, 121, 126
galaxy formation 32 energy levels of 15–16 energy to ionize 30–1 red line of 17 21 cm line of – see 21 cm radiation wavelength of light that ionizes 30–1 H <sup>+</sup> 59, 60, 70–1, 85, 88–9, 117 Infrared astronomical Satellite (IRAS) 155 infrared astronomy 6, 162 infrared luminosities of active galaxies 159 infrared radiation 30–1, 95–7, 140; see also dust, infrared emission of; H <sub>2</sub> , infrared emission from active galaxies; H <sub>2</sub> , infrared emission from the Orion Kleinmann–Low region initial state clumps 78–85 interatomic interactions 18–20, 27–8 intercloud medium 53 intercloud medium 53 intercloud medium 53 intercloud medium 53 intercloud spain interstellar clouds 79 intercore medium in a core cluster 85–9 interferometers  - see arrays of telescopes intergalactic medium 39–43		HC <sub>5</sub> N 118, 121, 126
energy levels of 15–16 energy to ionize 30–1 red line of 17 21 cm line of – see 21 cm radiation wavelength of light that ionizes 30–1 H <sup>+</sup> 59, 60, 70–1, 85, 88–9, 117 infrared astronomy 6, 162 infrared astronomy 6, 162 infrared aution 30–1, 95–7, 140; see also dust, infrared emission of; H <sub>2</sub> , infrared emission He · 58, 85, 88–9, 92, 150–1 HD 71, 73–4 as a coolant in the Early Universe and during galaxy formation 37 formation of: in the Early Universe 35 H <sub>2</sub> absorption in quasar spectra 160 abundances in interstellar clouds 55 as a coolant: 29, 63–4; see also coolants and cooling; in the Early Universe and during interaction of the Coron Kleinmann–Low region interactions 18–20, 27–8 intercloud medium 53 intercloud medium 53 intercloud medium in a core cluster 85–9 interferometers  - see arrays of telescopes intergalactic medium 39–43		HC <sub>11</sub> N 5, 118, 121
energy to ionize 30–1 red line of 17 21 cm line of – see 21 cm radiation wavelength of light that ionizes 30–1 H <sup>+</sup> 59, 60, 70–1, 85, 88–9, 117 infrared astronomy 6, 162 infrared astronomy 6, 162 infrared aluminosities of active galaxies 159 infrared radiation 30–1, 95–7, 140; see also dust, infrared emission of; H <sub>2</sub> , infrared emission He · 58, 85, 88–9, 92, 150–1 HD 71, 73–4 as a coolant in the Early Universe and during galaxy formation 37 formation of: in the Early Universe 35 H <sub>2</sub> absorption in quasar spectra 160 abundances in interstellar clouds 55 as a coolant: 29, 63–4; see also coolants and cooling; in the Early Universe and during interaction of the Coron Kleinmann–Low region interactions 18–20, 27–8 intercloud medium 53 intercloud medium 53 intercloud medium in a core cluster 85–9 interferometers  - see arrays of telescopes intergalactic medium 39–43	· ·	
red line of 17 21 cm line of – see 21 cm radiation wavelength of light that ionizes 30–1 H <sup>+</sup> 59, 60, 70–1, 85, 88–9, 117 infrared astronomy 6, 162 infrared astronomy 6, 162 infrared luminosities of active galaxies 159 infrared radiation 30–1, 95–7, 140; see also dust, infrared emission of; H <sub>2</sub> , infrared emission He · 58, 85, 88–9, 92, 150–1 HD 71, 73–4 as a coolant in the Early Universe and during galaxy formation 37 formation of: in the Early Universe 35 H <sub>2</sub> absorption in quasar spectra 160 abundances in interstellar clouds 55 as a coolant: 29, 63–4; see also coolants and cooling; in the Early Universe and during interaction of infrared radiation by 60–1 InfraRed Astronomical Satellite (IRAS) 155 infrared astronomy 6, 162 infrared a	••	ices xv, 49, 60-1, 88-9, 106-11, 138
21 cm line of – see 21 cm radiation wavelength of light that ionizes 30–1  H <sup>+</sup> 59, 60, 70–1, 85, 88–9, 117  infrared astronomy 6, 162  infrared luminosities of active galaxies 159  infrared radiation 30–1, 95–7, 140; see also dust,  infrared emission of; H <sub>2</sub> , infrared emission  from active galaxies; H <sub>2</sub> , infrared emission  from the Orion Kleinmann–Low region  initial state clumps 78–85  interatomic interactions 18–20, 27–8  intercloud medium 53  intercloud medium 53  interclouds 79  intercore medium in a core cluster 85–9  interferometers  as a coolant: 29, 63–4; see also coolants and cooling; in the Early Universe and during  intergalactic medium 39–43		
wavelength of light that ionizes 30–1  H <sup>+</sup> 59, 60, 70–1, 85, 88–9, 117  infrared astronomy 6, 162  infrared luminosities of active galaxies 159  infrared radiation 30–1, 95–7, 140; see also dust,  infrared emission of; H <sub>2</sub> , infrared emission  from active galaxies; H <sub>2</sub> , infrared emission  from the Orion Kleinmann–Low region  from the Orion Kleinmann–Low region  initial state clumps 78–85  interatomic interactions 18–20, 27–8  intercloud medium 53  intercloud medium 53  intercloud medium 53  intercloud s in interstellar clouds 79  intercore medium in a core cluster 85–9  interferometers  as a coolant: 29, 63–4; see also coolants and cooling; in the Early Universe and during  infrared astronomy 6, 162  infrared as	21 cm line of – see 21 cm radiation	
H <sup>+</sup> 59, 60, 70–1, 85, 88–9, 117 infrared luminosities of active galaxies 159 H <sup>-</sup> 35, 117 infrared radiation 30–1, 95–7, 140; see also dust, He, far ultraviolet spectral lines of 18 He	wavelength of light that ionizes 30-1	·
H- 35, 117 He, far ultraviolet spectral lines of 18 He' 58, 85, 88–9, 92, 150–1 As a coolant in the Early Universe and during galaxy formation of: in the Early Universe 35 H2 Absorption in quasar spectra 160 Abundances in interstellar clouds 55 As a coolant: 29, 63–4; see also coolants and cooling; in the Early Universe and during as a coolant: 29, 63–4; see also coolants and cooling; in the Early Universe and during as intergalactic medium 39–43  infrared radiation 30–1, 95–7, 140; see also dust, infrared emission of; H2, infrared emission from active galaxies; H2, infrared emission from the Orion Kleinmann–Low region initial state clumps 78–85  interatomic interactions 18–20, 27–8  intercloud medium 53  intercloud medium 53  intercloud medium in a core cluster 85–9  interferometers  - see arrays of telescopes  intergalactic medium 39–43		
He, far ultraviolet spectral lines of 18 He ' 58, 85, 88–9, 92, 150–1 As a coolant in the Early Universe and during galaxy formation of: in the Early Universe 35 H <sub>2</sub> Absorption in quasar spectra 160 Abundances in interstellar clouds 55 As a coolant: 29, 63–4; see also coolants and cooling; in the Early Universe and during as a coolant: 29, 63–4; see also coolants and cooling; in the Early Universe and during  Infrared emission of; H <sub>2</sub> , infrared emission from active galaxies; H <sub>2</sub> , infrared emission from the Orion Kleinmann–Low region initial state clumps 78–85 interatomic interactions 18–20, 27–8 intercloud medium 53 intercloud medium 53 intercloud medium in a core cluster 85–9 interferometers  - see arrays of telescopes intergalactic medium 39–43		*
He ' 58, 85, 88–9, 92, 150–1  HD 71, 73–4  as a coolant in the Early Universe and during galaxy formation 37  formation of: in the Early Universe 35  H <sub>2</sub> absorption in quasar spectra 160 abundances in interstellar clouds 55 as a coolant: 29, 63–4; see also coolants and cooling; in the Early Universe and during  from active galaxies; H <sub>2</sub> , infrared emission from the Orion Kleinmann–Low region initial state clumps 78–85 interatomic interactions 18–20, 27–8 intercloud medium 53 interclump gas in interstellar clouds 79 intercore medium in a core cluster 85–9 interferometers  - see arrays of telescopes intergalactic medium 39–43		
HD 71, 73–4  as a coolant in the Early Universe and during galaxy formation 37 formation of: in the Early Universe 35  H <sub>2</sub> absorption in quasar spectra 160 abundances in interstellar clouds 55 as a coolant: 29, 63–4; see also coolants and cooling; in the Early Universe and during  from the Orion Kleinmann–Low region initial state clumps 78–85 interatomic interactions 18–20, 27–8 intercloud medium 53 interclump gas in interstellar clouds 79 intercore medium in a core cluster 85–9 interferometers  - see arrays of telescopes intergalactic medium 39–43	•	
as a coolant in the Early Universe and during galaxy formation 37 interatomic interactions 18–20, 27–8 interatomic interactions 18–20, 27–8 intercloud medium 53 intercloud medium 53 interclump gas in interstellar clouds 79 intercore medium in a core cluster 85–9 interferometers as a coolant: 29, 63–4; see also coolants and cooling; in the Early Universe and during initial state clumps 78–85 interatomic interactions 18–20, 27–8 intercloud medium 53 interclump gas in interstellar clouds 79 intercore medium in a core cluster 85–9 interferometers — see arrays of telescopes intergalactic medium 39–43		
galaxy formation 37 interatomic interactions 18–20, 27–8 formation of: in the Early Universe 35 intercloud medium 53 interclump gas in interstellar clouds 79 intercore medium in a core cluster 85–9 interferometers as a coolant: 29, 63–4; see also coolants and cooling; in the Early Universe and during interatomic interactions 18–20, 27–8 intercloud medium 53 interclump gas in interstellar clouds 79 intercore medium in a core cluster 85–9 interferometers — see arrays of telescopes intergalactic medium 39–43	as a coolant in the Early Universe and during	<del>-</del>
formation of: in the Early Universe 35  H <sub>2</sub> intercloud medium 53  interclump gas in interstellar clouds 79  absorption in quasar spectra 160 intercore medium in a core cluster 85–9  abundances in interstellar clouds 55  as a coolant: 29, 63–4; see also coolants and cooling; in the Early Universe and during intergalactic medium 39–43		
H <sub>2</sub> interclump gas in interstellar clouds 79 absorption in quasar spectra 160 intercore medium in a core cluster 85–9 abundances in interstellar clouds 55 interferometers as a coolant: 29, 63–4; see also coolants and cooling; in the Early Universe and during intergalactic medium 39–43	formation of: in the Early Universe 35	intercloud medium 53
absorption in quasar spectra 160 intercore medium in a core cluster 85–9 interferometers as a coolant: 29, 63–4; see also coolants and cooling; in the Early Universe and during intercore medium in a core cluster 85–9 interferometers  - see arrays of telescopes intergalactic medium 39–43		interclump gas in interstellar clouds 79
abundances in interstellar clouds 55 interferometers as a coolant: 29, 63–4; see also coolants and cooling; in the Early Universe and during intergalactic medium 39–43		
cooling; in the Early Universe and during intergalactic medium 39–43	· · · · · · · · · · · · · · · · · · ·	
cooling; in the Early Universe and during intergalactic medium 39–43		- see arrays of telescopes
• • •		



### Index

interstellar clouds xiv, 2, 6, 14, 44-97 neutral-neutral reactions 27-8 neutrino detection of SN1987A 144 clumpy structures of 78-81 collisions between - see collisions between neutron stars 14, 145, 163 clouds NGC 4565 47 definition of: dark 53, 57; diffuse 52; NGC 5194 45, 46 translucent 53 NGC 5195 47 densities of 12-13, 51 novae 48, 62, 115, 127-30, 149 fraction of interstellar medium filled by 48 NQ Vulpeculae 127-8 gravitational confinement of 53, 65-7 nuclear burning in stars 114-15, 127, 145 ionization balance in 68-74, 80-5 nucleosynthesis 32-3, 46-7, 74-5, 143, 145 masses of 51 N 28, 63, 126 N<sup>+</sup> 162 number of per unit length along a line of sight Na, orange spectral line of 18 obscuration caused by 51 Na<sup>+</sup> 69–70, 85, 92 Ne<sup>+4</sup> 156-8 properties of 57 random velocities of 62 NH 61, 63, 120, 126 sizes of 51 N<sub>2</sub> 24, 28, 107-10 NO 28, 58, 83, 118 temperature of 51 interstellar gas 44-97 NH<sub>2</sub> 126 hot component of 6, 12, 44, 53 NH<sub>3</sub> 60–2, 88–93, 107–10, 120, 126 temperatures of 12 water component of 53 optical absorption lines - see absorption, optical interstellar medium, pressure of 14 observations of atoms and molecules ionization - see collisionally induced ionization; optical emission lines 156-8, 162 cosmic ray induced ionization; Orion Molecular Cloud 6, 57, 94-6, 131, 135-6, photoionization 139-40; see also Kleinmann-Low Nebula Orion Nebula 4, 6, 17, 57, 94, 155, 162 ionization induced by radioactive decays 103, distance from the Earth of 11 ion-molecule reactions 25-6 O 28, 59-60 IRC +10216 121 O+ 25, 59-60  $O^{2+}$  162 isotopes 3, 150 O<sup>5+</sup> in interstellar gas 53 James Clerk Maxwell Telescope (JCMT) 5-6 OH 4, 28, 58-60, 62-4, 70-71, 92, 117-18, 141 Jeans mass 38, 43, 53 OH masers 134-40, 142, 158-9 magnetic modification of 67 O2 24, 28 Jupiter and the Solar System's angular momentum photodetachment 117, 150 photodissociation 20-1, 35-6, 59, 70-1, 107, as a protoplanet 109-10 119-22, 124-8, 135-8, 142, 151 photoionization 18, 20-1, 26, 30-1, 59, 69-70, 81, kelvins, definition of xii 92, 117, 119-27, 129-130 Kleinmann-Low Nebula 95-7, 135-6, 139-40, photon, definition of 4 155 photon dominated regions 135-8 planet formation 99-100 Large Magellanic Cloud 12, 144, 146 planetary atmospheres xv, 99; see also Earth, lasers xiv, 4, 131 the atmosphere of lightning 99, 103 planetary nebulae 10, 14, 122-7 light year, definition of 11 planetary systems, formation of xiv; see also proto-Solar Nebula magnetic fields 40, 45, 65-8, 70-2, 80-2, 90, 97, population inversion of levels in masers 133-4 100-2, 111, 139, 163 potential curves - see interatomic interactions main sequence stars 113-14 protogalaxies 10, 33, 36, 38-9 masers xiv, 4, 12–13, 122, 131–42, 158–60 protoplanets xv, 106, 109-11 proto-Solar Nebula xiv, 99, 111 megamasers 158-62 The Milky Way – see The Galaxy convective motions in 104 density of 12-13, 99, 103 millimetre wave astronomy 4, 6, 162 moons of giant planets 111 ionization structure of 103-6 Mg<sup>+</sup> 69–70 lifetime 103, 107, 110



# Index

proto-Solar Nebula (cont.)	number of in the Galaxy 11
temperature of 103, 104	pulsation of 47
protostellar nebula, disks of 10	surface temperatures of 115
	steady state chemistry 11
quantum mechanics 15–24, 131–4	stellar chromospheres 122
quasars xiv, 155, 160	stellar evolution 113–15, 143–5, 148
	stimulated emission 131–2
radiation by a hot gas 18	submillimetre wave astronomy 5, 162
radiation pressure xiii, 107, 122	The Sun 9, 10, 78, 100, 111, 113–15
radiation trapping 64	density at its centre 12–13
radiative association 34-5, 59, 117, 149	distance: from the Earth 11; to the Galactic
radiative attachment 34–5, 129, 149	Centre 45, 154–5
radiative pumps in masers 133-4	luminosity of 144
radiative recombination 26, 33, 69-70, 129	mass of 38, 78
as a cooling mechanism 36–7	radius of 11, 117
radiative transitions 17	temperature of 12, 111, 145
radio astronomy 4-5, 51, 162	wind of 1056
radio waves 30-1	sunspots 100, 111
radioactive decays 106, 150-1	supergiant stars – see giant stars
recombination era of the Universe – see	supernova remnants 71
The Universe, the recombination era	supernovae xiv, 10, 14, 48, 53, 62, 77, 93, 106, 115
recombination of ions onto dust - see dust,	143–52, 156
recombination of ions onto	Swings, P 2
recombination radius in a stellar wind 117	S <sup>+</sup> 81, 84–5, 162
red giant stars - see giant stars	Si <sup>+</sup> 81
redshift-distance relationship in the Big Bang	SiO 122, 144, 147
159-60	SiO masers 142
redshift of radiation as the Universe expands 32	
relativity, general theory of 2	T Tauri stars 106, 114–18
Rosenfeld, L 2	talc 110
Rosette Molecular Cloud 78–80	temperatures of astronomical objects 12
rotation of molecules 20, 22-4, 30-1	thermodynamical chemical equilibrium
	107–110, 118
Saturn as a protoplanet 109–10	three-body reactions xv, 24-5, 99, 118, 124, 129
Schrödinger, E 15	timescales
serpentine 110	astronomical 9–10
Seyfert galaxies xiv, 156–8	chemical 10, 58-9, 83, 89, 107-10
shocks 12, 39-43, 53, 61-5, 87-9, 97, 124-9, 138-	dynamical in core clusters 87–9
41, 155	free-fall 83
dissociation behind 62-3, 97, 139-41	of heavy element freeze-out onto dust 83-4
SN 1987A 144, 146–52	trapping of radiation – see radiation trapping
Solar System xiv, 98–112, 163	turbulence 48, 85-6, 103, 108, 163; see also waves
size of 11	21 cm radiation 18, 51, 53, 72
spectral signatures 18	as a tracer of atomic gas in galaxies 45-6, 49
speed, average thermal 12	two-body reactions xv, 25, 99
spiral galaxies 45–7	
starburst galaxies xiv, 154–60	ultraviolet radiation 30-1
star formation xiv, 7, 24, 45, 57, 68, 77–97, 99–	The Universe
103, 155–6, 163	age of 9
stars	average density of 38
see AGB stars; giant stars; main sequence	background radiation of – see cosmic
stars; neutron stars; T Tauri stars; white	background radiation
dwarf stars	expansion of 32
envelopes, outflows, and winds of xii–xiv, 6,	recombination era of 13, 32–3, 38
10, 12–14, 85–9, 93–6, 105–6, 113–27, 139,	size of 12
141–2, 155–6	
lifetimes of 10, 14, 77, 115	vibration of molecules 20-4
luminosities of 115	Virgo cluster of galaxies 12



# Index

visible light 30-1

waves 80–2, 116 white dwarf stars 14, 115, 127, 142 winds of galaxies 39–43, 158 stars – *see* stars, envelopes, outflows, and winds of

X-rays 30-1

 $\zeta$  Ophiuchi 52