

## INDEX

- Agrobacterium, 293-304  
     rhizogenes, 302  
     tumefaciens, 272,294,298-9,302,309-14
- Alternaria solani, 12-13,18,191,237-8,240-2,244  
     resistant clones, 191,244,270
- aluminium tolerance, 240
- Andigena potatoes  
     See Solanum tuberosum ssp. andigena
- Andean potato latent virus, 20-1  
     mottle virus, 21
- anther and microspore culture  
     Capsicum annum, 289,291  
     potato, 277,284,287,289-91,331,333  
     regeneration ability, 278-80,287  
     Solanum chacoense, 289  
     Solanum melongena, 291
- aphids, 15,176
- apomixis, 225-7,249,251,256
- apospory, 256
- Bacillus thuringiensis, 314
- bacterial wilt  
     See Pseudomonas solanacearum
- black spot  
     See mechanical damage
- blight  
     See Alternaria solani and Phytophthora infestans

Cambridge University Press

978-0-521-06378-4 - The Production of New Potato Varieties: Technological Advances

Edited by G. J. Jellis and D. E. Richardson

Index

[More information](#)

## Index

348

## breeding

Canada, 94

Federal Republic of Germany, 38-43

German Democratic Republic, 32-7,58

The Netherlands, 45-53,78-80,173

Poland, 55-8

UK, 3,58,60-5,68-9,173

USA, 94-5,173,186

USSR, 3,74-6

breeding objectives, xvii,337-8,345

Federal Republic of Germany, 38-9

German Democratic Republic, 32-3

The Netherlands, 46,48-9,345

Poland, 55,345

UK, 61-2,68,345

## bruising

See mechanical damage

cDNA clones, 310-12,344

cDNA probes, 86-7,275,344

centres of diversity, 10-11,172

Cercospora leaf blotch, 13

## chips

See processing qualityChoanephora cucurbitae, 237

cold storage, 15,176

## Colorado beetle

See Leptinotarsa decemlineata

## common scab

See Streptomyces spp.Corynebacterium sepedonicum, 13,21

## crisps

See processing quality

curl, 1,3

cytoplasmic male sterility, 254

## damage

See black spot and mechanical damage

- Index 349
- dihaploids, 20,33,65,178,181,197-208,231-2,252,262,  
277,279,287,289-91,317,319-20,331-3  
See also diploids, haploids
- diploids, 11,20,51,98,172-3,177-81,184,197-208,213-6,  
218,222-4,229,231-3,239,241,256,319-20,332-3,336-7,341  
See also dihaploids
- dormancy, 168-70,201,270
- drought and heat tolerance  
See heat and drought tolerance
- dry matter content, 55,213-6,323
- earliness, 35-6,38,106,196,233,238,241-3
- early blight  
See *Alternaria solani*
- early generation selection, 72-4,75-87,240,338-9
- embryo culture, 183
- Empoasca fabae*, 176
- endosperm balance number (EBN), 20,182-3  
carnation, 183  
sugarbeet, 183  
watermelon, 183
- Epitrix cucumeris*, 176
- Erwinia carotovora*, 13,33,51,62,233  
ssp. *atroseptica*, 84-5,96-8,154
- Erwinia* spp., 237-8,338,341,
- Erysiphe cichoracearum*, 270
- Escherichia coli*, 300
- fertilizer treatments, 165-7
- first division restitution (FDR), 177,183,197-8,203-4,  
207,213-6,218,222-3,225-6,229,251-52,256,262,264,341  
See also unreduced gametes
- Fusarium*, 238,277,283,286,344
- Fusarium solani* var. *coeruleum* (dry rot), 13,33,84,282-3
- Fusarium sulphureum* (powdery dry rot), 84,96-8,282-3
- Fusarium* wilt, 13
- frost resistance (tolerance), 12,15,20,51,176,238,240,242-3,320

Cambridge University Press

978-0-521-06378-4 - The Production of New Potato Varieties: Technological Advances

Edited by G. J. Jellis and D. E. Richardson

Index

[More information](#)

Index

350

gangrene

See Phoma exigua

gene cloning, 300,310,315

See also genetic manipulation

gene expression, 272-4,293,301-4,309-14

gene identification (molecular techniques), 274

genes

ds, 226H1, 42,68,88,91,149,189,191

immunity to PVY, 191,242

Ny, 86-7Ry, 39,84,86-8

lethal hypersensitivity to PLRV, 86

ps, 197,201-2,256Rx, 88Sy<sub>1</sub>, 224Sy<sub>2</sub>, 197,202,226,256Vir, 295,300

gene transfer

See transformation

gene vectors, 184-5,294,299-301

See also Ti-plasmids

genetic manipulation, 5-6,51-2,292-304,343-5

maize, 274

pea, 273

tobacco,272-3,275,298,300

See also transformation

genetic relationships

Tuberosum and wild species, 178,200

genetic resources, 6,10-21,172-85,340,342

gene banks, 17-18,55,173,187,189

gene pools, 18,28-9,180,182,238-9,333

Neotuberosum, 186-96

Tuberosum, 63,340-51

genetic variation, xvii, 10-17,49,51,52,98,186,197-9,201,

204,218-224,236,240,249-51,341-3

genomic clones, 311-12

Cambridge University Press

978-0-521-06378-4 - The Production of New Potato Varieties: Technological Advances

Edited by G. J. Jellis and D. E. Richardson

Index

[More information](#)

- 351
- Index
- glandular hairs, 176,178  
     See also Solanum berthaultii
- Globodera spp., 16,46,55,62,68,88-9,161,174,237-8  
     pallida, 4,14,16,33,36-7,39,68,81-2,84,87,91-3,  
         148-50,175,323  
         resistant clones, 39,92-3,149  
     rostochiensis, 3-4,14,33,36-7,39,68,81-2,84,87-8,  
         91-3,148-9  
         resistant clones, 39,92
- glycoalkaloids, 19,151-2,252
- haploids, 42,57,96,197-203,211-16, 238,277,284-6,311,331  
     See also dihaploids, diploids and monohaploids
- heat and drought tolerance, 12,55,105-6,146-7,175,238,241,245  
     See also tropics and subtropics
- heterosis, 220,213-6,254-5
- hexaploids, 179
- history, xvii-xviii,1-5,172-3  
     diploids, 231-2  
     France, 331  
     Netherlands, 45-7  
     UK, 60-2  
     USA, 186-7
- inbreeding, 29,243,249,253-5,343
- International Potato Center (CIP), 235-8,240,244,250,342
- insect resistance, 176,178
- interspecific hybridization  
     See individual species
- in vitro selection, 52,277,280-86,344-5
- irrigation, 146-7  
     See also heat and drought tolerance
- land races, 11,15
- late blight  
     See Phytophthora infestans
- leaf roll  
     See potato leafroll virus

Cambridge University Press

978-0-521-06378-4 - The Production of New Potato Varieties: Technological Advances

Edited by G. J. Jellis and D. E. Richardson

Index

[More information](#)

Index

352

Leptinotarsa decemlineata, 15,151,176,270Macrophomina phaseoli, 237

male fertility, 252,258

marketable yield, 161,215,337

mass intercrossing, 94-5

mechanical damage, 33-4,41,270

resistant clones, 41

Meloidogyne spp., 15,94,237-8,240-1,270    M. chitwoodi, 191    M. hapla, 191    M. incognita, 174-5

meristem culture, 94-5

micropropagation, 52,142-4,344

monohaploids, 65,284-7,294,317

See also haploids

monoploids

See monohaploids

multiplex genotypes, 42-3,62,65,81,86,88-9,91,202,

207-8, 286,339,344

mutation breeding, 46

mutants

ps, 197,201-2,256    sy<sub>3</sub>, 197,202,256

nematodes, 12

See also Globodera spp. and Meloidogyne spp.Neotuberosum, 186-96,249,342

nobilization, 177,180,184

opines, 296-7,301

patatin, 311-14

pentaploids, 11,172

Phoma exigua, 13,16,88-9    var. foveata, 84,154,233

photoperiodism, 1,173,242-3

Phthorimaea operculella, 15,176,237-8

Cambridge University Press

978-0-521-06378-4 - The Production of New Potato Varieties: Technological Advances

Edited by G. J. Jellis and D. E. Richardson

Index

[More information](#)

- Index 353
- Phureja  
     See Solanum phureja
- Phytophthora infestans (late blight), 2-3,33,40,45-6,55,  
     62,88-9,174,180,191,237-8,338  
     early generation screening, 81-2,84,87,189,240  
     R genes, 40,175  
     resistance mechanisms, 100-1  
     resistant clones, 41, 244  
     screening procedures, 99-100,152,242,277,280-3,286,344  
     sources of resistance, 12,16,18,100,133,181,184,342
- Plant Breeders' Rights, 5-6,60,65,110
- polyploidization, 197-208
- population breeding, 239
- potato black ringspot virus, 21
- potato cyst nematodes  
     See Globodera spp.
- potato leafroll virus (PLRV), 21,33-4,39-40,84,86-9,94,154  
     237-8,240,270,284-6,320-1,344  
     cDNA probe, 86  
     resistant clones, 16,39,233,285  
     sources of resistance, 14,86,182,184,320,340-1
- potato spindle tuber (viroid), 14,20-1
- potato virus A (PVA), 21,33-4,40-1,174
- potato virus M (PVM), 14,21 33-4,40,174
- potato virus T (TVM), 20-1
- potato virus S (PVS), 21
- potato virus X (PVX), 21,33,84,88,240,284-6,344  
     cDNA probe, 86  
     potato virus B, 88  
     resistant clones, 16,191,241  
     sources of resistance, 14,174,342
- potato virus Y (PVY), 21,33-4,39-40,84,86-8,94,191,237-8,240-2  
     244,270,284-6,339,344  
     cDNA probe, 86-7  
     PVY<sup>N</sup>, 102-3  
     resistant clones, 16,39,86,233,241,244,285  
     sources of resistance, 14,174,342
- primitive species  
     See individual species and genetic resources
- processing quality, 38,42,176,270,337

Cambridge University Press

978-0-521-06378-4 - The Production of New Potato Varieties: Technological Advances

Edited by G. J. Jellis and D. E. Richardson

Index

[More information](#)

- Index 354
- processing quality, 38,42,176,270,337
- protein, 15,74,76  
     patatin, 311-14
- progeny testing, 236,239-40
- protoclones, 282  
     protoclonal variation, 20  
         See also somaclonal variation
- protoplasts, 294,323,327,329,343  
     fusion, 65,283,293-4,318-24,332-4,344  
         Brassica napus, 321  
         Nicotiana sylvestris, 321-2  
         Solanum spp., 320-1  
         tomato, 320  
         See also somatic hybridization
- regeneration, 278-80,286-7,316-8
- Pseudomonas solanacearum, 174-5,181,237-8,240-41
- quality, 42-3,46,55,337  
     consumer requirements, 163-4  
         See also processing quality
- Rhizoctonia canker, 13
- root knot nematodes  
     See Meloidogyne spp.
- sap spot hybridization (SASH)  
     See cDNA probes
- Sclerotinia sclerotiorum, 270
- second division restitution, 208,226,229
- Solanum spp., 3-4,100,236  
     acaule, 12-18,174,176,229-30  
     andreaum, 229-30  
     ajanhui, 11-12,172  
     berthaultii (ber), 12-15,101,176,178,198-201  
     boliviense (blv), 12-13,198-201,229-30  
     brevicaule, 14  
     brevidens, 14,86,174,182,184,294,317,320-1  
     bukasovii, 200-1  
     bulbocastanum, 12,15,180-1,229-30

- cananense (can), 198-201
- cardiophyllum, 12,15
- chacoense (chc), 12-16,19,174-7,179,198,200-1,205,  
215,222,229-30,241,264,289,317,320
- chaucha, 11,172-3
- circaeifolium, 12
- colombianum, 229-30
- commersonii, 12-13,15
- curtilobum, 11-12,172
- demissum, 3,12-14,16,18,20,28,42,62,86,176,177,317
- dulcamara, 317
- edinense, 3,12
- etuberosum, 12,14,20,174,182,184,317
- goniocalyx, 11,172,176-7
- gourlayi, 12-14,174,202
- guerreroense, 14
- hjertingi, 14-15
- infundibuliforme (ifd), 198-200,202
- jamesii, 13,15,175
- juzepczukii, 11-12,172
- kurtzianum, 13-15,200-1
- leptophyes, 14
- microdontum (mcd), 12-13,15-16,96,101,177,181,198-201,  
229-30,241  
ssp. gigantophyllum, 16
- multidissectum, 14,175
- neocardenasii, 15
- nigrum, 317,321
- ochoae, 12
- oplocense, 14
- pennelli, 317
- phureja (Phureja), 11,13-16,18,63,96,172,174,176-7,197,200-1,  
206-7,211,213-16,222,227,229-33,241-2,262,264,287,317-21,331
- pinnatisectum, 12,15,20,175,181
- polyadenium, 15,176
- pumilum, 3
- raphanifolium (rap), 12,175,198-9
- rybinii, 28

- salamani, 28
- sanctae-rosae (sct), 12,198-9,229-30
- simplicifolium, 63
- sogarandinum, 228
- sparsipilum, 13-14,16,174,175,200-1,241
- spgazzinii, 12-16,42,174,200-2
- stenotomum, 11,15,96,172,175-6,197
- stoloniferum, 12,14,16,18,39,42,62,86,174,176,180,229
- suaveolens, 13
- sucrense, 13-14,101,176
- tarijense (tar), 12-14,176,198-201
- toralapanum, 229
- tuberosum, 1,96,105,181-2,242,317
- ssp. andigena, 1,3,4,11,13-15,20,28,42-3,46,62,91,96,148,  
    172-4,176-7,186-89,198,229,242-3,249,342
- ssp. tuberosum, 11,15-16,20,172-3,178,189,191-2,197-9,211,  
    229,231,250,252,289,340
- venturii, 101,
- vernei, 4,12-13,15,18,42,62,68,91,177,181,229
- verrucosum, 12,18,42,101,180
- somaclonal variation, 20,52,64,184,279,282,301,315,322-4,327-9,343
- somatic hybridization, 51-2,183-4,283-4
- See also protoplast fusion
- specific gravity, 201,205-6,270,323
- spindle tuber
- See potato spindle tuber viroid
- Spongospora subterranea, 84-5,154
- spraying, 84,153
- starch, 15,74,76,219-20
- starch varieties, 35-6,38,48
- storability, 270
- storage diseases, 55,338
- See also individual pathogens
- Streptomyces spp., 13,16,41,68,84,88-9,94,154,233,270,323,327,338
- Synchytrium endobioticum, 3,16,18,33,46,60,84-5,161
- T-DNA, 295-303,309,312
- oncogenes, 297,299-300
- Ri T-DNA, 302-3

- Index 357
- Ti-plasmids, 294-304
- tissue culture, 65,315-6,323,327,329,343-5
- tobacco rattle virus  
     See spraying
- toxins, 277,280-1,282-3  
     "toxin" genes, 314
- transformation, 52,184-5,294-8,309,344  
     Desiree, 301-3  
     Maris Bard, 299,301  
     petunia, 274,300  
     Phaseolus vulgaris, 273  
     potato, 274,293,298-9,301-4,309-14  
     tobacco, 272-3,292-3  
     See also genetic manipulation
- triploids, 11,98,172-3,202,229  
     triploid embryos, 182,202
- tropics and subtropics, 237,245,336,342-3
- true potato seed (TPS), 51,65,72,89,94-5,202-3,206,218,221,225,  
     235-6,240,243,245,262,264,266,336,342-3  
     breeding, 238,248-59  
     direct seeding, 269-70  
     parents, 236,240,243-4,342  
     yield trials, 262-8
- Tuberosum  
     See Solanum tuberosum ssp. tuberosum
- unreduced (2n) gametes, 20,51,57,218,222-4,239,251,256,332,341-2  
     See also first and second division restitution
- varietal assessment, xvii,6-7,56-7,153-62,338-9  
     Federal Republic of Germany, 110-13,339-40  
     France, 114-18,339  
     Netherlands, 119-30,339-40  
     Poland, 131-3,339  
     resistance scales, 153-6  
     standards, 157-62  
     UK, 134-9,157-62,339
- varietal pedigrees, 28-9

Cambridge University Press

978-0-521-06378-4 - The Production of New Potato Varieties: Technological Advances

Edited by G. J. Jellis and D. E. Richardson

Index

[More information](#)

|   |     |
|---|-----|
| Index   | 358 |
| variety trials  |     |
| Egypt   |     |
| dormancy, 168-70  |     |
| France, 213-6   |     |
| Italy, 205  |     |
| true seed, 262,264,266                                    |     |
| UK  |     |
| National List Trials, 157-8,163                           |     |
| USA   |     |
| true seed, 262  |     |
| <u>Verticillium</u> wilt, 13,95,270                       |     |
| viruses, 3,14,34-5,55,62,86-7,174,189,274,277,284,294,338 |     |
| cDNA probes, 86-7,275,344                                 |     |
| <u>See also</u> individual viruses                        |     |
| wild species  |     |
| <u>See individual species and</u> genetic resources       |     |