

Index

Each bold-faced number indicates the page where the definition is given.

- affine arclength, **3**
 affine congruence, **102**, 113, 118–9, 125,
 154–5, 165, 217–8
 affine distance, **62**, 65–6
 affine equivalence, 40, 143, 227–8
 affine hyperplane, 223–6
 affine hypersphere, **43**, 53, 63, 80–85,
 124, 230
 center of, **43**
 homogeneous hyperbolic, 113
 hyperbolic, 217
 improper, **43**, 91, 161, 193, 208
 locally strictly convex, 124
 proper, **43**, 63, 94, 193
 with constant sectional curvature,
 113–9
 affine immersion, **27**, **29**, **196**
 Blaschke, **42**
 holomorphic, **192**
 nondegenerate, **36**, **199**, **224**, **244**
 affine mean curvature, **44**, 66–7, 78, 132,
 136, 142, 215, 230
 p-th, **135**, 137
 affine metric, **42**, 67, 215–7
 flat, 113
 of surface in \mathbf{R}^4 , **199**
 affine minimal immersion, **142**–4, 205–6,
 212, 217
 affine normal, **42**
 affine normal field, *see* normal field
 affine parameter, **12**
 affine rotation surface, 221
 affine space, **7**
 affine coordinate system in, **8**
 associated vector space, **8**
 dual, **57**
 standard, **8**
 affine sphere, *see also* affine hypersphere
 of constant curvature, 113, 118
 with flat affine metric, 113
 ruled improper, 116
 ruled proper, 118
 affine subspace, **9**
 affine support function, *see* affine
 distance, **62**, 65–6
 allowable change of coordinates, 1
 allowable chart, 175
 ambient manifold, 243
 apolarity = apolarity condition, **42**,
 51–2, 75
 atlas, **175**

B-scroll, 157, **158**
 base manifold, **22**
 Bernstein theorem (problem), 143
 affine, xi, 217
 Berwald, 53, 169
 Bianchi identities, **13**
 Blaschke connection, **42**
 Blaschke hypersurface, **42**
 Blaschke immersion, **42**, 224
 Blaschke normal field, **42**
 Blaschke structure, **42**
 Blaschke–Schneider theorem, 138
 Burstin–Mayer normal field, **200**

 Calabi, 48, 125, 217
 Cartan, 158, 221, 245
 Cartan–Norden theorem, 158
 Cauchy–Riemann equations, 129
 Cayley surface, 89, **91**, 93, 119, 233

- centro-affine (hyper)surface, **15**, 37
 fundamental form of, **15**
 of codimension 2, 221
- change
 conformal, 71, 187
 of immersion, 242
 of transversal vector field, **35**, 41, 223, 244
 of volume element, 244
- Christoffel symbols, **11**, 20, 240
- Clifford tori, 181
- Cohn–Vossen theorem, 165
- compatibility, **21**, 75, **188**
- completeness, 215
 of affine connection, 170, 215
 of affine metric, 215–7
 of foliation, 148
- complex curve, 193
- complex linearity, **194**
- complex vector, **187**
- complexification, **188**
- congruence of lines, **212**
- conic, **182**
- connection
 affine, **11**
 affine Kähler, **190**, 195
 bi-invariant, 109, 175
 Blaschke, **42**
 complex, **188**
 conjugate, **20**, 75
 dual, 22, **24**
 equiaffine, **14**
 flat affine, **13**
 holomorphic, **189**
 induced, **15**, **28**
 invariant affine, 110
 Kähler, 190
 Levi–Civita, **19**, 240
 linear, **24**
 metric, **19**
 normal, **196**
 projectively flat, 17
 real holomorphic, **189**
- conormal map, **57**
- conormal vector, **57**
- contravariant degree, **12**
- convex cone, 217
- coordinate system
 affine, **8**
 asymptotic, 72, 115, 210, 242
 flat, 92
 isothermal, 73, 128, 241
 null, 157
- cotangent bundle, **23**
- covariant degree, **12**
- covariant derivative, **9**
- covariant differentiation, **11**
- cubic form, **21**, **34**, 50–3, **198**, 208
 divisible by h , **172–3**, 184, 187
 first, codimension 2, 225
 parallel, 93, 119, 122
 second, codimension 2, 225
- curvature
 affine, **3**
 affine Gauss = affine Gauss–Kronecker, **44**, 132, 168
 Euclidean Gauss, 48
 Euclidean Gauss–Kronecker, 63
 scalar, **78**
- curvature operator, **24**
- curvature tensor field, **13**
 of the normal connection, 197
 Weyl projective, 17, 238, **239**
- cylinder
 affine, **152**
 over a plane curve, 155–6
 over a timelike curve, 156
 proper affine, **154–5**
 representation, **150**
- determinant, 1, 15, 45
 relative to a volume element, **40**
- difference tensor, **50**
- distribution, 27, 148
- divergence, **65**, **240**
- divisibility, *see* cubic form
- dual immersion (mapping), **229**
- ellipse, **5**, 6, 182
- ellipsoid, 125, 129, 137, 203, 209, 230
- elliptic paraboloid, **45**, 143–4, 208, 217
- Enneper surface, **212**

260

Enriques surface, **233**
 equation
 of Codazzi for h , **32, 35, 42, 71, 191, 197, 222**
 of Codazzi for S , **33, 35, 42, 192, 197, 222**
 of Gauss, **32, 42, 191, 197, 222**
 of Ricci, **33, 35, 42, 192, 197, 222**
 equiaffine connection, **14**
 locally, **14**
 projectively flat, **125–6**
 equiaffine structure, **14**
 equiaffinely homogeneous hypersurface, **92–3, 99–102**

 fiber, **22**
 focal surface, **212**
 Fubini–Pick invariant, **232** *see also* Pick invariant
 fundamental form
 affine, **28–9, 196, 198**
 centro-affine, **15**
 first, **28, 48**
 projective, **177**
 second, **28, 48**
 fundamental theorem, **73**

 Gauss formula, **29, 58, 148**
 generalized null cubic, **158**
 geodesic, **12**
 $\bar{\nabla}$ -, **43**
 $\bar{\nabla}$ -, **61**
 gradient, **65**
 graph, **47, 91, 93, 97, 99**
 immersion, **39**
 Graves’s theorem, **156**

 harmonic map, **64, 67, 143**
 harmonic surface in \mathbf{R}^4 , **200**
 Hartman–Nirenberg theorem, **155**
 helicoidal surface, **164, 221**
 Hessian, **64**
 holomorphic quadratic form, **128**
 holonomy group, **121**
 homogeneous space, **109**

Index

homogeneous surface
 equiaffinely, **92–3, 99–102**
 projectively, **232–3**
 Hopf surface, **190**
 hyperbola, **5, 7, 182**
 hyperbolic paraboloid, **46**
 hyperboloid, **49**
 one-sheeted, **49, 95**
 two-sheeted, **49, 117**
 hyperquadric, **53, 59, 181**
 nonsingular, **181**
 hypersurface, **29**
 Blaschke, **42**
 centro-affine, **15, 37**
 centro-affine, codimension 2, **221**
 compact nondegenerate, **122**
 definite, **122**
 elliptic, **125**
 globally strictly convex, **124**
 hyperbolic, **125**
 locally strictly convex, **123**
 nondegenerate, **36, 244**
 orientable, **42, 123**
 hypersurface immersion, **29**

 immersion
 affine, **27, 29, 196**
 affine Kähler, **194**
 Blaschke, **42, 224**
 centro-affine, **37**
 centro-affine, codimension 2, **221**
 conormal, **58**
 equiaffine, **32, 39, 224**
 equiprojective, **178–9**
 equivariant, **109**
 holomorphic, **192**
 isometric, **37, 155–6**
 nondegenerate, **36, 199, 224, 244**
 nondegenerate holomorphic, **192**
 nondegenerate projective, **177**
 projective, **176**
 totally geodesic, **177, 182**
 umbilical, **178, 197, 226**
 inner product, **18**
 definite, **18**
 Lorentzian, **18**

- of signature $(-, -, +, +)$, 130
- negative-definite, **18**
- positive-definite, **18**

- Jörgen's theorem, **48**

- kernel = null space, **18**, 148

- Laplacian, **64**, 66–7, 82–7, 138, 203, 241
 - of the Pick invariant, 82
- leaf, 148
 - complete, 153
- Lelievre's formula, **70**
- Lie algebra, 95, 107–8
- Lie group, 92, 95, 109, 176, 233
- Lie quadric, **54**, 171
- lightlike = null vector, **19**
- line field, **89**
- linear mapping
 - anti-complex, **194**
 - complex, **194**
- local lift, **221**
- local section, **22**
- locally symmetric connection, **13**, 109, 113
 - for Blaschke surfaces, 126, 129, 217–21
 - for hypersurfaces, 161
 - for $SL(2, \mathbf{R})$, $SL(2, \mathbf{R})/SO(2)$, 109, 113
- Lorentz–Minkowski metric, 49
- Lorentz–Minkowski space, 49, 155, 216
- Lorentzian inner product, **18**

- Maschke, 53
- metric
 - affine, **42**, 67, 215–7
 - dual, **25**
 - fiber, **25**
 - Hermitian, **189**
 - Kähler, **189**
 - Lorentz–Minkowski, 49
 - nondegenerate, **19**
 - projective, **187**
 - pseudo-Euclidean, 160
 - pseudo-Riemannian, **19**, 159–60, 180
 - Riemannian, **19**
 - Minkowski formula, **131**, 136
 - Myers's theorem, 125

 - natural equation, **4**
 - nondegenerate immersion, **36**, **244**
 - centro-affine, codimension 2, **224**
 - nondegenerate surfaces in \mathbf{R}^4 , **199**
 - normal connection form, **198**
 - normal field
 - affine, **42**, 67, 244
 - Blaschke, **42**
 - canonical, **201**
 - unit, 49
 - prenormalized, **224**
 - normal map = mapping, **202**
 - normal space, **196**
 - null direction, **87**
 - null space, **18**, 148
 - null vector, **19**

 - orientable hypersurface, 42, 123
 - osculating space
 - second, **197**
 - ovaloid, **124**, 129, 136–8, 165, 209

 - Pick, 53
 - Pick–Berwald theorem 53, 169
 - Pick invariant, **78**, 82, 89, 92, 103, 114, 119, 187, 209
 - the Laplacian of, 82
 - parabola, **4**, 6, 182
 - parallel cubic form, 119, 122
 - parallel displacement, 19, 21
 - parallel distribution, **148**
 - parallel nullity, **149**
 - path, **177**
 - plane curve, 1, 61, 155–6
 - of constant affine curvature, 4
 - homogeneous, 5
 - nondegenerate, 2, 4
 - pregeodesic, **12**, 235–7
 - preliminary existence theorem, **73**
 - profile hypersurface, **150**
 - projective change, **17**, 237–9

- projective curvature tensor, **17**, **238**, **239**
 projective equivalence, **17**, **227–8**, **236**
 projective immersion, **176**
 fundamental form of, **177**
 nondegenerate, **177**
 rank of, **177**
 umbilical, **178**
 projective homogeneity, **232–3**
 projective minimal hypersurface, **230**
 projective structure, **174**
 flat, **175**
 projectively flat connection, **17**, **58**, **75**,
 109, **125–6**, **129**, **175**, **221**, **227**, **238**
 projectively invariant property, **187**, **226**
- quadratic cone, **226**, **229**
 quadratic curve, **4**
 quadratic function, **47–8**
 quadratic hypersurface, **49**, **53**, **59**, **102**,
 161, **169**, **226**, **229**
 quadric, *see also* quadratic hypersurface
 Lie, **54**, **171**
- Radon's theorem, **75**
 rank
 hypersurface immersion, **36**
 immersion into projective space, **182**
 projective immersion, **177**
 recurrent tensor field, **101**
 relative normalization, **32**
 relative nullity foliation, **148**
 Ricci tensor, **14**, **34**, **42**, **78**
 nondegenerate, **161**
 nonsymmetric, **237**
 normalized, **17**, **231**, **238**
 symmetric, **18**, **38**, **237**
 rigidity, **165**, **169**
 ruled improper affine sphere, **116**
 ruled proper affine sphere, **94**, **118**
 ruled surface, **89**, **90–1**, **94**
 ruling, **92**, **95**
- S*-surface, **63**
 scalar curvature, **78**
 selfdual immersion, **229**
 affinely, **229**
 shadow boundary, **60–1**
 shape form, **231**
 shape operator
 affine, **30**, **42**, **196**, **198**
 complex, anti-complex, **194–5**
 Euclidean, **48**
 signature, **18**
 spacelike subspace, **157**
 spacelike surface, **216**
 spacelike vector, **19**
 special linear group, **106**
 spherical map, **123**
 strictly convex hypersurface
 elliptic locally, **125**
 globally, **124**
 hyperbolic locally, **125**
 locally, **123**
 support function
 affine, **62**
 Euclidean, **63**
 Sylvester's law of inertia, **18**
 symmetric homogeneous space, **111**
- tangent bundle, **22**
 tension field, **64**
 tensor bundle, **23**
 tensor of weight 2, **199**
 timelike curve, **156**
 timelike line, **157**
 timelike vector, **19**
 torsion tensor field, **13**
 total space, **22**
 totally geodesic distribution, **148**
 totally geodesic immersion, **177**, **182**
 trace, **51**, **64**
 transformation
 affine, **8**
 allowable, **1**
 associated linear, **8**
 Bäcklund, **210**
 equiaffine, **1**, **6**, **10**
 projective, **17**
 unimodular, **10**
 translation surface, **210–2**
 transversal connection form, **30**

Cambridge University Press

978-0-521-06439-2 - Affine Differential Geometry: Geometry of Affine Immersions

Katsumi Nomizu and Takeshi Sasaki

Index

[More information](#)*Index*

263

- transversal direction field, **177**
- transversal field of (sub)spaces, **28, 196**
- transversal vector field, **29, 242**
 - anti-holomorphic, **192**
 - equiaffine, **32**
 - equivariant, **109**
 - holomorphic, **192**
- type number, **169, 182**
- Tzitzèica, **63**

- umbilical immersion, **178, 197, 226**
- unimodular basis, **40, 168, 244**

- variation, **141, 213, 230**
- vector bundle, **22**
- vector field
 - holomorphic, **188**
 - radial, **222**

- real holomorphic, **188**
- variation, **141, 213**
- volume condition, **42**
- volume element = volume form, **10, 28, 198**
 - induced, **31**
 - metric, **40, 240**
 - parallel, **10, 14, 31**
- volume functional, **215, 230**

- Weierstrass formula
 - affine, **144, 203, 205**
- Weingarten congruence of lines, **212**
- Weingarten formula, **30, 148**
- Weyl projective curvature tensor, **17, 238, 239**
- Weyl's axioms for affine space, **7**

- zero torsion = torsion-free, **13**