

Cambridge University Press
978-0-521-06493-4 - Absolutely Summing Operators
Joe Diestel, Hans Jarchow and Andrew Tonge
Frontmatter
[More information](#)

CAMBRIDGE STUDIES IN
ADVANCED MATHEMATICS : 43

EDITORIAL BOARD

D.J.H. GARLING, T. TOM DIECK, P. WALTERS

ABSOLUTELY SUMMING
OPERATORS

Cambridge University Press
 978-0-521-06493-4 - Absolutely Summing Operators
 Joe Diestel, Hans Jarchow and Andrew Tonge
 Frontmatter
[More information](#)

Already published

- 1 W.M.L. Holcombe *Algebraic automata theory*
- 2 K. Petersen *Ergodic theory*
- 3 P.T. Johnstone *Stone spaces*
- 4 W.H. Schikhof *Ultrametric calculus*
- 5 J.-P. Kahane *Some random series of functions, 2nd edition*
- 6 H. Cohn *Introduction to the construction of class fields*
- 7 J. Lambek & P.J. Scott *Introduction to higher-order categorical logic*
- 8 H. Matsumura *Commutative ring theory*
- 9 C.B. Thomas *Characteristic classes and the cohomology of finite groups*
- 10 M. Aschbacher *Finite group theory*
- 11 J.L. Alperin *Local representation theory*
- 12 P. Koosis *The logarithmic integral I*
- 13 A. Pietsch *Eigenvalues and s-numbers*
- 14 S.J. Patterson *An introduction to the theory of the Riemann zeta-function*
- 15 H.J. Baues *Algebraic homotopy*
- 16 V.S. Varadarajan *Introduction to harmonic analysis on semisimple Lie groups*
- 17 W. Dicks & M. Dunwoody *Groups acting on graphs*
- 18 L.J. Corwin & F.P. Greenleaf *Representations of nilpotent Lie groups and their applications*
- 19 R. Fritsch & R. Piccinini *Cellular structures in topology*
- 20 H. Klingen *Introductory lectures on Siegel modular forms*
- 21 P. Koosis *The logarithmic integral II*
- 22 M.J. Collins *Representations and characters of finite groups*
- 24 H. Kunita *Stochastic flows and stochastic differential equations*
- 25 P. Wojtaszczyk *Banach spaces for analysts*
- 26 J.E. Gilbert & M.A.M. Murray *Clifford algebras and Dirac operators in harmonic analysis*
- 27 A. Frohlich & M.J. Taylor *Algebraic number theory*
- 28 K. Goebel & W.A. Kirk *Topics in metric fixed point theory*
- 29 J.F. Humphreys *Reflection groups and Coxeter groups*
- 30 D.J. Benson *Representations and cohomology I*
- 31 D.J. Benson *Representations and cohomology II*
- 32 C. Allday & V. Puppe *Cohomological methods in transformation groups*
- 33 C. Soulé et al *Lectures on Arakelov geometry*
- 34 A. Ambrosetti & G. Prodi *A primer of nonlinear analysis*
- 35 J. Palis & F. Takens *Hyperbolicity and sensitive chaotic dynamics at homoclinic bifurcations*
- 36 M. Auslander, I. Reiten & S. Smalø *Representation theory of Artin algebras*
- 37 Y. Meyer *Wavelets and operators*
- 38 C. Weibel *An introduction to homological algebra*
- 39 W. Bruns & J. Herzog *Cohen-Macaulay rings*
- 40 V. Snaith *Explicit Brauer induction*
- 42 E.B. Davies *Spectral theory and differential operators*
- 43 J. Diestel, H. Jarchow & A. Tonge *Absolutely summing operators*
- 44 P. Mattila *Geometry of sets and measures in Euclidean spaces*
- 45 R. Pinsky *Positive harmonic functions and diffusion*

Cambridge University Press
978-0-521-06493-4 - Absolutely Summing Operators
Joe Diestel, Hans Jarchow and Andrew Tonge
Frontmatter
[More information](#)

Absolutely Summing Operators

Joe Diestel
*Department of Mathematics and Computer Science
Kent State University*

Hans Jarchow
*Mathematisches Institut
Universität Zürich*

Andrew Tonge
*Department of Mathematics and Computer Science
Kent State University*



Cambridge University Press
978-0-521-06493-4 - Absolutely Summing Operators
Joe Diestel, Hans Jarchow and Andrew Tonge
Frontmatter
[More information](#)

CAMBRIDGE UNIVERSITY PRESS
Cambridge, New York, Melbourne, Madrid, Cape Town, Singapore, São Paulo

Cambridge University Press
The Edinburgh Building, Cambridge CB2 8RU, UK

Published in the United States of America by Cambridge University Press, New York

www.cambridge.org
Information on this title: www.cambridge.org/9780521431682

© Cambridge University Press 1995

This publication is in copyright. Subject to statutory exception
and to the provisions of relevant collective licensing agreements,
no reproduction of any part may take place without the written
permission of Cambridge University Press.

First published 1995
This digitally printed version 2008

A catalogue record for this publication is available from the British Library

ISBN 978-0-521-43168-2 hardback
ISBN 978-0-521-06493-4 paperback

CONTENTS

Introduction		xi
Notation		xiii
1. Unconditional and Absolute Summability in Banach Spaces		1
THE DVORETZKY - ROGERS THEOREM		1
Absolutely convergent series are unconditionally convergent in Banach spaces, Dvoretzky - Rogers Theorem, Coincidence of absolute and unconditional summability only in finite dimensional spaces		
UNCONDITIONAL CONVERGENCE AND THE ORLICZ - PETTIS THEOREM		4
Simple characterizations of unconditional summability, Bounded Multiplier Test, Schur's ℓ_1 Theorem, Orlicz - Pettis Theorem, Omnibus Theorem on unconditional summability		
KHINCHIN'S INEQUALITY		9
Rademacher functions, Khinchin's Inequality, Orlicz's Theorem on unconditional summability in L_1 , Span of the Rademacher functions in $L_p[0,1]$		
GROTHENDIECK'S INEQUALITY		15
Absolutely summing operators, Grothendieck's Theorem on operators from ℓ_1 to ℓ_2 , Grothendieck's Inequality, Grothendieck's Theorem on finite dimensional spaces		
NOTES AND REMARKS		19
2. Fundamentals of p-Summing Operators		31
DEFINITION		31
p -summing operators, p -summing norm		
VECTOR-VALUED SEQUENCE SPACES		32
Strong ℓ_p sequences, Weak ℓ_p sequences, Characterization of p -summing operators		
CONSTRUCTIONS OF p -SUMMING OPERATORS		36
Finite rank operators, The Banach ideal of p -summing operators, Injectivity, Inclusion Theorem		
BASIC EXAMPLES		40
Multiplication operators, Formal inclusion operators, Diagonal operators, Embeddings of function spaces, Kernel operators		
DOMINATION AND FACTORIZATION		43
Pietsch Domination Theorem, Pietsch Factorization Theorem, Operators from and to $\mathcal{C}(K)$ -spaces, 2-summing operators		
SOME CONSEQUENCES		49
Weak compactness and complete continuity of p -summing operators, Weak Dvoretzky - Rogers Theorem, p -summing character of biadjoints and adjoints		
COMPOSITION		52
NOTES AND REMARKS		55
3. Summing Operators on \mathcal{L}_p-Spaces		60
\mathcal{L}_p -SPACES		60
Operators from \mathcal{L}_1 -spaces to \mathcal{L}_2 -spaces are 1-summing, Approximation in $L_p(\mu)$ and $\mathcal{C}(K)$, $L_p(\mu)$ and $\mathcal{C}(K)$ as basic examples of \mathcal{L}_p -spaces		
OPERATORS ON \mathcal{L}_∞ -SPACES		64
Operators from \mathcal{L}_∞ -spaces to \mathcal{L}_p -spaces ($1 \leq p \leq 2$) are 2-summing		
SOME APPLICATIONS		66
Quotients of $\mathcal{C}(K)$ which are subspaces of \mathcal{L}_1 , Coincidence of 2-summing and 1-summing operators on subspaces of \mathcal{L}_p ($1 \leq p \leq 2$), uniqueness of unconditional basis in ℓ_1 ,		

$L_1[0,1]$ has no unconditional basis, Coincidence of q -summing and 2-summing operators on subspaces of \mathcal{L}_p for $1 \leq p \leq 2 < q < \infty$, Extrapolation Theorem	73
NOTES AND REMARKS	
4. Operators on Hilbert Spaces and Summing Operators	76
COMPACT HILBERT SPACE OPERATORS	76
Spectral Theorem, Orthonormal Representation, Approximation Numbers	
SCHATTEN - VON NEUMANN CLASSES	80
General Theory, Hilbert - Schmidt operators	
HILBERT-SCHMIDT OPERATORS AND SUMMING OPERATORS	84
Coincidence with 2-summing operators, with p -summing operators, Characterization by factorization	
EXTENSION PROPERTY	85
Injective Banach spaces, Π_2 -Extension Theorem, Kadets - Snobar Theorem	
ADJOINTS OF 2-SUMMING OPERATORS	88
NOTES AND REMARKS	90
5. p-Integral Operators	95
DEFINITION AND ELEMENTARY PROPERTIES	95
p -integral operators, Banach ideal property, strictly p -integral operators	
RELATIONS TO p -SUMMING OPERATORS	97
p -integral operators are p -summing, Conditions for the converse, Further cases of coincidence	
p -SUMMING OPERATORS FAILING TO BE p -INTEGRAL	99
FURTHER STRUCTURAL RESULTS	104
p -integrality of second adjoints, The case $p=1$, Composition of summing and integral operators	
ORDER BOUNDEDNESS	107
Definitions, $L_p(\mu)$ -valued order bounded operators are p -integral, Converse for $p=1$, Operators with p -summing adjoint	
p -NUCLEAR OPERATORS	111
Various characterizations of p -nuclear operators, Banach ideal property	
RELATIONS TO INTEGRAL OPERATORS	114
p -nuclear operators are p -integral, Cases of coincidence, Factorization, Composition of summing and nuclear operators	
HILBERT SPACE OPERATORS	118
p -nuclear and p -integral operators on Hilbert space, Composition of 2-summing operators	
NOTES AND REMARKS	119
6. Trace Duality	125
TRACE	125
Trace and trace duality in finite dimensions	
DUALITY FOR SCHATTEN - VON NEUMANN CLASSES	126
Composition Theorem, Trace and duality for Schatten - von Neumann classes	
BANACH IDEALS	130
Operator ideals and their norms, Banach ideals, Comparison	
ADJOINT IDEALS	132
Adjoint ideals, Biadjoint criterion	
MAXIMAL IDEALS	134
Ordering Banach ideals, Maximality, Maximality and adjoints, Maximality of p -integral operators, Adjoints of p -integral operators, Maximality of q -summing operators, Minimality of p -nuclear operators, Characterization of \mathcal{L}_∞ -spaces	

<i>Contents</i>	vii
APPLICATIONS	143
Lewis' Theorem, Auerbach's Lemma, John's ellipsoids, Carathéodory's Theorem	
NOTES AND REMARKS	151
7. 2-Factorable Operators	154
GENERALITIES	154
The Banach ideal of p -factorable operators, adjoints, the case $p=2$	
MAXIMALITY OF $[\Gamma_2, \gamma_2]$	156
RELATIONS WITH GROTHENDIECK'S INEQUALITY	157
Matricial characterization, Preparations for Maurey's Extension Theorem	
2-DOMINATED OPERATORS	162
Definition, Maximality, Trace duality of 2-dominated and 2-factorable operators, Further characterizations	
NOTES AND REMARKS	166
8. Ultraproducts and Local Reflexivity	169
GENERALITIES ON ULTRAPRODUCTS	169
Ultraproduct of Banach spaces and operators, Ultrapowers, Ultraproducts of finite dimensional spaces	
SOME STABILITY PROPERTIES	172
Banach lattices, $L_p(\mu)$ -spaces, $C(K)$ -spaces, Banach algebras and ultraproducts	
ULTRAPRODUCTS AND FINITE DIMENSIONAL STRUCTURE	173
Banach spaces as subspaces of ultraproducts of finite dimensional subspaces, Representation of operators by ultraproducts of finite dimensional operators	
FINITE REPRESENTABILITY	175
Concepts, Relation with ultraproducts, Application to $L_p(\mu)$ - and $C(K)$ -spaces	
LOCAL REFLEXIVITY	177
Helly's Lemma, Principle of Local Reflexivity, Application to biduals	
NOTES AND REMARKS	182
9. p-Factorable Operators	185
MAXIMALITY OF Γ_p	185
Maximality, Inclusions	
DUAL IDEALS	186
Definition, Adjoint and maximality of dual ideals	
q -DOMINATED OPERATORS	187
Definition and characterizations, Maximality, Trace duality of p -factorable and p^* -dominated operators	
PROOF OF THE MAIN RESULT	190
Ky Fan's Lemma	
APPLICATIONS	192
Characterization of complemented subspaces, subspaces and quotients of $L_p(\mu)$ -spaces, Extensions of p -factorable operators	
NOTES AND REMARKS	195
10. (q,p)-Summing Operators	197
SOME BASIC PROPERTIES	197
Fundamentals, Banach ideal property, $(q,2)$ -summing operators and Schatten-von Neumann classes, Inclusion theorem, Dvoretzky - Rogers Theorem	
OPERATORS ON \mathcal{L}_∞ -SPACES	199
Operators from \mathcal{L}_∞ to \mathcal{L}_p , $p>2$, Results of interpolation and factorization for (q,p) -summing operators on $C(K)$ -spaces, Coincidence of $(q,1)$ -summing and (q,p) -summing operators on $C(K)$ -spaces ($q>p$), Applications	
NOTES AND REMARKS	207

11. Type and Cotype: The Basics	211
Kahane's Inequality	
RANDOMIZED SUMS	212
Fundamentals, Lévy's Inequality	
RADEMACHER SUMS	214
RADEMACHER SUMS IN ℓ_r	216
Proof of Kahane's Inequality	
TYPE AND COTYPE	217
Definitions, Type and Cotype of \mathcal{L}_r -spaces, Permanence Properties, Type and cotype of Lebesgue-Bochner spaces	
SUMMING OPERATORS	222
Cotype and inclusion theorems for summing operators, Cotype and summing operators on $\mathcal{C}(K)$ -spaces, Orlicz's Theorem and cotype, Subspaces of L_1 having type >1	
NOTES AND REMARKS	225
12. Randomized Series and Almost Summing Operators	230
RANDOMIZED SERIES	230
Almost sure summability, Standard characterizations	
RADEMACHER SERIES	231
Contraction Principle, Almost sure summability and convergence in $L_p(X)$, The Banach space $\text{Rad}(X)$, Relations to type and cotype	
ALMOST SUMMING OPERATORS	234
Definition, p -summing operators are almost summing, Almost summing operators and cotype, Ideal properties of almost summing operators, Type 2 and almost summing operators	
GAUSSIAN VARIABLES	237
APPLICATIONS TO ALMOST SUMMING OPERATORS	239
Characterization of almost summing operators using Gaussian variables, The γ -summing norm, 2-dominated and almost summing operators	
SOME CONSEQUENCES	246
Kwapień's Theorem, Maurey's Extension Theorem, Applications	
GAUSSIAN TYPE AND COTYPE	248
Definitions, Relations to type and cotype	
THE MAUREY - ROSENTHAL THEOREM	251
Statement of the theorem, A dilation theorem, Bennett - Maurey - Nahoum decomposition of unconditionally summable sequences in L_1	
NOTES AND REMARKS	255
13. K-Convexity and B-Convexity	258
K-CONVEXITY	259
Definitions, Uniform containment of ℓ_1^n 's	
B-CONVEXITY	261
Fundamentals, Characterization by uniform containment of ℓ_1^n 's, B-convexity and duality, B-convexity and type	
EQUIVALENCE OF B- AND K-CONVEXITY	267
Semigroups of operators, Beurling - Kato Theorem, Proof of the main theorem	
SOME CONSEQUENCES	275
Duality between type and cotype in K-convex spaces, reflexive subspaces of L_1	
NOTES AND REMARKS	280

<i>Contents</i>	ix
14. Spaces with Finite Cotype	283
Finite cotype is equivalent to non-uniform containment of ℓ_∞^n 's	
DVORETZKY - ROGERS AGAIN	283
FACTORING FORMAL IDENTITIES	286
THE MAIN THEOREM	289
Cotype versus finite factorization and Orlicz's Theorem, Cotype numbers, Cotype numbers of Lebesgue - Bochner spaces, Proofs	
BRUNEL-SUCHESTON AFFAIRS	298
Ramsey's Theorem, Brunel - Sucheston Theorem, Invariance under spreading	
NOTES AND REMARKS	303
15. Weakly Compact Operators on $\mathcal{C}(K)$-Spaces	309
CHARACTERIZATION OF WEAKLY COMPACT OPERATORS	309
AN APPROXIMATION SCHEME	311
Approximation by p -summing operators, Characterizations and properties	
ULTRAPOWER STABILITY	313
Property (H), Type and Cotype, Rosenthal's Theorem on reflexive subspaces of L_1	
SPACES VERIFYING GROTHENDIECK'S THEOREM	316
Subspaces of $\mathcal{C}(K)$ leading to reflexive quotients, Kisliakov's Lemma, Finite cotype is a three space property, Grothendieck's Theorem for quotients of L_1 by a reflexive subspace	
NOTES AND REMARKS	318
16. Type and Cotype in Banach Lattices	326
FUNCTIONAL CALCULUS	326
Abstract M -spaces, Kakutani's Representation Theorem, Khinchin's Inequality in Banach lattices, Complexification of a Banach lattices	
(q, p) -CONCAVE OPERATORS	330
Definition, Characterization via $(q, 1)$ -summing operators, Cotype of a Banach lattice, Maurey - Khinchin Inequality	
THE RÔLE OF DISJOINTNESS	333
$(q, 1)$ -summing operators on $\mathcal{C}(K)$ via disjointly supported functions, Cotype q ($2 < q < \infty$) of a Banach lattice is determined on disjoint vectors, Maurey - Khinchin Inequality and finite cotype, Order bounded and almost summing operators	
TYPE AND CONVEXITY	340
(p, q) -convex operators, Duality with (p^*, q^*) -concavity, Type of Banach lattices	
NOTES AND REMARKS	341
17. Local Unconditionality	344
Unconditional basis, Unconditional basis constant	
LOCAL UNCONDITIONAL STRUCTURE	344
Definitions, Banach lattices have l.u.st., X has l.u.st. iff X^{**} is complemented in a Banach lattice, l.u.st. and duality	
THE GORDON - LEWIS INEQUALITY	349
GL-SPACES	350
Definitions and duality	
GL-SPACES AND COTYPE	352
GL-spaces of cotype 2, Duality of type and cotype in GL-spaces	
$\Lambda(2)$ -SETS	355

BANACH SPACES FAILING (GL)	358
Failure of (GL) in $\mathcal{L}(\ell_2)$ and in Schatten - von Neumann classes S_p , $p \neq 2$	
NOTES AND REMARKS	363
18. Summing Algebras	373
<i>p</i> -SUMMING ALGEBRAS	373
Definitions, Elementary properties and examples	
POLYNOMIAL INEQUALITIES	375
Polynomials, Norms of polynomials, Symmetric multilinear forms, Quotients of <i>p</i> -summing algebras	
Q-ALGEBRAS AND OPERATOR ALGEBRAS	378
Q-Algebras and quotients of 1-summing algebras, Quotient algebras of uniform algebras are operator algebras	
A COMMUTATIVE NON-OPERATOR ALGEBRA	381
The Wiener algebra is not an operator algebra	
FAILURE OF THE MANY VARIABLE VON NEUMANN INEQUALITY	383
A COMMUTATIVE NON-Q OPERATOR ALGEBRA	386
2-SUMMING ALGEBRAS AND OPERATOR ALGEBRAS	387
2-summing algebras are operator algebras	
STRICTLY <i>p</i> -SUMMING ALGEBRAS	390
Strictly <i>p</i> -summing algebras are uniform algebras	
NOTES AND REMARKS	393
19. Dvoretzky's Theorem and Factorization of Operators	396
Dvoretzky's Theorem, Factorizing Hilbert - Schmidt operators, Characterization of K-convexity	
FRÉCHET DERIVATIVES OF CONVEX FUNCTIONS	397
GROUP ACTIONS AND INVARIANT MEASURES	400
ACTIONS OF THE ORTHOGONAL GROUP	403
Action on spheres, on Grassmannians	
PROOF OF DVORETZKY'S THEOREM	406
Dvoretzky - Rogers norms, Proof of the theorem, Cotype of spaces of compact operators, Type of spaces of nuclear operators	
BASIC SEQUENCES	410
Special blocking of basic sequences	
FACTORIZATION	412
Factorization of compact Hilbert space operators through subspaces of arbitrary Banach spaces, Application to Hilbert - Schmidt operators, Generalizations	
COMPLEMENTATION	416
Cotype 2 numbers and γ -summing norm, Existence of finite rank projections of nice norms	
K-CONVEXITY	420
Geodesic Metric, Isoperimetric Inequality, Lévy's Lemma, X is K-convex iff it contains the ℓ_2^n 's uniformly and uniformly complemented	
THE ISOPERIMETRIC INEQUALITY	424
Caps, Qualitative version of the Isoperimetric Inequality, Blaschke's Selection Theorem, Spherical symmetrization	
NOTES AND REMARKS	431
References	435
Author Index	465
Subject Index	469

INTRODUCTION

The roots of the theory of p -summing operators lie in work undertaken by Alexandre Grothendieck from the 1950s. However, it was only in 1967 that Albrecht Pietsch clearly isolated this class of operators and established many of their fundamental properties. Within a year Pietsch's work gained recognition thanks to the appearance of the seminal paper "Absolutely summing operators in \mathcal{L}_p -spaces and their applications" of Joram Lindenstrauss and Aleksander Pełczyński.

The time was ripe for these ideas to gain ascendance. They soon made serious inroads into other areas of analysis – witness Pełczyński's influential monograph "Banach Spaces of Analytic Functions and Absolutely Summing Operators" which was published within a decade of Pietsch's introduction – and this trend has continued unabated.

Unfortunately, students and specialists in subjects other than Banach space theory have scant sources to learn about our topic. P. Wojtaszczyk's excellent and broad ranging "Banach Spaces for Analysts" is pitched at a level high enough to be uncomfortable for many students. Indeed, with the possible exception of G.J.O. Jameson's elegant text "Summing and Nuclear Norms in Banach Space Theory", which carefully avoids the measure theoretical underpinnings of the subject, no general introduction to the area exists. We hope our book goes some way towards filling this gap.

Our aim is to introduce the student of analysis to the basic facts about p -summing operators and their relatives and to show how their theory can be applied in a variety of situations. We have tried to follow the dictum espoused by C.A. Rogers:

"As the book is largely based on lectures, and as I like my students to follow my lectures, proofs are given in detail; this may bore the mature mathematician, but it will I believe be a great help to anyone trying to learn the subject *ab initio*."

We expect that those with a sound background in real analysis, complex analysis and functional analysis will be ready and able to gain from the study of this text. As indicated above, we have presented much of the material in classes and seminars, and this has greatly influenced our ordering.

The first six chapters give a thorough and, we hope, accessible introduction which should be suitable for presentation in classes, seminars and the like. Naturally, the material in later chapters is often much tougher, and sometimes we find it convenient to call on substantial results from other areas without proof. On occasion, theorems are given two different proofs; as one might expect, this is to illustrate how various developments lend new insights.

Cambridge University Press
978-0-521-06493-4 - Absolutely Summing Operators
Joe Diestel, Hans Jarchow and Andrew Tonge
Frontmatter
[More information](#)

Despite the length of the text, we have striven to avoid being encyclopaedic. However, at the end of each chapter, we have notes and remarks in which we relate historical information, indicate directions to be pursued, provide results that are a bit beyond our perceived scope, and generally pander to our encyclopaedic urges without poisoning the text. We make no claim of completeness (although we always work with Banach spaces). Hopefully, we have been accurate in allocating priorities.

As is usual in such ventures, we have benefitted from the support of many people and institutions. We take the opportunity to thank some of those to whom we are indebted.

The Mathematics Departments at Kent State University and Universität Zürich have provided us with stages where we tried our material on the most valuable of audiences – graduate students and colleagues. To all these people we extend our thanks for their patience and perceptive advice.

We have also had the opportunity to test our wares at a number of other institutions, most particularly, Centrale (Caracas, Venezuela), Complutense (Madrid, Spain), Los Andes (Merida, Venezuela), New England (Armidale, Australia), PAN (Warsaw, Poland), Pretoria (Republic of South Africa), São Paulo (Brazil), Sevilla (Spain) and University College (Dublin, Ireland).

In addition, we have had access through the years to the wit and wisdom of numerous mathematicians and friends who have greatly influenced our thinking. Among them we mention R. Alencar, R.M. Aron, D. Barcenás, G. Bennett, F. Bombal, C. Cardassi, B. Carl, G. Curbera, W.J. Davis, A. Defant, S. Dineen, S.W. Drury, T. Figiel, C. Finet, K. Floret, D.J.H. Garling, K. John, W.B. Johnson, V.M. Kadets, S. Kaijser, N.J. Kalton, H. König, S. Kwapień, L.E. Labuschagne, K. Lerner, D.R. Lewis, V.D. Mascioni, B. Maurey, V.D. Milman, A. Pelczyński, A. Pietsch, G. Pisier, J.R. Retherford, B. Sims, A. Ströh, J. Swart, N. Tomczak-Jaegermann, N.T. Varopoulos and G. West. To each of these individuals and institutions we acknowledge our debt and gratitude.

Our thanks also go to S. Kyburz for preparing a substantial part of the manuscript.

In addition, we wish to thank the National Science Foundation, Schweizerischer Nationalfonds zur Förderung der wissenschaftlichen Forschung, the Polish Academy of Sciences and the Kent State Office of Research and Sponsored Programs for important financial support.

Kent and Zürich
April 1994

NOTATION

We shall stick to standard definitions and terminology. \mathbf{N} , \mathbf{Q} , \mathbf{R} , \mathbf{C} will be the systems of natural, rational, real and complex numbers; \mathbf{Z} will denote the ring of integers, and occasionally we shall write $\mathbf{N}_0 := \mathbf{N} \cup \{0\}$. We shall also use \mathbf{K} to stand for \mathbf{R} or \mathbf{C} .

Our main interest is in Banach spaces over \mathbf{K} and in their operators. Throughout this text, X, Y, Z, \dots will be Banach spaces; typical members will be x, y, z, \dots , respectively, perhaps with indices. When we deal with finite dimensional spaces, E, F, H, \dots may be used to denote the space in question. By $\text{span } M$ and $\text{conv } M$ we mean the linear span and the convex hull of a subset M of a Banach space.

The norm of a Banach (or just normed) space X will usually be denoted by $\|\cdot\|$, but when more precision is desirable, we may also use $\|\cdot\|_X$. B_X will denote the closed unit ball $\{x \in X : \|x\| \leq 1\}$ of our Banach space X , whereas $S_X = \{x \in X : \|x\| = 1\}$ is its unit sphere.

As usual, bounded linear maps between Banach spaces are referred to as operators; they will be denoted by u, v, w, \dots . Let X and Y be Banach spaces. The collection $\mathcal{L}(X, Y)$ of all operators $u : X \rightarrow Y$ is a Banach space with respect to the (uniform) norm $\|u\| = \sup_{x \in B_X} \|ux\|$. If $X = Y$, then $\mathcal{L}(X)$ is used instead of $\mathcal{L}(X, X)$. We shall extend this convention to subsystems of operators as well. For example, $\mathcal{F}(X, Y)$ will be used to denote the collection of all operators in $\mathcal{L}(X, Y)$ which have a finite dimensional range, and $\mathcal{F}(X)$ replaces $\mathcal{F}(X, X)$.

A Banach space operator $u : X \rightarrow Y$ is *isometric* if $\|ux\| = \|x\|$ for all $x \in X$; it is an *isometry* if it is in addition onto.

The continuous dual of a Banach space X is $X^* := \mathcal{L}(X, \mathbf{K})$; its typical member will be denoted by x^* , and for $x \in X$, we shall write $\langle x^*, x \rangle$ (or $\langle x, x^* \rangle$) for the action of x^* on x . The bidual of X is the space $X^{**} = (X^*)^*$, and $x \mapsto \langle \cdot, x \rangle$ establishes an isometric embedding $X \hookrightarrow X^{**}$; we denote it by k_X .

Only in Chapter 18 do we deviate from our notation concerning elements; we do this to avoid potential confusion with the notation of $*$ -algebras.

Hilbert spaces will generally be denoted by H or H_k , and if x and y are elements of a Hilbert space their inner product will be written $(x|y)$.

The classical function spaces $\mathcal{C}(K)$ of continuous \mathbf{K} -valued functions on a compact Hausdorff space K as well as the spaces $L_p(\mu)$ relative to a measure μ need no further comment. The latter are Banach spaces when $1 \leq p \leq \infty$.

Occasionally, we shall also take into account the case $0 < p < 1$; then we are dealing with complete metrizable topological vector spaces. If μ is the counting measure on some given set J , we write ℓ_p^J in place of $L_p(\mu)$. Thus ℓ_∞^J just consists of all bounded functions $f : J \rightarrow \mathbf{K}$, and $\|f\|_\infty = \sup_{j \in J} |f(j)|$. If p is finite, then $f : J \rightarrow \mathbf{K}$ belongs to ℓ_p^J if and only if $\{j \in J : f(j) \neq 0\}$ is countable and $\sum_{j \in J} |f(j)|^p$ is finite; this sum is then $\|f\|_p^p$.

By c_0^J we mean the closed subspace of ℓ_∞^J consisting of all functions $f : J \rightarrow \mathbf{K}$ which ‘vanish at infinity’: given $\varepsilon > 0$ there is a finite subset M of J such that $f(j) \leq \varepsilon$ for all $j \in J \setminus M$.

The classical sequence spaces ℓ_p and c_0 are obtained by taking $J = \mathbf{N}$. If J is a finite set, $J = \{1, \dots, n\}$ say, then we prefer to write ℓ_p^n in place of ℓ_p^J .

At certain important junctures we shall also encounter the classical Lorentz spaces $L_{p,q}(\mu)$ relative to a measure space (Ω, Σ, μ) ; we shall only be interested in the case $1 \leq p, q \leq \infty$. $L_{p,q}(\mu)$ consists of all (μ -a.e. equivalence classes of) measurable functions $f : \Omega \rightarrow \mathbf{K}$ whose *decreasing rearrangement*

$$f^* : [0, \mu(\Omega)) \rightarrow \mathbf{K} : t \mapsto \inf \{s > 0 : \mu(|f| > s) \leq t\}$$

satisfies

$$\|f\|_{p,q} := \left(\int_0^{\mu(\Omega)} (t^{(1/p)-1} f^*(t))^q dt \right)^{1/q} < \infty$$

if $q < \infty$, and

$$\|f\|_{p,\infty} := \sup_{t \geq 0} t^{1/p} |f^*(t)| < \infty$$

if $q = \infty$. The spaces obtained in this way are Banach spaces though $\|\cdot\|_{p,q}$ is, in general, only equivalent to a Banach space norm. But we always have $L_{p,p}(\mu) = L_p(\mu)$ isometrically. Details can be found in many books, for example in E.M. Stein and G. Weiss [1971].

If μ is counting measure on \mathbf{N} (or $\{1, \dots, n\}$) we write $\ell_{p,q}$ (or $\ell_{p,q}^n$) instead of $L_{p,q}(\mu)$. When we take the absolute values of the members of a scalar sequence (a_k) and arrange them in non-increasing order, we obtain the decreasing rearrangement (a_k^*) , and then

$$\|(a_k)\|_{p,q} = \left(\sum_n (n^{(1/p)-1} a_n^*)^q \right)^{1/q}$$

if $q < \infty$, whereas

$$\|(a_k)\|_{p,\infty} = \sup_n n^{1/p} \cdot a_n^*.$$

Let $1 \leq p < \infty$. If $(X_j)_{j \in J}$ is a family of Banach spaces, then its ℓ_p *direct sum*,

$$\left(\bigoplus_{j \in J} X_j \right)_p,$$

(also written $\left(\bigoplus_{j \in J} X_j \right)_{\ell_p^J}$) consists of all $(x_j)_{j \in J} \in \prod_{j \in J} X_j$ such that $(\|x_j\|)_{j \in J}$ belongs to ℓ_p^J . This is a Banach space with respect to the norm

$$\|(x_j)_{j \in J}\| = \|(\|x_j\|)_{j \in J}\|_p = \left(\sum_{j \in J} \|x_j\|^p \right)^{1/p}.$$

Notation

xv

The meaning of $(\bigoplus_{j \in J} X_j)_\infty$ and $(\bigoplus_{j \in J} X_j)_{c_0}$ is self-explanatory. As in the scalar case, we make the canonical identification of the dual of $(\bigoplus_{j \in J} X_j)_{c_0}$ with $(\bigoplus_{j \in J} X_j^*)_1$; the duality is given by $\langle (x_j^*), (x_j) \rangle = \sum_{j \in J} \langle x_j^*, x_j \rangle$. In the same way, for $1 \leq p < \infty$, we shall identify the dual of $(\bigoplus_{j \in J} X_j)_p$ with $(\bigoplus_{j \in J} X_j^*)_{p^*}$. The ℓ_p direct sum of n Banach spaces X_1, \dots, X_n will also be denoted by $X_1 \oplus_p \dots \oplus_p X_n$.