

Cambridge Studies in Advanced Mathematics 53 Editors: W. Fulton, D.J.H. Garling, K. Ribet, P. Walters

GROUPS AS GALOIS GROUPS



- 1 W.M.L. Holcombe Algebraic automata theory
- 2 K. Petersen Ergodic theory
- 3 P.T. Johnstone Stone spaces
- 4 W.H. Schikhof Ultrametric calculus
- 5 J.-P. Kahane Some random series of functions, 2nd edition
- 6 H. Cohn Introduction to the construction of class fields
- 7 J. Lambek & P.J. Scott Introduction to higher-order categorical logic
- 8 H. Matsumura Commutative ring theory
- 9 C.B. Thomas Characteristic classes and the cohomology of finite groups
- 10 M. Aschbacher Finite group theory
- 11 J.L. Alperin Local representation theory
- 12 P. Koosis The logarithmic integral I
- 13 A. Pietsch Eigenvalues and s-numbers
- 14 S.J. Patterson An introduction to the theory of the Riemann zeta-function
- 15 H.J. Baues Algebraic homotopy
- 16 V.S. Varadarajan Introduction to harmonic analysis on semisimple Lie groups
- 17 W. Dicks and M. Dunwoody Groups acting on graphs
- 18 L.J. Corwin and F.P. Greenleaf Representations of nilpotent Lie groups and their applications
- 19 R. Fritsch and R. Piccinini Cellular structures in topology
- 20 H. Klingen Introductory lectures on Siegel modular forms
- 21 P. Koosis The logarithmic integral II
- 22 M.J. Collins Representations and characters of finite groups
- 24 H. Kunita Stochastic flows and stochastic differential equations
- 25 P. Wojtaszczyk Banach spaces for analysts
- 26 J.E. Gilbert and M.A.M. Murray Clifford algebras and Dirac operators in harmonic analysis
- 27 A. Frohlich and M.J. Taylor Algebraic number theory
- 28 K. Goebel and W.A. Kirk Topics in metric fixed point theory
- 29 J.F. Humphreys Reflection groups and Coxeter groups
- 30 D.J. Benson Representations and cohomology I
- 31 D.J. Benson Representations and cohomology II
- 32 C. Allday and V. Puppe Cohomological methods in transformation groups
- 33 C. Soule et al. Lectures on Arakelov geometry
- 34 A. Ambrosetti and G. Prodi A primer of nonlinear analysis
- 35 J. Palis and F. Takens Hyperbolicity, stability and chaos at homoclinic bifurcations
- 37 Y. Meyer Wavelets and operators I
- 38 C. Weibel An Introduction to homological algebra
- 39 W. Bruns and J. Herzog Cohen-Macaulay rings
- 40 V. Snaith Explicit Brauer induction
- 41 G. Laumon Cohomology of Drinfeld modular varieties: Part I
- 42 E.B. Davies Spectral theory of differential operators
- 43 J. Diestel, H. Jarchow, and A. Tonge Absolutely summing operators
- 44 P. Mattila Geometry of sets and measures in Euclidean spaces
- 45 R. Pinsky Positive harmonic functions and diffusion
- 46 G. Tenenbaum Introduction to analytic and probabilistic number theory
- 47 C. Peskine Complex projective geometry
- 48 Y. Meyer and R. Coifman Wavelets and operators II
- 49 R. Stanley Enumerative combinatorics
- 50 I. Porteous Clifford algebras and the classical groups



GROUPS AS GALOIS GROUPS

An Introduction

HELMUT VÖLKLEIN

University of Florida and Universität Erlangen





CAMBRIDGE UNIVERSITY PRESS Cambridge, New York, Melbourne, Madrid, Cape Town, Singapore, São Paulo

Cambridge University Press
The Edinburgh Building, Cambridge CB2 8RU, UK

Published in the United States of America by Cambridge University Press, New York

www.cambridge.org
Information on this title: www.cambridge.org/9780521562805

© Helmut Völklein 1996

This publication is in copyright. Subject to statutory exception and to the provisions of relevant collective licensing agreements, no reproduction of any part may take place without the written permission of Cambridge University Press.

First published 1996
This digitally printed version 2008

A catalogue record for this publication is available from the British Library

Library of Congress Cataloguing in Publication data Völklein, Helmut.

Groups as Galois groups: an introduction / Helmut Völklein.

p. cm. – (Cambridge studies in advanced mathematics; 53)

Includes index.

ISBN 0-521-56280-5 (hardcover)

1. Inverse Galois theory. I. Title. II. Series.

QA247.V65 1996

512'.3 - dc20

95-46746

CIP

ISBN 978-0-521-56280-5 hardback ISBN 978-0-521-06503-0 paperback



MEINEN ELTERN

Max und Edeltraut Völklein

UND MEINER FRAU

Sommai

IN LIEBE GEWIDMET



Contents

Pr	eface			page xiii	
No	otatio	n		xvii	
I	The Basic Rigidity Criteria				
1	Hilbert's Irreducibility Theorem			3	
	1.1	Hilbertian Fields		3	
		1.1.1	Preliminaries	3	
		1.1.2	Specializing the Coefficients of a Polynomial	5	
		1.1.3	Basic Properties of Hilbertian Fields	10	
	1.2	The Rational Field Is Hilbertian		13	
		1.2.1	Analyticity of Roots	14	
		1.2.2	The Rational Field Is Hilbertian	16	
		1.2.3	Integral Values of Meromorphic Functions	18	
	1.3 Algebraic Extension		raic Extensions of Hilbertian Fields	21	
		1.3.1	Weissauer's Theorem	21	
		1.3.2	Applications	24	
2	Finite Galois Extensions of $\mathbb{C}(x)$				
	2.1 Extensions of Laurent Series Fields		sions of Laurent Series Fields	27	
		2.1.1	The Field of Formal Laurent Series over k	27	
		2.1.2	Factoring Polynomials over $k[[t]]$	28	
		2.1.3	The Finite Extensions of $\bar{k}(t)$	30	
	2.2 Extensions of $\bar{k}(x)$		32		
		2.2.1	Branch Points and the Associated Conjugacy Classe	s 32	
		2.2.2	Riemann's Existence Theorem and Rigidity	37	
3	Descent of Base Field and the Rigidity Criterion			40	
	3.1 Descent			40	
		3.1.1	Fields of Definition	40	
		3.1.2	The Descent from $\bar{\kappa}$ to κ	43	
	3.2	The Rigidity Criteria			

vii



viii		Contents		
	3.3	Rigidity and the Simple Groups		
		3.3.1	The Alternating and Symmetric Groups	52
		3.3.2	A Formula to Verify Rigidity	53
		3.3.3	The Sporadic Groups	54
		3.3.4	The Lie Type Groups	55
		3.3.5	A Criterion for Groups Modulo Center	56
		3.3.6	An Example: The Groups $PSL_2(q)$	57
4	Covering Spaces and the Fundamental Group		61	
	4.1	The General Theory		
		4.1.1	Homotopy	61
		4.1.2	Coverings	63
		4.1.3	The Homotopy Lifting Property	64
		4.1.4	Galois Coverings and the Group of Deck	
			Transformations	67
	4.2	Cover	rings of the Punctured Sphere	69
		4.2.1	The Coverings of the Disc Minus Center	69
		4.2.2	and the second s	
			Ramified Point	72
		4.2.3	Coverings of Prescribed Ramification Type	76
5	Rier		urfaces and Their Function Fields	84
	5.1		ann Surfaces	84
	5.2			
		the Punctured Sphere		87
		5.2.1		87
		5.2.2	The Identification between Topological and Algebraic	
		_	Ramification Type	89
	5.3	. , . , ,		92
	5.4	- 2		
,	æ		ensions	94
6		-	ic Version of Riemann's Existence Theorem	96
	6.1		act Hilbert Spaces	96
		6.1.1	Continuous Linear Maps and Orthogonal	0.6
		(1)	Complements Banach's Theorem	96
	()	6.1.2		99
	6.2		Some Literary Laboratory $L^2(D)$	100
		6.2.1	Square Integrable Functions	101
		6.2.2	Functions on a Disc	102
	6.2	6.2.3	$L^2(D)$ Is a Hilbert Space	103
	6.3	Cocyc	eles and Coboundaries	105



	Contents				
		6.3.1	Square Integrable Functions on Coordinate Patches	105	
		6.3.2	Cocycles	106	
		6.3.3	The Coboundary Map	107	
	6.4	Cocyo	cles on a Disc	107	
		6.4.1	Dolbeault's Lemma	107	
		6.4.2	Cocycles on a Disc	109	
	6.5	A Fin	iteness Theorem	110	
		6.5.1	The Patching Process	111	
		6.5.2	Restriction $Z^1(\mathcal{V}) \to Z^1(\mathcal{U})$	112	
		6.5.3	Proof of the Finiteness Theorem	114	
II	Fur	ther Di	rections		
7	The	Descer	at from $\mathbb C$ to $ar k$	119	
	7.1	Exten	sions of $\mathbb{C}(x)$ Unramified Outside a Given Finite Set	119	
	7.2	Specia	alizing the Coefficients of an Absolutely Irreducible		
		Pol	ynomial	121	
	7.3	The D	Descent from $\mathbb C$ to $ar k$	123	
	7.4	The M	Inimal Field of Definition	126	
	7.5	Embe	dding Problems over $\bar{k}(x)$	128	
8	Emb	edding	Problems	130	
	8.1	Gener	ralities	130	
		8.1.1	Fields over Which All Embedding Problems Are Solvable	130	
		8.1.2	Minimal Embedding Problems	132	
	8.2				
		8.2.1	A Rationality Criterion for Function Fields	134 134	
		8.2.2	•	135	
		8.2.3		136	
	8.3 GAR-Realizations and GAL-Realizations		141		
		8.3.1	Definition and the Main Property of a GAR-Realization	141	
		8.3.2	- ·	144	
		8.3.3	Digression: Fields of Cohomological Dimension 1 and		
			the Shafarevich Conjecture	149	
		8.3.4	GAL-Realizations over \bar{k}	153	
9	Brai	ding A	ction and Weak Rigidity	155	
	9.1				
		Ramification Type 15			
	9.2	· ·			
		the	Resulting Outer Rigidity Criterion	161	
	9.3	Const	ruction of Weakly Rigid Tuples	165	



x Contents

	9.4	Δη Δη	plication of the Outer Rigidity Criterion	169		
	2.7	9.4.1	Braiding Action through the Matrices $\Phi(Q, \zeta)$	170		
		9.4.2	Galois Realizations for $PGL_n(q)$ and $PU_n(q)$	170		
10	Modi		es for Covers of the Riemann Sphere			
10	10.1		pological Construction of the Moduli Spaces	178		
	10.1	10.1.1	A Construction of Coverings	179		
		10.1.1	Distinguished Conjugacy Classes in the	179		
		10.1.2	Fundamental Group of a Punctured Sphere	101		
		10.1.3	The Moduli Spaces as Abstract Sets	181 181		
		10.1.3	The Topology of the Moduli Spaces	183		
		10.1.5	Families of Covers of the Riemann Sphere	186		
		10.1.5	The Braid Group			
		10.1.7	•	188		
		10.1.7	Components of $\mathcal{H}_r^{(A)}(G)$, and the Example of	192		
		10.1.6	Simple Covers	105		
	10.2	The A1	gebraic Structure of the Moduli Spaces	195 199		
	10.2	10.2.1	Coverings of Affine Varieties	200		
		10.2.1	The Action of Field Automorphisms on the	200		
		10.2.2	Points of $\mathcal{H}_r^{in}(G)$	201		
		10.2.3	The Algebraic Structure of $\mathcal{H}_r^{(A)}(G)$, and the	201		
		10.2.3	Proof of Theorem 9.5	205		
	10.3					
	10.5	on Moduli Spaces				
		10.3.1	The \mathbb{Q} -Structure on $\mathcal{H}^{in}_r(G)$	208		
		10.3.1	•	208		
		10.5.2	Absolutely Irreducible Components of $\mathcal{H}^{in}_r(G)$ Defined over \mathbb{Q}	210		
		10.2.2	•	210		
11	Dotoh	10.3.3	The Application to PAC-Fields	212213		
11						
	11.1			214		
		11.1.1	Absolute Values	214		
			Power Series	215		
			Algebraic Power Series Are Convergent	216		
	11.2		Weierstraß Division	217		
	11.2	_	f Converging Power Series	218		
			The Basic Set-Up	219		
		11.2.2	Structure of the Rings A , A_1 , and A_2	220		
	11.2	11.2.3	The Embedding of <i>A</i> into $k[[x-c]]$	222		
	11.3	GAGA	Conton 's Lauren	222		
		11.3.1	Cartan's Lemma	223		
		11.3.2	Induced Algebras	225		



	Contents		xi
	11.3.3	An Elementary Version of 1-Dimensional	
		Rigid GAGA	226
11.4	Galois Groups over $k(x)$		231
	11.4.1	Inductive Construction of Galois Extensions	231
	11.4.2	Regular Extensions in Positive Characteristic	235
	11.4.3	Galois Realizations of Cyclic Groups	236
	11.4.4	Galois Groups and Embedding Problems	
		over $k(x)$	239
References		243	
Index			247



Preface

The goal of the book is to lead the reader to an understanding of recent results on the Inverse Galois Problem: The construction of Galois extensions of the rational field $\mathbb Q$ with certain prescribed Galois groups. Assuming only a knowledge of elementary algebra and complex analysis, we develop the necessary background from topology (Chapter 4: covering space theory), Riemann surface theory (Chapters 5 and 6), and number theory (Chapter 1: Hilbert's irreducibility theorem). Classical results like Riemann's existence theorem and Hilbert's irreducibility theorem are proved in full, and applied in our context. The idea of **rigidity** is the basic underlying principle for the described construction methods for Galois extensions of $\mathbb Q$.

From the work of Galois it emerged that an algebraic equation f(x) = 0, say over the rationals, is solvable by radicals if and only if the associated Galois group G_f is a solvable group. As a consequence, the general equation of degree $n \ge 5$ cannot be solved by radicals because the group S_n is not solvable.

This idea of encoding algebraic—arithmetic information in terms of group theory was the beginning of both Galois theory and group theory. Nowadays we learn basic Galois theory in every first-year algebra course. It has become one of the guiding principles of algebra. One aspect of the theory that remains unsatisfactory is the fact that it is very hard to compute the Galois group of a given polynomial. Therefore, the full correspondence between equations of degree n and subgroups of S_n can only be worked out for very small values of n. Since it is probably impossible to get a full understanding of this correspondence for general n, one is naturally led to the following more reasonable question: Do at least all subgroups of S_n occur in this correspondence, that is, does every subgroup of S_n correspond to some equation of degree n? The most important case is that of irreducible equations, which correspond to the transitive subgroups of S_n .

This question is one formulation of the Inverse Problem of Galois Theory. It is often just called the Inverse Galois Problem. Hilbert was the first to study



xiv Preface

this problem. His irreducibility theorem shows that it suffices to realize groups as Galois groups over the function field $\mathbb{Q}(x)$. This allows us to use methods from Riemann surface theory and algebraic geometry. Hilbert applied his method to obtain Galois realizations of the symmetric and alternating groups. The next milestone was Shafarevich's realization of all solvable groups over \mathbb{Q} (in the 1950s). His approach is purely number-theoretic, and does not extend to nonsolvable groups.

The classification of finite simple groups, completed around 1980, gave a new direction to the work on the Inverse Galois Problem. It now seemed natural to concentrate first on the simple groups, and get the composite groups later by some kind of inductive procedure. It is not yet clear how this inductive procedure – or embedding problem, in technical terms – would work in general. There are, however, quite a few results in this direction, for example, Serre's obstruction theory for central extensions and Matzat's notion of GAR-realization for extensions with centerless kernel. The latter works best if one wants to realize Galois groups over the full cyclotomic field \mathbb{Q}_{ab} , instead of over \mathbb{Q} (because all embedding problems over \mathbb{Q}_{ab} with abelian kernel are solvable). If every nonabelian finite simple group has a GAR-realization over $\mathbb{Q}_{ab}(x)$, then the Inverse Galois Problem has a positive solution over \mathbb{Q}_{ab} . Moreover, the lattice of all algebraic extensions of \mathbb{Q}_{ab} would then be known. In technical terms, the absolute Galois group of \mathbb{Q}_{ab} would be a free profinite group of countable rank. The latter is known as Shafarevich's conjecture. We will describe the notion of GAR-realization - a Galois realization with particular extra properties - and the related notions of GAL-realization and GAP-realization in Chapter 8.

The above justifies focusing on the simple groups, more generally, on almost simple groups (i.e., groups between a simple group and its automorphism group). That is what the main body of this book is about. It uses the geometric approach of Hilbert, coupled with the idea of **rigidity** (as Thompson called it). The rigidity criterion (in its various versions) gives purely group-theoretic conditions that force a finite group to occur as a Galois group over \mathbb{Q} (actually over every hilbertian field of characteristic 0). It is generally believed to have been found independently by Belyi, Matzat, and Thompson in the early 1980s. But it should be remarked that it is contained implicitly as a special case in earlier work of Fried ([Fr1] 1977).

The elementary level of our approach is the main difference between this and existing books on the subject by Matzat [Ma1] and Serre [Se1], and the forthcoming book [MM] by Malle and Matzat, which give a much higher level presentation. It has not been my goal to state each result in its greatest generality; rather I have tried to give an introduction to the various ideas involved in the subject. Accordingly, there is no claim for completeness. Omissions include the



Preface xv

theory of nonsplit abelian embedding problems and the construction of rigid triples in Lie type groups. For a quite complete description of the known results on the Inverse Galois Problem we refer the reader to [MM]. The same holds true for tracing the origin of results – I have tried to attribute proper credit where it seemed appropriate, but again there is no claim for completeness.

Another related topic that is not touched here is the problem of constructing *explicit* polynomials with a given Galois group. There are quite a few results on this, notably polynomials over $\mathbb Q$ found by Malle, Matzat, and others, often with the aid of a computer, see [Ma1], [Malle2]. More recently, Abhyankar [Abh2] has found infinite series of polynomials in positive characteristic with various classical groups as Galois groups.

One particular simplification in the first part of the book is that we avoid the descent from $\mathbb C$ to $\bar{\mathbb Q}$ (usually done by Weil's descent theory), by a simple trick involving Hilbert's irreducibility theorem. This descent is needed in the second part of the book, however, and we present it in Chapter 7, using the Bertini–Noether Lemma. Further, we avoid the technicalities necessary to introduce profinite groups, and phrase everything in terms of finite Galois extensions. Thus it is hoped that now celebrated results – like Thompson's realization of the monster group – become accessible to a wider mathematical audience.

More recent approaches, based on the earlier work of Fried, try to replace the rigidity conditions by the use of moduli spaces and the braid group action. An introduction to this is given in Chapters 9 and 10. We cannot give a full treatment of this theory because it requires deeper methods of algebraic geometry and several complex variables. More important, this theory is still very much in the process of being shaped, connecting, for example, to recent work of Drinfeld, Ihara, and others on the Grothendieck—Teichmüller group, work of Fried on modular towers, and other topics. In addition, the extension to the generalized braid groups introduced by Brieskorn (and possibly other fundamental groups) is yet to be developed.

To keep in line with the main theme of this book – the idea of rigidity – Chapters 9 and 10 show how the braid group action on generating systems naturally arises from the study of weak rigidity. We derive the resulting Outer Rigidity Criterion using the higher-dimensional version of Riemann's existence theorem (which we cannot prove here).

Finally, Chapter 11 gives an introduction to Harbater's patching method. It is essentially independent of the rest of the book. The idea is to imitate the analytic theory of Chapters 4 to 6 for base fields other than the complex numbers. Complex analysis is replaced by ultrametric analysis, which works over any field that is complete with respect to an ultrametric absolute value.



xvi Preface

Actually, for our approach very little is required from ultrametric analysis, and we develop it in the first two sections. Riemann's existence theorem does not generalize in its full strength, but certain substitutes are obtained (that also hold over fields of positive characteristic). Results include the solution of the Inverse Galois Problem over the fields $\mathbb{Q}_p(x)$ (where \mathbb{Q}_p is the p-adic field) and a proof of the "geometric case of Shafarevich's conjecture."

The first part of the book (Chapters 1 to 6) gives a full proof of the basic rigidity criteria for the realization of groups as Galois groups. Chapter 1 (Hilbert's irreducibility theorem) is essentially independent of the rest (except for some very basic definitions and lemmas), in the methods as well as in the results. Chapter 1 gives the logical foundation for the other chapters, however; they are concerned with realizing groups G over $\mathbb{Q}(x_1, \ldots, x_n)$, whereas Chapter 1 shows that then G also occurs as a Galois group over \mathbb{Q} . The first two sections of Chapter 1 suffice for this conclusion. On a first reading, it may be advisable to skip Chapter 1 and take Hilbert's irreducibility theorem for granted.

Chapter 2 formulates the algebraic version of Riemann's existence theorem and draws some corollaries. Chapter 3 derives the rigidity criterion and gives applications. Chapter 4 is purely topological. It is applied in Chapter 5 to reduce the algebraic version of Riemann's existence theorem to the analytic version. The analytic version is proved in Chapter 6.

The exposition in the second part of the book (especially Chapters 9 and 10) proceeds at a faster pace, whereas I have taken care to keep the first part quite elementary. The first part could be used for a one-semester course for second year graduate students.

This book grew out of notes taken by Ralph Frisch during a course I gave at Erlangen in the summer of 1991. I thank Ralph for his enthusiasm and diligence. Thanks for long years of encouragement, beginning with my first steps in mathematics, are due to Karl Strambach, my teacher and friend. I thank M. Jarden and H. Matzat for long-term invitations to the Institute for Advanced Studies in Jerusalem and to the IWR at the University of Heidelberg, respectively. Further, I thank G. Malle and P. Müller for a critical reading of parts of the manuscript. I acknowledge various remarks and discussions from several colleagues, in particular the above-mentioned and W.-D. Geyer, D. Haran, K. Magaard, J.-P. Serre, J. Thompson, and M. van der Put. Above all, I want to express my deep indebtedness to Mike Fried who introduced me to this exciting area, and in countless conversations and e-mail messages has shared his profound knowledge freely with me.

Helmut Völklein Gainesville



Notation

We let \mathbb{N} , \mathbb{Z} , \mathbb{Q} , \mathbb{R} , and \mathbb{C} denote the set of natural numbers and integers, and the field of rational, real, and complex numbers, respectively.

For G a group, $\operatorname{Aut}(G)$ (resp., $\operatorname{Inn}(G)$) denotes its automorphism group (resp., group of inner automorphisms). Z(G) denotes the center of G, and $C_G(H)$ the centralizer of H in G. The direct resp., semi-direct, product of groups is denoted by $G \times H$ resp., $G \cdot H$. All group actions are from the left, unless otherwise stated. A conjugacy class of a group is called nontrivial if it is different from $\{1\}$ (the class consisting of the neutral element).

The symbol := means "defined to be equal to." (Thus x := 2 means x is defined to be 2.) If K/k is a field extension, we let $\operatorname{Aut}(K/k)$ denote the group of automorphisms of K that are the identity on k. If K/k is Galois, G(K/k) (= $\operatorname{Aut}(K/k)$) denotes the Galois group; for any subfield L of K invariant under G(K/k) we let $\operatorname{res}_{K/L}$ denote the restriction homomorphism $G(K/k) \to G(L/k \cap L)$. If U is a subgroup of G(K/k), then K^U denotes the fixed field of U. If K/k and K/k are field extensions, a K-isomorphism from K to K is an isomorphism that is the identity on K. We let K denote an algebraic closure of K.

We use the abbreviation "FG-extension" for "finite Galois extension."