
Botanical index

- Abies sachalinensis*, 61, 66
Acanthopanax chiisanensis, 54
Acanthopanax koreanum, 54
Aegilops ovata, 104, 185
Allamandu nerifolia, 52
Alnus glutinosa, 63
Anthriscus nemerosa, 26, 32
Anthriscus sylvestris, 68
Aptosimon spinescens, 47, 49–50, 57, 185
Arachis hypogaea, 103
Araucaria angustifolia, 58, 61, 143, 152
Arctium lappa, 23, 26, 144, 275, 277
Aristolochia albida, 140
Aristolochia chilensis, 37
Aristolochia triangularis, 20
Artemisia absinthum, 43–4, 48, 140, 150, 152
Asarum sp., 44
Asarum sieboldii, 44
Austrobaileya scandens, 17, 18, 38, 58, 67

Balanaphora japonica, 47
Berberidaceae, 88
Berberis chinensis, 35
Boenninghausenia albiflora, 74
Buddleja davidii, 42
Bupleurum frutescens, 72
Bursera ariensis, 19
Bursera microphylla, 33

Calocedrus formosana, 31
Carissa carandas, 19
Carissa edulis, 19, 139, 147, 148
Cedrus deodara, 22, 146, 148
Cerbera sp., 279
Chaerophyllum maculatum, 26, 31
Chamaecyparis obtusa, 31, 139
Cinnamomum laura, 70
Cinnamomum camphora, 22, 50
Cinnamosma madagascariensis, 61
Cleistanthus collinus, 53, 71, 72, 76
Cleistanthus patulus, 72, 291

Clerodendrom inerme, 81, 141
Commiphora incisa, 69
Conocarpus erectus, 17

Dacridium intermedium, 21, 23, 60, 146
Daphne tangutica, 36, 212
Desfontania spinosa, 55
Dialyanthera otoba, 62
Diospyrus kaki, 309
Diphylleia grayi, 73
Dirca occidentalis, 150
Dolichandrone crispa, 53

Ecballium elaterium, 46, 142
Eremophila dalyana, 50
Eremophila glabra, 43, 49
Eucalyptus hemiphloia, 45, 139
Eucommia sp., 101
Eucommia ulmoides, 47, 52, 54–5, 146
Eupomatia laurina, 77, 285

Fagus grandiflora, 272
Fitzroya cuppressoides, 61, 139
Flaveria chloraefolia, 140
Flindersia brassii, 33
Forsythia sp., 47, 55, 142, 290
Forsythia koreana, 142
Forsythia suspensa, 142, 290
Fraxinus japonica, 86
Fraxinus mandshurica, 51–2, 86, 212, 276

Globularia alypum, 55, 153
Gmelina arborea, 34, 50–1, 139, 208
Gmelina leichardtii, 51
Guaiacum officinale, 18, 21, 42, 58, 59, 139
Guazuma tomentosa, 49, 143

Haplophyllum buxbaumii, 76
Haplophyllum dauricum, 73
Haplophyllum hispanicum, 73
Haplophyllum myrtifolium, 24, 73
Haplophyllum tuberculatum, 74, 76

Cambridge University Press

978-0-521-06543-6 - Lignans: Chemical, Biological and Clinical Properties

D. C. Ayres and J. D. Loike

Index

[More information](#)386 *Botanical index*

- Haplophyllum versicolor*, 56
Haplophyllum vulcanicum, 26
Hedyotis lawsoniae, 47, 49
Helichrysum sp., 34, 104
Helichrysum bracteatum, 148
Heliopsis buphthalmoides, 24–5, 32
Heliopsis popovii, 74
Heliopsis scabra, 24, 74
Heliopsis sp., 26
Heliopsis tuberculatum, 74, 76
Hernandia cordigera, 24, 29
Hernandia guainensis, 24
Hernandia ovigera, 67–8, 73, 140, 370
Hernandia peltata, 43–4
Himantandra baccata, 39, 58, 139
Himantandra belgraveana, 39–40, 139
Horsefieldia iryaghedhi, 45

Icea ajanensis, 66
Iryanthera grandis, 142

Jatropha gossypifolia, 31
Juniperus formosana, 60, 62, 73
Juniperus phoenicea, 150, 154
Juniperus silicicola, 68
Justicia sp., 74–5
Justicia extensa, 75
Justicia flava, 74–5, 150, 152
Justicia hayatai, 74, 99
Justicia procumbens, 73–4
Justicia prostrata, 75
Justicia simplex, 44, 46, 55, 57, 74, 150

Kadsura coccinea, 77–9, 80–1, 86, 191
Kadsura japonica, 77, 142, 152
Kigelia pinnata, 50, 53, 144
Knema attenuata, 143, 145
Krameria cystoides, 2, 41
Krameria triandra, 41

Lancan tibetica, 54
Larix dahurica, 34
Larix desidua, 22, 34–5, 139
Larix leptolepis, 35, 277, 279
Larix sibirica, 34
Larrea divaricata, 17, 18, 59, 140
Lauraceae, 278
Librocedrus yateensis, 29
Licaria armeniaca, 46
Licaria tulipifera, 46
Ligustrum japonicum, 147, 192
Liliales, 144
Liriodendron tulipifera, 45, 62, 288

Litsea grandis, 40
Lonicera hypoleuca, 52, 56, 146

Machilus glaucescens, 47
Machilus japonica, 40, 140, 146, 151
Machilus thunbergii, 40
Machilus zuihoensis, 23, 41
Macropiper excelsum, 44, 45, 46
Magnolia acuminata, 38
Magnolia biondii, 103
Magnolia fargesii, 44–5
Magnolia grandiflora, 35, 54–5
Magnolia kobus, 46, 103, 140
Magnolia liliflora, 38, 41
Magnolia salicifolia, 37, 71, 287
Magnolia stellata, 35, 46
Magnoliales, 4, 144
Monechma ciliatum, 35
Myristica cagayensis, 59, 63, 66
Myristica fragans, 19, 39–41, 99
Myristica otoa, 59, 60, 154

Nandina domestica, 45
Nectandra rigida, 151
Nectandra turbacensis, 47

Ocimum basilicum, 298
Ocotea veraguensis, 41
Olea africana, 54, 60, 296
Olea cunninghamii, 61, 139
Olea europa, 36, 50, 87, 143, 146, 290
Osteophloeum platyspermum, 60, 62, 139
Ovigera hernandia, 140

Pachypodanthium staudittii, 93
Parabenzoin trilobum, 27
Passerina vulgaris, 29, 99
Paulonia tomentosa, 53
Phebalium nudum, 32, 159
Phillyrea latifolia, 144
Phryma leptostachya, 51, 53, 57
Phyllanthus niruri, 21–2, 30, 62–3
Phyllrea sp., 47
Picea sp., 139
Picea abies, 37, 155
Picea ajanensis, 66
Picea excelsa, 34–5
Picea obovata, 155
Pinus sp., 139
Pinus laricio, 47
Pinus massoniana, 36, 206
Pinus palustris, 27
Piper clusii, 20

Botanical index

387

- Piper cubeba*, 19, 20–1, 25, 29, 141
Piper guineense, 42
Piper peepulooides, 43
Piper sylvaticum, 36, 49, 207
 Piperales, 4
Piptocalyx moorei, 38
Podocarpus spicatus, 26, 66
 Podophyllaceae, 138
Podophyllum sp., 85, 143, 278
Podophyllum hexandrum, 68–9, 138–9,
 149, 157, 288–9, 291–4, 297–8
Podophyllum peltatum, 67–9, 87, 138, 149,
 157, 293–4, 370
Podophyllum pleianthum, 68–9, 139
Podophyllum versipelle, 68
Polygala chinensis, 32, 72, 293
Polygala polygama, 69
Prinsepia utilis, 53
Prunus sp., 104
Pygeum acuminatum, 63
- Salvia* sp., 288–9
Sassafras taiwanensis, 3
Sassafras sp., 47
Saururus cernuus, 276, 334
Schizandra sp., 38, 141, 142, 234, 344
Schizandra chinensis, 77–9, 80–4, 100, 141,
 155, 293
Schizandra henryi, 38, 40, 62, 82, 142
Schizandra lancifolia, 83
Schizandra nigra, 61, 144
Schizandra rubiflora, 80, 82–3
Schizandra sphenanthera, 17, 38, 68, 83,
 141
Schizanthra lancifolia, 83
Sesamin angolense, 48
Sesamum sp., 48
Sesbania drummondii, 74
Sorbus desora, 63
Steganotaenia sp., 100
Steganotaenia araliaceae, 23, 77, 83–4,
 237, 285
- Stereospermum kunthianum*, 36
Styrax officinalis, 57
Suga heterophylla, 104
Symplocos lucida, 56, 139
- Taiwania cryptomeriodes*, 28, 33, 73, 76
Taxus baccata, 36, 61, 73, 148
Thuja plicata, 28, 33, 68, 70, 75, 295–6
Thuja standishii, 28
Thujopsis dolabrata, 67, 140
Thymus longiflorus, 40, 140, 146
Tinospora cordifolia, 34, 103
Trachelospermum asiaticum, 29, 178
Tsuga chinensis, 26
Tsuga heterophylla, 66
Turrea nilitica, 35
- Ulmus thomasii*, 62
Urbandendron verrucosum, 145, 151
- Vigna angularis*, 49, 56
Viola calophylla, 17, 38
Viola calophylloidea, 58, 66
Viola carinata, 58, 59
Viola cuspidata, 158
Viola elongata, 35–6, 44, 48, 102, 143,
 150, 158
Viola peruviana, 45
Viola sebifera, 25, 43, 62, 64, 140, 142,
 150, 179, 188, 248
- Wikstroemia indica*, 23, 28, 99, 179
Wikstroemia viridiflora, 98
- Xanthoxylum piperitum*, 47
Xanthoxylum pluviatile, 48
Xanthoxylum podocarpum, 48
- Zanthoxylum pluviatile*, 27
Zanthoxylum acanthopodium, 31–2, 43, 49,
 143

General index

- Absolute configuration, 8–10, 14–5,
 205–6, 228–30, 253, 313–15
 Acanthoside B, 54
 Acanthoside D, 54
 Acanthotoxin, 31
 Acetals, ethyl, 159
 Acetophenones, 139
 Acid-induced changes, 295, 367
 artefact formation, 157, 310
 dilignan cleavage, 277
 epimerisation, 209, 216, 229, 335, 338,
 343, 357
 for tetrahydrofurans, 334
 for tetralin synthesis, 206, 285, 287, 333,
 335, 337
 lignin cleavage, 274
 methide cyclisation, 282–3
 Actinomycin D, 122
 Acuminatin, 34
 Acyclic lignans, pharmacology, 98
 Adenocarcinoma, 115
 Adriamycin, 114, 121
 Africanal, 54, 60
 biosynthesis, 296
 Africanal 4'-O-methyl, 54
 Agatharesinol, 104
 Alkaloids, 90, 143, 145, 151, 230, 271, 313
 Alkanols, 145
 Alopecia, 130
 Aminosugars, 126
 AMSA- ortho, 121
 Anaemia, 130
 Analgesic, 87
 Angelates, 155
 Anhydride reduction, 325, 329, 372
 Anhydropodophyllol, ORD, 247
 Anhydropodorhizol, 31
 biosynthesis, 294
 Anti-allergic agent, 103
 Anti-fungal, 99
 Anti-hypertensive, 101
 Anti-inflammatory, 93
 Anti-microbial, 93, 99
 Anti-parasitics, 101
 Anti-pyretic, 87
 Anti-tumour, 95, 102
 Anti-tussives, 141
 Anti-ulcer, 100
 Anti-viral, 89, 93
 Antibodies, 124
 Anwulignan, 17
 Apocompounds, 285, 295, 304, 337
 hydrogenation, 356–7
 synthesis, 354, 359, 363
 Apopicropodophyllin- α , 149
 Apopicropodophyllin- β , epoxidation, 321
 Apopicropodophyllins, 70
 biosynthesis, 295
 circular dichroism, 255–7
 hydrogenation, 228
 UV absorption, 169
 Apoplicatitoxin- β , 70, 295
 Aptosimol, 50, 57
 mass spectrum, 185
 Aptosimon, 57
 mass spectrum, 185
 Ara-C, 118
 Araliangine, 77
 COSY-2D spectrum, 242
 Arboreol, 50
 Arborone, 34
 PMR, 208
 Arctigenin, 23, 144, 318
 circular dichroism, 249
 NMR, 198
 UV absorption, 275
 Arctigenin, 7-hydroxy
 CMR, 200
 synthesis, 310–11
 Arctiin, 144
 biosynthesis, 289–90
 Ariensin, 19
 Ariensin hemi, 19
 Aristochilone, 64

- Aristoliginin, 37
 NOE, 204–5
- Aristoligone, 65, 150
- Aristosynone, 65, 150
- Aristotetralol, 65
- Aristotetralone, 65
 8-acetoxy, 65
 8-hydroxy, 65
- Aromatic substituents, 282
 CMR shifts, 200, 206
 PMR shifts, 223, 238
 orientation, 195–6, 219, 235–7
- Aromatisation, 323, 324–5, 331
- Arrow poison, 102
- Artefact formation, 156, 334
- Arthritis, 99
- Aryl iodide synthesis, 346
- Arylnaphthalenes
 biosynthesis, 295
 CMR, 221
 fluorescence, 99, 170
 mass spectra, 190–1
 synthesis, 316, 323, 330–3
 UV absorption, 170
- Aryltetrahydronaphthalenes, 60, 64, 66,
 216, 218, 272
 biosynthesis, 282, 291–5
 circular dichroism, 253–6, 320–1
 conformation, 216–18, 367–8
 mass spectra, 186–90
 NMR, 220–1
 synthesis, 354–73
 UV absorption, 166–9
- Aryltetralones, 150
- Asarinin, 42, 143
- Asatone, synthesis, 282
- Aschantin, 42
- Ascomycetes, 275
- Asthma, 102
- Ataxia telangiectasia, 119
- Athrotaxin, 285
- ATPase, 120
- Atropoisomerism, 315, 345, 349, 352
- Attenuol, 1, 58, 143, 145
 PMR, 220
 synthesis, 318, 360
- Austrobailignan 1, 67
- Austrobailignan 2, 67
- Austrobailignan 3, 58
- Austrobailignan 4, 58
- Austrobailignan 5, 17
 mass spectrum, 177
 NMR, 197
- UV absorption, 167
 synthesis, 312
- Austrobailignan 6, 17
 NMR, 197
- Austrobailignan 7, 38
 PMR, 204
- Base-induced changes, 156–7, 295, 311,
 336, 362, 368, 371
 control of, 366–7, 372
 in apocompounds, 331
 in lignin, 274
- Basidiomycetes, 275
- Benzenes, alkoxy, UV absorption, 167
- Bile, 128
- Binankadsurarin A, 77, 142
 oxidation, 236
- Biogenetic mechanisms, 158, 159
- Biosynthesis
 of apolignans, 295
 of arylnaphthalenes, 295–6
 of aryltetrahydronaphthalenes, 291–5
 of dibenzylbutyrolactones, 290–1,
 294–5
 of ether groups, 295–8
 of furofurans, 287–91
 of lignin, 270–2
- Biphenyl, 278, 283
 UV absorption, 170
- Bleomycin, 115
- Bone marrow, 115, 130
- Borohydride, 156
- Brain barrier, 128
- Brassicilignan, 33
- Buddlenol group, 42
- Bursehernin, 24
- Burseran, 3, 7, 33, 103
 mass spectrum, 182
 NMR, 202
- C-glucoside, 144
- Cagayanin, 58
- Calocedrin, mass spectrum, 180
- Calophyllin, 38
- Calophyn, 17
- Calopiptin, 38
 mass spectrum, 181–2
 PMR, 204
 UV absorption, 167
- cAMP, 100–2
- Cancer
 breast, 115
 colon, 97, 98

390 *General index*

- Cancer—(*cont.*)
 lung, 113, 115, 119, 122
 testicular, 114
- Cardiovascular effect, 103
- Carinol, 19, 139, 147
- Carissanol, 19, 147
- Carpanone, 70
 synthesis, 285
- Cedrusin, 148
- Cell cycle, 118
- Cell resistance, 122
- Cellulose, 272
- Central nervous system, 3, 99, 100, 103
- Cerebellar ataxia, 119
- Chaerophyllin, 31
 mass spectrum, 179
 UV absorption, 168
- Chalcones, 365, 368
- Chemotherapeutic index, 89
- Chervil roots, 85
- Chicanine, 38, 142
 PMR, 204
- Chinensin, 72
 synthesis, 331–2
- Chisulactone, 33
- Chromatin, 120
- Chromatographic methods
 column, 151–2, 157
 failure of, 336, 370
 GLC, 156
 HPLC, 153–4, 209
 preparative layer, 150, 154, 311
 thin layer, 149–51, 332
- Chromosomes, 118, 120
- Cinnamic acids, 292
- Cinnamonol, 50
- Circular dichroism, 249–57
- Cisplatin, 114
- Cleistanthin A, 72
 mass spectrum, 194
- Cleistanthin B, 72
- Cleistanthin C, 72
- Cleistanthin D, 72
 mass spectrum, 194
- Cleistanthin E, 72, 246
- Cleistanthoside A, 72
 mass spectrum, 195
- Cleistanthoside B, 72
- Cleomiscusin A, 278
- Clostridia group, 95
- Clusin, 20
 circular dichroism, 249
- Clusin dihydro, 20
- Clusin dihydro 3-methoxy, 20
- CMR spectra, 199–202, 212
 of aromatic carbons, 200, 212
 of aliphatic carbons, 200–1
 proton decoupled, 201, 212
 of diastereoisomers, 202–3
 of phenols, 221, 236
- Colchicine, 128
- Collin's reagent, 320
- Collinusin, 71
- Combination therapy, 115
- Concanavalin A, 121
- Conidendrals, 60
 synthesis, 360–1
- Conidendrin- α , 66, 142, 219, 222, 272, 274
 absolute configuration, 222, 229
 mass spectrum, 189
 NMR, 223, 225–8
 UV absorption, 167
- Conidendrin- β , 66
 NMR and conformation, 227
- Conidendrin detetrahydro, 73
 mass spectrum, 191
 synthesis, 360
- Coniferin, 289
- Conocarpol, 17
 mass spectrum, 177
 NMR, 196
- Conocarpol 2-methoxy, 17
- Cordigerin, 24
- Corey's method, 321
- COSY 2D-spectra, 211, 226, 242, 247
- Coumaric acid-*para*, 291
- Coumarinolignans, 278
- Coumarins, 143, 146
- Coupling
 non-phenolic, 304, 316, 348, 355
 oxidative, 303–6, 339
 unsymmetrical, 340
- Creosote bush, 140
- Cubebin, 20, 141
 ORD, 248
- Cubebin dihydro, 21
 synthesis, 312
- Cubebin 3,4'-dimethoxy-3,4'-
 demethylenedioxy, 20
- Cubebin 3,4-dimethoxy-3,4-
 demethylenedioxy, 20
- Cubebinin, 20
 circular dichroism, 249
- Cultures suspension, 291
- Cyclic adenosine-3',5'-monophosphate see
 cAMP

General index

391

- Cyclisation reactions, 282, 323–4, 331, 339, 358–9
- Cyclogalgravin, 71
- Cyclolaricresinol, 61, 143, 145, 152
 absolute configuration, 229
 CMR, 246–7
 mass spectrum, 186
 synthesis, 326–7
 xyloside, 61, 246
 dimethyl, 145
 5'-methoxy, 61, 151
 4'-O-methyl, 61, 143
- Cycloolivil, 61, 104, 296, 358
 mass spectrum, 187–8
 UV absorption, 167
- Cyclophosphamide, 114
- Cyclotaxiresinol, 61, 148
 4-O-methyl, 61
- Cytochrome oxidase, 98
- Cytochrome P-450, 129
- Cytotoxicity, 94, 98, 102, 125
- Daurinol, 73
- DDQ, 322–5
- Dehydrogenase, 272
- Demethylation, 129
- Deoxypicropodophyllin
 absolute configuration, 228–9
 synthesis, 356–7
- Deoxypodophyllotoxin, 140, 154
 absolute configuration, 228–9
 biosynthesis, 293–5
 synthesis, 356–8
- Dermatology, 86, 88, 100, 103
- Diaudesmin, 43
- Diasamin, 43
- Diasartemin, 43
- Diayangamin, 43
 UV absorption, 167
- Dibenzocyclooctadienes, 84, 230–42
 atropisomerism, 230–1, 239–41
 biosynthesis, 285
 circular dichroism, 256–7
 CMR, 232–3
 conformation, 231, 234, 239–40, 242
 oxidation, 235–6
 pharmacology, 86, 100
 PMR, 232
 reduction, 236
 synthesis, 305–6, 344–54
 UV absorption, 170
- Dibenzylbutanes and
 dibenzylbutyrolactones, 19, 30
 biosynthesis, 290, 294, 296
 circular dichroism, 249
 mass spectra, 177–80
 NMR, 197–202
 ORD, 248
 synthesis, 306–17, 342
- Diels-Alder type reactions, 186, 325–30,
 356, 363–5, 371–2
 kinetic control, 328
- Digitalis activity, 98
- Dilignans, 276–7
 hydrogenolysis, 334
- Diphyllin, 73, 152, 156
 glycoside, 246
 mass spectrum, 191, 194
 synthesis, 323, 331
- Diphyllin 4-demethyl, 73
- Diphyllin 7-deoxy, 73
- Diphyllin iso, 73
- Dipyridamole, 94
- Dissymmetry, inherent, 256–7
- DNA breakage, 125
- DNA effects, 117–131
- Doxorubicin, 122
- Droplet counter current, 156
- Duodenal ulcer, 86
- Ehrlich ascites cells, 127
- Eleutheroside E, 151, 153
- Ellipticine, 121
- Ellipticine 9-hydroxy, 123
- En shi zhi shu, 38
- Endotoxic shock, 103
- Enol intermediates
 alkylation, 341–2
 photoexcitation, 363–5
 protonation, 363, 365
 stereochemistry, 336, 366–7
- Enshicine, 62, 142
- Enterodiol, 21, 148, 287
 synthesis, 310
- Enterolactone, 24, 148, 287
 CMR, 244–5
 mass spectrum, 178
 NMR, 199
 synthesis, 310, 312, 316
 X-ray analysis, 202
- Enzyme–DNA complex, 123
- Enzymic hydrolysis, 156
- Epiaschantin, 43
- Epieudesmin, 43, 143
 circular dichroism, 250–1
- Epiexelsin, 44

392 *General index*

- Epifargesin, 44
- Epigomisin O, 80
CMR, 233
- Epiisopodophyllic acid, synthesis, 367
- Epiisopodophyllotoxin, synthesis, 364–5
- Epimagnolin, 3, 6, 44
- Epimerisation, 156
- Epiphyrmarol, 51
- Epipinoresinol, 44
glucoside, 55
CMR, 244–5
- Epipinoresinol O-methyl, 44
- Epipodophyllic acid, synthesis, 326–7
- Epipodophyllotoxin, 126
synthesis, 362, 368–9
- Episesamin, 44, 143
- Episesartemin A, 44
circular dichroism, 251
- Episesartemin B, 44, 144
- Episyringaresinol, 45
- Epiyangambin, 45, 144
UV absorption, 167
- Erythrophagocytic lymphohistiocytosis, 115
- Escherichia coli*, 93
- Electron spin resonance, 127
- Estrogen, 97
- Ethers
biochemical equivalence, 297
biogenesis, 296–8
chlorination, 174
cleavage by acids, 129, 174, 274, 275, 289, 292, 312, 318–19, 359, 360, 362–3, 369
hydrogenolysis, 310, 369, 370
synthesis of methylene, 363, 371
- Etoposide, 113–27, 154, 157
conformation, 222
mass spectrum, 193
NMR, 116
synthesis, 116–17, 372
- Eucommin A, 54
- Eudesmin, 45, 143
synthesis, 342
- Eukaryotic cells, 85, 90
- Eupodienones, 1–3, 77
- Excelsin, 45
- Exelsin demethoxy, 45
- Extraction from biological material, 148,
- Fagaral, 45
- Fargesin, 45, 140
- Ferulic acid, 155, 283, 292
- Fibre, 95–6
- Fish poisons, 99
- Flavonoids, 138–9, 271, 277, 278
- Flavonolignans 278
- Formosanol, 62
- Fragransin group, 98
- Fragransin B3,
PMR, 204
- Fraxiresinol, 51
mass spectrum, 184
- Freeze drying, 156
- Fremy's salt, 236
- Friedel-Crafts type reactions, 206, 294, 323, 332, 337, 357–9, 370–1
mechanism, 361–2, 366
- Fungi, wood rotting, 275
- Furans
hydrogenation, 334–5
isolation, 335
NMR, 204
silyloxy, 341
- Furans tetrahydro, 34, 37, 41, 146, 150, 151
acid induced changes, 158, 205
biosynthesis, 338
synthesis, 333–9
- Furofurans, 49, 56, 57, 150, 151, 272
Acid-induced changes, 158
biosynthesis, 279, 288–91
circular dichroism, 249–52, 289
CMR of glycosides, 244–7
COSY-2D spectra, 211, 215
hydrogenation, 213
oxofurofurans, 185–6
relation to tetrahydrofurans, 182, 213–14, 334, 338
synthesis, 283–5, 339–44
- Furoguaiacin, 42
- Furoguaiacin O-methyl, 42
- Furoguaiacin B tetrahydro PMR, 203–4
- Furoguaiainoxidin, 21
- Gadain, 31
reduction, 321
- Galbacin, 39, 140, 145
mass spectrum, 181
- Galbacin epi, 38
- Galbelgin, 39, 140, 277, 357–8
absolute configuration, 205
mass spectrum, 181
PMR, 204
- Galbulin, 58, 358

General index

393

- mass spectrum, 186
- synthesis, 282
- Galcatin, 58
 - mass spectrum, 186
- Galgravin, 40, 103, 151, 357–8
 - mass spectrum, 181
 - PMR, 203–4
- Gastric ulcers, 86
- Gastrointestinal toxicity, 130
- Gastrointestinal tract, 115
- Gel filtration, 278
- Gene activation, 120
- Gomisin G, 141
- GLC, 155–6, 159
- Glucose-D, 153
- Glucuronides, 129, 152
- Glutamic acids D- & L-, 313
- Glycosides, 117, 126, 144, 146, 149, 150, 151–2, 156, 272
 - acetylation, 243
 - CMR, 244–6
 - COSY-2D spectrum, 226–7, 242
 - mass spectra, 175, 192
 - occurring types, 244
 - synthesis, 116–17, 372
- Gmelanone, 52
- Gmelinol, 51
 - CMR, 215–16
 - mass spectrum, 184
 - PMR, 210, 215
- Gmelinol dihydro
 - mass spectrum, 182, 214
- Gmelinol dihydro 7-oxo, 34
- Gmelinol oxodihydro, PMR, 208
- Gnidifolin, 24
- Gomisin A, 77, 141
 - circular dichroism, 256–7
 - CMR, 233
- Gomisin B, 77, 141
 - circular dichroism, 256–7
 - mass spectrum, 191
- Gomisin C, 77, 141
 - mass spectrum, 191
- Gomisin D, 78
 - circular dichroism, 256–7
 - mass spectrum, 191
 - NOE, 234–5
 - X-ray analysis, 230
- Gomisin E, 78
- Gomisin F, 79, 141
 - mass spectrum, 191
- Gomisin H, 79, 141
 - UV absorption, 170
- Gomisin J, 79
- Gomisin K1, 79
- Gomisin K2, 79
- Gomisin K3, 79, 236
- Gomisin L1, 79
 - UV absorption, 170
- Gomisin L2, 79
- Gomisin M1, 80
- Gomisin M2, 80
- Gomisin N, 80, 153
 - oxidation, 319
 - oxygenation, 319
- Gomisin O, 80, 153
 - CMR, 233
 - NOE, 233–4
 - synthesis, 319
- Gomisin O epi, 80
 - CMR, 233
- Gomisin P, 80
 - CMR, 233
- Gomisin Q, 80
- Gomisin R, 81
 - CMR, 233
 - mass spectrum, 191
- Grandisin, 40
 - mass spectrum, 181
 - PMR, 204
 - synthesis, 282, 320
- Grignard reagents, 317, 352, 354
- Guaiacin, 58
- Guaiacol, UV absorption, 167
- Guaiaretic acid, 6, 8, 18
 - absolute configuration, 229–30
 - UV absorption, 168
- Guaiaretic acid dehydro, 73
 - UV absorption, 170
- Guaiaretic acid dihydro, 8, 17, 18, 103
 - absolute configuration, 205, 229, 230
 - meso, 18
 - synthesis, 336
- Guaiaretic acid dimethyl, 9
 - CMR, 200
- Guaiaretic acid nordihydro, 18, 98, 140, 148
 - NMR, 197
 - X-ray analysis, 197
- Gummadiol, 51
- Gyrase, 120, 126
- Haplomyrifolin, 24
 - UV absorption, 168
- Haplomyrtin, 73
- Headaches, 103

394 *General index*

- Heartwood sources, 142
 Hedyotol A, 276
 Hedyotol B, 276
 HeLa cells, 115, 118, 124
 Helioanthoidin, 24
 mass spectrum, 180
 ORD, 248
 Heliobuphthalmine, 25
 Heliobuphthalmine 7,8-dehydro, 32
 Heliobuphthalmine lactone, 24
 Heliobuphthalmine 3,4-dimethoxy-3,4-demethylenedioxy, 25
 Helioxanthin, 74
 mass spectrum, 190
 Henricine, 40
 Hepatitis, 99, 100, 128, 141
 Hernandione, 67
 Hernolactone, 25
 Herpes simplex, 89
 Hibalactone, 31
 mass spectrum, 180
 UV absorption, 168–9
 Hinokinin, 25
 circular dichroism, 249
 ORD, 248
 synthesis, 313
 Hinokinin 3',4'-dimethoxy-3',4'-demethylenedioxy, 25
 Hinokinin 5-methoxy, 25
 Hinokinin 3,3',4,4'-tetramethoxy-bis-demethylenedioxy, 25
 Hinokiresinol, 104
 Horsfieldin, 45
 HPLC, 146, 153, 209
 Hydrogenation, 9, 213, 240, 336, 352, 358, 363, 368, 370
 stereoselective, 307–8
 stereochemistry of, 356–7
 Hydrogenolysis, 334, 338, 339, 346, 352, 358, 360
 Hydroxylation, 322, 291, 293, cf.
 oxygenation
 Hypophyllanthin, 62
 aromatization, 324–5
 CMR, 220
- Ifosfamide, 115
 Immunoblotting, 124
 Incorporation of labels, cf. plant feeding, 288–91, 292
 INDOR method, 195, 199
 Inflammation, 102
- Infrared spectra, 170–4
 of diastereoisomers, 335, 352
 Inositol-*meso*, 143
 Insecticides, 103
 Interleukin-2, 121, 125
 Intermedianol- α , 21
 Intermedianol- β , 21
 Iodine, 149
 Iridoids, 153, 247
 Isoarboresol, 50
 Isoarboresol, 2'-bromo, 50
 Isoarctigenin, oxygenation, 318
 Isodeoxydopodophyllotoxin
 absolute configuration, 228–9
 circular dichroism, 253–4
 synthesis, 356–8, 360
 Isoeugenols, electrochemistry, 281–4
 Isogalbulin, 59, 358
 Isogalcatin, 59
 mass spectrum, 186
 synthesis, 360
 Isogmelinol, 51
 CMR, 215
 PMR, 210, 215
 Isogmelinol dihydro, 214
 Isogomisin O, 153
 CMR, 233
 NOE, 233–4
 Isoguaiaicin, 59
 Isoguaiaicin 3'-demethoxy, 59
 Isoguaiaicin *nor*, 59
 mass spectrum, 177
 Isolation procedures, 145
 Isootobain, 59
 Isootobaphenol, 59
 Isopaulownin, 53
 Isophymarol, 53
 Isopicropodophyllone, 157
 Isopicrostegane, synthesis, 346–7
 Isoschizandrin, 100
 Isostegane, 240
 synthesis of (R)-(+), 315
 Isosteganone
 enantioselective syntheses, 346–7
 isomerisation, 239
 Isoyatein, circular dichroism, 249
- Jatrophan, 31
 Justicidin, 149
 Justicidin A, 74, 145
 oxygenation, 325
 Justicidin B, 74, 145
 synthesis, 323, 331

General index

395

- Justicidin C, 74
 Justicidin D, 74
 Justicidin E, 74
 synthesis, 323–4, 329–30
 Justicidin P, 75
 synthesis, 325
 Justicinol, 75
 Justisolin, 46
- Kadsuranin, 81
 Kadsuranin *iso*, 81
 Kadsuranin *neo*, 81
 Kadsurarin, 81, 142
 Kadsurenone, 102, 103–4
 Kadsurin, 81, 142
 Kadsutherin, 81
 Karplus relation, 208, 217, 218, 228
 Ketals, 184
 conformation, 227–8
 from lactones, 334, 342
 oxidation, 320
 reduction, 342–3
 Kigeliol, 53
 Knoevenagel condensation, 348
 Kobusin, 46
 Konyanin, 71
 Kusunokinin, 26, 360
- L 1210 cells, 118, 122, 124, 126, 127
 Lactones
 bicyclic, 283, 337–8, 341–4
 chiral precursors, 315–16
 furoolactones, 185–6
 NMR, 198, 200
 stereoselective reduction, 333–4
 Lanthanide shift, 198
 Lantibeside, 54
 Lappaol A
 mass spectrum, 276
 UV absorption, 275
 Lappaol B, 275
 Lappaol E, 7
 Lappaol F, 277
 Lappaol H, 277
 Lariciresinol, 35, 139, 143, 145, 147
 absolute configuration, 229–30
 cyclisation, 229, 358
 PMR, 226
 Lariciresinol O-dimethyl, 35
 Lariciresinol 5-methoxy NMR, 206
 Lariciresinol O-methyl, 35, 338
 Leaves as sources, 140
 Leptolisol A, 277
 Leptolisol B, 277
 Leptolisol E, 278
 Leptostachyol, acetate, 53
 Leukaemia, 98, 113–15, 123, 131, 153
 Leukocytes, 88
 Leukopenia, 130
 Ligballinol, 46, 142
 mass spectrum, 184
 Lignan carboxylic acids, 159
 Lignan classes, *see* aryl-naphthalenes,
 aryl-tetrahydronaphthalenes,
 dibenzocyclooctadienes,
 dibenzylbutanes and butyrolactones,
 furans, furans tetrahydro, furofurans
- Lignans
 action of acids, 157–9, 215–16
 action of bases, 156–7, 202, 222
 action on cAMP, 100
 action on PAF, 102
 biological effects, 103–5
 biosynthesis, 278–98
 circular dichroism, 249–57
 conjugates, 192–5, 242–6
 dietary, 96
 flavono-, 99, 278
 glycosides, 242–7
 IR spectra, 171–3
 isolation, 145–8
 lignin relation, 278–9
 mammalian, 95–8
 mass spectra, 175–95
 NMR, 195–247
 oligomers, 7, 275–8
 ORD, 247–9
 plant sources, 138–44
 solvents, 171
 Lignin chemistry, 269–73
 biosynthesis, 278–9, 290
 cleavage, 273–5
 NMR, 273, 278
 Lignols, 269, 279, 280–2, 298, 303, 339
 Lintetralin, 62
 synthesis, 360
 Liovil, 34, 155
 Lipids, 118, 140, 145
 Liriodendrin, 54, 153, 156
 biosynthesis, 288–9
 Lirionol, 62
 UV absorption, 168
 Lirioresinol A, 46
 Lirioresinol B, 46, 153
 Lirioresinol C, 46, 158
 Lymphoid cells, 125

396 *General index*

- Lymphoma, 114–15
- Lyoniresinol, 62, 63, 151
absolute configuration, 222
PMR, 217
- Lyoniresinol O-dimethyl, UV absorption, 167
- Lyoniside, 63
oxidation, 320
- Macelignan, 18
- Machilin group, 18, 40
- Machilusin, 40, 140
mass spectrum, 181–2
- Macrophages, 92
- Magnalol, 3
- Magnolenin C, 35, 55
UV absorption, 168
- Magnolin, 46
- Magnosalicin, 37, 103
biosynthesis, 286
- Magnosalin, 286–7
- Magnoshinin, 71, 287
- Magnostellin A, 35
circular dichroism, 252–3
NOE, 206
- Magnostellin C, 35
circular dichroism, 252–3
- Mammalian lignans, 95, 97, 155
- Manassantin A, 276–7
hydrogenolysis, 334
- Mannich reaction, 351
- Mannitol-D, 314
- Mass spectra, 175–95
arylnaphthalenes, 190–1
aryltetrahydronaphthalenes, 186–90
chemical ionisation, 175
dibenzocyclooctadienes, 191
dibenzylbutanes, 177–8
dibenzylbutyrolactones, 178–80
doubly charged ions, 190
FAB, 175, 193
field desorption, 175, 192
furans tetrahydro, 180–3
furofurans, 183–6
glycosides, 175, 192–5
of acetyl derivatives, 192–4
of conjugates, 192–5
of flavones, 176–7
of labelled compounds, 179–80
of tetralones, 188
metastable peaks, 183
- Massoniresinol, 36
- circular dichroism, 252
NMR, 206–7
- Matairesinol, 26, 142, 144, 153, 287, 295, 296–7
absolute configuration, 206
C-glucoside, 246
IR spectrum, 172–3
- Matairesinol O-methyl, 26, 142
- Matairesinol O-dimethyl, 8, 9, 26
synthesis, 312
- Matairesinol 7-hydroxy, 26, 101, 104
CMR, 318
- Matairesinol, 7'-allohydroxy, 26
CMR, 318
- Matairesinol 7-oxo, 26
- May apple, 138
- Maytansine, 128
- Medioresinol, 46, 146, 152, 155, 276
glucoside, 193
- Medioresinol 9-hydroxy, 52
mass spectrum, 193
- Megaphone, 4
- Membrane effects, 127
- Menstrual cycle, 97
- Metabolism, toxicity, 129
- Methionine [S-methyl-¹⁴C], 296–7
- Methotrexate, 115
- Michael addition, 293, 360–1, 365
- Microtubules, 118, 128, 130
- Milling procedure, 156
- Mitogens, 125
- Mitosis, 90
- Mixed function oxidase, 100
- Molecular extinction, 166, 275–6
- Monoterpenes, 140
- NADH, 122
- Nasal empyema, 103
- Nasal papilloma, 88, 89
- N-bromosuccinimide, 322–5
- Nectandrin A, 40, 151
UV absorption, 168
- Nectandrin B, 40, 151
mass spectrum, 193
- Nemerosin, 32
mass spectrum, 180
- Neogmelinol, 51
CMR, 215
mass spectrum, 214
PMR, 210, 215
- Neogmelinol dihydro, 215
mass spectrum, 182

General index

397

- Neoisostegane
 correlation with isostegane, 241
 NMR, 241
 synthesis, 304–5, 345
- Neokadsuranin, circular dichroism, 247
- Neo-olivil, 40, 140, 146
- Neolignans, 3–4, 7, 102, 105, 145, 148, 277, 278, 279
- Neopodophyllotoxin, 69
- Neoplastic properties, 142
- Neuroleptic agent, 277
- Neutrophils, 103
- Niranthin, 21
 NMR, 197
- Niranthin 7-hydroxy, 21
- Nirtetralin, 63
 CMR, 220
 synthesis, 360
- Nitration, 182, 196
- Nitrobenzylthioinosine, 118
- NMR spectra, *see* CMR, PMR
- Nomenclature, 4–7, 253
- Nortrachelogenin, 139, 147
 circular dichroism of antipodes, 249–250
 CMR, 200
- Nuclear Overhauser effect, 195, 196, 204, 206–7, 215, 234–5
- Nucleoside transport, 118
- Nudiposide, 63
 glucoside, 320
 relation to olivil, 242–3
- Oculocutaneous telangiectasia, 119
- Oleanolic acid, 140
- Olivil, 36, 139, 143, 152, 156, 296, 358
 circular dichroism, 252
 glucoside, 192
 IR spectrum, 172–3
 mass spectrum, 192
 PMR, 206
 relation to nudiposide, 243
- Olivil di-O-methyl, mass spectrum, 182
- Oncogenes, 131
- Optical resolution, 309, 349–50, 352, 363, 369
- Optical rotatory dispersion (ORD), 247–8
- Oral preparations, 128
- Orosunol, 75
- Orosunol demethyl, 75
- Otabaene, 71, 157
- Otobain, 59, 154
 NMR, 219
- Otobain hydroxy, 62, 157
- Otobain hydroxymethoxy, 158
 CMR, 221
- Otobain oxo-hydroxy, 62
- Otobanone, 63
- Otobaphenol, 60
- Ovarian carcinoma, 115
- Oxidative phosphorylation, 122
- Oxidases, 295
- Oxidation, 222, 235, 283, 318–22, 344–5, 354–5
 selective, 320–1, 325, 332
- Oxolinic acid, 120, 126
- Oxygenation, 316
 by lead tetraacetate, 318–19
 of benzylic positions, 319, 355
- Optical resolution, 309, 349–50, 352, 363, 369
- Otobaphenol, 60
- Pachypostaudin A, 93
- Pachypostaudin B, 93
- PAF, 102–3
- Paper chromatography, 155
- Parabenzlactone, 27
 CMR, 318
- Parkinson's disease, 98
- Paulownin, 53
 biosynthesis, 291
- Peltatin- α , 67, 138, 140
- Peltatin- β , 67, 138, 140
 UV absorption, 167
- Peltatin- β iso, synthesis, 370–1
- Peltatin- β methyl, 154
- Peltatins, 125
 biosynthesis, 293–4
 circular dichroism, 254
 mass spectrum, 189
 synthesis, 318, 370–1
- Peroxidase, 272, 289
- Pharmacokinetics, 128
- Phebalarin, 32
- Phenanthrenes in synthesis, 350–4
- Phenolases, 271
- Phenols
 CMR, 221
 mass spectra, 179
 reduction, 236
 UV/base effect, 168
- Phenylalanine, 230, 270–1, 298
 DL- $[\beta\text{-}^{14}\text{C}]$, 291
 L- $[\text{U-}^{14}\text{C}]$, 288
- Phillygenol, 47, 246

398 *General index*

- Phillyrin, 55, 142
 biosynthesis, 290
- Phosphotungstic acid, 149
- Phrymarolin 1, 57
 synthesis of (+), 344
- Phrymarolin 2, 57
- Phyllanthin, 22
 NMR, 197
- Phyltetralin, 63
 NMR, 218
 synthesis, 360
- Phytoalexins, 102, 104, 153, 156
- Picropodophyllin, 67, 154, 157
 circular dichroism, 255
 conformation, 228
 synthesis, 362–4
- Picropolygamain, 67
- Picrosteganes, 239–40
 synthesis, 346–7
- Picrosteganes hydroxy, oxidation, 320
- Pinopalustrin, 27
- Pinoresinol, 47, 142, 148, 152, 153, 155, 278
 biosynthesis, 338
 circular dichroism, 252
 CMR, 211–12, 245
 COSY-2D spectrum, 211
 glucoside, 192, 252
 mass spectrum, 192
 PMR, 209–11, 213
 synthesis, 339
- Pinoresinol acetoxy, 50
- Pinoresinol dihydroxy-O-dimethyl, 50
- Pinoresinol 1-hydroxy, circular dichroism, 252
- Pinoresinol 8-hydroxy, 52, 156
 NMR, 245
- Pinoresinol 9-hydroxy, 52
- Pinoresinol O-dimethyl, 9, 47, 103, 143, 145
 IR spectrum, 172–3
- Piperitol, 47, 148
 O-methyl, dimethyl, 143
- Plant feeding procedures, 288–91, 292
- Plasma 118, 122, 128
- Platelets, 88
- Plicatic acid, 70
 X-ray, 296
- Plicatin, 68, 295
- Plicatinaphthalene, 75
- Plicatinaphthol, 75, 295
 mass spectrum, 190–1
- Pluviatilol, 48
 synthesis, 342–3
- Pluviatolide, 27
 mass spectrum, 179
 NMR, 198
- PMR spectra
 aromatic substituents, 195–7, 219, 235
 aryltetrahydronaphthalenes, 216–28
 dibenzylbutanes, 197
 dibenzylbutyrolactones, 197–202
 first order approx., 197, 213
 furans tetrahydro, 208–13
 furofurans, 208–13
 dibenzocyclooctadienes, 230–42
 typical shifts, 196
- Podophyllaceae, 138
- Podophyllin, 87, 88
- Podophyllotoxin, 3, 8, 9, 68, 85, 87, 90, 95, 116, 138, 144, 150, 151, 154, 157, 372
 antiviral action, 93
 antitumour effects, 95
 biosynthesis, 288–9, 291–5
 bromo, mass spec., 189–90
 circular dichroism, 253–4
 comparison with (–)-steganone, 346
 COSY-2D spectrum, 226
 diastereoisomers, 222
 IR spectrum, 172–3
 mass spectrum, 188–9
 NMR, 219, 223–7, 237
 oxidation, 291
 UV absorption, 167, 169
 synthesis, 328–9, 362–70
 X-ray analysis, 230
- Podophyllotoxin dehydro, 73, 321
 synthesis, 330
- Podophyllotoxin dehydroanhydro
 UV absorption, 170
 synthesis, 329–30
- Podophyllotoxin 4'-demethyl, 68, 126, 149
 biosynthesis, 292–5
 circular dichroism, 253–4
- Podophyllotoxin deoxy, 68, 370
 absolute configuration, 228
 mass spectrum, 188–9
- Podophyllotoxin isodeoxy, 68
 absolute configuration, 228
 synthesis of (+)-form, 370
- Podophyllotoxin episo, 68
- Podophyllotoxone, 69, 149, 154, 359
 synthesis, 321
- Podophyllotoxone neo, synthesis, 367–9
- Podophyllum*, 149
- Podorhizol, 27, 292–3, 294
 cyclisation, 358

General index

399

- Podorhizol 5-methoxy, 27
 Podorhizol 7-deoxy, 27
 Podorhizol 5-demethoxy-7-deoxy, 27
 Podorhizone, 27
 (+) and (–) synthesis, 313–16
 Podorhizone deoxy, (+) and (–)
 synthesis, 315–16
 Podotoxin, 320
 Polio virus, 93
 Polygamain, 69, 93
 UV absorption, 167
 Polygamatin, 69
 Poplar, yellow, 288–9
 Prestegane A, 27, 103
 NMR, 198
 synthesis, 310–11
 Prestegane B, 27, 103
 Prinsepiol, 53
 Prostalidin A, 75, 99
 Prostalidin B, 75, 99
 Prostalidin C, 75
 Pseudotuganol, 278
 Psoriasis vulgaris, 89
 Pygeoresinol, 63
 mass spectrum, 186–7
 Pygeoside, 63, 152
 UV absorption, 168
- Qin pi, 86
 Quinol-2-nitro, 142
 Quinone methides, 2, 272, 293–4
 in biosynthesis, 290–1, 279–80, 282, 287
 in cyclo-addition, 326–7, 365
 in lignin cleavage, 273, 275
 isolation, 304
 Quinones-*ortho*, 129, 149, 174, 352, 373
- Radical intermediates, 272, 282–7, 292,
 303–6, 351
 Rearrangement, dienone–phenol, 285–6
 Reduction, 206, 212, 213–4, 222, 312, 345,
 365, 370
 Reduction, selective, 334, 337, 342–4, 354,
 370
 Renal function, 128
 Resin sources, 139
 Retrochinensin, 75
 synthesis, 323–4
 Retrodendrin, 229
 absolute configuration, 229
 circular dichroism, 253
 reduction, 229
- Retrojusticidin B, 76
 Rheumatism, 140
 Ribonolactone-D, 314–15
 Ribose-D, 314
 Rubschizandrin, 82
 Rubschizantherin, 82
- Sambacolognoside, 55, 247
 Samin, 56
 Saucerneol, 276
 Schizandrin, 82, 141
 circular dichroism, 256–7
 PMR, 232
 Schizandrin- γ , 82, 141, 153
 UV absorption, 170
 Schizandrin deoxy, 77, 82
 NMR, 232–3
 synthesis, 304–5, 345, 352–3
 Schizandrin *nor*, 79
 Schizandriside, 63, 144, 246
 Schizandrol, 82, 141
 Schizandrol B, 82
 Schizandrone, 63
 Schizanhinol, 82
 Schizanhinol B, 82
 Schizantherin A, 77, 83
 Schizantherin B, 83, 141
 Schizantherin C, 77, 83, 141
 Schizantherin D, 83, 141
 Schizantherin E, 83, 141
 Schizantherinol A, 235
 Scrofula, 87
 Seasonal yield variation, 139, 141, 144,
 289, 293–4
 Secoisolariciresinol, 22, 139, 143, 145, 147,
 155
 absolute configuration, 206, 230
 biosynthesis, 290–1
 mass spectrum, 177–8
 natural diester, 178
 synthesis, 312
 Secoisolariciresinol *meso*, 22, 177–8
 Secoisolariciresinol O-dimethyl, 22
 Secoisolariciresinol O-methyl, 22, 338
 Secoisolariciresinol O-trimethyl, 22
 Secolignan, 22
 Seeds as sources, 141
 Separation by precipitation, 148
 Sequirin D
 biosynthesis, 287
 X-ray analysis, 287
 Serum, 141, 154

400 *General index*

- Sesamin, 48, 140, 143, 150, 154, 291
 · circular dichroism, 250
 · hydrogenolysis, 334
 · UV absorption, 167
- Sesamin dihydro, 36
- Sesamin dihydroxy, 50
- Sesamin hydroxy, 52
 · mass spectrum, 184
- Sesaminol, 56
- Sesamol, 56, 149
 · mass spectrum, 184–5
- Sesamolol, 57
- Sesangolin, 48
- Sesartemin, 48, 144
- Sesartemin dihydro, 36, 144, 208
- Sesquilignans, 275–6
- Sesquiterpenes, 139, 140, 141, 143, 144
- Shikimic acid, 270–1
- Silybin, 99, 278
- Silyl derivatives, mass spectra, 193
- Simplexol, 57, 152
 · mass spectrum, 184–5
- Simplexoside, 55, 150
- Simplocosin, 56
- Sinapic acid, 288–9, 305
- Sinapyl alcohol-[2-¹⁴C], 288
- Sitosterol, 144, 150
- Solid tumours, 88
- Specific activity, 297–8
- Spinescen, 49
- Squirting cucumber, 142
- Staphylococcus aureus*, 93
- Steam distillation, 146
- Steganacin group, 83, 90, 237–42
 · absolute configuration, 237–9
 · PMR, 237
 · synthesis, 344–54
 · of ent-, 315–16
 · of (R)-(+), 345
 · X-ray analysis, 239
- Steganangin, 83
 · COSY-2D spectrum, 242
 · PMR, 237
- Stegane, 240, 322, 346
 · enantioselective synthesis, 315
- Stegane neoiso, 83
- Steganol, 83
- Steganol glucoside, COSY-2D, 241–2
- Steganolide A, 84
- Steganolide B, 84
 · COSY-2D spectrum, 242
- Steganolide C, 84
- Steganone, 83, 100, 239, 344
 · UV absorption, 170
 · synthesis, 319, 350–4
 · of (S)-(-), 238, 350, 352
- Steganone iso, 239
 · IR spectrum, 352
- Stilbene precursors, 352–3
- Stobbe condensation, 306–10, 330, 332,
 345, 355, 363, 370–1
- Structure–activity
 · relations, 91, 101, 103, 116, 125–6, 221–
 2, 346, 372
- Styraxin, 57, 102
 · mass spectrum, 185
 · NOE, 213
 · X-ray analysis, 186
- Styrene chromophore, 256
- Suchilactones, 32, 324
 · synthesis, separation, 311
- Sulphite process, 273
- Surinamensin, 145
- Sventenin, 28
- Sylvatesmin, 49
- Sylvatesmin epi, CMR, 212
- Sylvone, 36
 · CMR, 208
 · NOE, 207–8
- Symplocosigenol, 49
- Symplocosin, 144
- Synthesis
 · aryl-naphthalene, 330–3
 · aryltetrahydronaphthalene, 354–73
 · biomimetic, 280–5
 · carbanionoid, 310–13, 315–16, 333, 335,
 345, 354, 360–1
 · computer aided, 373
 · dibenzocyclooctadienes, 305–6, 344–54
 · dibenzylbutyrolactones, 306–17
 · electrochemical, 281, 283
 · furans tetrahydro, 333–9
 · furofurans, 339–44
 · oxidatively coupled, 303–6, 345, 354
 · regioselective, 354, 360–1, 368–9
 · stereoselective, 307–8, 313–15, 346–7,
 355
 · cf. Diels–Alder, Friedel–Crafts, Stobbe,
 Ullmann
- Syringaresinol, 49, 152, 155, 276, 289
 · biosynthesis, 288–9
 · glucoside, 192
 · mass spectrum, 192
 · PMR, 213
 · synthesis, 304, 339
 · X-ray analysis, 213

General index

401

- Syringaresinol 8-hydroxy, 52
 Syringic acid, 146
 Syringin, 153
 Syringyl compounds, 149
- Taiwanin A, 33
 Taiwanin C, 76
 biosynthesis, 291
 Taiwanin C dihydro, 71
 Taiwanin E, 76
 Taiwanin H, 76
 mass spectrum, 190–1
 Taxiresinol, 36
 mass spectrum, 182
 Taxol, 90
 Teniposide, 113–27, 154, 157
 conformation, 222
 mass spectrum, 193
 pharmacokinetics, 128
 Tetradecanoic acid-12-L-, 155
 Tetrahydrofuroguaiacin B, 41
 Tetralones, 188
 Thiophens, 140, 317
 Thomasic acid, 71, 321
 Thomasidioic acid, 71
 synthesis, 304, 309
 Thrombocytopenia, 130
 Thujaplicatene, 33
 Thujaplicatin, 28, 296
 NOE, 199
 Thujaplicatin 3-O-methyl, 28
 Thujaplicatin 8-hydroxy-3-O-methyl, 28
 Thujaplicatin 8,8'-dihydroxy, 28
 Thujaplicatin dihydroxy di-O-methyl, UV
 absorption, 167
 Thujastandin, 28
 Thymidine, 118
 Tiglates, 155
 TLC, 145, 149–51
 Todolactol, 65, 279
 Tonics, 141
 Topoisomerase I, 123
 Topoisomerase II, 117, 119–26, 130–1
 Torsional effects, 213, 215, 244
 Trachelogenin, 8, 28
 Trachelogenin *nor*, 28
 CMR, 200
 Trachelosiaside, 29
 Triterpenes, 142, 143, 144, 145
 Tsugacetal
 CMR, 228
 X-ray analysis, 228
- Tuberculatins, 76
 mass spectrum, 194
 Tubulin, 117, 221
 Tumour necrosis factor, 121
 Tyrosine, 271
- Ullmann reaction, 346–50
 Urine samples, 148
 UV light
 absorption spectra, 166–70
 conjugation effects, 168
 of biaryls, 170
 of phenols, 168
 fluorescence, 170
 for visualisation, 149
 in synthesis, 323, 330–2, 351, 354
- Veraguensin, 41, 145, 205
 mass spectrum, 182
 PMR, 204
 synthesis, 336
 UV absorption, 167
 Verapamil, 127
 Verrucosin, 41
 Versicoside, 56
 CMR, 246
 Vinblastine, 115, 128
 Vincristine, 114, 122, 128
- Walker 256 carcinosarcoma, 94
 Warts venereal, 88–9
 anogenital, 88
 Whooping cough, 99
 Wikstromol, 29, 99
 Wodeshiol, 53
 Wuweizichun A, 82
 Wuweizisu group, 82, 84, 141
 Wuweizisu A, 84
 Wuweizisu B, 84
 Wuweizisu C, 84
 IR spectrum, 172–3
 mass spectrum, 191, 230
 oxidation, 319
 synthesis, 305, 345
- Xanthoxylol, 49
 X-ray analysis, 10, 197, 202, 213, 228, 230,
 239, 287, 296
 Xylose-D, 151

Cambridge University Press

978-0-521-06543-6 - Lignans: Chemical, Biological and Clinical Properties

D. C. Ayres and J. D. Loike

Index

[More information](#)402 *General index*

Yangambin, 49, 144

UV absorption, 167

Yangambin B-dihydro, 36, 144, 208

Yatein, 29, 154

biosynthesis, 294–5, 296

mass spectrum, 179

NOE, 198–9

Yatein iso, 29

Yatein iso 5-methoxy, 29

Yateresinol, 104

Zuhonin group, 41

Zuihonin D, 23