

Cambridge University Press

978-0-521-09030-8 - Differential Analysis: Differentiation, Differential Equations and
Differential Inequalities

T. M. Flett

Index

[More information](#)*AUTHOR INDEX*

-
- Abel 108, 135
 d' Alembert 335
 Alexiewicz 160, 333
 Ampère 57–9
 Antosiewicz 338
 Arzelà 159
 Averbukh 312, 333
 Aziz 67, 332

 Baiada 335
 Banach 333
 Barbashin 334
 Bartle 337
 Bellman 95, 164, 335
 Bendixson 155, 161
 Bernoulli, D. 335
 Bernoulli, J. 225
 Bieberbach 65
 Bihari 334
 Bliss 159, 336
 Bôcher 335
 Bolzano 54, 56–7
 Bompiani 162
 Bonnet 62
 Borel 63
 Bouligand 337
 Bourbaki 332–5, 338
 Boyer 332
 Brauer 334, 338
 Bruckner 332
 Bucher 333

 Caqué 155
 Carathéodory 160–1, 334, 337
 Cartan 311, 334, 336–7
 Cauchy 54, 56–62, 148–54
 Cavalieri 54
 Cesari 335
 Coddington 160, 334
 Conti 334–5, 338
 Corduneanu 158, 338
 Coriolis 148–9
 Courant 310

 Dahlquist 335

 Darboux 65, 67
 Dedekind 56
 Dennis 337
 Diaz 67, 332
 Dieudonné 311, 333, 337–8
 Dinculeanu 338
 Dini 64
 Dubovitskii 337
 Dunford 338
 Dunkel 335

 Euler 335

 Fan, Ky 311
 Fenyő 337
 Flett 332–3, 336–7
 Fréchet 309–10, 311
 Frölicher 333
 Fuchs 155, 335
 Fukuhara 158, 161

 Gâteaux 309–10
 Genocchi 333
 Gilbert 62
 Girsanov 337–8
 Giuliano 162
 Goldstine 337
 Gollwitzer 164
 Golomb 310
 Grassmann 66
 Graves 310, 336
 Gronwall 95, 163
 Grunsky 158

 Hadamard 311, 333
 Hahn 337
 Halperin 67, 332
 Hamilton 237
 Hartman 160, 164, 334–7
 Heine 63, 151
 Hermite 65
 Hesse 335
 Hilbert 310
 Hildebrandt 310, 336
 Hukuhara 157, 162, 332–3

Cambridge University Press

978-0-521-09030-8 - Differential Analysis: Differentiation, Differential Equations and
Differential Inequalities

T. M. Flett

Index

[More information](#)*Author Index*

355

- Iyanaga 132, 162, 302
- Jacobi 335
John 337
Jordan 62, 333
- Kamke 132, 157, 160, 162, 302, 336
Kantorovich 241, 337
Kelley 338
Kitamura 335
Kneser, A. 337
Kneser, H. 336
Kowalewski 59
Krasnosel'skii 336
Kuhn 337
- Lagrange, 54–7, 61, 294, 335, 338
Lakshmikantham 334, 338
Langenhop 334
La Salle 164, 334
Laurent 338
Lebesgue 64
Lecat 337
Leela 334, 338
Leonard 332
Levi 333
Levinson 160, 164, 334
Lévy 58, 310–11
Lindelöf 155, 162
Liouville 108, 155, 335
Lipschitz 154–5
Liusternik 336–8
Lozinskii 335
Lüroth 151
Lusin 333
Lyapunov 338
- McLeod 332–3
McShane 162
Mie 67, 158–60, 332
Milyutin 337
Minty 337
Mlak 332–3
Moigno 148–9, 151, 154, 336
Molk 332
Montel 157, 161, 336
Moreau 337
Morgenstern 335
Müller 148, 161, 334, 336
Murakami 338
- Nagumo 161–2, 336
Namioka 338
Nashed 309, 311–12
Newton 148, 337
- Olech 336
Orlicz 160
Ortega 337
- Osgood 158, 160–2
- Painlevé 334
Peano 59, 62–3, 66, 155–60, 162, 332–3, 336
Peck 332
Perron 133, 157, 161, 164, 332, 334, 336
Picard 155
Pringsheim 333
Pugh 336
- Rall 336
Reid 334
Rheinboldt 337
Ritter 337
Rockafellar 337–8
Rolle 54
Rosenblatt 161
- Saaty 334
Saks 333–4
Scheeffer 64
Schwartz 338
Sell 336
Serret 62
Smolyanov 312, 333
Sobolev 336, 338
Sova 312
Stein 332
Stokes 334
Stolz 309
Szarski 332, 334
- Tapia 337
Taylor 338
Tonelli 161
Tôyama 335
Tucker 337
- Vainberg 311, 336
Valiron 332–3
la Vallée Poussin 64–5, 159, 333
Vessiot 334–5
Viswinatham 164
Volterra 155, 308–9, 335
Voss 332
- Walter, J. 158
Walter, W. 158, 164, 334–6
Ważewski 67, 332–3, 335–6
Weierstrass 57, 65
Weyl 164
Wintner 160, 333–5
- Yosie 336
Young 309–10, 333
- Zermelo 337
Zygmund 65

SUBJECT INDEX

An asterisk indicates that the reference occurs in an historical note.

- Abel–Liouville identity 108
- absolutely continuous 50
- action 237
 - principle of least 237
- adjoint 319
- almost everywhere 328
- approximate solution 75–8, 158*
- arc, length 40
 - regular 41
- Ascoli–Arzelà theorem 314
- asymptotically stable 116
- Banach fixed point theorem 316
- Banach–Steinhaus theorem 317
- Bellman's inequality 95, 164*
- Borel set 328
- bounds of continuous function 57*
- brachistochrone 225, 238
- calculus of variations 224–40, 308*
- canonical coordinates for the Euler
 - problem 236
- catenary 233–4
- Cauchy's mean value theorem 16
- chain rule, derivatives 9, 10
 - Fréchet differentials 171, 175, 310*
 - Gâteaux differentials 256
 - Gâteaux variations 253
 - Hadamard differentials 267
 - Hadamard variations 262–3
 - higher order differentials 187–9
 - Jacobians 183
 - matrix form 183
 - most general differential for 267
 - partial derivative 183–4
- closed convex hull 320
- closed graph theorem 316
- components of vector-valued function 4–5
- cone 324–8
- convex functions 321–3
 - conditions for 176, 201, 258
 - continuity of derivative 39
 - Gâteaux variation 253
 - Hadamard variation 264
 - convex hull 320
 - convex set 319
 - absorbing 319
 - contains difference quotient 32–3
 - radial 319
 - contraction mapping principle 316, 310*
- Darboux's theorem 16, 20
- derivative 3
 - cannot have jump discontinuity 38
 - convex function 6
 - Dini 21
 - higher order 41
 - integral of Dini 52–3
 - left, right hand 6
 - limit of sequence of functions 37
 - need not be continuous 6
 - second 41
 - strong 35
 - weak 35
 - differentiable function
 - in Fréchet sense 166
 - in Gâteaux sense 255
 - in Hadamard sense 264
 - of one real variable 4
 - differential, *see* Fréchet, Gâteaux, Hadamard differentials
 - differential equations, ordinary 24–7, 69–165, 217–24, 294–308
 - equivalent to integral equation 73–4
 - first integral 220
 - initial condition 24
 - linear, first order 72, 100, 104–12
 - linear, n th order 73, 112–14
 - order 69, 70
 - solution 69
 - system of simultaneous 70
 - without solution 84
 - see also* existence, uniqueness, solution
 - differential inequalities, *see* inequalities
 - Dini derivatives 21
 - relative to ψ 23
 - directed into, vector 258–9, 287

Subject Index

357

- cone of 287–8
- dual, cones 325
 - of normed space 316
- energy
 - kinetic 237–8
 - potential 237, 294–5
- epidermis property 27–8, 84
- equation of motion 237, 295
- equicontinuous 313
- Euclidean norm 318
- Euler equation 228
 - canonical form 236
- Euler's theorem on homogeneous functions 175–6
- existence theorems for differential equations
 - approximate solution 76
 - comparison theorems 135–6
 - discontinuous f 146
 - generalized Lipschitz condition 103
 - history 148–60*
 - linear equation 100
 - Lipschitz condition 98–9
 - local Lipschitz condition 100–1
 - Lyapunov method 305–8
 - maximal solution 25–6, 82–3, 85
 - Newton's method 250
 - finite-dimensional Y 86–90, 92–3
- exponential of linear map 120
- extremal point 320
- extremal of functional 229
 - see also* maxima, minima
- feasible directions, cone of 259
- first integral of differential equation 220
- Fréchet differentiable 166
 - equivalents to definition 170
 - higher order 186
 - in terms of partial differentials 179–80, 184, 193–5, 197
- Fréchet differential 167, 309–12*
 - higher order 186–7
 - partial 178
 - of bilinear map 169, 187
 - of composite functions, *see* chain rule
 - of linear map 169, 187
 - of multilinear map 170
 - of norm 175
 - symmetry of higher order 190, 192
- fundamental kernel 106
- Gâteaux differentiable 255
 - differential 255–6
 - differential compared with Fréchet 252, 257
 - differential compared with Hadamard 259
 - linearity of variation 254–5
 - partial differentials 257–8
 - upper, lower variation 258
 - variation 251–5, 308–11*
- gauge of convex set 322
- gradient 196, 231, 310*
- Gronwall's inequality 95
- Hadamard differentiable 264, 311*
 - differential 264–8
 - differential and chain rule 267
 - partial differentials 268
 - subvariation 270–2
 - subvariation of norm 271
 - upper, lower variation 268–70, 337*
 - variation 259–64
- Hahn–Banach theorem 323
- half-space 324
- Hamiltonian 235, 236
- Hammerstein operator 214, 336*
- Heine–Borel theorem 63*
- Hessian matrix 196
- Hilbert space 318
- horizontal chord theorem 58*
- hyperplane 324
 - of support 324
- I–K condition 132, 162*, 302
- implicit function theorem 206, 209, 211, 310*
- inequalities, differential 23, 25–6, 28, 48, 54, 83, 85, 88, 92–4, 96–7, 139, 296–7, 156–8*
 - increment 30, 50–1, 53, 257, 59*, 64*
 - integral 95–7, 162–4*
 - mean value 15, 31–6, 51–4, 176–7, 254, 267–8, 62*, 65–7*
- initial condition 24, 70
 - dependence of solution on, 125–30, 218–23
- inner product 318
- insertion map 178
- integral 45–8
 - Lebesgue 52
 - of Dini derivative 53
- integral inequalities, *see* inequalities
- intermediate value property for derivatives 16
- intermediate value theorem 56–7*
- interval of existence 101
- inverse function theorem 174, 203–4
 - real variable 9–10
- I–P problem 283
- isoperimetric problem 283–4
- Jacobian 183, 256
 - determinant 183

- Kantorovich's theorem 241, 337*
 Krein–Milman theorem 320
- Lagrange's mean value theorem 14
 multipliers 282, 337*
- Lagrangian 237
- Leibnitz formula for Fréchet differentials
 196
- level surface 277
- L'Hospital's theorem 39–40
- limit 3
- linear differential equations 104–25, 335*
 constant coefficients 119–25
 general solution 105
 first order 104
 homogeneous 104, 113
*n*th order 113
 perturbation 118–9, 125
 stability 117–18
- Lipschitz condition 97, 315
 extension of Lipschitz function 128
 generalized 103
 local 100
 property of Fréchet differentiable
 function 176–7, 181
- logarithmic norm 110–12
- Lyapunov function 296
- maximum, *see* minimum
- mean value inequalities, *see* inequalities
- mean value theorems 12–17, 20, 54–63*
 Cauchy's 16
 Lagrange's 14
- measurable 328
- measure zero 328
- mesh 149*
- minimum, conditional local 281, 287
 conditions for 282, 285–6, 290–1, 292–4
 in calculus of variations 225
 local 199–200
- Minkowski functional 322
- mixed derivative theorem 190, 196
- monotonicity condition 132
- monotonicity theorems 14, 21–3, 35, 49,
 50, 61*, 64*
- nearly all, nearly everywhere 21
- Nemytskii operator 336*, 211, 331
- Newton's equations of motion 237
 method 240
- (P) condition 133, 162*
- parameter, dependence of solution on
 125–32, 223–4
- partial derivative 181, 184
 differentials: Fréchet 178–81, 195, 197;
 Gâteaux 258; Hadamard 268
- partition 40
- path in normed vector space 10
 length 40
 rectifiable 40–1, 48
 simple 10
 tangent to 11
- perturbation of linear equation 118–19, 125
- piecewise smooth function 216
- positive homogeneous 321
- primitive 45
- principle of least action 237
- product space 317–18
- quasi-convex function 321
- radial retraction 128
- ray 11
- reaching to boundary 80–5, 160*
- rectifiable path 40, 48
- rectification theorem 219
- recurrence relation 241
- regulated function 44, 216
- Rolle's theorem 13
- self-adjoint 319
- smooth norm 272
- solution of differential equation 69
 approximate 75–8, 158*
 Carathéodory sense 145
 dependence on initial conditions 125–32,
 218–23
 dependence on parameters 125–32,
 223–4
 exact 69, 75
 higher order differentiability 217–18
 maximal 25, 82
 reaching to boundary 80
see also existence, stability, uniqueness
- spectrum 319
- stability 115–17, 297
 linear equations 117–18, 124–5
 Lyapunov conditions 297–301
- step function 44
- Stone–Weierstrass theorem 315
- strong derivative 35
- subadditive 321
- subdifferential 270, 337*
- sublinear 321
- subvariation 270, 337*
- successive approximations 141–4, 240–50
- superposition operator 336*, 211, 331
- support functional 288
- tangent
 cone to graph 274–5
 cone to set 273–4, 288
 direction of 11
 to graph 11
 to level surface 277–80

Cambridge University Press

978-0-521-09030-8 - Differential Analysis: Differentiation, Differential Equations and
Differential Inequalities

T. M. Flett

Index

[More information](#)*Subject Index*

359

- to path 11
- to set 273–4, 288
- Taylor series 55–6*
- Taylor's theorem 42–3, 309–10*, 333*
 - for Fréchet differentiable functions 198–201, 309*
 - integral remainder 48
- Tietze's extension theorem 313
- uniform boundedness principle 317
- uniform convergence 60*
- uniform norm 314
- uniqueness theorems 85, 98–101, 103,
- 134–5, 139–40, 148, 160–2*, 250, 301–5
- variation
 - Gâteaux 251, 309*
 - Hadamard 259
- variation of parameters 107
- vertex 324–5
- weak derivative 35
- weak* topology 326
- Weierstrass's condition 240
- Wronskian 114