

Subject Index

- Alexandroff, P., vii, 18
 algebra, 273
 σ -, 273
 Alster, K., 205, 206, 250
 Amir, D., 179, 205
 Anderson, R. D., 238
 Argyros, S., vii, viii, ix, x, 1, 18, 19, 20, 43, 76, 86, 111, 116, 117, 118, 119, 120, 122, 123, 124, 125, 135, 141, 146, 151, 156, 158, 159, 174, 175, 176, 177, 179, 184, 196, 197, 202, 205, 206, 207, 258
 Argyros' ramification lemma, 1
 Arhangel'skii, A. V., vii, 205
 arrow notation
 $\alpha \rightarrow (\kappa)_\lambda^n$, 8
 $\alpha \rightarrow (\alpha, \xi)^2$, 11
 $\alpha \vdash (\alpha, \xi)^2$, 11
 β -extremally disconnected, 121
 Bachmann, H., 18, 258
 Bagley, R. W., 41
 Baire, R., 263, 275, 276, 279
 Baire category theorem, 262
 Baire measure, 275
 Baire set, 275
 Balcar, B., 118, 120, 121, 123
 Banach, S., xi, 86, 117, 121, 122, 123, 130, 135, 172, 173, 175, 176, 179, 204, 207, 280
 base, 261
 basic set, 45
 basically disconnected, 270
 Bell, M. G., 177, 202
 Benyamini, Y., 20, 206, 250
 Berberian, S. K., 275
 Bishop, E., 248
 Bloch, G., 18
 Bockstein, M., 18, 248
 Borel, É., 124, 125, 129, 131, 132, 134, 140, 141, 143, 144, 145, 146, 158, 159, 161, 162, 172, 173, 176, 275, 276, 277, 278, 279, 280
 Borel measure, 275
 Borel set, 275
 -box topology, 44
 branch, 255
 Broverman, S., 85
 Bukovský, L., 42
 C-embedded, 264
 C-embedded, 264
 C*-embedded, 264
 cal, cal \mathcal{F} , 126
 Całczyńska-Karłowicz, M., 19, 76
 calibre α , 22
 calibre (α, β) , 22
 calibre (α, β, γ) , 21
 canonical base, 44
 canonical projection, 271
 Cantor, G., 41, 152
 Carathéodory, C., 146, 274
 Carathéodory completion, 274
 cardinal, 251
 limit, 251
 non-limit, 251
 regular, 252
 singular, 252
 strongly inaccessible, 254
 strongly κ -inaccessible, 254
 successor, 251
 weakly compact, 257
 Category I, 262
 Category II, 262
 c.c.c., 35
 productively, 35, 103
 Čech, E., 132, 173, 178, 208, 218, 231, 236, 264, 265, 266
 cellular family, 29
 cellular number, 40
 CH, 257
 chain, 251
 cofinality, 251
 Cohen, P. J., 201
 Comfort, W. W., 18, 19, 41, 42, 76, 84,

- 204, 217, 229, 249, 258, 262, 265, 266, 273
- compact, 261
- compact-calibre α , 22
- compact-calibre (α, β) , 22
- compact-calibre (α, β, γ) , 21
- complete Boolean algebra, 270
- completely regular, 261
- Connel, E. H., 41
- continuum hypothesis, 257
- generalized, 257
- Corson, H. H., xi, 84, 179, 204, 205, 206, 207, 247, 248, 250
- countable chain condition, 36
- Dashiell, F. K., 179
- Davies, R. O., 18, 19
- Day, M. M., 179
- Dedekind, J. W. R., vii, 17, 75
- dense, 261
- nowhere, 262
- density character, 261
- depends on, 231
- determined, (basic set), 153
- Devlin, K. J., 203
- Dieudonné, J., 231, 236, 248, 264, 265
- Dieudonné topological completion, 265
- Dirichlet, P. G. L., 17, 75
- van Douwen, E. K., 76, 124, 178, 207
- Dunford, N., 279
- Dushnik, B., 18
- Eberlein, W., xi, 20, 204, 205, 206, 250
- Efimov, B., 42, 76, 249
- Engelking, R., 76, 247, 249
- Erdős, P., vii, ix, x, 18, 19, 20, 24, 42, 43, 45, 48, 51, 55, 58, 75, 76, 86, 116, 119, 124, 138, 164, 175, 177, 178, 197, 232, 240
- Erdős-Rado theorem, 5
- extension to singular cardinals, 13
- exceptional set, 78
- extremely disconnected, 270
- β -, 121
- family, cellular, 29
- independent, 118
- large locally finite, 31
- locally finite, 22
- quasi-disjoint, 4
- filter, 270
- proper, 270
- finite intersection property, 261
- finitely additive measure, 273
- first-countable, 244
- Fleissner, W., 20, 175
- Fodor, G., 18, 20
- Fraenkel, A. A., 251
- Franěk, F., 118, 120, 121, 123
- Franklin, S. P., 265
- free set, 17
- Fremlin, D. H., 176, 202
- Freyd, P., 264
- Frolik, Z., 41, 228, 229
- Fuhrken, G., 18
- G_δ -dense, 240
- G_δ -point, 240
- G_δ -set, 240
- Gaifman, H., vii, x, 111, 119, 124, 147, 176, 177, 197, 206
- Galvin, F., vii, x, 20, 42, 111, 119, 125, 178, 180, 184, 190, 196, 197, 200, 203, 207
- GCH, 257
- generalized continuum hypothesis, 257
- generalized rectangle, 44
- generalized Σ -product, 79
- Gerlits, J., 20, 43, 76, 78, 85
- Gillman, L., 264, 265, 266
- Ginsburg, J., 20, 85
- Gleason, A. M., 116, 118, 127, 132, 134, 135, 147, 152, 159, 163, 172, 174, 181, 183, 186, 194, 248, 271, 272, 273
- Gleason space, 272
- Glicksberg, I., 41, 76, 249
- Gödel, K., 196, 202, 203
- Goodner, D. B., 123
- Gul'ko, S. P., 204, 205, 206, 250
- Haar, A., 117, 137, 140, 143, 154, 172, 279
- Haar measure, 279
- Hagler, J., 19
- Hahn, H., 130, 172, 280
- Hahn-Banach theorem, 280
- Hajnal, A., vii, x, 18, 19, 20, 125, 177, 178, 197, 200
- Halmos, P. R., 176, 275
- Haratomi, K., 42
- Hausdorff, F., vii, 263, 268
- Hausdorff space, 261
- Haydon, R., 19, 20, 123, 135, 174, 175, 206
- Hebert, D. J., 172
- Hedrlin, Z., 87, 116
- height, 256

Index

297

- Herink, C., 202
 Herrlich, H., 264, 265
 Hewitt, E., 41, 76, 168, 231, 236, 262, 264, 274, 275, 279, 280
 Hewitt realcompactification, 265
 Hilbert, D., 20, 239
 homogeneous (for partition), 8
 homogeneous space, 172
 Hopf, E., 275, 276
 Horn, A., x, 176, 177
 Hung, H. H., 177
 Hušek, M., 248, 249
- independent family, 118
 inductive, 250
 injective, 123
 irreducible function, 272
 Isbell, J. R., 41, 248, 249, 265
 isomorphic measure algebras, 276
- Jech, T. J., 203
 Jensen, J. L. W. V., 175
 Jensen, R. B., 119, 196, 202, 203
 Jerison, M., 264, 265, 266
 Johnsbråten, H., 203
 Jourdain, P. E. B., 253
 Juhász, I., vii, 20, 40, 76, 77, 87, 116, 117, 121, 202
- κ -box topology, 44
 (κ, κ)-chain condition, 146
 κ - Σ -product, 79
 Kalamidas, N., 122, 123, 124, 141, 173, 175, 176, 195, 197, 201
 Karłowicz, M., *see* Całcynska-Karłowicz, M.
 Keisler, H. J., 19, 200, 204
 Kelley, J. L., 123, 124, 172, 249
 Kemperman, J. H. B., 76
 Kennison, J. F., 265
 Kister, J. M., 249
 Klee, V., 179, 239
 Knaster, B., x, 40, 175, 180, 206
 König, D., 31
 König, J., 253, 254
 Koumoullis, G., 124, 171, 178
 Kunen, K., vii, x, 85, 111, 119, 175, 180, 196, 197, 200, 201, 202, 204
 Kurepa, G., 19, 41, 87, 116, 203
- λ -Souslin number, 29
 L-space, 175
 Lacey, H. E., 172
- large locally finite family, 31
 Laver, R., vii, x, 111, 119, 180, 190, 196, 197, 200, 203
 Lazard, D., 20
 Lebesgue, H., 124, 134, 175
 level, 256
 Lévy, A., 203
 Lindelöf, E., 175, 237, 248
 Lindenstrauss, J., 179, 205
 linear functional, 280
 positive, 280
 linked, 177
 locally finite, 22
 Loś, J., 18
 Losert, V., 175
 Lusin, N., vii, 151, 206, 263
 Lusin set, 262
- M -embedded, 264
 MacNeille, H. M., 273
 Mägerl, G., 173, 174
 Maharam, D., 76, 141, 279
 makes, 34
 Malyhin, V. I., 202
 Marczewski, E., 18, 40, 75, 76, 168, 175, 262
 Mardesič, S., 41
 Marek, W., 19
 Martin, D. A., 175, 180, 201, 202, 203
 Martin's axiom, 201
 Marty, R. H., 248
 Máté, A., 18
 Mazur, S., 18
 McKnight, J. D., 41
 measurable set, 274
 measure, 274
 Baire, 275
 Borel, 275
 Carathéodory, 274
 countably additive, 274
 finite, 274
 finitely additive, 273
 normal, 276
 probability, 274
 product, 274
 regular, 275
 σ -additive, 274
 strictly positive, 125
 measure algebra, 276
 measure space, 274
 measure-calibre, 162
 Mercourakis, S., 205, 206, 207
 Mibu, Y., 248

- Michael, E. A., 18, 250
 Miščenko, A., 42, 248
 Moore, R. L., 178
 Mostowski, A., 19, 42
 Mycielski, J., 76
- Nachbin, L., 123, 264
 Nagata, J., 205
 Namioka, I., 173, 174, 206
 Negrepontis, S., 18, 19, 20, 41, 42, 76, 116, 121, 123, 158, 171, 174, 175, 176, 177, 179, 196, 204, 205, 206, 207, 217, 249, 250, 258, 262, 265, 266, 273
 Neumer, W., 18
 Noble, N., 19, 41, 76, 248, 249
 norm (ultrafilter), 268
 normal measure, 276
 normal space, 242
 Novák, J., 18
 nowhere dense, 262
 null set, 274
- O'Callaghan, L., 20
 order (in tree), 256
 order-preserving, 252
 order type, 251
 ordinal, 251
 limit, 251
 non-limit, 251
 successor, 251
 Oxtoby, J. C., 77, 174, 263
- π -base, 261
 π -weight, 261
 \mathcal{P}_1 -space, 123
 P_α -space, 263
 P_i -homogeneous, 8
 Papič, P., 41
 Półczyński, A., 20, 123, 174, 175
 Phelps, R. R., 179
 Piccard, S., 20
 Pixley, C., 167, 168, 169, 171, 178
 Pixley–Roy space, 168
 point-homogeneous, 172
 Pol, R., 205, 206, 250
 Pondiczery, E. S., 76, 168, 262
 Pospíšil, B., 268
 precalibre α , 36
 precalibre (α, ρ) , 35
 pressing-down lemma, 4
 Prikry, K., 203
 probability measure, 274
- productively c.c.c., 35, 183
 property (*), 125
 property (**), 126
 property $(*(\alpha))$, 177
 property $(**(\alpha))$, 177
 property $(**)_\theta$, 173
 property (K), 36, 135
 property K_n , 36, 135
 property $K_{\alpha,n}$, 36, 135
 property P , 183
 pseudobase, 261
 pseudo- (α, β) -compact, 22
 pseudo- α -compact, 22
 pseudocompact, 22
 pseudoweight, 120, 261
- quasi-disjoint family, 4
- Rado, R., ix, 18, 19, 24, 43, 45, 48, 51, 55, 58, 75, 76, 86, 138, 164, 177, 187, 232, 240
 Rainwater, J., 273
 Ramsey, F. P., vii, 18
 realcompact, 264
 rectangle, 44
 refinement, 31
 reflexive, 35
 regular cardinal, 252
 regular space, 261
 regular-open set, 271
 representative, 87
 restriction set, 44
 Riesz, F., 131, 172, 280
 Riesz representation theorem, 279
 Rosenthal, H., 87, 117, 122, 123, 135, 174, 176, 204
 Ross, K. A., 248, 249, 279
 Rowbottom, F., 202
 Roy, P., 167, 168, 169, 171, 178
 Rubin, M., x, 176
 Rudin, M. E., 46, 200, 202, 204, 206, 250
 Rudin, W., 280
- σ -algebra, 273
 σ -complete Boolean algebra, 270
 σ - m -linked, 177
 Σ -product, 79
 Šapirovskii, B. E., vii, 121, 202, 206
 Sapounakis, A., 124, 178
 Schwartz, J. T., 280
 Semadeni, Z., 279
 separated at level n , 153
 Shanin, N. A., vii, viii, 18, 19, 40, 42, 75, 76, 248

Index

299

- Shelah, S., vii, viii, ix, x, 19, 43, 76, 85,
 117, 120, 176, 204
 Shoenfield, J. R., 202
 Sikorski, R., 172, 269, 273, 278
 Silver, J. H., 203
 Simpson, S. G., 19
 singular cardinal, 252
 van der Slot, J., 249, 264, 265
 Solovay, R. M., 201, 202
 Sorgenfrey, R. H., 249
 Souslin, M., vii, x, 41, 42, 202, 203, 208
 Souslin number, 30
 space, 259
 β -extremally disconnected, 121
 basically disconnected, 270
 compact, 261
 completely regular, 261
 extremally disconnected, 270
 first-countable, 244
 Gleason, 271
 Hausdorff, 261
 homogeneous, 172
 L-, 175
 measure, 274
 normal, 242
 \mathcal{P}_1 -, 123
 Pixley–Roy, 168
 point-homogeneous, 172
 realcompact, 264
 regular, 261
 topologically complete, 264
 Specker, E., 20
 Spivak, M., 175
 Starbird, T., 20
 Štěpánek, P., 42
 Stone, A. H., 248, 249
 Stone, M. H., 124, 132, 134, 143, 145,
 146, 172, 173, 176, 178, 203, 208,
 218, 231, 236, 248, 264, 265,
 266, 270, 271, 273, 276, 277
 Stone–Čech compactification, 265
 Stone extension, 204
 Stone isomorphism, 270
 Stone, space, 270
 strictly convex, 178
 strictly positive measure, 125
 Stromberg, K. R., 274, 275, 280
 strongly inaccessible, 254
 strongly κ -inaccessible, 254
 sub- κ -uniform, 269
 successor cardinal, 251
 successor ordinal, 251
 supremum norm, 280
 Szpilrajn, E., *see* Marczewski, E.,
 Talagrand, M., 20, 173, 175, 204, 205,
 206
 Tall, F. D., 85, 175, 202
 Tarski, A., x, 42, 171, 176, 177, 257, 258,
 260
 Tarski's recursion formula, 257
 Tennenbaum, S., 201, 203
 Tietze, H., 249
 topologically complete, 264
 transitive, 35
 tree, 256
 Troyanski, S. L., 207
 Tsarpalias, A., vii, ix, 1, 20, 86, 116,
 117, 119, 120, 122, 175, 250
 Tulcea, A. I., 178
 Tychonoff, A., 264
 type (of ultrafilter), 267
 type (of well-ordered set), 251
 Ulam, S., 123
 Ulmer, M. D., 19, 231, 248, 249
 ultrafilter,
 norm of, 268
 of Boolean algebra, 270
 sub- κ -uniform, 269
 type of, 267
 uniform, 268
 unbounded, 252
 uniform ultrafilter, 268
 Urysohn, P., vii, 18, 242
 $V = L$, 202
 Vařak, L., 205
 Verbeek, A., 19
 Vopěnka, P., 42
 Wage, M., xi, 200, 202, 206, 250
 Walker, R. C., 265, 266
 Waszak, L., 205
 weakly α -compact, 236
 weakly compact cardinal, 257
 Weierstrass, K., 248
 weight, 261
 Weil, A., 264
 Weiss, W. A. R., 202
 Williams, N. H., 18
 Woods, R. G., 20
 Zachariades, Th., 122, 202
 Zermelo, E., 251, 253
 Zermelo–Fraenkel set theory, 251
 ZFC, 251
 Zorn, M., 251
 Zorn's lemma 251

Index of Symbols

$\alpha \rightarrow \Delta(\kappa, \beta)$	50	$\bar{}, \bar{A}$	260
$\alpha \rightarrow (\kappa)_1^n$	8	$\hat{}, \hat{A}$	266
$\alpha \rightarrow (a, \xi)^2$	11	$C(X), C(X, Y)$	261
$\alpha \rightarrow (\alpha, \xi)^2$	11	$c(X)$	40
α^ξ	252	$d, d(X)$	261
βX	265	$E_p(X)$	78
γX	265	$\bar{}, \bar{f}$	265
$\kappa, \kappa(\mathcal{P})$	126	$G, G(X)$	271
$\sqrt[\kappa]{\alpha}, \sqrt[\xi]{\alpha}$	258	$M(X), M(\Omega)$	173
$\bar{}, \bar{\mu}$	274	$M_1^+(X)$	173
$\pi: G(X) \rightarrow X$	272	$N_\kappa(\alpha)$	269
$\pi_j: X \rightarrow X_j$	43	$P, P(a)$	256
$\pi w, \pi w(X)$	261	P_α	262
$\pi(X, x)$	120	$R(A), R(U)$	44
$\Sigma(B)$	122	$S(B)$	270
$\Sigma(\mathcal{F})$	85	$S_\lambda, S_\lambda(X), S(X)$	29
$\Sigma_\kappa\{0, 1\}^\lambda$	79	$S_{M(X)}$	173
$\Sigma_\kappa(p), \Sigma_\kappa(p, X_I)$	79	$T_A(P)$	267
υX	265	$U(A), U(\alpha)$	268
ω	251	$w, w(X)$	261
		$X_{(\alpha)}$	263
		X_j	43
		$(X_I)_\kappa$	45
		$\prod_{i \in I} X_i$	45
cal, cal(\mathcal{F})	126	\mathcal{A}^μ	274
cf, cf(α)	251	\mathcal{N}^μ	275
CH	257	$\mathcal{P}, \mathcal{P}(A)$	252
cl, cl A	260	$\mathcal{P}_\kappa, \mathcal{P}_\kappa(A)$	252
GCH	257	$\mathcal{P}_\kappa^*, \mathcal{P}_\kappa^*(A)$	252
int, int A	260	$\mathcal{R}(X), \mathcal{R}^*(X)$	271
GCH	257	$\mathcal{F}, \mathcal{F}(X)$	260
$(K), K_n, K_{\alpha, n}$	36	$\mathcal{F}^*, \mathcal{F}^*(X)$	260
$V = L$	202		
ZFC	251		
		$\bar{}, \alpha^\xi$	252
		$\bar{}, \bar{A}$	260
		$\bar{}, \bar{f}$	265
		$\bar{}, \bar{\mu}$	274
		$\bar{}, \bar{A}$	266
		\ll	254
		\leq	34
		\equiv	34
		$\ \ , \ f \ $	279
\mathbb{R}	260	$\ \ , \ p \ $	268
		$[a, b]$	261
		$[]^\kappa$	252
		\otimes	260