

Cambridge University Press

978-0-521-09069-8 - The Theory of Classical Dynamics

J. B. Griffiths

Index

[More information](#)***INDEX***

- acatastatic constraint, 266
- acceleration, 28, 29
 - angular, 30
 - due to gravity, 118
 - in cartesian coordinates, 31
 - in intrinsic coordinates, 33
 - in polar coordinates, 32, 33
 - of fluid, 160, 161
 - relative, 28, 43, 71
- action, 284, 303
- activity equation, 105
- Adams, J. C., 49, 96
- angles, Euler's, 224, 225
- angular acceleration, 30
- angular momentum
 - of a particle, 120
 - of a rigid body, 170, 171, 195, 196, 201
 - of several particles, 138, 139
- angular velocity, 30
- anomaly, true, 89, 126
- Appell, P., 269
- approximation techniques, 4, 5, 8
- Aristotelian space-time, 75
- axioms, xii–xiv, 64–6, 74
- axis, principal, 198–203
- Berkeley, G., 84
- body, 11, 35
- Bunge, M., 66
- canonical transformations, 290–3
- cartesian coordinates, 31
- catastatic constraint, 266
- centrifugal force, 41, 76, 82, 115
- centroid, 134–7, 139, 141
- coefficient of friction, 61, 189, 190
- coefficient of restitution, 130, 233
- compound pendulum, 186–9
- conic sections, 126
- conservative fields, 108–13
- conservative systems, 113, 114
- constant of gravitation, 91, 93–5
- constraint, 155–9
 - acatastatic, 266
 - catastatic, 266
 - holonomic, 157, 158, 237, 264
 - nonholonomic, 157, 158, 265
 - of rigidity, 166, 167
 - rheonomic, 159, 238, 254, 265
 - scleronomic, 159, 265
 - workless, 159, 244
- contact transformations, 290–3, 299
- continuity equation, 161
- coordinate transformations, 197, 198
- coordinates
 - cartesian, 31
 - Euler's angular, 224, 225
 - generalised, 237–9
 - ignorable, 251, 252
 - intrinsic, 32, 33
 - plane polar, 31, 32
- Coriolis force, 76, 79, 82, 115
- curvature, 33, 34
 - of space, 26, 27
- degrees of freedom, 155, 156
- density, 160
- deterministic motion, 14
- Dicke, R., 98
- dimensions of space, 18
- double pendulum, 255–7
- earth, motion relative to, 76–82
- eccentricity, 89, 126
- Einstein, A., 70, 85
- ellipsoid of inertia, 203
- elliptic orbits, 87, 89, 126, 127
- energy
 - conservation of, 113, 114, 253–5
 - kinetic, 105, 137, 138, 173, 185, 212, 213, 239–42
 - potential, 109, 110, 140, 214
- energy integral, 112–14, 159, 253–5
- Eötvös, R. V., 98

- equations of impulsive motion
 for a particle, 121–3
 for a rigid body, 229–31
 Lagrange's, 269–71
- equations of motion
 Euler's, 211
 for a fluid, 164, 165
 for a particle, 48–52, 103, 120
 for a rigid body, 168–70, 172, 184,
 185, 208–11
 for several particles, 141, 143, 144
 Hamilton's, 287–91
 Lagrange's, 246–50, 267, 268
- equimomental systems, 173, 212
- Euclidean space, 12, 23, 24, 27, 69, 70,
 76
- Euler, L., 284
- Euler's angles, 224, 225
- Euler's equations, 211
- event, 75
- falsification of theory, 8, 50–3
- fictitious forces, 40–2, 49–52, 64, 73, 76,
 115, 249
- fields
 conservative, 108–13
 gravitational, 90, 92, 93, 106, 116–19
 irrotational, 106–8
 scalar, 23
 vector, 23, 105, 106
- fluid dynamics, 159–65
- force, 10, 39–44, 47, 49–51, 64
 apparent gravitational, 78
 centrifugal, 41, 76, 82, 115
 centripetal, 64
 conservative, 109–13
 Coriolis, 76, 79, 82, 115
 definition of, 39, 43
 external, 141, 143
 fictitious, 40–2, 49–52, 64, 73, 76, 115,
 249
 generalised, 244–6
 gravitational, 41, 56, 73, 88, 89, 139
 impressed, 40–2, 64, 73
 impulsive, 121–3
 internal, 140–3
 moment of, 120
 monogenic, 111
 of constraint, 157, 268
 resistive, 55
 time dependent, 110, 111, 115
- Foucault, J., 80
- Foucault's pendulum, 50, 80–2
- frame of reference, 12, 17, 67
 inertial, 38, 39, 52, 72–4, 82, 83
 rotating, 71, 72, 75–81, 84
- friction, coefficient of, 61, 189, 190
- fundamental equation, 261, 264
- Galilean transformation, 74, 84
- Galileo Galilei, 86, 94, 98
- general relativistic correction, 98–100
- Gibbs, J. W., 269
- gradient, 108
- gravitation, 86–102
 constant of, 91, 93–5
 universal law of, 93
- gravitational field, 92, 93, 106
 constant, 102, 118–19, 139, 140
 of a particle, 116
 of a spherical body, 117
 of several particles, 117
- gravitational force, 88, 89, 92, 93, 101,
 102
 apparent, 78, 101, 102
- gravitational mass, 92, 97, 98
- gyration, radius of, 173, 174
- Hamilton–Jacobi equation, 297–300
- Hamilton's characteristic function, 301–
 3
- Hamilton's equations of motion, 287–91
- Hamilton's principal function, 295, 296
- Hamilton's principle, 276–81
- Hamiltonian function, 288
- harmonic oscillator, 303, 304
- Hertz, H., 66
- Hohmann transfer orbit, 128, 129
- holonomic constraint, 157, 158, 237,
 264
- holonomic systems, 157, 158
- hyperbola, 127
- ignorable coordinate, 251, 252
- impulsive motion, 121–3, 229–34, 269–
 71
- inertia, law of, 38, 39
- inertia tensor, 196
- inertial frame of reference, 38, 39, 52,
 72–4, 82, 83
- initial conditions, 14
- integrals of equations of motion
 angular momentum, 120, 146, 147
 energy, 112–14, 253–5
 generalised momentum, 251
 in Hamiltonian form, 292
 Jacobi's, 252–5, 268
 linear momentum, 119, 146
- intrinsic coordinates, 32, 33
- inverse square law orbits, 89, 125–9,
 305, 306
- irrotational fields, 106, 107
- Jacobi, K. G. J., 285
- Jacobi's integral,
 in analytical mechanics, 252–5, 268,
 288

- Jacobi's integral (*cont.*)
 in celestial mechanics, 115, 150
- Jupiter, 92
- Kepler, J., 86, 87
- Kepler's laws, 87–9, 92, 94
- Kilmister, C. W., 66
- kinematics, 33, 34
- kinetic energy
 in generalised coordinates, 239–42
 of a particle, 105
 of a rigid body, 173, 185, 212, 213
 of several particles, 137, 138
- König's theorem, 138
- Lagrange multipliers, 266, 267
- Lagrange's equations
 for a conservative system, 249, 250
 for a holonomic system, 246–50
 for a nonholonomic system, 267–9
 for impulsive motion, 269–71
- Lagrangian function, 249, 281
- lamina theorem, 175, 176
- Lanczos, C., 111
- Leverrier, U. J. J., 49, 96
- line integral, 106
- linear momentum, 119, 134
 conservation of, 119, 146
- Mach, E., 37, 45, 46, 65, 66, 84
- Mach's principle, 84, 85
- McKinsey, J. C. C., 66
- manifold, 18
- mass, 43–7, 65
 centre of, 134
 definition of, 43
 gravitational, 92, 97, 98
 inertial, 46, 97, 98
 ratio, 45, 46
 variable, 150–2
- Maupertuis, P. L. M. de, 284
- Mercury, advance of perihelion, 50, 95, 96
- modelling, 1–8
- moment, 120
- moment of inertia, 171–82, 195, 196, 200–3
- momental ellipsoid, 203
- momentum
 angular, 120, 138, 139, 170, 171, 195, 196, 201
 generalised, 240–2, 251, 287
 linear, 119, 134
- monogenic forces, 111
- Neptune, 49, 96
- Newton, I., 11, 16, 37, 39, 46, 64, 65, 84, 92–4
- newton, 47
- Newtonian space-time, 75
- Newton's bucket experiment, 84
- Newton's law of gravity, 93, 94
- Newton's law of motion, 74
 first law, 38, 65
 second law, 47, 65
 third law, 44, 65, 90, 97, 141, 142
- nonholonomic constraint, 157, 158, 265
- nonholonomic system, 157, 158, 267–9, 271–3
- normal modes of oscillation, 258–60
- orbits, 87–90, 125–9
- oscillations
 normal modes, 258–60
 simple harmonic, 303, 304
- parabola, 127
- parallel axis theorem, 174, 175, 197, 198
- particle, 12, 35, 37, 141, 142
- pendulum,
 compound, 186–9
 double, 255–7
 Foucault's, 50, 80–2
 simple, 124, 125
- planetary motion, 2, 86–97, 99
- Pluto, 96
- Poisson bracket, 292–5
- polar coordinates, 31–3
- position vector, 27–9
 relative, 17, 25, 68
- potential energy, 109–14
 due to a centrifugal force, 115
 due to a particle, 116
 due to a spherical body, 117
 due to several particles, 117
 in a constant field, 118–19, 140, 214
- potential function, 108, 245, 246
 generalised, 111
 time dependent, 110, 111, 114, 115, 253
- power, 104, 105
- pressure, 162
- primitive concepts, 10–13
- principal axis of inertia, 198–203
- principal moment of inertia, 200–3
- Principia, Newton's, xi, 16, 37
- principle of least action, 282–5
- products of inertia, 196
- projectiles
 vertical motion, 55–7
 with Coriolis force, 79
 with resistance, 59–62
 without resistance, 57–8
- quantum mechanics, 13–15, 37, 303

- radius of gyration, 173, 174
 rectilinear motion, 53–7
 Reeve, J. E., 66
 relativity
 general, 27, 70, 85, 89
 Newtonian, 68–76
 special, 20, 70
 resistive force, 55
 restitution, coefficient of, 130, 233
 rheonomic constraint, 159, 238, 254,
 265
 rigid body, 166–8
 degrees of freedom of, 167
 equations of motion of, 168–70, 172,
 184, 185, 208–11
 Euler's equation for, 211
 kinetic energy of, 173, 185, 212, 213
 rockets, 152–4
 rolling motion, 34, 192, 271–3
 rotating frames of reference, 71, 72, 75–
 81, 84
 Routh, E. J., 252
- Saturn, 92
 scalar field, 23
 scalar quantity, 22
 scleronomic constraint, 159, 265
 second, 21
 semilatus rectum, 89, 90, 126
 semimajor axis, 89, 127
 simple harmonic motion, 303, 304
 simple pendulum, 124, 125
 space, 10–12, 16–18, 69, 70
 space-time, 27, 70, 75
 speed, 29
 spinning top, 224–8, 257, 293, 294
 Sugar, A. C., 66
 Suppes, P., 66
 systems
 acatastatic, 266
 catastatic, 266
 conservative, 113, 114
 equimomental, 212
 holonomic, 157, 158
 nonholonomic, 157, 158, 267–9, 271–
 3
- systems (*cont.*)
 of particles, 132–50
 rheonomic, 159
 scleronomic, 159
- testing
 models, 6–8
 theories, 8, 9
- three body problem, 115, 148–50
 time, 10–12, 19–22, 69, 70
 time derivative, 29, 72
 top, spinning, 224–8, 257, 293, 294
 transformations
 contact (or canonical), 290–3, 299
 coordinate, 197, 198
 Galilean, 74, 84
 true anomaly, 89, 126
 two body problem, 147, 148
 Tycho Brahe, 86, 90
- Uranus, 49, 96
- variable mass, 150–2
 variational principles, 276–85
 vector field, 23, 105, 106
 vector quantity, 22
 vectors, 23–5
 parallelogram law of addition, 23, 47
 position, 27–9
 scalar product, 24
 vector product, 25
 velocity, 28–9
 angular, 30
 components of, 31–3
 generalised, 238, 239
 relative, 28, 69, 70
 virtual displacement, 242, 243, 265, 266,
 276, 277
 virtual work, 243
 viscosity, 163
 vorticity, 164
 Vulcan, 96
- weight, 100–2
 work, 104
 virtual, 243
 workless constraint, 159, 244