

## CITATION INDEX

- Adamczyk 166  
 Adams 61  
 Adamson 241  
 Aly 45  
 Arrhenius 6  
 Averson 222  
 Ayeni 222
- Barenblatt 47  
 Batchelor 175  
 Baum 81, 83  
 Berman 33  
 Blythe 114  
 Borovinskaya 219  
 Bowen 3  
 Boyer 195  
 Buckmaster 17, 34, 42, 46, 49, 55, 61, 70,  
 95, 103, 104, 117, 119, 125, 129, 130,  
 135, 141, 145, 148, 151, 152, 156, 163  
 165, 166, 168, 177, 179, 181, 183, 184,  
 185, 199, 200  
 Burke 13, 102  
 Bush 2, 25, 28, 34, 40, 93
- Cahill 230  
 Campbell 23  
 Carrier 34, 93  
 Chandra 222  
 Chu 193  
 Clarke 34, 93  
 Clavin 42, 219  
 Conrad 222  
 Corry 242  
 Crespo 241, 242, 245  
 Crowley 156  
 Culick 91  
 Curtiss 23, 29  
 Darrieus 137, 197  
 Davis 222
- Denison 81, 83  
 Denniston 146  
 Deshaies 46  
 Donaldson 224
- Eckhaus 145, 199  
 Emmons 8, 45, 67, 199
- Fendell 2, 25, 28, 34, 40, 93, 125, 128, 135  
 Ferguson 29  
 Feshbach 119  
 Fick 5  
 Filonenko 219  
 Frank-Kamenetskii 2, 221, 224, 225  
 Friedman 64  
 Fristrom 36
- Gautschi 230  
 Gaydon 214  
 Goldstein 233  
 Gray 227  
 Guirao 70  
 Günther 155  
 Gutfinger 42
- Hermance 45, 230  
 Higgins 193  
 Hirschfelder 23, 29  
 Holmes 102
- Istratov 194
- Jain 120  
 Janssen 76, 98, 115, 116, 135  
 Jischke 230  
 Johnson 23, 34, 61, 70, 73  
 Joulin 42, 46, 47, 219
- Kanury 163

262 *Citation index*

- Kapila 18, 34, 61, 70, 71, 73, 76, 78,  
 125, 129, 135, 233, 234, 235, 236, 237,  
 241, 245  
 Karlovitz 146  
 Kaskan 29  
 Kassoy 8, 101, 102, 229, 230, 232, 233,  
 234, 235, 238  
 Keck 29  
 Khaikin 219  
 Knapschaefer 146  
 Knight 97  
 Konrat'ev 17  
  
 Landau 137, 197  
 Lavoie 166  
 Law 108, 109, 111, 113  
 LeChatelier 199  
 Lee 227  
 Levy 64  
 Lewis 28, 42, 138, 146, 149, 155, 161, 166,  
 170, 171  
 Libby 183  
 Librovich 194  
 Liebman 242  
 Liñán 18, 96, 113, 125, 238, 241, 242, 245  
 Liouville 224  
 Lu 95  
 Ludford 17, 34, 61, 70, 71, 73, 76, 78,  
 95, 116, 117, 119, 120, 124, 125, 129,  
 130, 133, 135  
 Maksimov 223  
 Mallard 199  
 Marble 241  
 Margolis 94, 219  
 Markstein 11, 51, 136, 194, 208, 214  
 Matalon 17, 95, 119  
 Matkowsky 55, 141, 152, 205, 215, 217,  
 219, 220  
 McConnaughey 213  
 McIntosh 93  
 Merzhanov 219, 222, 223  
 Michelson 208, 213, 214  
 Mikolaitis 184  
 Milán 23  
 Mitani 34  
 Morse 119  
 Müller 5  
  
 Nachbar 34, 61, 70, 73  
 Nachman 55, 117, 119  
 Nir 61  
 Normandia 116, 117, 124, 133  
  
 Olagunju 220  
 Onsager 5  
  
 Parang 230  
  
 Payne 222  
 Perlee 242  
 Peskin 218  
 Peters 49, 119  
 Poland 229, 233, 234, 235, 238  
 Potter 97  
 Putnick 215  
  
 Riazantsev 33  
 Riley 97  
  
 Sabathier 194  
 Sato 45  
 Schumann 13, 102  
 Semenov 232  
 Sen 34  
 Shkadinsky 219  
 Shkiro 223  
 Shouman 224  
 Shvab 16  
 Sivashinsky 42, 43, 51, 55, 141, 142, 145,  
 152, 159, 190, 196, 199, 203, 205, 206,  
 207, 208, 211, 213, 214, 215, 216, 219  
 Spalding 50, 64, 78, 120  
 Stewartson 55, 172, 243  
 Stuart 224  
  
 Takeno 45, 46  
 Taliaferro 117, 119  
 Titchmarsh 118  
 Truesdell 3  
 Tsuji 183  
 Turing 11  
  
 Van Dyke 19, 157, 230  
 von Elbe 28, 42, 138, 146, 149, 161, 166,  
 170, 171  
 von Kármán 23  
  
 Warnatz 49  
 Wells 146  
 Westbrook 166  
 Westenberg 36  
 Williams 2, 5, 8, 12, 16, 23, 25, 34, 60, 62,  
 70, 78, 81, 89, 97, 101, 102, 172, 183,  
 238, 241  
 Wise 218  
 Wiseman 61  
 Wolfhard 214  
  
 Yamaoka 183  
 Yannitell 125, 130  
 Yumlu 50  
  
 Zeldovich 16, 47

## SUBJECT INDEX

- acoustic admittance 89, 91  
 acoustic waves  
   amplification of 90  
   burning of linear condensates, effect on  
     79, 84, 86, 87  
 activation energy 6, 15  
   asymptotics 2, 17, 25, 103, 247  
 ammonium perchlorate 60  
 anchored flames 23  
   stability of 92, 219  
 area change, effect on flame speed 51, 57  
   (*see also* stretch)  
 Arrhenius factor 5  
   replacement by delta function 218  
 asymptotic expansions  
   nonlinear scaling in 230  
   uniform notation for 19  
 auto-ignition 222  
   of initially separated reactants 241
- blow-off of  
   excess-enthalpy flames 47  
   flames in front of bluff bodies 183  
   tube flames 155  
 Buckmaster limit 103, 125  
 buoyancy (*see* gravity and gravity effect on)  
 Burke-Schumann limit 101, 125 (*see also*  
   flame sheets)  
 burners 154  
   , Bunsen 20, 95, 138  
   for excess-enthalpy flames 45  
   , flat 28, 92  
 burning rate (*see also* flame speed)  
   of cylindrical flames 123  
   of diffusion flames 99, 100, 101, 103,  
     106, 109, 111  
   of linear condensates 62, 66, 69, 72, 74,  
     77, 82, 86  
   maximum 36, 61  
   of plane flames 27, 31, 35, 40  
   , reference 41  
   of spherical flames 125, 126, 128, 129,  
     130, 132, 133, 134  
   cellular flames 194, 205, 206  
 chain reactions 18, 222  
 Charles's law 13  
 Clausius-Clapeyron relation (law) 74  
 cold-boundary difficulty 21, 28  
 combustion approximation 11  
 condensate burning 58, 79  
 conductance of burners 93  
 constant-density approximation 11  
   for explosions 235  
   for initially separated reactants 242  
   for NEFs 55, 151, 171, 202  
   for SVFs 159  
 continuum theory  
   balances in 2  
   constitutive equations for 3  
 convection-diffusion  
   in different dimensions 121  
   operator 15  
   zone 31, 123, 129  
 corrugated flames 198 (*see also* wrinkled  
   flames)  
 counterflow  
   flames 180  
   diffusion flames 96, 113  
 C-responses 44  
   for auto-ignition of slabs 227, 228  
   for diffusion flames 100, 115  
   for linear condensates 66, 73, 78  
   for spherical flames 127, 130  
 crests 205, 218  
 curvature  
   cellular flames, effect on 214  
   of flame sheet 143  
   flame speed, effect on 51, 52  
   NEF stability, effect on 205

264 *Subject Index*

- curvature (*contd.*)  
 SVF stability, effect on 199  
 vorticity and temperature stratification  
 due to 136
- cylindrical flames 52, 120, 138  
 , diffusion 95  
 , stability of 201, 214  
 , unsteady 173
- Damköhler number 15, 18  
 asymptotics 98, 124  
 , effective 243
- Darrieus-Landau instability 197, 208
- Davy lamp 45
- deflagration waves 20, 38  
 in auto-ignition of initially separated  
 reactants 244  
 evolution into detonation waves 194,  
 238  
 , incipient 236
- delta ( $\delta$ -) function 26, 27  
 models 218
- detonations 1, 194, 238
- diffusion  
 , differential mass 7, 15  
 flame 95, 241  
 velocity 2, 5
- drops  
 , fuel 96, 115  
 , monopropellant 133, 135
- duct flames  
 NEFs 55  
 SVFs 50, 51
- eigenvalue  
 for diffusion-flame stability 118, 119  
 , flame-speed 22, 23, 27, 35, 36, 40
- energy flux 16
- enthalpy 4  
 , available 16  
 balance of 22, 39, 42, 56, 62, 65, 71, 82,  
 84, 92, 104, 140  
 , conditional 16  
 small variations of 141  
 transfer in excess-enthalpy flame 45
- entropy layer 79, 87
- equidiffusion of mass and heat 15
- equilibrium 7  
 limit (*see* Buckmaster *and* Burke-  
 Schumann limits)
- Euler's equations 136
- evaporating liquids as  
 drops 96, 115, 133  
 linear condensates 24, 27, 60, 73, 76, 86,  
 91
- evolution equation of  
 cellular flames 207, 212, 216  
 SVFs 145
- experiments on  
 anchored flames 29, 219  
 auto-ignition 225  
 cellular flames 194  
 excess-enthalpy flames 45  
 initially separated reactants 242  
 linear condensates 60, 64, 83, 91  
 near-stoichiometric burning rate 36  
 open and closed flame tips 155  
 porous spheres 97  
 stagnation-point extinction 183  
 streamlines at flames 155, 158, 171
- explosions, thermal 222  
 exact solution for 230  
 , homogeneous and nonhomogeneous  
 222  
 of initially separated reactants 241  
 phases of 32, 222, 230, 233
- explosive regime 32
- extinction (*see also* quenching)  
 of diffusion flame 108  
 through heat loss 45  
 for linear condensates 60, 64, 67, 68, 71,  
 77, 78  
 of spherical flames 127  
 at stagnation points 181, 192
- Fick's law 5
- flame  
 area element of a 146  
 bluntness of a 174  
 characteristic surface of a 146  
 crests 205, 218  
 , diffusion 20, 95, 241  
 holders 51  
 , near-surface 31, 123, 125  
 position for flat burner 29, 32  
 , remote 31, 100, 123, 125  
 shape 138, 154, 158, 159, 163, 170  
 -sheet approximation 218  
 sheets 18, 26, 139  
 , surface 31, 103, 114, 123, 125, 131  
 thickness 26, 148  
 volume element of a 148
- flame-sheet structure 26, 33, 36, 40, 122  
 , Buckmaster 103, 126  
 , Burke-Schumann 102, 126, 244  
 , diffusion 110, 112  
 , unsteady 118
- flame speed 41, 46 (*see also* burning rate)  
 , adiabatic 22  
 when anchored 27  
 constancy of 137, 145  
 diffusional-thermal effect on 208  
 of excess-enthalpy flames 46  
 flame temperature, sensitivity to 38, 41,  
 140

## Subject Index

265

- in flash-through 237, 246
- heat-loss effect on 44
- of NEFs 57
- , negative 183
- when weakly stretched 183, 215
- for straining flow 181, 184, 186, 190
- of SVFs 48, 49, 50, 52, 145
- flame temperature
  - , adiabatic 22, 29, 35, 40, 99, 125, 137
  - when anchored 24, 39
  - burning-rate, effect on 38, 41, 140
  - of cellular flames 205
  - of diffusion flames 102, 105, 109, 110, 112, 114
  - for heat loss 44, 49, 52, 71
  - for linear condensates 63, 65, 68, 71, 82, 84, 86
  - of multidimensional flames 140
  - of NEFs 56
  - of spherical flames 128, 129, 131
  - , stagnation point 181
  - of SVFs 42, 48, 49, 52, 144
  - at tips 163, 166
- flame tips
  - , closed and open 155, 161, 165, 167
  - hydrodynamic analysis of 156, 170
  - of NEFs 165, 167, 170
  - , polyhedral 194
  - of SVFs 159, 161
- flameless combustion 61, 69
- flammability (propagation) limits 171, 193, 199
- flashback 47, 154, 170
- flash-through 236, 241, 246
- frozen combustion 18, 100, 125
- gasification 59 (*see also* evaporating liquid and pyrolysis)
- gravity 3, 12
- gravity effect on
  - cellular flames 213
  - fuel drops 97
  - SVFs 199
  - NEFs 205
- heat exchange
  - , distributed 71, 76
  - in excess-enthalpy flames 45
  - , radiative 64, 67, 76
- heat loss (*see also* heat exchange)
  - in ducts 43, 49, 51
  - in explosions 232
  - to inert particles 47
  - to walls 168
- heat of combustion 13
- heat of evaporation (*see* latent heat)
- heat of gasification 62
- heat release 137, 152 (*see also* constant-density approximation)
- hot-spots 18, 232, 244
  - focusing of 234, 244
- hydrocarbon flames 37, 155, 161, 205
- hydrodynamic discontinuity 136
  - limitations of concept 138
- hydrogen flames 155, 161, 205, 219
- ignition 221 (*see also* auto-ignition)
  - of diffusion flames 108
  - by heat fluxes 238
  - by hot inerts 241
  - of linear condensates 68
  - of spherical flames 127
- induction (*see* explosions, thermal, phases of)
- instability (*see* stability)
- jump conditions at
  - flame sheets 54, 150
  - hydrodynamic discontinuities 137
- Karlovitz stretch (*see* stretch)
- latent heat 73
- Lewis number 9, 15, 53, 139, 141
- linear condensates 58, 79
- Mach number 11, 14, 88, 136
- mass-flux fraction 17
- mass fraction 2
- mixtures
  - continuum theory of 2
  - one-reactant model for 21
  - two-reactant model for 20, 34
- molecular-mass equality 7
- monotonic responses 58
  - for diffusion flames 106, 114, 117
  - for linear condensates 64, 71
  - for spherical flames 128, 130
- near-surface flames (*see* flame, near-surface)
  - NEFs (near-equidiffusional flames) 38, 53, 139, 149
  - cold wall, effect of 168
  - as a restricted class 141
  - , sheared 176
  - stability of 202
  - , strained 179, 185
  - tips of 163, 170
- nonuniformities 175, 185 (*see also* shear and strain)
- one-reactant model (*see* mixtures, one-reactant model for)
- partial burning 27, 112, 131
- perturbations (*see also* stability)
  - defined 19
  - NEFs as 38, 53
  - SVFs as 38, 47

266 *Subject Index*

- plane flames 20, 25, 39  
 polyhedral flames 194  
 preheat zone 26, 142  
 propagation limits (*see* flammability limits)  
 propellants 59  
 pyrolysis 60, 62, 64, 79, 80, 91  
 pyrolysis law 62
- quasi-steady approximation 80, 97  
 quenching (*see also* extinction)  
   by cold walls 168  
   in explosions 238  
   by shear 175, 177, 179, 189  
   by strain 175, 187, 192  
   , flame-tip 163, 166, 167  
   hypothesis 166
- radiation 43, 64, 67, 76  
 rate constant 6  
 reactant depletion 223, 229  
 reaction rate 6  
 reactions 5, 7  
   of arbitrary order 33  
   , chain 18, 222  
   , exothermic 13  
   , switch-on 23, 24, 28, 58  
 remote flames (*see* flame, remote)  
 responses 58, 74, 77 (*see also* C-  
   responses, monotonic responses, and  
   S-responses)  
   , oval 78  
 Shvab-Zeldovich variables 15  
 shear 138, 147, 168, 175, 176, 187  
 similarity solutions 166, 169, 178, 179,  
   233, 243, 244  
 slow variations 82, 86, 98, 104, 127 (*see  
   also* SVFs)  
 specific-heat equality 7  
 species flux (*see* mass-flux fraction)  
 spherical flames 52, 120, 124, 138  
   , diffusion 95  
 spontaneous combustion 221 (*see also*  
   auto-ignition)  
 spray combustion 59  
 S-responses for  
   counterflow flames 184  
   diffusion flames 100, 106, 112, 117  
   linear condensates 68, 73  
   spherical flames 128, 130  
 stability 193  
   of anchored flames 92, 219  
   of chambered diffusion flames 119  
   , Darrieus-Landau 197  
   of diffusion flames 103, 117  
   diffusional-thermal effect on 196  
   in ducts 52  
   gravity effect on 199, 213  
   for heat loss 50  
   hydrodynamic effect on 209  
   of linear condensates 66, 69, 75, 78,  
   79, 80, 82, 84, 86, 90  
   of NEFs 202, 206, 209, 214, 218  
   of spherical flames 129  
   for stagnation-point flow 181  
   of SVFs 50, 53, 196, 199  
   of thermites 219  
 stagnation-point flow (*see* counterflow  
   and strain)  
 Stephan problems 151  
 Stephan problems relating to  
   cold walls 168  
   shear 176  
   strain 185  
   tips 163  
 stoichiometric  
   average mass 13  
   coefficients 5, 7  
 stoichiometry 34  
 strain 152, 175, 179, 185, 189  
 stretch 146 (*see also* area change)  
   for shear 177, 189  
   stability implications of 205  
   for strain 183, 187, 192  
   universal effect when weak 183  
 sub- and supercritical 225  
 supply  
   conditions 23, 39, 92, 98, 122, 124  
   as heat sink 26, 39, 98, 122  
 surface flames (*see* flame, surface)  
 SVFs (slowly varying flames) 38, 47, 50,  
   51, 139, 142  
   , anchored 92  
   basic equation of 145, 148  
   , sheared 187  
   stability of 196  
   , strained 189  
   tips of 159
- thermal expansion coefficient 152  
 thermal runaway for  
   auto-ignition 222, 229, 233  
   heat flux 239  
   initially separated reactants 245  
 thermites 18, 218, 223  
 tips (*see* flame tips)  
 transport coefficients 172  
 turbulence 175, 183, 193  
 two-reactant model (*see* mixtures, two-  
   reactant model for)
- units 13, 41
- vorticity 136, 157, 197
- weak-burning limit 108, 116, 129 (*see  
   also* frozen combustion)  
 wrinkled flames 214 (*see also* corrugated  
   flames)