

Cambridge University Press
 978-0-521-09228-9 - General Homogeneous Coordinates in Space of Three Dimensions

E. A. Maxwell

Index

[More information](#)

INDEX

- Absolute conic, 118
 Angle, 119
 Associated points, 109–10
 Asymptotic cone, 117
 Axis
 of quadric, 122–3
 of revolution, 123
 of tangential pencil, 124–5; associated plane of axis, 124–5
- Baker, H. F., 129
 Bilinear form, 143
- Centre of quadric, 117
 Centroid of tetrahedron, 116
 Circles related to desmic system, 25–31
 Circular points, 118
 Circular section, 123
 Coaxial system of spheres, 122
 Complex(es)
 four with two common lines, 74
 linear, 69–71, 155–7
 pole and polar, 71
 quadratic, 75
 special, 71
 of tangents of twisted cubic, 92
 tetrahedral, 76, 125
 three defining quadric, 73, 156
- Cone, 35, 47
 asymptotic, 117
 in pencil of quadrics, 100–1
- Confocal quadrics, 123–9
 Congruence, linear, 71; its directrices, 71
- Conjugacy, for quadric, 38
 Conjugate
 directions for a quadric, 122
 lines with respect to a quadric, 58
- Coordinates
 Cartesian, 114
 homogeneous, 1
 line-, *see* Line-coordinates
 matrix form of, 141
 plane, 12
 point, 12
 tangential, 12
 transformation of, 13, 142
- Cross-ratio properties, 14–15
 Cube, 120–1
 Cubic developable, 92, 126–7
 Curve
 cubic, *see* Twisted cubic
 quartic, 99
- Desargues, 16
 Desmic tetrahedra, 20–2
 associated system of, 22
 in cube, 120–1
 representing circles of triangle, 25–31
- Diameter, 117
 Direction-cosines, 115
 Directrices of linear congruence, 71
 Disc quadric (conic), 41–2, 108, 124, 129
 Duality, 11
 for quadrics, 40
- Ellipsoid, 118
 Euclidean geometry, Chapter VII
- Ferrar, W. L., 34
 Focal conics, 129
- Generators, 53
- Harmonic inversion, 19–20, 30, 110
 Hyperboloid, 118
- Involution on twisted cubic, 90
- Joachimstal, 37, 43, 144, 146
- Length, 116
 Line(s), straight, 2
 as intersection of two planes, 6
 condition for two to intersect, 67, 153
 equations of, 7
 parallel, 115
- Line-coordinates, 65–6, 149–51
 chords and tangents of twisted cubic, 91
 dual, 149
 by matrices, 149–59
 relation $p\pi = 0$ of, 150
 from two planes, 68

168

INDEX

- M.*, explained, xiv, 1
- Matrices, 134–41
 adjoint, adjugate, 140
 determinant of, 136
 ‘domino’ rule, 137
 geometrical applications of, 141–59
 inverse, 139–41
 skew-symmetrical, 135, 138
 sum, difference, product, 136–8
 symmetrical, 135, 138
 transpose, 138
 unit, 135
 zero, 135
- Möbius, 18
- Normal
 to plane, 119
 to quadric, 123–9
- Null plane, 156
- Null system, 156
- Orthogonal tetrahedron, 120
- Osculating plane, 88
- Paraboloid, 118
- Parallel lines, 115–16
 planes, 116
- Parametric representation
 $(\lambda\mu, \lambda, \mu, 1)$ for quadric, 54
 $(\theta^3, \theta^2, \theta, 1)$ for twisted cubic, 85–6
- Pedoe, D., 25
- Pencil, 8
 axis of, 8
 cross-ratio of planes of, 15
 of quadrics, 98; polar properties, 99;
 cones, 100–1
 tangential, of quadrics, 98, 108,
 123–8
- Perpendicular, 119
- Perspective, two tetrahedra in four-
 fold, 21
- Plane, 3
 at infinity, 114–15
 coordinates, 12
 normal, 119
 unit, 10
- Point
 coordinates, 12
 equation of, 12
 in matrix notation, 141
- Polar line
 with respect to quadric, 57; line-
 coordinates, 74
 of point with respect to pencil of
 quadrics, 100, 102–3
- Polar plane of point with respect to
 tetrahedron, 17
- Pole and polar
 for linear complex, 71
 for quadric, 38, 144
- Projective generation of quadric, 55–7
- Quadratic complex, 75
- Quadratic form
 matrix notation of, 143
 as sum of squares, 32
- Quadric envelope, 40
 associated locus of, 44
 axis of, 40
 contact of, 42
 degeneration to conic (disc quadric),
 41–2
 Joachimstal’s equation, 43
 pole and polar of, 44
 tangency and conjugacy for, 42–3
- Quadric surface, Chapter II
 associated envelope, 44
 asymptotic cone, 117
 centre, 117
 circular sections, 123
 condition for plane to touch, 39
 confocal, 123–9
 conjugate diameters, 122
 conjugate lines, 58
 definition of surface, 32
 diameter, 117
 disc quadric, 42, 108, 124
 equations of two quadrics, 102
 focal conics, 129
 form $ax^2 + by^2 + cz^2 + dt^2 = 0$, 34
 form $xt = yz$, 53
 generators, 53
 Joachimstal’s equation, 37, 43, 144,
 146
 matrix treatment, 144–9, 156–9
 metrical properties, 117–18, 122–9
 net, 98, 108–10
 normal, 123–9
 notation S_{12} , X , Y , Z , T , etc., 36–7
 pencil, 98–108
 polar lines, 57
 pole and polar, 38, 144
 principal axes, 122–3
 projective generation, 55–7
 reciprocation, 59, 145
 regulus, 54, 100

Cambridge University Press
 978-0-521-09228-9 - General Homogeneous Coordinates in Space of Three Dimensions

E. A. Maxwell

Index

[More information](#)

INDEX

169

- Quadric surface (*continued*)
 revolution, 123
 ring contact, 107
 self-polar tetrahedron, 47
 singular, 36
 tangent cone, 38
 tangent plane, 38, 54
 tangential pencil, or range, 98, 108, 123–8
 from three linear complexes, 73, 156
 through twisted cubic, 90
 umbilic, 123
- Radical plane, 121
 Range
 of points, 8
 of quadrics, 98
 Reciprocation, 45–6, 59, 145
 Regulus, 54, 100
 from three linear complexes, 72
 Right angles, 119
 Ring contact, 107
- Scalar, 135
 Singular quadric, 36
 Space
 Euclidean, 114–15
 projective, 114–15
 Special linear complex, 71
 Sphere, 118, 121
 coaxal system, 122
 radical plane, 121
 Star, 83–4
 Surface, 32
 Symbol of point, 1
 Syzygy, 2
 connecting symbols of five points, 8
- Tangent, 37–8
 cone, 38
 plane, 38
 to twisted cubic, 88
 Tetrahedra, desmic, 20–2, 120–1
 Möbius's, 18
 Tetrahedral complex, 76, 125
 Tetrahedron, 10
 centroid of, 116
 edges, faces, vertices, 10
 orthogonal, 120
 of reference, 10
 self-polar, 47
 Transformation of coordinates, 13, 142
 Transversal from point to two skew lines, 9
 Todd, J. A., 84, 98, 134
 Turnbull, H. W., 156
 Twisted cubic
 definition, 82–3
 involution on, 90
 line-coordinates of chords and tangents, 91
 osculating plane, 88
 properties from parametric form, 87–91
 quadrics through, 90
 tangent, 88
 ($\theta^3, \theta^2, \theta, 1$), 85–6
- Umbilic, 123
 Unit
 plane, 10–11
 point, 10
- Vector, 135
 Von Staudt, 15, 59