

Cambridge University Press
 978-0-521-09530-3 - Normal Topological Spaces
 Richard A. Alo and Harvey L. Shapiro
 Index

[More information](#)

Index

Indexing of individuals is for cited theorems only. Additional information regarding individuals may be obtained from the Guide above.

- \aleph_0 -collectionwise normal, *see*
 - γ -collectionwise normal space
 - if and only if, 10
- \aleph_0 -paracompact, 8
- α -projection map, 14
- absolute neighborhood retract, 85
- absolute retract, 85
- absolutely homogeneous, 29
- absolutely P -embedded, 183
- almost C -embedded, 203
- almost compact, 183
- almost P -embedded, 203
- almost P^γ -embedded, 203
- Alò and Shapiro, 251, 252, 258
- arbitrarily small sets, 149
- Arens, 169, 185
- Axiom of choice, 5

- Banach space, 161
- base
 - discriminating, 49
 - normal, 42
 - \mathcal{L} -filter, 43
 - \mathcal{L} -filter generated by, 43
- Bing, 190
- Bing's space, 100ff, 257, 280
- Blair, R. L., 78, 79, 80
- bounded above, 5
- bounded below, 5
- Bourbaki filter, 42
- Burke, 272

- Ceder, 266
- C -embedded, 20
 - vs. C^* -embedded, 74
 - vs. \mathcal{C} , 201
 - vs. P^{\aleph_0} -embedded, 186
 - vs. z -embedded, 79
- c -embedded, 219
 - if and only if, 222
- C^* -embedded, 20
 - vs. \mathcal{C}^* , 202
 - vs. T -embedded, 208
 - vs. z -embedded, 79
 - if and only if, 58, 231
- c^* -embedded, 219
- cardinality of a set, 2
- Cauchy \mathcal{L} -filter, 149
- cb-space, 248
 - if and only if, 250, 255
- CCM subspace, 226
- Čech compactification, *see* Stone-Čech compactification
- chain, 5
- circled extension, 18
- circled subset, 17
- closed under closed continuous image, 262
- closed under countable unions (intersections), 41
- closed under domination, 262
- closed under finite unions (intersections), 41
- closure, 2
 - realclosure, 62
- closure preserving, 3
- cluster point of \mathcal{L} -filter, 48, 53
- cofinality, 105
- collection of sets, 1
 - closed under countable unions (intersections), 41
 - closed under finite unions (intersections), 41
 - complement generated, 59
 - delta, 59

Cambridge University Press
 978-0-521-09530-3 - Normal Topological Spaces
 Richard A. Alo and Harvey L. Shapiro

Index

[More information](#)

302

collection of sets (*cont.*)
 disjunctive, 42
 normal, 42
 collectionwise normal space, 7
 if and only if, 15, 27, 136, 217,
 238, 239
 compact open topology, 239
 compact space, 8
 if and only if, 15, 46, 65
 compactification
 one point, 15
 Stone–Čech, 57
 Wallman–Frink, 56
 compatible with a topology,
 semimetric, 267
 complement of a subset, 2
 complete uniform space, 149
 completely regular, 7
 if and only if uniformizable, 148
 completely separated subsets, 70
 completion of uniform space, 149
 continuous function, 19ff
 ultimately constant, 95
 uniformly constant, 38
 continuous uniformity, 36
 convex envelope, 17
 convex extension, 17
 convex hull, 17
 cosmic space, 262
 countable intersection property, 6
 countably compact, 8
 vs. pseudocompact, 21
 if and only if, 16
 countably paracompact, 8
 if and only if, 252, 254, 257, 258,
 259
 countably productive class, 261
 cover, normal sequence, *see* normal
 sequence of covers
 cover of a set, 3
 co- Z set, 41
 cozero-set, 20
 is z -embedded, 81
 Creede, 267
 cushioned refinement, 252
 if and only if, 263

 δ -normal, 254
 δ -normally separated, 254
 Δ -refinement, 11
 dF , 25
 d^* , 25
 d -dense subset, 88

Index

d -discrete family, 31
 delta collection of subsets, 59
 complement generated, 59
 developable space, 264
 diagonal of X , 33
 all neighborhoods of, 90
 directed cover, 258
 discrete collection, 3
 d -, 31
 if and only if, 4
 γ -uniformly, 134
 uniformly, 134
 discriminating base, 49
 disjunctive collection, 42
 dominated by collection of subsets,
 space, 261
 Dowker, 251, 252

 E , 1
 entourage, 33
 symmetric, 33
 expandable, 256
 expansion, 6
 extends continuously to X relative
 to Y , function, 226

 F_σ -screenable, 256
 F_σ -set, 3
 family of sets, 1
 fixed, 46
 free, 46
 similar, 118
 filter base, \mathcal{F} , 43
 filter generated by base, 43
 finite intersection property, 6
 finite order, 6
 finite with respect to a cover, 134
 fixed point property, 85
 Fréchet space, 161
 Frink Theorem, 57

 γ -collectionwise normal space, 7
 vs. $P\gamma$ -embedded, 81
 if and only if, 216
 γ -expandable, 256
 γ -normal, 254
 γ -paracompact, 8
 γ -separable pseudometric, 89
 γ -separable uniformity, 215
 γ -uniformly discrete, 134
 γ -uniformly embedded, 211
 γ -uniformly locally finite, 134
 (γ, M) -valued function, 226

Cambridge University Press
 978-0-521-09530-3 - Normal Topological Spaces
 Richard A. Alo and Harvey L. Shapiro

Index

[More information](#)

Index

303

- G_δ -set, 3, 254
- Gantner, 213
- generalized F_σ -set, 80
 - vs. z -embedded, 83
- Hausdorff space, 7
- Heath, 275, 276, 277, 278
- hemicompact, 234
- Henriksen, 81
- hereditarily collectionwise normal, 7
- hereditarily normal, 7
- hereditary class, 261
- hereditary property, 91
- Hewitt–Nachbin realcompletion, 64
 - characterization of, 225, 231
- Hodel, 276, 277
- homogeneous function, non-negatively, 30
- index set, 1
- interior, 2
- intersection cover, 13
- intrinsic topology, 16
- Iseki, 252
- Ishii, 251
- Ishikawa, 258
- isomorphism, uniform, 38
- Johnson, 81
- k -semistratifiable space, 268
- k -semistratification, 268
- Katětov space, 98ff
- Katětov theorem, 119, 135, 136
- Krajewski, 258
- Λ -space, 98ff, 212
- LCTV space, 226
- Lebesgue cover, 28
- Lebesgue's lemma, 28
- limit point of a \mathcal{L} -filter base, 48
- limit point of a \mathcal{L} -filter on X , 53
- Lindelöf, 8
 - vs. realcomplete, 61
 - vs. z -embedded, 81
 - if and only if, 60
- line segment, 17
- linear topological space, 17
 - locally convex, 30
 - locally convex topology, 30
- locally bounded, 248
- locally compact, 8, 15
- locally convex linear space, 30
 - locally convex topology, 30
 - locally finite, 3
 - if and only if, 4
 - lower bound, 5
 - Lutzer, 268, 277, 278
 - M -space, 262
 - M^* -space, 272
 - M_1 -space, 263
 - M_3 -space, 263
 - M -valued function, 226
 - Mack, 258
 - Mansfield, 251, 252
 - maximal element, 5
 - measurable cardinal number, 68
 - measure, $\{0, 1\}$ -valued, 68
 - fixed, 69
 - free, 69
 - metric, 24
 - Michael, 273, 275
 - minimal element, 5
 - Minkowski functional, 30
 - monotonically normal, 277
 - Moore plane (Niemytzki plane), 91, 280
 - Morita theorems, 116, 119, 122, 128, 258, 259, 271
 - \mathbb{N} (positive integers), 1
 - n -refinement, 86
 - Nachbin, realcompletion, *see*
 - Hewitt–Nachbin realcompletion
 - Nagami, 86ff
 - Nagata, 269, 271, 273, 275
 - Nagata space, 277
 - neighborhood \mathcal{L} -filter, 50
 - network, 262
 - Niemytzki plane, 91, 280
 - non-measurable cardinal, vs.
 - P -embedded, 187
 - norm, 29
 - normal base, 42
 - strong delta normal base, 59
 - normal cover, 11
 - vs. countable cozero-set cover, 127
 - vs. uniform cover, 156
 - if and only if, 122
 - normal sequence of covers, 11
 - association with a pseudometric, 88
 - normal space, 7
 - vs. P^{\aleph_0} -embedded, 201
 - if and only if, 9, 10, 30ff, 75, 82, 84, 224

- $\omega(\mathcal{Z})$, 55ff
- Okuyama, 269, 274
- one-point compactification, 15
- open interval, 16
- ordinal numbers, spaces of, 94ff
 - cofinal, 105
 - regular, 105
 - singular, 105
- P -space, 197
- p -space, 262
- P -embedded, 164
 - vs. almost P -embedded, 203
 - vs. collectionwise normal, 189
 - vs. non-measurable cardinal, 187
 - if and only if, 178, 180, 230, 233, 234, 236
- P^γ -embedded, 164
 - vs. almost P -embedded, 203
 - vs. \mathcal{C} -embedded, 187
 - vs. γ -collectionwise normal, 189
 - if and only if, 173, 176, 182, 227
- P^{\aleph_0} -embedded,
 - vs. \mathcal{C} -embedded, 187
 - vs. normal, 201
 - if and only if, 197
- paracompact, 8
 - vs. separation axioms, 16
 - if and only if, 15, 125
- partial functions associated with a pseudometric, 226
- partial order, 5
- partition of unity, 20
- point-finite, 21
 - locally finite, 21
 - subordinate, 21
- perfect map, 271
- perfectly normal, 7
 - if and only if, 76
- point countably base, 270
- point-finite, 3
- pointwise paracompact, 275
- power at most γ , 3
- power less than γ , 3
- power set of X , 1
- precompact uniformly embedded, 219
- precompact uniformity, 219
- preorder, 5
- prerealcomplete uniformity, 219
- prerealcomplete uniformly embedded, 219
- prime \mathcal{Z} -filter, 45
- product topology, *see* Tychonoff product topology
- product uniformity, 39
- productive property, 91
- projective limit topology, 15
- pseudocompact, 21
 - vs. countably compact, 21
 - if and only if, 65, 192
- pseudometric, 24
 - associated with continuous function, 143
 - associated with normal sequence, 88
 - completion of, 151
 - continuous, 24
 - countably compact, 27
 - \mathcal{d} -dense, 88
 - extending continuous, 164
 - γ -separable, 89
 - paracompact, 27
 - totally bounded, 89
 - uniformity, 143
 - uniformly continuous, 144
 - if and only if, 24
- pseudonorm, 28
- pseudonorm topology, 28
- Q -closure, 62
- quasi-perfect map, 271
- $\rho(\mathcal{Z})$, 60ff
- \mathbf{R} (real numbers), 1
- \mathbf{R}^+ (non-negative real numbers), 1
- \mathbf{R}^X , 20
- radial kernel, 30
- radial subset at a point, 30
- real \mathcal{Z} -filter, 60
- realclosed, 62
- realclosure, 62
- realcomplete, 61
 - complete uniform space, 162
 - discrete, 69
 - Lindelöf, 61
 - Tychonoff product, 67
 - if and only if, 62, 63, 154
- realcompletion, 61
 - Hewitt–Nachbin, 64
- refinement, 5
 - n , 86
- regular closed subset, 2
- regular G_δ -set, 254
- regular open subset, 2
- regular S_γ -set, 253

Index

305

- regular space, 7
- retraction, 85
- ring of sets, 41
 - normal, 42
- Rudin's space, 105

- σ -closed class, 262
- σ -cushioned pair base, 263
- σ -cushioned refinement, 252
- σ -discrete, 3
- σ -discrete network, 262
- σ -locally finite, 3
- σ -locally finite network, 262
- σ -paracompact, 256
- σ -point-finite, 3
- σ -space, 262
- Σ -products, 101, 212
- Σ -space, 273, 274
- $\Sigma^\#$ -space, 274
- Σ^* -space, 274
- S_γ -set, 253
- S -separated subsets, 77
 - vs. z -embedded, 78
- saturated uniform space, 155
- screen, 5
 - strong, 6
- semicontinuous
 - upper and lower, 23
 - if and only if, 28
- semimetric, 267
- semimetrizable, 267
- semistratifiable, 266
- semistratification, 266
- sets, small of order U , 149
- Shapiro, 251
- Shirota theorem, 162
- similar covers, 118
- simultaneous extension exercise, 185
- Siwiec, 269, 271, 272
- Slaughter, 275
- Smirnov Theorem, 84
- Sorgenfrey line, 93ff, 61, 278, 280
- Sorgenfrey plane, 93ff, 61
- star of A with respect to \mathcal{A} , 10
- star-finite, 11
- star-refinement, 11
- Stone theorems, 117, 122
- Stone-Čech compactification, 57
 - characterization, 225, 232
- stratifiable space, 263, 267
- stratification, 266
- strong delta normal base, 59
- strong screen, 6

- strongly C -embedded, 246
 - vs. countably paracompact, 246
- strongly P -embedded, 245
- strongly countably paracompact, 260
- strongly normal, 245
 - vs. strongly P -embedded, 247
- subadditive function, 29
- subordinate partition of unity, 21
- subparacompact, 255
- symmetric subset, 33
- system of generators for
 - \mathcal{Z} -filter, 44

- T -embedded, 205
 - vs. C^* -embedded, 208
- T_1 -space, 7
- Tamano, 251, 259
- topological space, 1
- topology induced by a family of maps, 15
- totally bounded, pseudometric, 89
- totally disconnected, 15
- totally ordered set, 5
- trace of a cover, 2
- translate, 17
- Tukey theorems, 12
- Tychonoff plank, 97ff, 247, 249
- Tychonoff product topology, 14
 - realcomplete, 67
- Tychonoff space, 7

- u -embedded, 211
- u_γ -embedded, 211
- uniform cover, 156
 - associated with an entourage, 156
 - vs. normal covers, 156
- uniform d -sphere, 143
- uniform isomorphism, 38
- uniform space, 33
 - vs. P -embedded, 180
 - all neighborhoods of the diagonal 90
 - base for, 34; if and only if 34
 - coarsest, 34
 - compact, 149
 - complete, 149
 - completion, 149ff
 - finest, 34
 - Hausdorff, 33; if and only if, 37
 - precompact, 219
 - prerealcomplete, 219
 - product of, 39

- uniform space (*cont.*)
 - saturated, 155
 - subbase for, 34; if and only if, 35
 - subspace, 40
 - topology for, 35
 - see also* uniformity
- uniform structure, 33
 - see also* uniformity and uniform space
- uniformity, 33
 - admissible, 36
 - admits the. 36
 - \mathcal{C} , \mathcal{C}^* , \mathcal{U}_0 , \mathcal{U}_T , \mathcal{U}_γ , 147
 - continuous uniformity, 36
 - finest, 34
 - γ -separable, 215
 - γ -uniformity, 147
 - generated by \mathcal{P} , 143
 - generated by collection of
 - continuous functions, 143
 - Hausdorff uniformity, 33
 - on X induced by a family, 39
 - precompact, 219
 - prerealcomplete, 219
 - product, 38
 - pseudometric, 143
- T -, 147
 - universal, 147
 - relative uniformity, 40
 - see also* uniform space
- uniformizable, 36
 - if and only if completely regular, 148
- uniformly continuous function, 38
 - if and only if, 38
 - pseudometric, 144
- uniformly discrete, 134
 - γ -, 134
- uniformly embedded, 211
- uniformly equivalent function, 38
- uniformly locally finite, 134
 - if and only if, 135
- upper bound, 5
- Urysohn's extension theorem, 73
- Urysohn Theorem, 72
- vector topology, 17
- w -star space, 265
- $w\Delta$ -space, 272
- Wallman–Frink compactification, 56
- weak cb-space, 248
 - if and only if, 249, 255
- weakly Cauchy filter, 259
- weakly δ -normally separated, 254
- well-ordered set, 5
- \mathcal{Z} -filter, 42
 - base, 43
 - cluster point of, 48, 53
 - converges, 48, 54
 - generated by a base, 43
 - is a \mathcal{Z} -ultrafilter, 45
 - is fixed, 46
 - is free, 46
 - limit point of, 48, 53
 - neighborhood, 50
 - point, 47
 - prime, 45
 - real, 60
 - system of generators for, 44
- \mathcal{Z} -ultrafilter, 44
 - if and only if, 45
- $Z(X)$, 42
- Z^ω , 55
- z -embedded, 77
 - vs. C -embedded, 79
 - vs. C^* -embedded, 79
 - vs. S -separated, 78
 - vs. cozero-set, 81
 - vs. generalized F_σ , 83
 - vs. Lindelöf, 81
 - vs. normal, 82, 84
 - vs. retract, 82
 - if and only if, 78, 194
- Zenor, 277, 278
- Zermelo's theorem, 5
- zero-dimensional, 8
- zero-set, 20
- Zorn's lemma, 5